QUESTION8 STUDENT EXCUSE GEERATOR

```
#include <iostream>
#include <vector>
#include <string>
#include <cstdlib>
#include <ctime>

// Function to replace all occurrences of {name} with the actual student
name
std::string replaceName(std::string templ, const std::string& name) {
    std::string placeholder = "{name}";
    size_t pos = 0;
    while ((pos = templ.find(placeholder, pos)) != std::string::npos) {
        templ.replace(pos, placeholder.length(), name);
        pos += name.length();
    }
    return templ;
}

int main() {
    // Seed random number generator so excuses vary each run
    srand(static_cast<unsigned int>(time(0)));

    // Store excuse templates in a vector
    std::vector<std::string> excuses = {
        "{name} couldn't complete the assignment because the laptop
battery died unexpectedly.",
        "{name} tried finishing the homework, but the internet stopped
working at midnight.",
        "{name} was ready to submit the assignment when the file
mysteriously disappeared.",
        "{name} couldn't finish the assignment because the laptop decided
to install updates for six hours.",
        "{name} was about to complete the homework when the Wi-Fi
mysteriously disappeared.",
        "{name} tried finishing the assignment, but the computer keyboard
suddenly stopped cooperating.",
        "{name}'s dog sat on the keyboard and deleted the entire document
— twice.",
        "{name} was so focused on studying for another exam that this
assignment slipped through the cracks.",
        "{name}'s roommate accidentally unplugged the PC right before
saving the final version.",
        "{name} submitted the assignment on time — but to the wrong email
address by mistake.",
        "{name} opened the assignment file but the software crashed and
corrupted everything.",
        "{name} tried to print it but ran out of ink, paper, and then
patience.",
    };

    // Ask user for their name
    std::string name;
    std::cout << "==========================================\n";
    std::cout << "    Welcome to the Excuse Generator!     \n";
    std::cout << "==========================================\n";
    std::cout << "Enter your name: ";
    std::getline(std::cin, name);
```

```
    // Handle empty input gracefully
    if (name.empty()) {
        std::cout << "No name entered. Defaulting to 'Anonymous
Student'.\n";
        name = "Anonymous Student";
    }

    // Randomly pick an excuse
    int index = rand() % excuses.size();
    std::string excuse = replaceName(excuses[index], name);

    // Display the excuse
    std::cout << "\n📋 Here's your excuse, " << name << ":\n";
    std::cout << "-----------------------------------------\n";
    std::cout << excuse << "\n";
    std::cout << "-----------------------------------------\n";
    std::cout << "Good luck convincing your professor! 😅\n";

    return 0;
}
```