Status	Finished
Started	Tuesday, 20 October 2026, 10:26 PM
Completed	Tuesday, 20 October 2026, 10:32 PM
Duration	5 mins 52 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'int'>

b. str

c. <class 'tuple'>

d. <class 'str'> ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain both integers and strings as its elements. ✓

b. In Python, a tuple can contain only integers as its elements.

c. In Python, a tuple can contain either string or integer but not both at a time.

d. In Python, a tuple can contain only strings as its elements.

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. True

False

c. False

True

d. False

False

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. iii,iv

b. i,ii

c. ii,iv

d. i,iii ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. A tuple is unordered

c. A tuple maintains the order of items ✓

d. None of these

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. i,ii ✓

c. All of the above

d. iii

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. {40, 10, 50, 20, 60, 30}

d. {40, '10', 50, 20, 60, 30}

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11,3)(11,3)(11,3)
- b. (11,3,11,11,3,11,11,11,3)
- c. [11,11,11,3,3,3]
- d. (11, 3, 11, 3, 11, 3) ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. (1,4,5,6,7) ✓
- b. {1,3,8,9,41}
- c. [1,2,3,4]
- d. ("Wonder")

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- a. Name Error
- b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓
- c. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}
- d. TypeError: update() doesn't allow list as a argument.

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3)(4,5,6)

b. Error

c. (1,2,3,3,2,1)

d. (1,2,3,4,5,6) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,1}

b. {3} ✓

c. {2,5,3,1}

d. {}

Question **13**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. True ✓

b. False

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl1=tupl+tupl ✓

b. tupl.sort()

c. tupl[1]=2

d. tupl.append(2)

Question **15**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set2 will get appended to set1

b. A new set will be created with the unique elements of set1 and set2. ✗

c. Elements of set1 will get appended to set2

d. A new set will be created with the elements of both set1 and set2