

# CI/CD Deployment for Springboot Application.

## Output-

The screenshot shows a web browser window for a practice lab titled "PG FSD Testing in a DevOps Lifecycle". The main content area is titled "Current Lab : AWS Certification - Dedicated Account". It features tabs for "Access Information", "Lab Details", "Components", "Log Details", and "Usage Details". Under "Access Information", there are two service icons: "AWS Web Console" and "AWS API Access". Below these is a "Auth Url" field containing "https://signin.aws.amazon.com/federate". A "Refresh Link" button is located next to it. A message states "Session Expires in: 7h 59m 11s". Below this, two notes are provided: "1. Session Duration is for 8 Hours. Post the session duration all the resources will be cleaned up automatically." and "2. Auth URL enables Single-Sign-On, so the URL will vary for each session and the same URL will not work next time. Refresh the Access Details". To the right of the main content, there is a sidebar titled "AWS Certification - Dedicated Account" which includes a "Category: Cloud Computing", "Start Date: 2021-09-19 19:25", "End Date: 2021-09-27 08:59", and a "Code: SLAWS". At the bottom right of the sidebar is a "TERMINATE LAB ACCESS" button. The left sidebar of the browser shows navigation links for "SELF LEARNING", "LIVE CLASSES", "PRACTICE LABS", and "ASSESSMENT". The bottom of the browser window indicates it is "Powered by CORESTACK".

AWS Management Console

**AWS services**

▼ Recently visited services  
Your recently visited AWS services appear here.

▶ All services

**Build a solution**

Get started with simple wizards and automated workflows.

**Launch a virtual machine**  
With EC2  
2-3 minutes

**Build a web app**  
With Elastic Beanstalk  
6 minutes

**Build using virtual servers**  
With Lightsail  
1-2 minutes

**Register a domain**  
With Route 53  
3 minutes

**Connect an IoT device**  
With AWS IoT  
5 minutes

**Start migrating to AWS**  
With AWS MGN  
1-2 minutes

▶ See more

**Getting Started with AWS**

Learn the fundamentals of AWS and get started with AWS services. [Get Started](#)

**Stay connected to your AWS resources on-the-go**

AWS Console Mobile App now supports four additional regions. Download the AWS Console Mobile App to your iOS or Android mobile device. [Learn more](#)

**Explore AWS**

**AWS Certification**  
 Propel your career forward with AWS Certification. [Learn more](#)

**Free AWS Training**  
Advance your career with AWS Cloud Practitioner Essentials—a free, six-hour, foundational course. [Learn more](#)

**AWS Certification**  
Explore the resources available to help you prepare for your AWS Certification. [Learn more](#)

**AWS Certification**  
Get a complete overview of all things AWS Certification in this free e-book. [Learn more](#)

**Have feedback?**

Practice Labs AWS Services Search for services, features, marketplace products, and docs [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 N. Virginia Support

https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#LaunchInstanceWizard:

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review Cancel and Exit

**Step 1: Choose an Amazon Machine Image (AMI)**

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.

Search for an AMI by entering a search term e.g. "Windows"

Search by Systems Manager parameter

1 to 44 of 44 AMIs

**Quick Start**

My AMIs

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-087c17d1fe0178315 (64-bit x86) / ami-029c64b3c205e6cce (64-bit Arm)  
Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is approaching end of life on December 31, 2020 and has been removed from this wizard.  
Root device type: ebs Virtualization type: hvm ENA Enabled: Yes  
Select 64-bit (x86) 64-bit (Arm)

macOS Big Sur 11.6 - ami-0355f1ed5537c0368  
The macOS Big Sur AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.  
Root device type: ebs Virtualization type: hvm ENA Enabled: Yes  
Select 64-bit (Mac)

macOS Catalina 10.15.7 - ami-0ae0b6d49088fc747  
The macOS Catalina AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.  
Root device type: ebs Virtualization type: hvm ENA Enabled: Yes  
Select 64-bit (Mac)

macOS Mojave 10.14.6 - ami-07279d867534aacb6  
The macOS Mojave AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.  
Root device type: ebs Virtualization type: hvm ENA Enabled: Yes  
Select 64-bit (Mac)

**Step 2: Choose an Instance Type**

Amazon EC2 provides a wide selection of instance types optimized to fit different use cases. Instances are virtual servers that can run applications. They have varying combinations of CPU, memory, storage, and networking capacity, and give you the flexibility to choose the appropriate mix of resources for your applications. Learn more about instance types and how they can meet your computing needs.

Filter by: All Instance families ▾ Current generation ▾ Show/Hide Columns

Currently selected: t2.micro (- ECUs, 1 vCPUs, 2.5 GHz, -, 1 GiB memory, EBS only)

Family	Type	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance	IPv6 Support
t2	t2.nano	1	0.5	EBS only	-	Low to Moderate	Yes
<input checked="" type="checkbox"/> t2	<b>t2.micro</b> Free tier eligible	1	1	EBS only	-	Low to Moderate	Yes
t2	t2.small	1	2	EBS only	-	Low to Moderate	Yes
t2	t2.medium	2	4	EBS only	-	Low to Moderate	Yes
t2	t2.large	2	8	EBS only	-	Low to Moderate	Yes
t2	t2.xlarge	4	16	EBS only	-	Moderate	Yes
t2	t2.2xlarge	8	32	EBS only	-	Moderate	Yes
t3	t3.nano	2	0.5	EBS only	Yes	Up to 5 Gigabit	Yes
t3	t3.micro	2	1	EBS only	Yes	Up to 5 Gigabit	Yes
t3	t3.small	2	2	EBS only	Yes	Up to 5 Gigabit	Yes

Cancel Previous Review and Launch Next: Configure Instance Details

**Step 3: Configure Instance Details**

Configure the instance to suit your requirements. You can launch multiple instances from the same AMI, request Spot instances to take advantage of the lower pricing, assign an access management role to the instance, and more.

Number of Instances: 1 Launch into Auto Scaling Group

Purchasing option: Request Spot instances

Network: vpc-0df264bc367f1fec2 (default) Create new VPC

Subnet: No preference (default subnet in any Availability Zone) Create new subnet

Auto-assign Public IP: Use subnet setting (Enable)

Placement group: Add instance to placement group

Capacity Reservation: Open

Domain join directory: No directory Create new directory

IAM role: None Create new IAM role

Shutdown behavior: Stop

Stop - Hibernate behavior: Enable hibernation as an additional stop behavior

Enable termination protection: Protect against accidental termination

Monitoring: Enable CloudWatch detailed monitoring Additional charges apply.

Tenancy: Shared - Run a shared hardware instance

Cancel Previous Review and Launch Next: Add Storage

<https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#LaunchInstanceWizard>

aws Services Search for services, features, marketplace products, and docs [Alt+S] Corestack\_Role/mailalakev\_gmail@7799-2173-1516 N. Virginia Support

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 4: Add Storage

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. Learn more about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encryption
Root	/dev/xvda	snap-0699a041095ac5492	8	General Purpose SSD (gp2)	100 / 3000	N/A	<input checked="" type="checkbox"/>	Not Encrypted

Add New Volume

Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage. Learn more about free usage tier eligibility and usage restrictions.

Cancel Previous Review and Launch Next: Add Tags

Feedback English (US) © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver. A copy of a tag can be applied to volumes, instances or both. Tags will be applied to all instances and volumes. Learn more about tagging your Amazon EC2 resources.

Key	(128 characters maximum)	Value	(256 characters maximum)	Instances	Volumes	Network Interfaces
<i>This resource currently has no tags</i>						

Choose the Add tag button or click to add a Name tag. Make sure your IAM policy includes permissions to create tags.

Add Tag (Up to 50 tags maximum)

Cancel Previous Review and Launch Next: Configure Security Group

Feedback English (US) © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

<https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#LaunchInstanceWizard>

Services ▾  [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 N. Virginia Support ▾

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. Learn more about Amazon EC2 security groups.

Assign a security group:  Create a new security group  Select an existing security group

Security group name:

Description:

Type	Protocol	Port Range	Source	Description
SSH	TCP	22	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop
HTTP	TCP	80	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop
HTTP	TCP	80	Custom ::/0	e.g. SSH for Admin Desktop

Add Rule

**⚠ Warning**  
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Feedback English (US) ▾ © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Services ▾  [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 N. Virginia Support ▾

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 7: Review Instance Launch

Root Device type: ebs Virtualization type: hvm

Instance Type

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance
t2.micro	-	1	1	EBS only	-	Low to Moderate

Security Groups

Security group name: launch-wizard-1  
Description: launch-wizard-1 created 2021-09-26T14:37:03.423-05:00

Type	Protocol	Port Range	Source	Description
SSH	TCP	22	0.0.0.0/0	
HTTP	TCP	80	0.0.0.0/0	
HTTP	TCP	80	::/0	

Instance Details

Storage

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encrypted
Root	/dev/xvda	snap-0699a041095ac5492	8	gp2	100 / 3000	N/A	Yes	Not Encrypted

Tags

Cancel Previous Launch

Feedback English (US) ▾ © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Screenshot of the AWS CloudFormation Step 7: Review Instance Launch page. The 'Configure Security Group' step is selected. A modal window titled 'Select an existing key pair or create a new key pair' is open, showing options to create a new key pair (RSA or ED25519) or select an existing one. The 'Key pair name' field contains 'phase5\_aws\_project'. A note at the bottom of the modal says: 'You have to download the private key file (\*.pem file) before you can continue. Store it in a secure and accessible location. You will not be able to download the file again after it's created.' Below the modal, there are 'Cancel' and 'Launch Instances' buttons.

Screenshot of the AWS CloudFormation Step 7: Review Instance Launch page. The 'Configure Security Group' step is selected. A modal window titled 'Select an existing key pair or create a new key pair' is open, showing options to create a new key pair (RSA or ED25519) or select an existing one. The 'Key pair name' field contains 'phase5\_aws\_project'. A note at the bottom of the modal says: 'You have to download the private key file (\*.pem file) before you can continue. Store it in a secure and accessible location. You will not be able to download the file again after it's created.' Below the modal, there are 'Cancel' and 'Launch Instances' buttons. A red arrow points from the 'phase5\_aws\_project.pem' file in the file explorer to the 'Launch Instances' button.

Screenshot of the AWS CloudWatch Metrics console showing a metric named "LaunchStatus" with a value of 1. The chart shows a single data point at time 0.

## Launch Status

### Your instances are now launching

The following instance launches have been initiated: i-03151d5c74c30423b [View launch log](#)

### Get notified of estimated charges

Create [billing alerts](#) to get an email notification when estimated charges on your AWS bill exceed an amount you define (for example, if you exceed the free usage tier).

#### How to connect to your instances

Your instances are launching, and it may take a few minutes until they are in the **running** state, when they will be ready for you to use. Usage hours on your new instances will start immediately and continue to accrue until you stop or terminate your instances.

Click [View Instances](#) to monitor your instances' status. Once your instances are in the **running** state, you can **connect** to them from the Instances screen. Find out how to connect to your instances.

#### Here are some helpful resources to get you started

- How to connect to your Linux instance
- Learn about AWS Free Usage Tier
- Amazon EC2: User Guide
- Amazon EC2: Discussion Forum

While your instances are launching you can also

- Create status check alarms to be notified when these instances fail status checks. (Additional charges may apply)
- Create and attach additional EBS volumes (Additional charges may apply)
- Manage security groups

[View Instances](#)

Screenshot of the AWS CloudWatch Metrics console showing a metric named "LaunchStatus" with a value of 1. The chart shows a single data point at time 0.

## Launch Status



### Initiating Instance Launches

Please do not close your browser while this is loading

Creating security groups... Successful

Authorizing inbound rules... Successful

Initiating launches...

Screenshot of the AWS CloudWatch Metrics console showing a metric named "LaunchStatus" with a value of 1. The chart shows a single data point at time 0.

Screenshot of the AWS EC2 Instances page showing a single running instance (t2.micro) in us-east-1d.

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 IP
-	i-03151d5c74c30423b	Running	t2.micro	Initializing	No alarms	us-east-1d	ec2-54-235-5-192.com...	54.235.5.192

Select an instance above

**Amazon S3**

Buckets

- Access Points
- Object Lambda Access Points
- Multi-Region Access Points
- Batch Operations
- Access analyzer for S3

Block Public Access settings for this account

Storage Lens

- Dashboards
- AWS Organizations settings

Feature spotlight

AWS Marketplace for S3

**Buckets (0) Info**

Buckets are containers for data stored in S3. [Learn more](#)

Name	AWS Region	Access	Creation date
No buckets			

You don't have any buckets.

Create bucket

Feedback English (US) ▾

© 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. [Privacy Policy](#) [Terms of Use](#) [Cookie preferences](#)

Show all ×

<https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1>

### Create bucket

Buckets are containers that you use to store data in Amazon S3. You can upload any number of objects to a bucket.

**General configuration**

Bucket name: myawsbucket

AWS Region: US East (N. Virginia) us-east-1

Copy settings from existing bucket - *optional*

Choose bucket

**Block Public Access settings for this bucket**

Block all public access (checked)

Block public access to buckets and objects granted through new access control lists (ACLS)

### Create bucket

Buckets are containers that you use to store data in Amazon S3. You can upload any number of objects to a bucket.

When you create a bucket, you enter the bucket name and choose the AWS Region. After you create the bucket, you can't change the name or Region. Bucket ownership is not transferrable.

Configure your bucket properties and permissions. You can copy settings from an existing bucket or configure settings for your bucket.

**Learn more**

- Creating a bucket
- Buckets overview
- Restrictions and limitations

Feedback English (US) ▾

phase5\_aws\_proj...pem

<https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1>

Amazon S3 Services ▾ Search for services, features, marketplace products, and docs [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

**Create bucket**

Buckets are containers that you use to store data in Amazon S3. You can upload any number of objects to a bucket.

When you create a bucket, you enter the bucket name and choose the AWS Region. After you create the bucket, you can't change the name or Region. Bucket ownership is not transferrable.

Configure your bucket properties and permissions. You can copy settings from an existing bucket or configure settings for your bucket.

**Learn more**

- Creating a bucket
- Buckets overview
- Restrictions and limitations

Feedback English (US) ▾

phase5\_aws\_proj...pem

<https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1>

Amazon S3 Services ▾ Search for services, features, marketplace products, and docs [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

**Create bucket**

Buckets are containers that you use to store data in Amazon S3. You can upload any number of objects to a bucket.

When you create a bucket, you enter the bucket name and choose the AWS Region. After you create the bucket, you can't change the name or Region. Bucket ownership is not transferrable.

Configure your bucket properties and permissions. You can copy settings from an existing bucket or configure settings for your bucket.

**Learn more**

- Creating a bucket
- Buckets overview
- Restrictions and limitations

**Amazon S3**

**Buckets**

- Access Points
- Object Lambda Access Points
- Multi-Region Access Points
- Batch Operations
- Access analyzer for S3

Block Public Access settings for this account

**Storage Lens**

- Dashboards
- AWS Organizations settings

Feature spotlight

AWS Marketplace for S3

**Successfully created bucket "myphasefivebucket"**  
To upload files and folders, or to configure additional bucket settings choose [View details](#).

**Account snapshot**  
Storage lens provides visibility into storage usage and activity trends. Learn more

**Buckets (1) [Info](#)**  
Buckets are containers for data stored in S3. [Learn more](#)

Name	AWS Region	Access	Creation date
myphasefivebucket	US East (N. Virginia) us-east-1	Objects can be public	September 26, 2021, 15:28:05 (UTC-05:00)

**Buckets**

Buckets are containers for objects stored in Amazon S3. You can store any number of objects in a bucket and can have up to 100 buckets in your account. To request an increase, visit the Service Quotas Console. You can create, configure, empty, and delete buckets. However, you can only delete an empty bucket.

**Manage access**

Buckets are private and can only be accessed if you explicitly grant permissions. Use bucket policies, IAM policies, access control lists (ACLs), and S3 Access Points to manage access.

**Configure your bucket**

You can configure your bucket to support your use case. For example, host a static website, use S3 Versioning and replication for disaster recovery, S3 Lifecycle to manage storage costs, and logging to track requests.

**Understand storage usage and activity**

The S3 Storage Lens account snapshot displays your total storage, object count, and average object size for all buckets in the account. View your S3 Storage Lens dashboard to analyze your usage and activity trends by AWS Region, storage class, bucket, or prefix.

Feedback English (US) ▾

phase5\_aws\_proj...perm ▾

Services ▾ [Search for services, features, marketplace products, and docs](#) [Alt+S] Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

Amazon S3 > myphasefivebucket

## myphasefivebucket [Info](#)

[Objects](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [Access Points](#)

**Objects (0)**

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

[Create folder](#) [Upload](#) [Actions](#)

[Find objects by prefix](#)

Name	Type	Last modified	Size	Storage class
No objects				

[Upload](#)

**Objects**

You can view all the objects in a bucket or folder, including their name, type, last modified, size, storage class, and tags.

Objects are the fundamental entities stored in Amazon S3. You must explicitly grant others permissions to access your objects. Each object has *data*, a *key*, and *metadata*. The object key (or key name) uniquely identifies the object in a bucket.

Amazon S3 maintains a set of system and user metadata for each object and processes the system metadata as needed for storage management.

Amazon S3 has a flat structure instead of a hierarchy like you might see in a file system. However, the console supports the folder concept as a means of grouping objects, using a shared name prefix for objects in the same folder.

Use this page to see all the objects in a bucket or folder. You can open, download, delete, and copy the URL for selected objects. Choose **Actions** to perform object actions like calculate size, copy, restore, edit, and query with S3 Select. Choose **Create folder** to create a folder, and choose **Upload** to upload an object.

Feedback English (US) ▾

phase5\_aws\_proj...perm ▾

© 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences Show all

https://s3.console.aws.amazon.com/s3/upload/myphaselinebucket?region=us-east-1

Services ▾ Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

Amazon S3 > myphaselinebucket > Upload

## Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. Learn more [🔗](#)

Drag and drop files and folders you want to upload here, or choose **Add files**, or **Add folders**.

**Files and folders (1 Total, 16.8 MB)**

All files and folders in this table will be uploaded.

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	my-spring-boot-web-aws-exe.jar	-	-	16.8 MB

**Destination**

Destination  
s3://myphaselinebucket

▶ **Destination details**  
Bucket settings that impact new objects stored in the specified destination.

▶ **Permissions**  
Grant public access and access to other AWS accounts.

▶ **Properties**  
Specify storage class, encryption settings, tags, and more.

Cancel **Upload**

Feedback English (US) ▾ © 2008 – 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences Show all [X](#)

Upload succeeded

View details below.

## Upload: status

The information below will no longer be available after you navigate away from this page.

### Summary

Destination	Succeeded	Failed
s3://myphasefivebucket	1 file, 16.8 MB (100.00%)	0 files, 0 B (0%)

**Files and folders** Configuration

### Files and folders (1 Total, 16.8 MB)

Name	Folder	Type	Size	Status	Error
my-spring-boot-web-aws-exe.jar	-	-	16.8 MB	Succeeded	-

Feedback English (US) ▾ © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences Show all ×

phase5\_aws\_proj...perm ▾ https://s3.console.aws.amazon.com/s3/buckets/myphasefivebucket/object/edit\_public\_read\_access?region=us-east-1&showversions=false

## Amazon S3 > myphasefivebucket > Make public

### Make public info

The make public action enables public read access in the object access control list (ACL) settings. Learn more ?

⚠ When public read access is enabled and not blocked by Block Public Access settings, anyone in the world can access the specified objects.

### Specified objects

Name	Type	Last modified	Size
my-spring-boot-web-aws-exe.jar	jar	September 26, 2021, 15:40:08 (UTC-05:00)	16.8 MB

Cancel **Make public**

Feedback English (US) ▾ © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

The screenshot shows the AWS S3 console for the object `my-spring-boot-web-aws-exe.jar`. The `Properties` tab is selected. In the `Object overview` section, the `Object URL` field contains the value `https://myphasefivebucket.s3.amazonaws.com/my-spring-boot-web-aws-exe.jar`. This URL is highlighted with a red box and has a red arrow pointing down to a terminal window at the bottom of the screen.

**Object overview**

Owner: claaslabs+5f3425062d11de6d6706a89f

AWS Region: US East (N. Virginia) us-east-1

Last modified: September 26, 2021, 15:40:08 (UTC-05:00)

Size: 16.8 MB

Type: jar

Key: my-spring-boot-web-aws-exe.jar

S3 URI: s3://myphasefivebucket/my-spring-boot-web-aws-exe.jar

Amazon Resource Name (ARN): arn:aws:s3:::myphasefivebucket/my-spring-boot-web-aws-exe.jar

Entity tag (Etag): cf1df45c09cece875e3ebba910bb8b49-2

Object URL: https://myphasefivebucket.s3.amazonaws.com/my-spring-boot-web-aws-exe.jar

**Object management overview**

The following bucket properties and object management settings apply to this object:

Bucket properties

Bucket Versioning

When enabled, multiple variants of an object can be stored in the same bucket.

Feedback English (US) ▾

phase5\_aws\_proj...pem

```
[root@ip-172-31-94-6 ~]# wget
```

Screenshot of the AWS S3 console showing the properties of the file "my-spring-boot-web-aws-exe.jar".

**Object overview:**

- Owner: claaslabs+5f3425062d11de6d6706a89f
- AWS Region: US East (N. Virginia) us-east-1
- Last modified: September 26, 2021, 15:40:08 (UTC-05:00)
- Size: 16.8 MB
- Type: jar
- Key: my-spring-boot-web-aws-exe.jar

**S3 URI:** s3://myphasefivebucket/my-spring-boot-web-aws-exe.jar

**Amazon Resource Name (ARN):** arn:aws:s3:::myphasefivebucket/my-spring-boot-web-aws-exe.jar

**Entity tag (Etag):** cf1df45c09cece875e3ebba910bb8b49-2

**Object URL:** https://myphasefivebucket.s3.amazonaws.com/my-spring-boot-web-aws-exe.jar

**Object management overview:**

The following bucket properties and settings are applied to this object:

**Bucket properties:**

- Bucket Versioning: When enabled, multiple variants of an object can be stored.

**Feedback:** English (US) ▾

**Terminal Output:**

```
root@ip-172-31-94-6:~# ./my-spring-boot-web-aws-exe.jar
Resolving myphasefivebucket.s3.amazonaws.com (myphasefivebucket.s3.amazonaws.com) ... 52.217.93.196
Connecting to myphasefivebucket.s3.amazonaws.com (myphasefivebucket.s3.amazonaws.com) |52.217.93.196|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 17646207 (17M) [application/x-www-form-urlencoded]
Saving to: 'my-spring-boot-web-aws-exe.jar'

100%[=====] 17,646,207 41.7MB/s in 0.4s
2021-09-26 20:45:54 (41.7 MB/s) - 'my-spring-boot-web-aws-exe.jar' saved [17646207]
[07/17646207]
[root@ip-172-31-94-6 ~]# JAR FILE uploaded to EC2 INSTANCE!
```

A green arrow points from the terminal output to the timestamp "2021-09-26 20:45:54".

Screenshot of the AWS S3 console showing the properties of the file `my-spring-boot-web-aws-exe.jar`. The object overview section shows details like owner (claaslabs+5f3425062d11de6d6706a89f), AWS Region (US East (N. Virginia) us-east-1), and last modified (September 26, 2021, 15:40:08 (UTC-05:00)). The object URL is `https://myphaselinebucket.s3.amazonaws.com/my-spring-boot-web-aws-exe.jar`.

A green arrow points from the text "JAR FILE on EC2!" to the terminal window showing the download process:

```

root@ip-172-31-94-6:~# ... 52.217.93.196
Connecting to myphaselinebucket.s3.amazonaws.com (myphaselinebucket.s3.amazonaws.com) |52.217.93.196|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 17646207 (17M) [application/x-www-form-urlencoded]
Saving to: 'my-spring-boot-web-aws-exe.jar'
  100%[=====] 17,646,207 41.7MB/s   in 0.4s
2021-09-26 20:45:54 (41.7 MB/s) - 'my-spring-boot-web-aws-exe.jar' saved [17646207]

```

The EC2 instance terminal window also shows the command used to download the file:

```

[root@ip-172-31-94-6 ~]# ls
my-spring-boot-web-aws-exe.jar

```

Feedback: English (US) ▾

Services ▾

Search for services, features, marketplace products, and docs [Alt+S]

Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

Amazon S3 > myphaselinebucket > my-spring-boot-web-aws-exe.jar

my-spring-boot-web-aws-exe.jar Info

Copy S3 URI Download Open Object actions

Properties Permissions Versions

### Object overview

Owner: claaslabs+5f3425062d11de6d6706a89f

AWS Region: US East (N. Virginia) us-east-1

Last modified: September 26, 2021, 15:40:08 (UTC-05:00)

Size: 16.8 MB

Type: jar

Key: my-spring-boot-web-aws-exe.jar

S3 URI: s3://myphaselinebucket/my-spring-boot-web-aws-exe.jar

Amazon Resource Name (ARN): arn:aws:s3:::myphaselinebucket/my-spring-boot-web-aws-exe.jar

Entity tag (Etag): cf1df45c09ce875e3ebba910bb8b49-2

Object URL: https://myphaselinebucket.s3.amazonaws.com/my-spring-boot-web-aws-exe.jar

### Object management overview

The following bucket properties and options are available:

**Bucket properties**

Bucket Versioning: When enabled, multiple variants of an object are stored.

Feedback: English (US) ▾

Services ▾

Search for services, features, marketplace products, and docs [Alt+S]

Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ N. Virginia ▾ Support ▾

EC2 > Instances > i-03151d5c74c30423b > Connect to instance

Connect to instance Info

Connect to your instance i-03151d5c74c30423b using any of these options:

EC2 Instance Connect Session Manager SSH client EC2 Serial Console

Instance ID: i-03151d5c74c30423b

- Open an SSH client.
- Locate your private key file. The key used to launch this instance is phase5\_aws\_project.pem.
- Run this command, if necessary, to ensure your key is not publicly viewable:
 

```
chmod 400 phase5_aws_project.pem
```
- Connect to your instance using its Public DNS:
 

```
ec2-54-235-5-192.compute-1.amazonaws.com
```

Example:

```
ssh -i "phase5_aws_project.pem" ec2-user@ec2-54-235-5-192.compute-1.amazonaws.com
```

Note: In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

Cancel



Feedback: English (US) ▾




Services ▾


Search for services, features, marketplace products, and docs [Alt+S]

Corestack\_Role/mailalakev\_gmail @ 7799-2173-1516 ▾ Global ▾ Support ▾

© 2006 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences Show all







The screenshot shows the AWS EC2 instance details page for instance i-03151d5c74c30423b. The left sidebar includes links for New EC2 Experience, Feedback, English (US), Services, and phase5\_aws\_proj...pem. The main content area displays the instance summary, showing details like Public IPv4 address (54.235.5.192), Instance state (Running), and Instance type (t2.micro). It also shows VPC ID (vpc-0df264bc3671f6ec2) and Subnet ID (subnet-09c3d19313c035a75). The 'Details' tab is selected, showing information such as Platform (Amazon Linux (Inferred)), AMI ID (ami-087c17d1fe0178315), and Monitoring status (disabled). The bottom of the page includes a footer with links for Privacy Policy, Terms of Use, and Cookie preferences.

**Instance summary for i-03151d5c74c30423b**

Updated less than a minute ago

Instance ID: i-03151d5c74c30423b

IPv6 address: -

Private IPv4 DNS: ip-172-31-94-6.ec2.internal

VPC ID: vpc-0df264bc3671f6ec2

Subnet ID: subnet-09c3d19313c035a75

Instance state: Running

Instance type: t2.micro

AWS Compute Optimizer finding: User: arn:aws:sts::779921731516:assumed-role/Corestack\_Role/mallalakev\_gmail is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: \* with an explicit deny

Public IPv4 address: 54.235.5.192 | open address

Private IPv4 addresses: 172.31.94.6

Public IPv4 DNS: ec2-54-235-5-192.compute-1.amazonaws.com | open address

Elastic IP addresses: -

IAM Role: -

**Networking**

You can now check network connectivity with Reachability Analyzer.

Run Reachability Analyzer

**Instance summary for i-03151d5c74c30423b**

Updated less than a minute ago

Instance ID: i-03151d5c74c30423b

IPv6 address: -

Private IPv4 DNS: ip-172-31-94-6.ec2.internal

VPC ID: vpc-0df264bc3671f6ec2

Subnet ID: subnet-09c3d19313c035a75

Actions: Generate a public/private key pair, Load an existing private key file, Save the generated key, Generate, Load, Save public key, Save private key

Parameters: Type of key to generate: RSA (selected), DSA, ECDSA, ED25519, Number of bits in a generated key: 2048

Public IPv4 address: 54.235.5.192 | open address

Private IPv4 addresses: 172.31.94.6

Public IPv4 DNS: ec2-54-235-5-192.compute-1.amazonaws.com | open address

Elastic IP addresses: -

IAM Role: -

**Networking**

You can now check network connectivity with Reachability Analyzer.

Run Reachability Analyzer

The screenshot shows two side-by-side AWS EC2 instance details pages. Both instances have the same configuration: Instance ID i-03151d5c74c30423b, Public IPv4 address 54.235.5.192, Private IPv4 address 172.31.94.6, and VPC ID vpc-0df264bc3671f6ec2.

**PUTTY Key Generator (Left):**

- Key comment: `phase5_ec2.pem`
- Key passphrase: `phase5_ec2`
- Actions: `Imported OpenSSH key`
- Parameters: `B3H1 (RSA)`
- Number of bits in a generated key: `2048`

A modal window titled "PUTTY Notice" is displayed, stating: "Successfully imported foreign key. OpenSSH RSA private key (in PEM format). To use this key with PuTTY, you need to save it in PuTTY's own format." It contains three buttons: "OK", "Generate", and "Load".

**File Explorer (Right):**

The file explorer shows two files in the "aws" folder:

- `aws-linus.ppk` (PUTTY Private Key - PEM File)
- `phase5_ec2.pem` (PEM File)

A red arrow points from the "Save private key" button in the PUTTY Key Generator dialog to the `phase5_ec2.pem` file in the file explorer.

Screenshot of the AWS CloudWatch Terminal interface showing a terminal session on an Amazon Linux 2 AMI instance.

```

root@ip-172-31-94-6:~#
Using username "ec2-user".
Authenticating with public key "imported-openssh-key"
[ec2-user@ip-172-31-94-6 ~]# whoami
ec2-user
[ec2-user@ip-172-31-94-6 ~]# sudo -i
[root@ip-172-31-94-6 ~]# java -version
bash: java: command not found
[root@ip-172-31-94-6 ~]# [green]

```

The terminal window has a status bar at the bottom stating: "the AMI owner has changed the default AMI user name."

**Feedback English (US) ▾** © 2008 - 2021, Amazon Web Services, Inc. or its affiliates. All rights reserved. [Privacy Policy](#) [Terms of Use](#) [Cookie preferences](#)

**Show all** ×

```

ec2-user@ip-172-31-94-6:~#
login as: ec2-user
Authenticating with public key "imported-openssh-key"
Last login: Sun Sep 26 21:04:55 2021 from 104-14-74-96.lightspeed.jcsnms.sbcglobal.net
[ec2-user@ip-172-31-94-6 ~]# ^C
[ec2-user@ip-172-31-94-6 ~]# sudo yum update
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
amzn2-core
Resolving Dependencies
--> Running transaction check
--> Package curl.x86_64 0:7.76.1-4.amzn2.0.1 will be updated
--> Package curl.x86_64 0:7.76.1-7.amzn2.0.2 will be an update
--> Package device-mapper.x86_64 7:1.02.146-4.amzn2.0.2 will be updated
--> Package device-mapper.x86_64 7:1.02.170-6.amzn2.5 will be an update
--> Package device-mapper-event.x86_64 7:1.02.146-4.amzn2.0.2 will be updated
--> Package device-mapper-event.x86_64 7:1.02.170-6.amzn2.5 will be an update

```

```
[ec2-user@ip-172-31-94-6 ~]$ yum install httpd -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
You need to be root to perform this command.
[ec2-user@ip-172-31-94-6 ~]$ sudo su
-bash: sudo: command not found
[ec2-user@ip-172-31-94-6 ~]$ sudo su
[root@ip-172-31-94-6 ec2-user]# service httpd start
Redirecting to /bin/systemctl start httpd.service
Failed to start httpd.service: Unit not found.
[root@ip-172-31-94-6 ec2-user]# yum install httpd -y
bash: yun: command not found
[root@ip-172-31-94-6 ec2-user]# yum install httpd -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Resolving Dependencies
--> Running transaction check
--> Package httpd.x86_64 0:2.4.48-2.amzn2 will be installed
--> Processing Dependency: httpd-tools = 2.4.48-2.amzn2 for package: httpd-2.4.4
8-2.amzn2.x86_64
--> Processing Dependency: httpd-filesystem = 2.4.48-2.amzn2 for package: httpd-
2.4.48-2.amzn2.x86_64
--> Processing Dependency: system-logos-httpd for package: httpd-2.4.48-2.amzn2.
x86_64
--> Processing Dependency: mod_http2 for package: httpd-2.4.48-2.amzn2.x86_64
--> Processing Dependency: httpd-filesystem for package: httpd-2.4.48-2.amzn2.x8
```

```
[ec2-user@ip-172-31-94-6 ~]
[ec2-user@ip-172-31-94-6 ~]$ login as: ec2-user
[ec2-user@ip-172-31-94-6 ~]$ Authenticating with public key "imported-openssh-key"
Last login: Sun Sep 26 22:14:09 2021 from 104-14-74-96.lightspeed.jcsnms.sbcglob
al.net
[ec2-user@ip-172-31-94-6 ~]$ Amazon Linux 2 AMI
[ec2-user@ip-172-31-94-6 ~]$ https://aws.amazon.com/amazon-linux-2/
[ec2-user@ip-172-31-94-6 ~]$ [ec2-user@ip-172-31-94-6 ~]$ sudo yum update -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
amzn2-core
No Match for argument: -y
No packages marked for update
[ec2-user@ip-172-31-94-6 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo \
> https://pkg.jenkins.io/redhat-stable/jenkins.repo
--2021-09-26 22:31:30-- https://pkg.jenkins.io/redhat-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io) ... 151.101.250.133, 2a04:4e42:60::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 85
Saving to: '/etc/yum.repos.d/jenkins.repo'

100%[=====] 85
2021-09-26 22:31:30 (6.08 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]
[ec2-user@ip-172-31-94-6 ~]$
```

**INSTALL (JENKINS) into our EC2 Instance**

```
ec2-user@ip-172-31-94-6:~$ Authenticating with public key "imported-openssh-key"
Last login: Sun Sep 26 22:14:09 2021 from 104-14-74-96.lightspeed.jcsnms.sbcglob
al.net

[ec2-user@ip-172-31-94-6 ~]$ sudo yum update -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
amzn2-core
No Match for argument: -y
No packages marked for update
[ec2-user@ip-172-31-94-6 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo \
> https://pkg.jenkins.io/redhat-stable/jenkins.repo
--2021-09-26 22:31:30-- https://pkg.jenkins.io/redhat-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:60::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 85
Saving to: '/etc/yum.repos.d/jenkins.repo'

100%[=====] 2021-09-26 22:31:30 (6.08 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]

[ec2-user@ip-172-31-94-6 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
[ec2-user@ip-172-31-94-6 ~]$ sudo yum upgrade
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
jenkins
jenkins/primary_db
No packages marked for update
[ec2-user@ip-172-31-94-6 ~]$
```

## Jenkins now installed on EC2 Instance

```
ec2-user@ip-172-31-94-6:~$ amzn2-core
No Match for argument: -y
No packages marked for update
[ec2-user@ip-172-31-94-6 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo \
> https://pkg.jenkins.io/redhat-stable/jenkins.repo
--2021-09-26 22:31:30-- https://pkg.jenkins.io/redhat-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:60::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 85
Saving to: '/etc/yum.repos.d/jenkins.repo'

100%[=====] 2021-09-26 22:31:30 (6.08 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]

[ec2-user@ip-172-31-94-6 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
[ec2-user@ip-172-31-94-6 ~]$ sudo yum upgrade
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
jenkins
jenkins/primary_db
No packages marked for update
[ec2-user@ip-172-31-94-6 ~]$ sudo yum install jenkins java-1.8.0-openjdk-devel -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package 1:java-1.8.0-openjdk-devel-1.8.0.302.b08-0.amzn2.0.1.x86_64 already installed and latest version
Resolving Dependencies
--> Running transaction check
--> Package jenkins.noarch 0:2.303.1-1.1 will be installed
--> Processing Dependency: daemonize for package: jenkins-2.303.1-1.1.noarch
--> Finished Dependency Resolution
Error: Package: jenkins-2.303.1-1.1.noarch (jenkins)
    Requires: daemonize
    You could try using --skip-broken to work around the problem
    You could try running: rpm -Va --nofiles --nodigest
[ec2-user@ip-172-31-94-6 ~]$
```

## installed Java 1.8 on Jenkins, EC2 session

```
[ec2-user@ip-172-31-94-6 ~]$ yum install -y jenkins
[ec2-user@ip-172-31-94-6 ~]$ sudo systemctl start jenkins
[ec2-user@ip-172-31-94-6 ~]$ sudo systemctl status jenkins
● jenkins.service - LSB: Jenkins Automation Server
   Loaded: loaded (/etc/rc.d/init.d/jenkins; bad; vendor preset: disabled)
   Active: active (running) since Sun 2021-09-26 22:39:58 UTC; 9s ago
     Docs: man:systemd-sysv-generator(8)
  Process: 5746 ExecStart=/etc/rc.d/init.d/jenkins start (code=exited, status=0/SUCCESS)
 CGroup: /system.slice/jenkins.service
         └─ 5750 /usr/lib/jvm/java-1.8.0/bin/java -Djava.awt.headless=true -DJENKINS_HOME=/var/lib/jenkins -jar ...

Sep 26 22:39:58 ip-172-31-94-6.ec2.internal systemd[1]: Starting LSB: Jenkins Automation Server...
Sep 26 22:39:58 ip-172-31-94-6.ec2.internal jenkins[5746]: Starting Jenkins [ OK ]
Sep 26 22:39:58 ip-172-31-94-6.ec2.internal systemd[1]: Started LSB: Jenkins Automation Server.
[ec2-user@ip-172-31-94-6 ~]$
```

Jenkins Now Running on EC2 - as a service

```
my-spring-boot-web [ Maven Build] C:\Program Files\AdoptOpenJDK\jdk-11.0.9-hotspot\bin\javaw.exe (Sep 26, 2021, 1:45:19 PM)

[INFO] -----> < com.simplelearn.workshop:my-spring-boot-web >-----
[INFO] Building my-spring-boot-web 1.0.0
[INFO] ---[ jar ]-----
[INFO]
[INFO] >>> spring-boot-maven-plugin:2.5.5:run (default-cli) > test-compile @ my-spring-boot-web >>>
[INFO]
[INFO] --- maven-resources-plugin:3.2.0:resources (default-resources) @ my-spring-boot-web ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
[INFO] Copying 1 resource
[INFO] Copying 4 resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ my-spring-boot-web ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.2.0:testResources (default-testResources) @ my-spring-boot-web ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
[INFO] skip non existing resourceDirectory C:\Users\kevin\Desktop\ALTECH__COURSE\PHASE_5\CLASS_ASSESSMENT\SOFTWARE\my-spring-boot-web\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ my-spring-boot-web ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] <<< spring-boot-maven-plugin:2.5.5:run (default-cli) < test-compile @ my-spring-boot-web <<<
[INFO]
[INFO] --- spring-boot-maven-plugin:2.5.5:run (default-cli) @ my-spring-boot-web ---
[INFO] Attaching agents: []
[INFO] :: Spring Boot ::
[INFO] (v2.5.5)
[INFO] -----
[INFO] [main] com.simplelearn.workshop.MyApplication : Starting MyApplication using Java 11.0.10 on DESKTOP-GRFP1TP with PID 12132 (C:\Users\kevin\Desktop\ALTECH__COURSE\PHASE_5\CLASS_ASSESSMENT\SOFTWARE\my-spring-boot-web\src\main\java\com\simplelearn\workshop\MyApplication.java)
[INFO] [main] com.simplelearn.workshop.MyApplication : No active profile set, falling back to default profiles: default
[INFO] [main] org.eclipse.jetty.util.log : Logging initialized @750ms to org.eclipse.jetty.util.log.Slf4jlog
[INFO] [main] o.s.b.w.e.j.JettyServletWebServerFactory : Server initialized with port: 8080
[INFO] [main] org.eclipse.jetty.server.Server : jetty-9.4.43-v20210629; built: 2021-06-30T11:07:22.254Z; git: 526006ecfa3af7f1a27ef3a288e2bef7ea9dd7e8; OS: Windows 10; arch: amd64
[INFO] [main] o.e.j.s.h.ContextHandler.application : Initializing Spring embedded WebApplicationContext
[INFO] [main] w.s.c.ServletContainerInitializer : Root WebApplicationContext: initialization completed in 438 ms
[INFO] [main] org.eclipse.jetty.server.session : DefaultSessionIdManager workerName=node0
[INFO] [main] org.eclipse.jetty.server.session : SessionScavenger set, using defaults
[INFO] [main] org.eclipse.jetty.server.session : node0 Scavenging every 600000ms
[INFO] [main] o.e.j.server.handler.ContextHandler : Started o.s.b.w.e.j.JettyEmbeddedWebAppContext@1a28b346(application,,,[file:///C:/Users/kevin/AppData/Local/Temp/jetty-0.0.0-8080-12132-1qk3d4r])
[INFO] [main] o.s.b.a.WelcomePageHandlerMapping : Started @20ms
[INFO] [main] o.e.j.s.h.ContextHandler.application : Adding welcome page: class path resource [public/index.html]
[INFO] [main] o.s.w.s.DispatcherServlet : Initializing Spring DispatcherServlet 'dispatcherServlet'
[INFO] [main] o.s.w.s.DispatcherServlet : Completed initialization in 1 ms
[INFO] [main] o.e.j.server.AbstractConnector : Started ServerConnector@7e02081[HTTP/1.1, (http/1.1)]{0.0.0.0:8080}
[INFO] [main] o.s.w.embedded.jetty.JettyWebServer : Jetty started on port(s) 8080 (http/1.1) with context path '/'
[INFO] [main] com.simplelearn.workshop.MyApplication : Started MyApplication in 0.849 seconds (JVM running for 1.064)
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3   xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
4     <modelVersion>4.0.0</modelVersion>
5     <parent>
6       <groupId>org.springframework.boot</groupId>
7       <artifactId>spring-boot-starter-parent</artifactId>
8       <version>2.5.5</version>
9       <relativePath/> <!-- local repository (.m2) / remote repository (www.mvnrepository.com) -->
10    </parent>
11    <groupId>com.simplilearn.workshop</groupId>
12    <artifactId>my-spring-boot-web</artifactId>
13    <version>1.0</version>
14    <name>my-spring-boot-web</name>
15    <description>Kevin Casey's SimpliLearnPhase-5 Assessment</description>
16    <properties>
17      <java.version>11</java.version>
18    </properties>
19    <dependencies>
20      <dependency>
21        <groupId>org.springframework.boot</groupId>
22        <artifactId>spring-boot-starter-web</artifactId>
23        <exclusions>
24          <exclusion>
25            <groupId>org.springframework.boot</groupId>
26            <artifactId>spring-boot-starter-tomcat</artifactId>
27          </exclusion>
28        </exclusions>
29      </dependency>
30
31      <dependency>
32        <groupId>org.springframework.boot</groupId>
33        <artifactId>spring-boot-starter-jetty</artifactId>
34      </dependency>
35
36      <dependency>
37        <groupId>org.springframework.boot</groupId>
38        <artifactId>spring-boot-starter-test</artifactId>
39        <scope>test</scope>
40      </dependency>
41    </dependencies>
42
43    <build>
44      <plugins>
45        <plugin>
46          <groupId>org.springframework.boot</groupId>
47          <artifactId>spring-boot-maven-plugin</artifactId>
48        </plugin>
49      </plugins>
50    </build>
51
52 </project>
53
```

**Creates Executable JAR FILE**

```

my-spring-boot-web $ mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ my-spring-boot-web ---
[INFO] Deleting /home/ec2-user/spring-boot-aws-exe/target
[INFO]
[INFO] --- maven-jar-plugin:3.2.0:jar (default-jar) @ my-spring-boot-web ---
[INFO] Building jar: /home/ec2-user/spring-boot-aws-exe/target/my-spring-boot-web-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot-maven-plugin:2.5.5:repackage (repackage) @ my-spring-boot-web ---
[INFO] Replacing main artifact with repackaged archive
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time:  4.443 s
[INFO] Finished at: 2021-09-26T15:34:51Z
[INFO] 

```

**Now running my Spring-Boot App on EC2 instance**

```

https://aws.amazon.com/amazon-linux-2/
[ec2-user@ip-172-31-94-6 ~]$ java -jar my-spring-boot-web-aws-exe.jar
[INFO] 23604 --- [           main] c.j.a.a.SpringBootAwsExampleApplication : Starting SpringBootAwsExampleApplication v0.0.1-SNAPSHOT on ip-172-31-94-6 with PID 23604 (/home/ec2-user/spring-boot-aws-exe.jar started by ec2-user in /home/ec2-user)
[INFO] 23604 --- [           main] c.j.a.a.SpringBootAwsExampleApplication : No active profile set, falling back to default 'default'
[INFO] 23604 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 8080 (http)
[INFO] 23604 --- [           main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
[INFO] 23604 --- [           main] org.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/9.0.54]
[INFO] 23604 --- [           main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext: initialization completed in 2777 ms
[INFO] 23604 --- [           main] o.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService 'applicationTaskExecutor'
[INFO] 23604 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with context path ''
[INFO] 23604 --- [           main] c.j.a.a.SpringBootAwsExampleApplication : Started SpringBootAwsExampleApplication in 5.694 seconds (JVM running for 6.000)

```

localhost:9090

# VISHAKHA SATPUTE'S

## SPRING-BOOT Web App



As requested by management, this is my final product stage, demonstrating the automated, integrated, and deployed spring-boot web application.

This is an environment where the application is hosted and accessed by users. The following were used in its development:

- Eclipse
- GitHub
- Jenkins
- AWS EC2/ Virtual machine

Feel free to contact Vishakha Satpute with any new requests or upgrades to this product!

Type here to search    20:16  
28°C Haze    ENG IN 01-04-2022