

SQL COMMANDS

1. SHOW DATABASES

Purpose: Display all databases.

```
SHOW DATABASES;
```

2. CREATE DATABASE

Purpose: Create a new database.

```
CREATE DATABASE college;
```

3. USE DATABASE

Purpose: Select a database to work with.

```
USE college;
```

4. CREATE TABLE

Purpose: Create a new table.

```
CREATE TABLE student (  
    id INT PRIMARY KEY,  
    name VARCHAR(50),  
    age INT  
);
```

5. SHOW TABLES

Purpose: Display all tables in the current database.

```
SHOW TABLES;
```

6. DESC (DESCRIBE TABLE)

Purpose: Display the table structure.

```
DESC student;
```

7. INSERT

Purpose: Add a new record to a table.

```
INSERT INTO student (id, name, age)  
VALUES (101, 'Vishal', 22);
```

Insert Multiple Records

```
INSERT INTO student  
VALUES  
(102, 'Rahul', 23),  
(103, 'Priya', 21),  
(104, 'Amit', 24);
```

8. SELECT

Purpose: Display all records from a table.

```
SELECT * FROM student;
```

9. SELECT WITH WHERE

Purpose: Display specific records based on a condition.

```
SELECT * FROM student
```

```
WHERE id = 101;
```

Example

```
SELECT * FROM student
```

```
WHERE age > 22;
```

10. UPDATE

Purpose: Modify existing records.

```
UPDATE student
```

```
SET age = 25
```

```
WHERE id = 101;
```

11. DELETE

Purpose: Delete specific records.

```
DELETE FROM student
```

```
WHERE id = 101;
```

12. DROP TABLE

Purpose: Permanently delete a table.

```
DROP TABLE student;
```

13. DROP DATABASE

Purpose: Permanently delete a database.

```
DROP DATABASE college;
```