

APOLLO PROHEALTH COMPREHENSIVE MEDICAL REPORT

Clinical Biochemistry & Ambulatory Continuous Wearable / CGM Monitoring

Patient Name: Amitav Sen	Age: 49 Years	Gender: Male
Patient ID: P050005	Collection Date: 29-Aug-2026	Report Status: Final Verified

EXECUTIVE CLINICAL SUMMARY & INVESTIGATION OUTLINE

Dear Amitav Sen, thank you for completing your comprehensive health assessment at Apollo Diagnostics. This diagnostic report collates your verified laboratory evaluations, physical examinations, and authorized physiological testing. All investigations have been performed adhering strictly to standardized clinical biochemistry and molecular diagnostics guidelines.

Diagnostic Domain	Tests Performed	Evaluation Status
Clinical Biochemistry & Hematology	Lipid Profile, Glycaemic Index, LFT, RFT, CBC, Thyroid, Electrolytes	Complete Panel Evaluated
Gut Microbiome Metagenomics	Not Requested / Not Included in this Profile	Not Available
Continuous Ambulatory & Wearable Sensors	30-Day Ambulatory Activity, HRV, Sleep Architecture & CGM Glycaemic Metrics	Complete Sensor Telemetry Evaluated

Physician Notes: Patient findings must be clinically correlated with patient symptoms, medical history, and clinical follow-up.

Patient Name: Amitav Sen	Age: 49 Years	Gender: Male
Patient ID: P050005	Collection Date: 29-Aug-2026	Report Status: Final Verified

LIPID PROFILE

Serum lipid evaluation by enzymatic photometric assay.

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
TOTAL CHOLESTEROL	231	mg/dL	125 - 200
TRIGLYCERIDES	230.0	mg/dL	0 - 150
HDL CHOLESTEROL	37.0	mg/dL	40 - 60
LDL CHOLESTEROL	148.0	mg/dL	0 - 100
VLDL CHOLESTEROL	46.0	mg/dL	5 - 30
NON-HDL CHOLESTEROL	194.0	mg/dL	0 - 130
CHOL / HDL RATIO	6.24	ratio	0 - 4.5

GLYCAEMIC PROFILE & DIABETES SCREENING

Fasting plasma glucose (Hexokinase method) and Glycated Hemoglobin (HPLC method).

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
FASTING BLOOD GLUCOSE	136.0	mg/dL	70 - 100
HbA1c	7.2	%	4.0 - 5.6
ESTIMATED GLUCOSE (eAG)	159.9	mg/dL	70 - 126
POST PRANDIAL GLUCOSE (2 HR)	135	mg/dL	70 - 140

THYROID & ESSENTIAL VITAMINS

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
THYROID STIMULATING HORMONE (TSH)	3.1	uIU/mL	0.35 - 4.94
TOTAL TRIIODOTHYRONINE (T3)	1.12	ng/mL	0.70 - 2.04
TOTAL THYROXINE (T4)	7.8	ug/dL	5.48 - 14.28
VITAMIN D - 25 HYDROXY	19.5	ng/mL	30 - 100
VITAMIN B12	280	pg/mL	197 - 771

Patient Name: Amitav Sen	Age: 49 Years	Gender: Male
Patient ID: P050005	Collection Date: 29-Aug-2026	Report Status: Final Verified

LIVER FUNCTION TEST (LFT)

Hepatic cellular integrity and biliary enzyme panel.

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
ALT (SGPT)	44.0	U/L	0 - 35
AST (SGOT)	35.0	U/L	0 - 35
TOTAL BILIRUBIN	0.85	mg/dL	0.3 - 1.2
DIRECT BILIRUBIN	0.2	mg/dL	0.0 - 0.3
INDIRECT BILIRUBIN	0.65	mg/dL	0.2 - 0.9
ALKALINE PHOSPHATASE (ALP)	72	U/L	30 - 120
TOTAL PROTEIN	7.4	g/dL	6.6 - 8.3
ALBUMIN	4.3	g/dL	3.5 - 5.2
GLOBULIN	3.1	g/dL	2.0 - 3.5
A/G RATIO	1.39	ratio	0.9 - 2.0

RENAL PROFILE / KIDNEY FUNCTION TEST (RFT/KFT)

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
SERUM CREATININE	1.05	mg/dL	0.70 - 1.20
BLOOD UREA NITROGEN (BUN)	17.0	mg/dL	8.0 - 23.0
SERUM UREA	36.0	mg/dL	17.0 - 43.0
SERUM URIC ACID	5.4	mg/dL	3.5 - 7.2
SODIUM	140	mmol/L	136 - 146
POTASSIUM	4.3	mmol/L	3.5 - 5.1
CHLORIDE	102	mmol/L	101 - 109
CALCIUM	9.6	mg/dL	8.8 - 10.6

COMPLETE BLOOD COUNT (CBC / HEMOGRAM)

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
TOTAL LEUCOCYTE COUNT (TLC)	7,400	cells/cu.mm	4,000 - 10,000
HAEMOGLOBIN	14.2	g/dL	13.0 - 17.0
PACKED CELL VOLUME (PCV)	42.5	%	40.0 - 50.0
RBC COUNT	4.65	Million/cu.mm	4.5 - 5.5
MCV	89.2	fL	83.0 - 101.0
MCH	30.1	pg	27.0 - 32.0
MCHC	33.8	g/dL	31.5 - 34.5
NEUTROPHILS	58.4	%	40.0 - 75.0
LYMPHOCYTES	32.1	%	20.0 - 40.0

MONOCYTES	5.8	%	2.0 - 10.0
EOSINOPHILS	3.1	%	1.0 - 6.0
BASOPHILS	0.6	%	0.0 - 2.0
PLATELET COUNT	245,000	cells/cu.mm	150,000 - 410,000

Patient Name: Amitav Sen	Age: 49 Years	Gender: Male
Patient ID: P050005	Collection Date: 29-Aug-2026	Report Status: Final Verified

PHYSICAL EXAMINATION, VITALS & ANTHROPOMETRIC MEASUREMENTS

Standardized clinical biometrics and physiological vitals recorded during examination.

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
Height	176	cm	Adult Baseline
Weight	91	kg	Adult Baseline
Body Mass Index (BMI)	29.38	kg/m ²	18.5 - 24.9
Waist Circumference	101	cm	< 90
Systolic Blood Pressure	140	mmHg	< 120
Diastolic Blood Pressure	88	mmHg	< 80
Resting Pulse Rate	76	bpm	60 - 100
Oxygen Saturation (SpO2)	98	%	95 - 100
Body Temperature	98.4	°F	97.0 - 99.0

PERSONAL & FAMILY MEDICAL HISTORY

MEDICAL HISTORY ITEM	STATUS / REPORTED FINDING	CLINICAL RELEVANCE
Family History of Diabetes	Yes	First-degree blood relative with Type 2 Diabetes Mellitus
Family History of Hypertension	Yes	First-degree blood relative with diagnosed Essential Hypertension
Family History of CVD	Yes	Family history of early coronary artery disease or stroke

Patient Name: Amitav Sen	Age: 49 Years	Gender: Male
Patient ID: P050005	Collection Date: 29-Aug-2026	Report Status: Final Verified

CONTINUOUS AMBULATORY PHYSIOMETRICS & CGM GLYCEMIC REPORT

Continuous multi-sensor telemetry recorded over a 30-day ambulatory monitoring window. Aggregates physical activity, autonomic cardiovascular biometrics, sleep architecture, and continuous glucose monitoring (CGM).

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
Average Daily Steps	4500	steps/day	> 7500
Active Minutes	20	minutes/day	> 30
Sedentary Time	640	minutes/day	< 480
Resting Heart Rate	75	bpm	60 - 75
Heart Rate Variability (RMSSD)	25	ms	> 35
Sleep Duration	6.3	hours	7.0 - 9.0
Sleep Efficiency Score	73	%	> 85
Autonomic Stress Score	64		< 40
Activity Energy Expenditure	1980	kcal/day	400 - 800
Exercise Frequency	1	days/week	>= 3
CGM Average Glucose	148	mg/dL	70 - 120
CGM Glucose CV	34.0	%	< 36.0
CGM Time In Range	62.0	%	> 70.0
CGM Time Above Range	35.0	%	< 25.0
CGM Time Below Range	3.0	%	< 4.0

SECONDARY SENSOR & SLEEP ARCHITECTURE METRICS

TEST PARAMETER	RESULT	UNITS	REFERENCE INTERVAL
Total Daily Distance	3.5	km/day	> 5.0 km/day
Deep Sleep Duration	15	%	15 - 25 %
REM Sleep Duration	18	%	20 - 25 %
Cardio Fitness Score (VO2 Max Est.)	35	mL/kg/min	35 - 45