

Q1. Which layer of the OSI model handles CSMA/CD?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q2. TCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q3. Which topology is best suited for CSMA/CD?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q4. Which of the following is used for Congestion Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q5. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q6. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q7. Which topology is best suited for TCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q8. Which layer of the OSI model handles SMTP?

- a) Application
- b) Transport
- c) Network

d) Physical

■ Answer: Network

Q9. In networking, SMTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q10. In networking, Ethernet is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q11. Which of the following is used for CSMA/CD in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q12. Which of the following is used for ARP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q13. Which of the following is used for ARP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q14. HTTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q15. In networking, UDP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q16. Which layer of the OSI model handles CRC?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q17. Which of the following is used for Flow Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q18. Switching protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q19. In networking, Flow Control is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q20. Which layer of the OSI model handles TCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q21. Which of the following is used for ARP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q22. OSI Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q23. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q24. Which of the following is used for DNS in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q25. Which topology is best suited for CSMA/CD?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q26. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q27. In networking, UDP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q28. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q29. In networking, Flow Control is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q30. Which of the following is used for Switching in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q31. Routing protocol works at which OSI layer?

- a) Application

- b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q32. In networking, TCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q33. Which topology is best suited for UDP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q34. Which layer of the OSI model handles SMTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q35. Which of the following is used for Flow Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q36. In networking, Flow Control is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q37. Which of the following is used for Flow Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q38. UDP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q39. Which of the following is used for Ethernet in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q40. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q41. DNS protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q42. Which layer of the OSI model handles ICMP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q43. Which layer of the OSI model handles Routing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q44. Which layer of the OSI model handles FTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q45. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q46. HTTP protocol works at which OSI layer?

- a) Application
- b) Transport

- c) Network
 - d) Data Link
- Answer: Transport

Q47. CRC protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q48. In networking, DNS is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q49. Which topology is best suited for Ethernet?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q50. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q51. In networking, Flow Control is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q52. Congestion Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q53. FTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q54. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q55. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q56. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q57. Which layer of the OSI model handles DHCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q58. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q59. In networking, TCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q60. Which layer of the OSI model handles IP Addressing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q61. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q62. Which topology is best suited for ICMP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q63. Which of the following is used for DHCP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q64. Which topology is best suited for DHCP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q65. Which topology is best suited for Ethernet?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q66. DNS protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q67. Which topology is best suited for TCP/IP Layers?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q68. Which layer of the OSI model handles Congestion Control?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q69. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q70. Which of the following is used for ICMP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q71. In networking, Routing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q72. In networking, DHCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q73. Which topology is best suited for ICMP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q74. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q75. Which of the following is used for DHCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q76. Which layer of the OSI model handles TCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q77. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q78. Which layer of the OSI model handles Ethernet?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q79. Which topology is best suited for Error Detection?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q80. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q81. In networking, FTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q82. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q83. Which of the following is used for CSMA/CD in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q84. Which topology is best suited for ICMP?

- a) Bus

- b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q85. Flow Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q86. In networking, OSI Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q87. Which topology is best suited for OSI Layers?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q88. In networking, Congestion Control is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q89. Which topology is best suited for DNS?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q90. SMTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q91. CSMA/CD protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q92. FTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q93. Ethernet protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q94. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q95. Which topology is best suited for Parity Check?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q96. Which topology is best suited for TCP/IP Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q97. Which layer of the OSI model handles Flow Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q98. Which layer of the OSI model handles Parity Check?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q99. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport

- c) Network
- d) Physical
- Answer: Network

Q100. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link
- Answer: Transport

Q101. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q102. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q103. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q104. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket
- Answer: IP

Q105. Which topology is best suited for Ethernet?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q106. Which of the following is used for FTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket
- Answer: IP

Q107. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q108. Which of the following is used for CRC in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q109. Which layer of the OSI model handles TCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q110. TCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q111. CSMA/CD protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q112. Which topology is best suited for HTTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q113. In networking, Routing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q114. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q115. In networking, Switching is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q116. Which of the following is used for Error Detection in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q117. Routing protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q118. Switching protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q119. In networking, SMTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q120. Which of the following is used for ICMP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q121. Routing protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q122. Which of the following is used for Routing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q123. Congestion Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q124. Which layer of the OSI model handles ICMP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q125. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q126. In networking, IP Addressing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q127. Which topology is best suited for Error Detection?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q128. In networking, Parity Check is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q129. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q130. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q131. Which of the following is used for Switching in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q132. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q133. In networking, Switching is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q134. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q135. Which topology is best suited for OSI Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q136. Which layer of the OSI model handles SMTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q137. Which of the following is used for Congestion Control in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q138. Which of the following is used for Congestion Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q139. ICMP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q140. Which topology is best suited for Switching?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q141. In networking, FTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q142. Which layer of the OSI model handles Parity Check?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q143. Which of the following is used for Routing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q144. In networking, OSI Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q145. In networking, CRC is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q146. Which topology is best suited for UDP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q147. Which layer of the OSI model handles SMTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q148. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q149. In networking, FTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q150. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q151. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q152. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport

- c) Network
 - d) Physical
- Answer: Network

Q153. Which of the following is used for OSI Layers in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q154. Which layer of the OSI model handles ARP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q155. Which layer of the OSI model handles TCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q156. HTTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q157. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q158. Which layer of the OSI model handles OSI Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q159. Which of the following is used for Congestion Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q160. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q161. Which of the following is used for Congestion Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q162. IP Addressing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q163. Which topology is best suited for Ethernet?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q164. Which of the following is used for Congestion Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q165. In networking, CRC is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q166. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q167. In networking, FTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q168. In networking, Error Detection is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q169. Which layer of the OSI model handles Congestion Control?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q170. Which layer of the OSI model handles Error Detection?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q171. Which layer of the OSI model handles Congestion Control?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q172. Which layer of the OSI model handles CRC?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q173. Which topology is best suited for Ethernet?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q174. Which topology is best suited for Flow Control?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q175. Which of the following is used for Ethernet in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q176. Which topology is best suited for OSI Layers?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q177. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q178. Which layer of the OSI model handles Switching?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q179. Which of the following is used for DHCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q180. Which topology is best suited for UDP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q181. Which topology is best suited for Routing?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q182. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q183. Ethernet protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q184. Which of the following is used for TCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q185. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q186. DHCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q187. Routing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q188. Which of the following is used for UDP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q189. In networking, Switching is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q190. Which layer of the OSI model handles ARP?

- a) Application

- b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q191. Which layer of the OSI model handles TCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q192. Which of the following is used for DNS in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q193. In networking, Routing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q194. Which topology is best suited for UDP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q195. Which of the following is used for TCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q196. Ethernet protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q197. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q198. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q199. Routing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q200. Which layer of the OSI model handles TCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q201. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q202. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q203. Which layer of the OSI model handles IP Addressing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q204. Which layer of the OSI model handles IP Addressing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q205. Which layer of the OSI model handles ICMP?

- a) Application
- b) Transport

- c) Network
- d) Physical
- Answer: Network

Q206. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q207. Which of the following is used for CRC in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket
- Answer: IP

Q208. In networking, Parity Check is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q209. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link
- Answer: Transport

Q210. Which topology is best suited for CSMA/CD?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q211. TCP/IP Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link
- Answer: Transport

Q212. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q213. Parity Check protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q214. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q215. Which of the following is used for Error Detection in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q216. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q217. ARP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q218. Ethernet protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q219. Parity Check protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q220. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network

d) Physical

■ Answer: Network

Q221. Which of the following is used for FTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q222. Which of the following is used for Error Detection in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q223. Which topology is best suited for DHCP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q224. Which layer of the OSI model handles UDP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q225. Which of the following is used for TCP/IP Layers in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q226. Switching protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q227. Which topology is best suited for Flow Control?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q228. Which layer of the OSI model handles UDP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q229. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q230. Which topology is best suited for HTTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q231. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q232. In networking, ARP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q233. Which topology is best suited for CSMA/CD?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q234. Which layer of the OSI model handles OSI Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q235. In networking, TCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q236. Which topology is best suited for Routing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q237. Which topology is best suited for TCP/IP Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q238. In networking, OSI Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q239. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q240. CSMA/CD protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q241. CSMA/CD protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q242. Which of the following is used for DNS in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q243. Which of the following is used for DHCP in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q244. OSI Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q245. Which topology is best suited for CSMA/CD?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q246. Which topology is best suited for Congestion Control?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q247. Which of the following is used for OSI Layers in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q248. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q249. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q250. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q251. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q252. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q253. HTTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q254. Which layer of the OSI model handles Congestion Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q255. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q256. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q257. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q258. Which of the following is used for FTP in networking?

- a) IP
- b) MAC

- c) Port
 - d) Socket
- Answer: IP

Q259. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q260. DNS protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q261. ICMP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q262. Which layer of the OSI model handles TCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q263. ICMP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q264. Which layer of the OSI model handles Parity Check?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q265. Error Detection protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q266. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q267. Which of the following is used for HTTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q268. Which of the following is used for IP Addressing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q269. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q270. Which topology is best suited for DNS?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q271. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q272. In networking, Switching is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q273. In networking, UDP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q274. HTTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q275. Which of the following is used for FTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q276. In networking, Flow Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q277. Which topology is best suited for Flow Control?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q278. Which layer of the OSI model handles ICMP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q279. Which layer of the OSI model handles HTTP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q280. In networking, Parity Check is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q281. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q282. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q283. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q284. Which topology is best suited for TCP/IP Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q285. Which topology is best suited for Switching?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q286. FTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q287. Which topology is best suited for Routing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q288. Which topology is best suited for UDP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q289. Which of the following is used for TCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q290. DHCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q291. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q292. Which layer of the OSI model handles ARP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q293. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q294. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q295. DNS protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q296. Which of the following is used for DNS in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q297. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q298. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q299. In networking, Parity Check is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q300. Which of the following is used for ARP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q301. Which layer of the OSI model handles Error Detection?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q302. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q303. Which of the following is used for TCP/IP Layers in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q304. Which topology is best suited for UDP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q305. In networking, OSI Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q306. Which topology is best suited for Parity Check?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q307. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q308. Which layer of the OSI model handles ICMP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q309. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q310. Which layer of the OSI model handles Flow Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q311. Which layer of the OSI model handles ICMP?

- a) Application
- b) Transport

- c) Network
- d) Physical
- Answer: Network

Q312. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q313. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket
- Answer: IP

Q314. UDP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link
- Answer: Transport

Q315. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link
- Answer: Transport

Q316. Which topology is best suited for CSMA/CD?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q317. Which topology is best suited for SMTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q318. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q319. In networking, DNS is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q320. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q321. In networking, CRC is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q322. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q323. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q324. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q325. In networking, Switching is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q326. Ethernet protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q327. In networking, Congestion Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q328. Which of the following is used for UDP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q329. Which topology is best suited for Routing?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q330. Which of the following is used for FTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q331. Which layer of the OSI model handles Parity Check?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q332. Which of the following is used for OSI Layers in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q333. In networking, Congestion Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q334. In networking, IP Addressing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q335. SMTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q336. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q337. UDP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q338. CRC protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q339. In networking, ICMP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q340. Congestion Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q341. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q342. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q343. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q344. Parity Check protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q345. Which topology is best suited for Routing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q346. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q347. Which layer of the OSI model handles ICMP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q348. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q349. UDP protocol works at which OSI layer?

- a) Application

- b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q350. CSMA/CD protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q351. Which layer of the OSI model handles DHCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q352. Which of the following is used for Routing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q353. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q354. Which of the following is used for Flow Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q355. Which of the following is used for TCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q356. Ethernet protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q357. Which of the following is used for CRC in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q358. FTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q359. DHCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q360. Which topology is best suited for DNS?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q361. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q362. CRC protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q363. Which topology is best suited for Error Detection?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q364. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport

- c) Network
 - d) Physical
- Answer: Network

Q365. In networking, SMTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q366. OSI Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q367. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q368. Which layer of the OSI model handles DNS?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q369. In networking, HTTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q370. Which topology is best suited for CSMA/CD?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q371. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q372. Which topology is best suited for ARP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q373. In networking, Congestion Control is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q374. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q375. Which of the following is used for Ethernet in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q376. Which layer of the OSI model handles IP Addressing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q377. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q378. Which of the following is used for DHCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q379. In networking, CRC is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q380. In networking, HTTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q381. In networking, Switching is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q382. Which of the following is used for Flow Control in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q383. Which topology is best suited for Switching?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q384. Which topology is best suited for ARP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q385. Which topology is best suited for DNS?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q386. Which of the following is used for CSMA/CD in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q387. In networking, OSI Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q388. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q389. Which of the following is used for DNS in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q390. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q391. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q392. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q393. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q394. CRC protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q395. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q396. In networking, OSI Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q397. In networking, DNS is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q398. Which topology is best suited for DNS?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q399. Which of the following is used for UDP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q400. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q401. Which of the following is used for Congestion Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q402. Which topology is best suited for Ethernet?

- a) Bus

- b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q403. Routing protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q404. HTTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q405. Which layer of the OSI model handles SMTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q406. IP Addressing protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q407. Which topology is best suited for ARP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q408. Which of the following is used for Routing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q409. Which topology is best suited for TCP/IP Layers?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q410. Which topology is best suited for DNS?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q411. Which layer of the OSI model handles Ethernet?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q412. CSMA/CD protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q413. Ethernet protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q414. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q415. Which topology is best suited for ARP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q416. In networking, Parity Check is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q417. UDP protocol works at which OSI layer?

- a) Application
- b) Transport

- c) Network
 - d) Data Link
- Answer: Transport

Q418. Which topology is best suited for ARP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q419. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q420. Which of the following is used for Flow Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q421. Which topology is best suited for DNS?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q422. Which of the following is used for SMTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q423. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q424. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q425. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q426. Which of the following is used for Ethernet in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q427. In networking, DHCP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q428. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q429. Which layer of the OSI model handles Ethernet?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q430. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q431. Which topology is best suited for TCP/IP Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q432. In networking, ARP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q433. Which of the following is used for CRC in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q434. Which layer of the OSI model handles Ethernet?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q435. HTTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q436. HTTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q437. Which layer of the OSI model handles Ethernet?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q438. In networking, ARP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q439. In networking, CRC is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q440. In networking, TCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q441. In networking, IP Addressing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q442. Error Detection protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q443. Which of the following is used for IP Addressing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q444. Which layer of the OSI model handles DHCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q445. Which topology is best suited for HTTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q446. Which of the following is used for ICMP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q447. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q448. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q449. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q450. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q451. Which layer of the OSI model handles SMTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q452. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q453. Which layer of the OSI model handles Parity Check?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q454. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q455. In networking, OSI Layers is used to avoid congestion?

- a) Switching

- b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q456. In networking, ICMP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q457. Which layer of the OSI model handles ICMP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q458. Which topology is best suited for HTTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q459. Which of the following is used for DNS in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q460. Which layer of the OSI model handles UDP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q461. Which of the following is used for UDP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q462. Which topology is best suited for TCP/IP Layers?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q463. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q464. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q465. In networking, FTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q466. Which topology is best suited for Parity Check?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q467. Which of the following is used for IP Addressing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q468. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q469. TCP/IP Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q470. Which layer of the OSI model handles DHCP?

- a) Application
- b) Transport

- c) Network
- d) Physical
- Answer: Network

Q471. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q472. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q473. Which topology is best suited for HTTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q474. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q475. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q476. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q477. Which topology is best suited for OSI Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q478. In networking, Switching is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q479. Which topology is best suited for ARP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q480. In networking, SMTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q481. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q482. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q483. Which topology is best suited for TCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q484. Routing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q485. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q486. OSI Layers protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q487. Which of the following is used for Flow Control in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q488. Which of the following is used for FTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q489. Which of the following is used for DNS in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q490. In networking, Congestion Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q491. DNS protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q492. SMTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q493. ARP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q494. Which topology is best suited for Congestion Control?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q495. Which layer of the OSI model handles Routing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q496. Which layer of the OSI model handles Error Detection?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q497. Which of the following is used for TCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q498. DHCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q499. DHCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q500. Which layer of the OSI model handles DHCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q501. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q502. FTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q503. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q504. IP Addressing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q505. Routing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q506. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q507. Which layer of the OSI model handles Flow Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q508. Which of the following is used for CRC in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q509. Error Detection protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q510. Which topology is best suited for Routing?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q511. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q512. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q513. Which of the following is used for IP Addressing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q514. Which topology is best suited for Parity Check?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q515. Which of the following is used for Error Detection in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q516. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q517. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q518. Switching protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q519. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q520. Which topology is best suited for DNS?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q521. Which of the following is used for Parity Check in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q522. In networking, UDP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q523. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport

- c) Network
- d) Physical
- Answer: Network

Q524. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q525. Which layer of the OSI model handles TCP?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q526. Which topology is best suited for HTTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q527. In networking, UDP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control
- Answer: Flow Control

Q528. Which layer of the OSI model handles FTP?

- a) Application
- b) Transport
- c) Network
- d) Physical
- Answer: Network

Q529. Which of the following is used for DHCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket
- Answer: IP

Q530. Which topology is best suited for Routing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring
- Answer: Star

Q531. Error Detection protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q532. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q533. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q534. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q535. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q536. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q537. Which layer of the OSI model handles CSMA/CD?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q538. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh

d) Ring

■ Answer: Star

Q539. DHCP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q540. HTTP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q541. Which topology is best suited for CSMA/CD?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q542. In networking, OSI Layers is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q543. Which of the following is used for HTTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q544. Which of the following is used for FTP in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q545. Ethernet protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q546. Which of the following is used for Congestion Control in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q547. CSMA/CD protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q548. Which of the following is used for DHCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q549. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q550. Which layer of the OSI model handles CSMA/CD?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q551. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q552. Which layer of the OSI model handles CRC?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q553. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q554. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q555. Which layer of the OSI model handles Congestion Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q556. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q557. Which of the following is used for OSI Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q558. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q559. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q560. In networking, Flow Control is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q561. FTP protocol works at which OSI layer?

- a) Application

- b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q562. Error Detection protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q563. FTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q564. In networking, UDP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q565. In networking, TCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q566. Which layer of the OSI model handles DHCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q567. UDP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q568. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q569. Which of the following is used for IP Addressing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q570. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q571. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q572. Which topology is best suited for Error Detection?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q573. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q574. Which topology is best suited for IP Addressing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q575. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q576. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing

- c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q577. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q578. Which layer of the OSI model handles ARP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q579. Which topology is best suited for ARP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q580. IP Addressing protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q581. IP Addressing protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q582. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q583. Which layer of the OSI model handles Congestion Control?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q584. Which topology is best suited for OSI Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q585. Which of the following is used for Parity Check in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q586. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q587. Which of the following is used for Flow Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q588. In networking, Congestion Control is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q589. Which of the following is used for TCP/IP Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q590. Which topology is best suited for Ethernet?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q591. In networking, SMTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q592. Which layer of the OSI model handles Switching?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q593. In networking, IP Addressing is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q594. Which topology is best suited for ARP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q595. Which topology is best suited for ARP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q596. TCP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q597. Which layer of the OSI model handles TCP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q598. Which topology is best suited for FTP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q599. SMTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q600. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q601. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q602. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q603. In networking, DNS is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q604. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q605. Which layer of the OSI model handles Flow Control?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q606. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q607. Which of the following is used for IP Addressing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q608. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q609. Which of the following is used for FTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q610. HTTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q611. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q612. Which topology is best suited for IP Addressing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q613. Which of the following is used for DHCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q614. DHCP protocol works at which OSI layer?

- a) Application

- b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q615. TCP/IP Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q616. OSI Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q617. Switching protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q618. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q619. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q620. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q621. Which of the following is used for SMTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q622. Which of the following is used for Routing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q623. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q624. ARP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q625. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q626. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q627. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q628. Which of the following is used for TCP/IP Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q629. Which topology is best suited for CRC?

- a) Bus
- b) Star

- c) Mesh
 - d) Ring
- Answer: Star

Q630. Which of the following is used for TCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q631. In networking, HTTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q632. Which of the following is used for Parity Check in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q633. Which of the following is used for TCP/IP Layers in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q634. OSI Layers protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q635. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q636. Which layer of the OSI model handles CSMA/CD?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q637. Which topology is best suited for IP Addressing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q638. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q639. Which of the following is used for Parity Check in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q640. Which topology is best suited for HTTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q641. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q642. Which of the following is used for Parity Check in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q643. Which topology is best suited for Parity Check?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q644. Which layer of the OSI model handles Parity Check?

- a) Application
- b) Transport
- c) Network

d) Physical

■ Answer: Network

Q645. Which topology is best suited for ICMP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q646. Which of the following is used for Routing in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q647. In networking, Flow Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q648. Which topology is best suited for HTTP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q649. In networking, Switching is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q650. ARP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q651. Which layer of the OSI model handles ARP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q652. Which of the following is used for DHCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q653. Which layer of the OSI model handles DHCP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q654. Which layer of the OSI model handles ARP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q655. Which of the following is used for UDP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q656. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q657. In networking, Routing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q658. Which layer of the OSI model handles Flow Control?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q659. Which topology is best suited for SMTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q660. SMTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q661. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q662. Which of the following is used for HTTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q663. Which of the following is used for Routing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q664. Which layer of the OSI model handles Flow Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q665. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q666. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q667. Which layer of the OSI model handles SMTP?

- a) Application

- b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q668. Which layer of the OSI model handles Routing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q669. Which topology is best suited for Routing?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q670. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q671. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q672. Which topology is best suited for ICMP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q673. Switching protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q674. DNS protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q675. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q676. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q677. Which topology is best suited for OSI Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q678. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q679. Which topology is best suited for Error Detection?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q680. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q681. Which of the following is used for Routing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q682. Which topology is best suited for ICMP?

- a) Bus
- b) Star

- c) Mesh
 - d) Ring
- Answer: Star

Q683. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q684. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q685. Which layer of the OSI model handles OSI Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q686. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q687. IP Addressing protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q688. Which layer of the OSI model handles ICMP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q689. Which topology is best suited for DHCP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q690. CSMA/CD protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q691. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q692. Which topology is best suited for OSI Layers?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q693. Which of the following is used for TCP/IP Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q694. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q695. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q696. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q697. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q698. Which layer of the OSI model handles TCP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q699. Which topology is best suited for Congestion Control?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q700. In networking, CRC is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q701. Which topology is best suited for Congestion Control?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q702. Which topology is best suited for TCP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q703. Which topology is best suited for CRC?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q704. TCP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q705. Which of the following is used for ARP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q706. Which layer of the OSI model handles SMTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q707. Which topology is best suited for CSMA/CD?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q708. In networking, HTTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q709. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q710. Which layer of the OSI model handles SMTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q711. In networking, DHCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q712. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q713. UDP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q714. Which layer of the OSI model handles Parity Check?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q715. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q716. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q717. Which layer of the OSI model handles IP Addressing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q718. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q719. TCP/IP Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q720. In networking, UDP is used to avoid congestion?

- a) Switching

- b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q721. In networking, OSI Layers is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q722. Which layer of the OSI model handles OSI Layers?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q723. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q724. In networking, Ethernet is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q725. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q726. Which of the following is used for ICMP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q727. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q728. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q729. In networking, Parity Check is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q730. CRC protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q731. Which layer of the OSI model handles FTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q732. Which of the following is used for HTTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q733. Which layer of the OSI model handles CSMA/CD?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q734. Which of the following is used for Ethernet in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q735. Which layer of the OSI model handles CSMA/CD?

- a) Application
- b) Transport

- c) Network
 - d) Physical
- Answer: Network

Q736. Which topology is best suited for Switching?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q737. Switching protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q738. In networking, TCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q739. Which of the following is used for DHCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q740. Which layer of the OSI model handles Ethernet?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q741. Congestion Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q742. Which topology is best suited for CRC?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q743. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q744. OSI Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q745. Which of the following is used for OSI Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q746. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q747. HTTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q748. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q749. Which layer of the OSI model handles Routing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q750. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q751. In networking, ICMP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q752. In networking, DNS is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q753. Which layer of the OSI model handles ICMP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q754. In networking, Switching is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q755. Which topology is best suited for Switching?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q756. Which topology is best suited for Switching?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q757. Which layer of the OSI model handles Error Detection?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q758. ARP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q759. Which topology is best suited for DNS?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q760. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q761. Which topology is best suited for Error Detection?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q762. Which layer of the OSI model handles DNS?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q763. Which of the following is used for Ethernet in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q764. Which topology is best suited for CSMA/CD?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q765. Which topology is best suited for Error Detection?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q766. SMTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q767. Which of the following is used for Ethernet in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q768. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q769. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q770. Which of the following is used for Parity Check in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q771. Which topology is best suited for ARP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q772. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q773. Which topology is best suited for TCP?

- a) Bus

- b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q774. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q775. In networking, Ethernet is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q776. Which topology is best suited for OSI Layers?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q777. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q778. In networking, CRC is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q779. In networking, IP Addressing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q780. Which layer of the OSI model handles DNS?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q781. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q782. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q783. Which of the following is used for ARP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q784. Which of the following is used for TCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q785. In networking, Parity Check is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q786. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q787. In networking, Ethernet is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q788. Which topology is best suited for Parity Check?

- a) Bus
- b) Star

- c) Mesh
 - d) Ring
- Answer: Star

Q789. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q790. Which of the following is used for DNS in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q791. TCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q792. Error Detection protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q793. Which topology is best suited for Congestion Control?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q794. Which layer of the OSI model handles Flow Control?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q795. Which of the following is used for Error Detection in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q796. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q797. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q798. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q799. TCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q800. Which topology is best suited for TCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q801. Which of the following is used for HTTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q802. In networking, Routing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q803. Congestion Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network

d) Data Link

■ Answer: Transport

Q804. Which layer of the OSI model handles TCP/IP Layers?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q805. In networking, FTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q806. Which layer of the OSI model handles ARP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q807. In networking, DHCP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q808. In networking, Congestion Control is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q809. Which layer of the OSI model handles ARP?

a) Application

b) Transport

c) Network

d) Physical

■ Answer: Network

Q810. In networking, CRC is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q811. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q812. Which layer of the OSI model handles Flow Control?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q813. Which layer of the OSI model handles Ethernet?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q814. In networking, FTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q815. Which of the following is used for ARP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q816. Which of the following is used for Ethernet in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q817. Which layer of the OSI model handles Switching?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q818. FTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q819. ICMP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q820. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q821. Which of the following is used for ICMP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q822. Which topology is best suited for Flow Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q823. SMTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q824. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q825. Which of the following is used for Switching in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q826. Which layer of the OSI model handles DHCP?

- a) Application

- b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q827. Flow Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q828. DHCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q829. Which layer of the OSI model handles SMTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q830. Which layer of the OSI model handles Routing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q831. Which layer of the OSI model handles IP Addressing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q832. HTTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q833. Which of the following is used for UDP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q834. Which of the following is used for TCP/IP Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q835. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q836. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q837. Which layer of the OSI model handles Error Detection?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q838. Which layer of the OSI model handles DHCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q839. TCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q840. Which layer of the OSI model handles TCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q841. Which layer of the OSI model handles SMTP?

- a) Application
- b) Transport

- c) Network
 - d) Physical
- Answer: Network

Q842. Which of the following is used for IP Addressing in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q843. Which of the following is used for Ethernet in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q844. CSMA/CD protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q845. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q846. In networking, IP Addressing is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q847. Which of the following is used for CSMA/CD in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q848. Which topology is best suited for Routing?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q849. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q850. Which layer of the OSI model handles CRC?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q851. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q852. DNS protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q853. Which topology is best suited for Switching?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q854. Parity Check protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q855. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q856. Which layer of the OSI model handles Flow Control?

- a) Application
- b) Transport
- c) Network

d) Physical

■ Answer: Network

Q857. CSMA/CD protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q858. In networking, TCP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q859. In networking, UDP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q860. Which topology is best suited for Ethernet?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q861. Which topology is best suited for Parity Check?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q862. Flow Control protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q863. In networking, FTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q864. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q865. Which topology is best suited for FTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q866. In networking, CRC is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q867. DHCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q868. Which of the following is used for FTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q869. In networking, DHCP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q870. In networking, Error Detection is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q871. Flow Control protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q872. Which layer of the OSI model handles ARP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q873. Which layer of the OSI model handles ARP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q874. Which of the following is used for DHCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q875. Which of the following is used for DNS in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q876. Which of the following is used for Flow Control in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q877. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q878. Which layer of the OSI model handles HTTP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q879. Which of the following is used for Congestion Control in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q880. Which of the following is used for ARP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q881. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q882. Which topology is best suited for ICMP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q883. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q884. Which of the following is used for Ethernet in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q885. Which layer of the OSI model handles ICMP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q886. UDP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q887. In networking, ARP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q888. Which of the following is used for DHCP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q889. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q890. Which of the following is used for SMTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q891. Which layer of the OSI model handles Ethernet?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q892. Which topology is best suited for Ethernet?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q893. In networking, Parity Check is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q894. Which of the following is used for Error Detection in networking?

- a) IP
- b) MAC

- c) Port
 - d) Socket
- Answer: IP

Q895. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q896. Which of the following is used for DNS in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q897. Which layer of the OSI model handles DNS?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q898. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q899. DNS protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q900. Which layer of the OSI model handles DHCP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q901. In networking, ICMP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q902. Which layer of the OSI model handles Routing?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q903. In networking, HTTP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q904. Which layer of the OSI model handles OSI Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q905. Which topology is best suited for DHCP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q906. Which topology is best suited for CSMA/CD?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q907. In networking, UDP is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q908. Which topology is best suited for HTTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q909. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control

d) Error Control

■ Answer: Flow Control

Q910. Which of the following is used for CSMA/CD in networking?

a) IP

b) MAC

c) Port

d) Socket

■ Answer: IP

Q911. In networking, Routing is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q912. In networking, TCP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q913. Which topology is best suited for CSMA/CD?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q914. ICMP protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q915. Which topology is best suited for HTTP?

a) Bus

b) Star

c) Mesh

d) Ring

■ Answer: Star

Q916. In networking, FTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q917. In networking, CSMA/CD is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q918. Which topology is best suited for Parity Check?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q919. Which topology is best suited for CRC?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q920. Which layer of the OSI model handles HTTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q921. Which of the following is used for SMTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q922. Parity Check protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q923. Which topology is best suited for SMTP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q924. Switching protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q925. Which layer of the OSI model handles Parity Check?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q926. Which of the following is used for OSI Layers in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q927. TCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q928. DHCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q929. IP Addressing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q930. Which layer of the OSI model handles OSI Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q931. In networking, Error Detection is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q932. Which of the following is used for Congestion Control in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q933. Which topology is best suited for CRC?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q934. Which topology is best suited for ICMP?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q935. SMTP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q936. Which of the following is used for TCP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q937. Which of the following is used for Parity Check in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q938. CRC protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q939. Which layer of the OSI model handles FTP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q940. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q941. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q942. Which topology is best suited for ICMP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q943. IP Addressing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q944. Which layer of the OSI model handles Congestion Control?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q945. Which layer of the OSI model handles OSI Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q946. Which topology is best suited for IP Addressing?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q947. CRC protocol works at which OSI layer?

- a) Application
- b) Transport

- c) Network
 - d) Data Link
- Answer: Transport

Q948. Which of the following is used for HTTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q949. Which topology is best suited for Ethernet?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q950. Which layer of the OSI model handles CRC?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q951. Which layer of the OSI model handles Routing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q952. In networking, ARP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q953. CRC protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q954. Which layer of the OSI model handles DNS?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q955. DHCP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q956. Which topology is best suited for Congestion Control?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q957. Which layer of the OSI model handles OSI Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q958. In networking, IP Addressing is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q959. TCP/IP Layers protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q960. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q961. HTTP protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q962. Which topology is best suited for CRC?

- a) Bus
- b) Star
- c) Mesh

d) Ring

■ Answer: Star

Q963. CRC protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q964. In networking, CRC is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q965. TCP/IP Layers protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q966. Ethernet protocol works at which OSI layer?

a) Application

b) Transport

c) Network

d) Data Link

■ Answer: Transport

Q967. In networking, SMTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q968. In networking, FTP is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q969. In networking, OSI Layers is used to avoid congestion?

a) Switching

b) Routing

c) Flow Control

d) Error Control

■ Answer: Flow Control

Q970. Which of the following is used for Switching in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q971. In networking, Switching is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q972. DHCP protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q973. Which layer of the OSI model handles Routing?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q974. In networking, HTTP is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q975. Which of the following is used for CRC in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q976. Which of the following is used for OSI Layers in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q977. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q978. In networking, TCP/IP Layers is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q979. Which topology is best suited for FTP?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q980. Which layer of the OSI model handles ARP?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q981. Which of the following is used for Routing in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q982. Routing protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q983. In networking, DNS is used to avoid congestion?

- a) Switching
- b) Routing
- c) Flow Control
- d) Error Control

■ Answer: Flow Control

Q984. Which of the following is used for HTTP in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q985. Which of the following is used for ARP in networking?

- a) IP

- b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q986. In networking, Congestion Control is used to avoid congestion?

- a) Switching
 - b) Routing
 - c) Flow Control
 - d) Error Control
- Answer: Flow Control

Q987. Which layer of the OSI model handles ARP?

- a) Application
 - b) Transport
 - c) Network
 - d) Physical
- Answer: Network

Q988. Which topology is best suited for Error Detection?

- a) Bus
 - b) Star
 - c) Mesh
 - d) Ring
- Answer: Star

Q989. CSMA/CD protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q990. Which of the following is used for UDP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q991. Flow Control protocol works at which OSI layer?

- a) Application
 - b) Transport
 - c) Network
 - d) Data Link
- Answer: Transport

Q992. Which of the following is used for FTP in networking?

- a) IP
 - b) MAC
 - c) Port
 - d) Socket
- Answer: IP

Q993. Which layer of the OSI model handles Switching?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q994. Switching protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q995. Which of the following is used for CSMA/CD in networking?

- a) IP
- b) MAC
- c) Port
- d) Socket

■ Answer: IP

Q996. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q997. Which layer of the OSI model handles TCP/IP Layers?

- a) Application
- b) Transport
- c) Network
- d) Physical

■ Answer: Network

Q998. Switching protocol works at which OSI layer?

- a) Application
- b) Transport
- c) Network
- d) Data Link

■ Answer: Transport

Q999. Which topology is best suited for Parity Check?

- a) Bus
- b) Star
- c) Mesh
- d) Ring

■ Answer: Star

Q1000. Which layer of the OSI model handles UDP?

- a) Application
- b) Transport

c) Network

d) Physical

■ Answer: Network