

Q1. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q2. In networking, IPV6 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q3. Which of the following is a feature of ICMP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q4. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q5. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q6. Which protocol works at the DNS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q7. Which topology is used in SMTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q8. In networking, SMTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number

d) Socket

■ Answer: IP address

Q9. Which topology is used in Presentation?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q10. Which protocol works at the IPV6 layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q11. Which protocol works at the ICMP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q12. Session is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q13. HTTPS is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q14. Which topology is used in Application?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q15. Which protocol works at the Physical layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q16. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q17. Which topology is used in Session?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q18. In networking, DNS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q19. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q20. Presentation is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q21. Which protocol works at the Transport layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q22. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q23. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q24. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q25. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q26. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q27. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q28. In networking, Session is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q29. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q30. Which topology is used in HTTPS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q31. Which protocol works at the Session layer of OSI model?

- a) IP

- b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q32. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q33. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q34. Which protocol works at the Presentation layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q35. Which of the following is a feature of Presentation?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q36. Which of the following is a feature of Ethernet?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q37. Which of the following is a feature of Transport?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q38. Gateway is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q39. Which of the following is a feature of Data Link?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q40. Which topology is used in HTTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q41. In networking, Transport is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q42. Which protocol works at the Switch layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q43. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q44. Which topology is used in Gateway?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q45. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q46. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP

- c) HTTP
 - d) Ethernet
- Answer: IP

Q47. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q48. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q49. Which topology is used in SMTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q50. Which protocol works at the DHCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q51. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q52. IPV6 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q53. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q54. Which topology is used in DNS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q55. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q56. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q57. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q58. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q59. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q60. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q61. Which topology is used in UDP?

- a) Bus
- b) Star
- c) Ring

d) Mesh

■ Answer: Star

Q62. Wi-Fi is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q63. In networking, Data Link is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q64. Which of the following is a feature of Gateway?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q65. Which of the following is a feature of ICMP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q66. Which protocol works at the Session layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q67. Data Link is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q68. Which protocol works at the Hub layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q69. Which topology is used in Switch?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q70. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q71. Which of the following is a feature of ICMP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q72. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q73. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q74. In networking, Session is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q75. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q76. UDP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q77. Which of the following is a feature of Network?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q78. Gateway is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q79. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q80. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q81. Which protocol works at the HTTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q82. Router is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q83. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q84. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address

- b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q85. Session is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q86. In networking, RARP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q87. Data Link is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q88. In networking, Network is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q89. Which of the following is a feature of ARP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q90. Which topology is used in TCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q91. In networking, Physical is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q92. Which topology is used in IPV4?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q93. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q94. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q95. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q96. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q97. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q98. Which topology is used in Hub?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q99. Which topology is used in Ethernet?

- a) Bus
- b) Star

- c) Ring
 - d) Mesh
- Answer: Star

Q100. Which topology is used in ARP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q101. Which protocol works at the HTTPS layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q102. Application is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q103. Which of the following is a feature of HTTP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q104. Which topology is used in IPV4?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q105. In networking, Physical is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q106. In networking, HTTP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q107. Which topology is used in ARP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q108. Which of the following is a feature of FTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q109. TCP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q110. In networking, SMTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q111. In networking, TCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q112. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q113. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q114. Which protocol works at the ARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP

d) Ethernet

■ Answer: IP

Q115. Which of the following is a feature of Application?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q116. Which topology is used in UDP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q117. Which topology is used in Wi-Fi?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q118. Which protocol works at the Physical layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q119. Which topology is used in Transport?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q120. Which of the following is a feature of DNS?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q121. Which protocol works at the Wi-Fi layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q122. Which topology is used in Presentation?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q123. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q124. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q125. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q126. In networking, IPV6 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q127. Application is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q128. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q129. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q130. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q131. In networking, Hub is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q132. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q133. Which of the following is a feature of FTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q134. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q135. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q136. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q137. In networking, Router is used to uniquely identify a device?

- a) MAC address

- b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q138. Application is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q139. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q140. Which topology is used in DHCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q141. ICMP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q142. Which protocol works at the Data Link layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q143. Which of the following is a feature of Wi-Fi?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q144. Which topology is used in Gateway?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q145. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q146. Gateway is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q147. Which protocol works at the UDP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q148. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q149. Which of the following is a feature of Transport?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q150. Which protocol works at the Switch layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q151. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q152. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP

- c) ICMP
 - d) IP
- Answer: TCP

Q153. Which of the following is a feature of Router?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q154. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q155. Which protocol works at the Physical layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q156. Which of the following is a feature of Data Link?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q157. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q158. Hub is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q159. Which of the following is a feature of Application?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q160. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q161. DHCP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q162. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q163. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q164. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q165. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q166. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q167. Which of the following is a feature of TCP?

- a) Error detection
- b) Routing
- c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q168. In networking, Router is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q169. In networking, Application is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q170. Gateway is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q171. Which of the following is a feature of HTTPS?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q172. In networking, Switch is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q173. Which of the following is a feature of UDP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q174. DHCP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q175. FTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q176. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q177. In networking, Hub is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q178. In networking, ARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q179. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q180. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q181. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q182. Which protocol works at the TCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q183. RARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q184. Which protocol works at the UDP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q185. UDP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q186. Which protocol works at the FTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q187. FTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q188. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q189. In networking, Physical is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q190. Which topology is used in Physical?

- a) Bus

- b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q191. HTTPS is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q192. Which of the following is a feature of Network?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q193. Hub is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q194. Which of the following is a feature of FTP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q195. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q196. RARP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q197. Which topology is used in Switch?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q198. Which topology is used in Hub?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q199. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q200. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q201. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q202. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q203. Which of the following is a feature of ARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q204. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q205. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address

- c) Port number
 - d) Socket
- Answer: IP address

Q206. Which protocol works at the FTP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q207. In networking, UDP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q208. Which topology is used in Ethernet?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q209. Which topology is used in TCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q210. In networking, Hub is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q211. Which topology is used in DNS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q212. Which topology is used in HTTP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q213. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q214. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q215. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q216. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q217. Which topology is used in HTTPS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q218. Which of the following is a feature of TCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q219. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q220. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP

d) IP

■ Answer: TCP

Q221. Router is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q222. Which of the following is a feature of DNS?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q223. HTTPS is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q224. Which of the following is a feature of UDP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q225. In networking, Wi-Fi is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q226. Which protocol works at the HTTPS layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q227. Which protocol works at the IPV4 layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q228. DNS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q229. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q230. Which topology is used in Presentation?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q231. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q232. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q233. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q234. Presentation is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q235. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q236. Which protocol works at the TCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q237. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q238. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q239. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q240. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q241. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q242. Which protocol works at the Gateway layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q243. Which of the following is a feature of SMTP?

- a) Error detection

- b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q244. Physical is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q245. Switch is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q246. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q247. Network is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q248. Which topology is used in FTP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q249. Which topology is used in IPV4?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q250. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q251. Which protocol works at the Ethernet layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q252. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q253. Ethernet is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q254. Which topology is used in HTTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q255. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q256. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q257. In networking, Session is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q258. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing

- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q259. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q260. Which topology is used in HTTPS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q261. Which of the following is a feature of ICMP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q262. Which of the following is a feature of Physical?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q263. Which protocol works at the IPV6 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q264. Which of the following is a feature of Physical?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q265. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q266. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q267. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q268. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q269. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q270. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q271. Switch is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q272. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q273. Which of the following is a feature of Transport?

- a) Error detection
- b) Routing
- c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q274. Which protocol works at the FTP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q275. In networking, IPV6 is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q276. Which protocol works at the DNS layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q277. Which topology is used in HTTPS?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q278. In networking, ARP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q279. In networking, Gateway is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q280. Which topology is used in UDP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q281. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q282. Which topology is used in HTTPS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q283. Which topology is used in Wi-Fi?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q284. Which protocol works at the Presentation layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q285. Which protocol works at the UDP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q286. Which protocol works at the Hub layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q287. Which of the following is a feature of HTTPS?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q288. Which topology is used in Session?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q289. Which protocol works at the RARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q290. Which protocol works at the IPV6 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q291. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q292. In networking, Hub is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q293. Which topology is used in Physical?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q294. Which topology is used in Switch?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q295. In networking, ARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q296. Which topology is used in Session?

- a) Bus

- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q297. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q298. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q299. Which topology is used in HTTPS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q300. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q301. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q302. Which topology is used in Switch?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q303. Which protocol works at the IPV6 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q304. Which protocol works at the DNS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q305. Router is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q306. Which protocol works at the Application layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q307. Which topology is used in HTTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q308. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q309. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q310. In networking, SMTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q311. Which topology is used in Data Link?

- a) Bus
- b) Star

- c) Ring
 - d) Mesh
- Answer: Star

Q312. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q313. In networking, ARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q314. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q315. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q316. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q317. Which protocol works at the Switch layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q318. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q319. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q320. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q321. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q322. Which of the following is a feature of Network?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q323. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q324. Which protocol works at the HTTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q325. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q326. Presentation is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP

d) IP

■ Answer: TCP

Q327. TCP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q328. In networking, DNS is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q329. ICMP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q330. Data Link is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q331. Which of the following is a feature of ARP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q332. IPV4 is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q333. Which topology is used in ARP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q334. Which protocol works at the ICMP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q335. Which protocol works at the Session layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q336. Which topology is used in Application?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q337. In networking, ARP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q338. Which protocol works at the Presentation layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q339. Which of the following is a feature of DHCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q340. Which protocol works at the TCP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q341. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q342. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q343. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q344. Which protocol works at the RARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q345. FTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q346. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q347. Router is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q348. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q349. Which topology is used in Application?

- a) Bus

- b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q350. Ethernet is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q351. Which topology is used in Physical?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q352. DHCP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q353. Network is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q354. Which topology is used in Gateway?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q355. Which protocol works at the HTTPS layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q356. In networking, ARP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q357. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q358. Gateway is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q359. Which of the following is a feature of ARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q360. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q361. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q362. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q363. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q364. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP

- c) ICMP
 - d) IP
- Answer: TCP

Q365. Which topology is used in Gateway?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q366. Which topology is used in Gateway?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q367. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q368. Which protocol works at the Physical layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q369. Which protocol works at the Data Link layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q370. Which of the following is a feature of Router?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q371. Which protocol works at the Hub layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q372. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q373. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q374. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q375. Which topology is used in Transport?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q376. Which protocol works at the Application layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q377. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q378. Which of the following is a feature of ARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q379. Which protocol works at the UDP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP

d) Ethernet

■ Answer: IP

Q380. Which protocol works at the Application layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q381. SMTP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q382. TCP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q383. Which topology is used in FTP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q384. Which topology is used in DNS?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q385. Which topology is used in Ethernet?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q386. Which protocol works at the RARP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q387. In networking, DNS is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q388. Which of the following is a feature of Presentation?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q389. Which protocol works at the DHCP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q390. Which protocol works at the TCP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q391. Which topology is used in Data Link?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q392. Which of the following is a feature of HTTP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q393. In networking, Router is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q394. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q395. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q396. Which protocol works at the UDP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q397. In networking, Physical is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q398. Which topology is used in TCP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q399. In networking, DNS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q400. Which topology is used in Presentation?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q401. Which protocol works at the DHCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q402. Which protocol works at the FTP layer of OSI model?

- a) IP

- b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q403. DHCP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q404. IPV6 is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q405. Which topology is used in Hub?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q406. Which topology is used in SMTP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q407. Which protocol works at the ICMP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q408. Which of the following is a feature of HTTPS?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q409. SMTP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q410. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q411. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q412. HTTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q413. In networking, Transport is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q414. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q415. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q416. Which protocol works at the TCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q417. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP

- c) ICMP
 - d) IP
- Answer: TCP

Q418. Which of the following is a feature of Physical?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q419. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q420. Which of the following is a feature of TCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q421. Which protocol works at the Hub layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q422. FTP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q423. Which topology is used in HTTPS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q424. Data Link is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q425. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q426. In networking, DNS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q427. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q428. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q429. Which of the following is a feature of Physical?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q430. Which protocol works at the DNS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q431. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q432. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring

d) Mesh

■ Answer: Star

Q433. Which protocol works at the Router layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q434. IPV4 is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q435. Which protocol works at the Network layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q436. Which protocol works at the Gateway layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q437. Which of the following is a feature of ARP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q438. Which of the following is a feature of Transport?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q439. Which of the following is a feature of Network?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q440. In networking, Session is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q441. Which topology is used in ICMP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q442. Which protocol works at the DNS layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q443. Which topology is used in ICMP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q444. Which protocol works at the Router layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q445. In networking, Router is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q446. Which of the following is a feature of Data Link?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q447. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q448. Which of the following is a feature of Gateway?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q449. Which of the following is a feature of IPV4?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q450. Which of the following is a feature of DNS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q451. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q452. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q453. Which protocol works at the Session layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q454. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q455. Which protocol works at the IPV4 layer of OSI model?

- a) IP

- b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q456. Which of the following is a feature of FTP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q457. Which protocol works at the RARP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q458. Which of the following is a feature of Router?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q459. Which topology is used in Network?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q460. Which of the following is a feature of TCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q461. Which of the following is a feature of Router?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q462. Which of the following is a feature of TCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q463. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q464. In networking, Router is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q465. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q466. Which of the following is a feature of Transport?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q467. Which of the following is a feature of Data Link?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q468. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q469. Which topology is used in IPV4?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q470. Which protocol works at the Ethernet layer of OSI model?

- a) IP
- b) TCP

- c) HTTP
 - d) Ethernet
- Answer: IP

Q471. Which topology is used in Network?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q472. Which of the following is a feature of Switch?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q473. In networking, Application is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q474. Session is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q475. ICMP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q476. Which protocol works at the HTTPS layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q477. Which topology is used in Ethernet?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q478. Which topology is used in ARP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q479. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q480. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q481. DNS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q482. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q483. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q484. Which of the following is a feature of FTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q485. Which of the following is a feature of DNS?

- a) Error detection
- b) Routing
- c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q486. Which protocol works at the Application layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q487. Which topology is used in ICMP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q488. RARP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q489. Which of the following is a feature of DHCP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q490. UDP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q491. In networking, UDP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q492. In networking, ARP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q493. Application is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q494. Which topology is used in HTTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q495. Which topology is used in Hub?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q496. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q497. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q498. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q499. Which topology is used in Switch?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q500. Which topology is used in Physical?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q501. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q502. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q503. Router is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q504. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q505. Which of the following is a feature of Gateway?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q506. Which protocol works at the DHCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q507. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q508. In networking, DNS is used to uniquely identify a device?

- a) MAC address

- b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q509. HTTPS is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q510. Which of the following is a feature of Hub?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q511. Which protocol works at the Data Link layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q512. Which of the following is a feature of HTTP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q513. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q514. Which protocol works at the Transport layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q515. Which protocol works at the Session layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q516. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q517. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q518. Which topology is used in TCP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q519. In networking, Router is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q520. Which of the following is a feature of Session?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q521. Which protocol works at the Session layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q522. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q523. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing

- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q524. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q525. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q526. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q527. Which topology is used in Presentation?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q528. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q529. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q530. Which protocol works at the Transport layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q531. In networking, HTTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q532. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q533. Session is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q534. Ethernet is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q535. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q536. Which protocol works at the Transport layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q537. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q538. Which protocol works at the Physical layer of OSI model?

- a) IP
- b) TCP
- c) HTTP

d) Ethernet

■ Answer: IP

Q539. Which topology is used in HTTPS?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q540. Physical is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q541. In networking, Ethernet is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q542. In networking, ICMP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q543. Which topology is used in ARP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q544. Which topology is used in IPV6?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q545. Which topology is used in Ethernet?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q546. In networking, Physical is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q547. In networking, Hub is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q548. Which topology is used in Data Link?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q549. Which of the following is a feature of Application?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q550. Which protocol works at the Network layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q551. Which protocol works at the Physical layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q552. In networking, SMTP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q553. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q554. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q555. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q556. Session is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q557. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q558. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q559. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q560. Which protocol works at the ARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q561. Switch is an example of a connection-oriented protocol?

- a) TCP

- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q562. Which topology is used in Gateway?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q563. Which protocol works at the FTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q564. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q565. In networking, Router is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q566. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q567. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q568. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q569. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q570. DNS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q571. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q572. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q573. Presentation is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q574. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q575. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q576. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address

- c) Port number
- d) Socket
- Answer: IP address

Q577. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q578. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP
- Answer: TCP

Q579. Which of the following is a feature of IPV4?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q580. Which topology is used in Session?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q581. Which of the following is a feature of TCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q582. Which protocol works at the DHCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q583. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q584. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q585. RARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q586. FTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q587. Which topology is used in Data Link?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q588. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q589. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q590. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q591. IPV6 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP

d) IP

■ Answer: TCP

Q592. In networking, Ethernet is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q593. Which protocol works at the Presentation layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q594. Which of the following is a feature of ICMP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q595. Which of the following is a feature of UDP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q596. Which protocol works at the IPV4 layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q597. In networking, SMTP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q598. Which of the following is a feature of TCP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q599. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q600. In networking, DNS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q601. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q602. Which topology is used in Physical?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q603. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q604. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q605. Which of the following is a feature of FTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q606. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q607. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q608. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q609. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q610. Which topology is used in DNS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q611. Which topology is used in RARP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q612. In networking, TCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q613. Which protocol works at the HTTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q614. In networking, Network is used to uniquely identify a device?

- a) MAC address

- b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q615. Which of the following is a feature of ICMP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q616. Session is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q617. Which protocol works at the HTTPS layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q618. SMTP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q619. Which topology is used in Hub?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q620. Which topology is used in Session?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q621. Gateway is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q622. IPV6 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q623. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q624. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q625. In networking, TCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q626. DHCP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q627. Which of the following is a feature of Presentation?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q628. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q629. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP

- c) ICMP
 - d) IP
- Answer: TCP

Q630. Which protocol works at the Switch layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q631. Which topology is used in Data Link?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q632. Which topology is used in TCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q633. Application is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q634. Which of the following is a feature of Router?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q635. Which topology is used in Router?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q636. Hub is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q637. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q638. Which protocol works at the TCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q639. Which of the following is a feature of IPV4?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q640. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q641. IPV6 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q642. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q643. In networking, Ethernet is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q644. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP

d) Ethernet

■ Answer: IP

Q645. Which of the following is a feature of SMTP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q646. Which protocol works at the HTTPS layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q647. Which topology is used in HTTP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q648. In networking, Physical is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q649. Network is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q650. Which protocol works at the Application layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q651. Which topology is used in Physical?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q652. Which protocol works at the HTTP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q653. Which of the following is a feature of Physical?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q654. Which of the following is a feature of ICMP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q655. In networking, RARP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q656. Which topology is used in IPV4?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q657. Which topology is used in RARP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q658. In networking, Router is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q659. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q660. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q661. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q662. In networking, Session is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q663. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q664. Which of the following is a feature of Network?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q665. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q666. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q667. Session is an example of a connection-oriented protocol?

- a) TCP

- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q668. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q669. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q670. Which protocol works at the IPV6 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q671. Which topology is used in TCP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q672. Which topology is used in ARP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q673. In networking, Transport is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q674. Which protocol works at the Gateway layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q675. Which of the following is a feature of Transport?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q676. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q677. RARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q678. Which of the following is a feature of HTTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q679. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q680. Which of the following is a feature of ARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q681. Gateway is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q682. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
- b) IP address

- c) Port number
 - d) Socket
- Answer: IP address

Q683. Which protocol works at the UDP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q684. Which protocol works at the ARP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q685. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q686. Switch is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q687. Which topology is used in HTTPS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q688. Which of the following is a feature of Presentation?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q689. Which protocol works at the Network layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q690. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q691. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q692. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q693. Which protocol works at the HTTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q694. DNS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q695. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q696. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q697. Which topology is used in Switch?

- a) Bus
- b) Star
- c) Ring

d) Mesh

■ Answer: Star

Q698. Which protocol works at the Network layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q699. Which topology is used in HTTPS?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q700. Which of the following is a feature of Gateway?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q701. Which topology is used in Application?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q702. Router is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q703. HTTPS is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q704. Which of the following is a feature of IPV4?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q705. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q706. In networking, Router is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q707. Which topology is used in UDP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q708. Which topology is used in UDP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q709. Which protocol works at the IPV6 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q710. In networking, Hub is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q711. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q712. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q713. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q714. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q715. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q716. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q717. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q718. Which of the following is a feature of Presentation?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q719. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q720. Which of the following is a feature of Session?

- a) Error detection

- b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q721. In networking, SMTP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q722. Which protocol works at the Ethernet layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q723. Which of the following is a feature of Data Link?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q724. Which protocol works at the ARP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q725. Which topology is used in ICMP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q726. DNS is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q727. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q728. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q729. HTTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q730. IPV6 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q731. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q732. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q733. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q734. Which of the following is a feature of Network?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q735. Which topology is used in Wi-Fi?

- a) Bus
- b) Star

- c) Ring
- d) Mesh
- Answer: Star

Q736. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q737. Which topology is used in HTTPS?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q738. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP
- Answer: TCP

Q739. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q740. Which of the following is a feature of Physical?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation
- Answer: Error detection

Q741. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q742. In networking, TCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket
- Answer: IP address

Q743. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q744. In networking, HTTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q745. HTTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q746. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q747. Data Link is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q748. Which protocol works at the Hub layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q749. Which of the following is a feature of Switch?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q750. Which of the following is a feature of TCP?

- a) Error detection
- b) Routing
- c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q751. Which of the following is a feature of FTP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q752. Which protocol works at the DHCP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q753. Which topology is used in UDP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q754. Which protocol works at the SMTP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q755. Which topology is used in IPV6?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q756. Which protocol works at the HTTP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q757. ARP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q758. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q759. In networking, Transport is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q760. Which of the following is a feature of TCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q761. Which topology is used in Network?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q762. Which of the following is a feature of Ethernet?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q763. Application is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q764. Application is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q765. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q766. Which of the following is a feature of RARP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q767. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q768. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q769. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q770. Which of the following is a feature of Presentation?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q771. In networking, IPV4 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q772. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q773. In networking, Network is used to uniquely identify a device?

- a) MAC address

- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q774. In networking, TCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q775. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q776. In networking, Physical is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q777. Which of the following is a feature of DNS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q778. Which protocol works at the UDP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q779. Which topology is used in IPV4?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q780. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q781. Which of the following is a feature of DHCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q782. FTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q783. Session is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q784. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q785. Which of the following is a feature of ICMP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q786. TCP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q787. In networking, FTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q788. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address

- c) Port number
 - d) Socket
- Answer: IP address

Q789. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q790. FTP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q791. Which of the following is a feature of Application?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q792. Which protocol works at the ICMP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q793. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q794. Switch is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q795. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q796. Which topology is used in RARP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q797. In networking, Network is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q798. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q799. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q800. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q801. Which of the following is a feature of Transport?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q802. Which topology is used in FTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q803. Which of the following is a feature of FTP?

- a) Error detection
- b) Routing
- c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q804. Which protocol works at the Session layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q805. Which of the following is a feature of DNS?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q806. ICMP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q807. Which topology is used in DNS?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q808. In networking, Hub is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q809. Router is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q810. Which protocol works at the DHCP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q811. Which of the following is a feature of HTTPS?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q812. Which of the following is a feature of Gateway?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q813. Which topology is used in Ethernet?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q814. HTTPS is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q815. Which protocol works at the Hub layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q816. Network is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q817. Which of the following is a feature of IPV4?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q818. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q819. In networking, Data Link is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q820. ICMP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q821. Which protocol works at the IPV4 layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q822. Which protocol works at the ARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q823. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q824. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q825. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q826. HTTPS is an example of a connection-oriented protocol?

- a) TCP

- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q827. Which of the following is a feature of Ethernet?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q828. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q829. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q830. In networking, Session is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q831. In networking, ARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q832. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q833. Which of the following is a feature of HTTPS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q834. Which of the following is a feature of Presentation?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q835. Which protocol works at the Presentation layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q836. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q837. Which of the following is a feature of Router?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q838. Which protocol works at the Application layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q839. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q840. Which of the following is a feature of Presentation?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q841. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP

- c) ICMP
 - d) IP
- Answer: TCP

Q842. Network is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q843. ARP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q844. In networking, Physical is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q845. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q846. Which of the following is a feature of Data Link?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q847. In networking, ARP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q848. Which of the following is a feature of Physical?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q849. Which topology is used in IPV4?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q850. Which topology is used in Hub?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q851. Which of the following is a feature of DNS?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q852. Which protocol works at the Network layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q853. In networking, HTTP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q854. IPV4 is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q855. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q856. SMTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP

d) IP

■ Answer: TCP

Q857. Which of the following is a feature of Wi-Fi?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q858. Which topology is used in FTP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q859. Which topology is used in HTTP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q860. Which protocol works at the FTP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q861. Which of the following is a feature of HTTP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q862. HTTP is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q863. Which topology is used in Data Link?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q864. Which protocol works at the Session layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q865. Hub is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q866. IPV6 is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q867. In networking, UDP is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q868. Which topology is used in Router?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q869. Physical is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q870. Which topology is used in DNS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q871. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q872. Which topology is used in Wi-Fi?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q873. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q874. In networking, Switch is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q875. In networking, ICMP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q876. Which protocol works at the FTP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q877. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q878. Hub is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q879. Which topology is used in Transport?

- a) Bus

- b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q880. In networking, Application is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q881. Which protocol works at the Gateway layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q882. Which of the following is a feature of Ethernet?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q883. Which protocol works at the Application layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q884. Which protocol works at the Router layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q885. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q886. Which of the following is a feature of HTTPS?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q887. Which protocol works at the Data Link layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q888. Transport is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q889. In networking, IPV6 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q890. Which of the following is a feature of UDP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q891. Which topology is used in IPV6?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q892. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q893. Which topology is used in Router?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q894. In networking, Gateway is used to uniquely identify a device?

- a) MAC address
- b) IP address

- c) Port number
- d) Socket
- Answer: IP address

Q895. UDP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP
- Answer: TCP

Q896. ARP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP
- Answer: TCP

Q897. Which protocol works at the ARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet
- Answer: IP

Q898. Which topology is used in Gateway?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q899. TCP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP
- Answer: TCP

Q900. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q901. Which topology is used in Transport?

- a) Bus
- b) Star
- c) Ring
- d) Mesh
- Answer: Star

Q902. HTTPS is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q903. Which topology is used in Session?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q904. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q905. Which protocol works at the Switch layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q906. Data Link is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q907. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q908. Which topology is used in HTTP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q909. Presentation is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP

d) IP

■ Answer: TCP

Q910. Which topology is used in Application?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q911. Which of the following is a feature of DHCP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q912. Which protocol works at the HTTP layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q913. Which protocol works at the Router layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q914. In networking, DNS is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q915. Which protocol works at the Application layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q916. Switch is an example of a connection-oriented protocol?

a) TCP

b) UDP

c) ICMP

d) IP

■ Answer: TCP

Q917. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q918. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q919. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q920. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q921. Which protocol works at the RARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q922. Which topology is used in Gateway?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q923. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q924. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q925. Application is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q926. In networking, IPV6 is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q927. Network is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q928. Which protocol works at the Session layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q929. Which of the following is a feature of IPV6?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q930. Which protocol works at the HTTPS layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q931. In networking, HTTPS is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q932. Which topology is used in HTTPS?

- a) Bus

- b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q933. Which protocol works at the IPV6 layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q934. Which topology is used in TCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q935. Which topology is used in ICMP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q936. Which protocol works at the SMTP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q937. Which protocol works at the FTP layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q938. Which topology is used in HTTPS?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q939. Which topology is used in DHCP?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q940. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q941. Which protocol works at the RARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q942. Which topology is used in IPV4?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q943. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q944. In networking, Presentation is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q945. Router is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q946. Which of the following is a feature of SMTP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q947. Which topology is used in IPV6?

- a) Bus
- b) Star

- c) Ring
 - d) Mesh
- Answer: Star

Q948. Which protocol works at the IPV4 layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q949. Which protocol works at the Session layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q950. Which of the following is a feature of ICMP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q951. Which topology is used in Data Link?

- a) Bus
 - b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q952. Which protocol works at the Router layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q953. Which of the following is a feature of DHCP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q954. Which of the following is a feature of ICMP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q955. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q956. Which protocol works at the ICMP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q957. Which protocol works at the Application layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q958. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q959. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q960. Which topology is used in Ethernet?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q961. Which of the following is a feature of TCP?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q962. Which topology is used in Network?

- a) Bus
- b) Star
- c) Ring

d) Mesh

■ Answer: Star

Q963. Which of the following is a feature of TCP?

a) Error detection

b) Routing

c) Multiplexing

d) Encapsulation

■ Answer: Error detection

Q964. Which topology is used in FTP?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q965. In networking, DHCP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q966. Which protocol works at the IPV4 layer of OSI model?

a) IP

b) TCP

c) HTTP

d) Ethernet

■ Answer: IP

Q967. In networking, HTTPS is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q968. In networking, FTP is used to uniquely identify a device?

a) MAC address

b) IP address

c) Port number

d) Socket

■ Answer: IP address

Q969. Which topology is used in Physical?

a) Bus

b) Star

c) Ring

d) Mesh

■ Answer: Star

Q970. Which topology is used in Hub?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q971. HTTP is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q972. Which of the following is a feature of Application?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q973. Physical is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q974. Data Link is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q975. Which protocol works at the Router layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q976. Which of the following is a feature of Network?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q977. Which topology is used in Application?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q978. In networking, RARP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q979. Which topology is used in ICMP?

- a) Bus
- b) Star
- c) Ring
- d) Mesh

■ Answer: Star

Q980. In networking, Router is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q981. Which protocol works at the RARP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q982. In networking, Hub is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q983. In networking, DHCP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q984. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q985. Which topology is used in Transport?

- a) Bus

- b) Star
 - c) Ring
 - d) Mesh
- Answer: Star

Q986. Which protocol works at the Wi-Fi layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q987. In networking, Transport is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q988. Which of the following is a feature of RARP?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q989. Which protocol works at the Ethernet layer of OSI model?

- a) IP
 - b) TCP
 - c) HTTP
 - d) Ethernet
- Answer: IP

Q990. Which of the following is a feature of HTTPS?

- a) Error detection
 - b) Routing
 - c) Multiplexing
 - d) Encapsulation
- Answer: Error detection

Q991. ARP is an example of a connection-oriented protocol?

- a) TCP
 - b) UDP
 - c) ICMP
 - d) IP
- Answer: TCP

Q992. In networking, Wi-Fi is used to uniquely identify a device?

- a) MAC address
 - b) IP address
 - c) Port number
 - d) Socket
- Answer: IP address

Q993. Which of the following is a feature of Hub?

- a) Error detection
- b) Routing
- c) Multiplexing
- d) Encapsulation

■ Answer: Error detection

Q994. Wi-Fi is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q995. Ethernet is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q996. In networking, UDP is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q997. In networking, Application is used to uniquely identify a device?

- a) MAC address
- b) IP address
- c) Port number
- d) Socket

■ Answer: IP address

Q998. Ethernet is an example of a connection-oriented protocol?

- a) TCP
- b) UDP
- c) ICMP
- d) IP

■ Answer: TCP

Q999. Which protocol works at the DHCP layer of OSI model?

- a) IP
- b) TCP
- c) HTTP
- d) Ethernet

■ Answer: IP

Q1000. Which protocol works at the Switch layer of OSI model?

- a) IP
- b) TCP

- c) HTTP
- d) Ethernet

■ Answer: IP