Smart Programming : YouTube Channel

An investment in Knowledge pays the best interest….

Smart Programming
We Educate - We Develop

+91 62838-30308
Call us to Learn Latest Technologies
City : Mohali (Punjab), & Chandigarh (India)

WEBSITE : http://www.smartprogramming.in

BUY COURSES ON : https://courses.smartprogramming.in

YOUTUBE CHANNEL : Smart Programming (https://www.youtube.com/c/SmartProgramming)

ANDROID APP : Smart Programming
(https://play.google.com/store/apps/details?id=com.smartprogramming)

https://www.facebook.com/smartprogramming.india

https://www.instagram.com/smart_programming

Java android python Data Science Machine Learning Artificial Intelligence MEAN Full Stack BIG DATA hadoop

JDBC (PART 18)

RowSets :-

1. RowSets is an extention of JDBC ResultSet
2. It is an interface present in javax.sql package
3. It was introduced in JDK 5

=> Syntax :

```
public interface RowSets extends ResultSet
{
    setUrl(-)
    setUsername(-)
    setPassword(-)
    setCommand(-)
    execute()
    next()
    getString()
```

getInt()

----getter, setter & update methods

}

=> A RowSets is a wrapper around ResultSet Object

=> The instance of RowSet is a java bean component because it has the properties and

java bean notification mechanism

What is difference between ResultSet & RowSets

1. A ResultSet always mentain connection with the database

A RowSet can be connected or disconnected from the database

2. A ResultSet Object cannot be serialized

A RowSet Object can be serialized

3. ResultSet object cannot be passed over network

RowSet objects can be passwed over network

4. ResultSet object is not a java bean component

RowSet object is java bean component

5. ResultSet object is not scrollable and updatable

RowSet is by default scrollable and updatable

6. ResultSet object can be created by using st/ps.executeQuery();

RowSet object can be created by RowSetProvider.newFactory().createJdbcRowSet();

Steps for Program :-

1. Create RowSet Object
2. Set Parameters in RowSet object

   -> setUrl(-)

   -> setUsername(-)

   -> setPassword(-)
3. Set select SQL query to RowSet object

-> rowset.setCommand("select * form register");

4. Execute the sql query

rowset.execute()

5. Read the data from RowSet object

-> next()

-> previous()

-> getXxx(-)

Types of RowSet

1. Connected : It establish the connection with database and retain it until

the application terminates

2. Disconnected : It establish the connection with database, then execute the sql

query and retrieve/update/delete the data and closes the connection

Hierarchy of RowSet :-



JdbcRowSet :-

-> JdbcRowSet is an interface present in javax.sql.rowset package

-> JdbcRowSet is a connected RowSet

-> JdbcRowSet is a wrapper around ResultSet and due to this it is possible to use

jdbcrowset object as a javabean component

-> JdbcRowset is by default scrollable and updatable

Smart Programming
We Educate
We Develop

Company Links & Contacts

Company Name: Smart Programming (+91 62838-30308)

Address : Chandigarh & Mohali (Punjab), India

Websites: https://www.smartprogramming.in/

https://courses.smartprogramming.in

Android App:
https://play.google.com/store/apps/details?id=com.smartprogramming

YouTube Channel:
https://www.youtube.com/c/SmartProgramming