Smart Programming : YouTube Channel

An investment in Knowledge pays the best interest….

JDBC (PART 19)

CachedRowSet :-

- It is disconnected RowSet
- It is not required to have connection with database, connection is required only when database operation is being performed
- It stores the data in cache memory and we dont need to have database connection to get the values from cache memory
- It always checks the result from cache memory, if it finds there is will get the result, if not found the result, it establish the database connection and get the result and stores it into cache memory, and second time it will get the result directly from cache memory
- The main purpose of CachedRowSet is to reduce the database traffic by decreasing the no of transaction with database

Programs :-

1. Different ways to create CachedRowSet object

-> CachedRowSetImpl rs=new CachedRowSetImpl();

-> RowSetFactory factory=RowSetProvider.newFactory();

CachedRowSet rs=factory.createCachedRowSet();

-> CachedRowSet rs=RowSetProvider.newFactory().createCachedRowSet(); //prefered

2. Check wether it is disconnected RowSet or not (ResultSet, JdbcRowSet & CachedRowSet)

3. Insert using CachedRowSet
4. Update using CachedRowSet
5. Delete using CachedRowSet

WebRowSet:-

- It is similar to CachedRowSet but it can get or set or insert or update or delete the values in/through XML

Smart Programming
We Educate
We Develop

Company Links & Contacts

Company Name: Smart Programming (+91 62838-30308)

Address : Chandigarh & Mohali (Punjab), India

Websites: https://www.smartprogramming.in/

https://courses.smartprogramming.in

Android App:
https://play.google.com/store/apps/details?id=com.smartprogramming

YouTube Channel:
https://www.youtube.com/c/SmartProgramming