

100 Imandari and accha bolne ki kala
Content is only 20%, Main is personality..

- Prerequisites**
1. Install terraform
 2. Install VSCode + terraform extension
 3. Install az cli
 4. Contributor Rights on subscription
 - 5.

```
resource "azurerm_resource_group" "dhondhu" {  
  name      = "rg-humana"  
  location  = "westeurope"  
}
```

Declaration

```
variable "rg_name" {}
```

Use

```
var. rg_name
```

Assign

- 1. CLI
- 2. -var
- 3. -var-file
- 4. terraform.tfvars
- 5. .auto.tfvars
Not important
- 6. Default


-var-file=filename Load variable values from the given file, in addition to the default files terraform.tfvars and *.auto.tfvars. Use this option more than once to include more than one variables file.

auto.tfvars kuch nahi hoti terraform.tfvars ke chote chote tukde hote hai..

terraform plan -var 'rg_name=rg-sangeeta' -var 'rg_location=westus'

-var 'foo=bar' Set a value for one of the input variables in the root module of the configuration. Use this option more than once to set more than one variable.

Variables Types



= ke pehle key
and = ke baad
pura value

boolean = true number = 56.4 String = "2342sfgsdfs"

List(number) = [34, 54, 23, 564, 234, 342.3]
List(boolean) = [true, false, true]
List(string) = ["kallu", "ballu", "tillu"]
Jab bhi list aaegi toh dimag me chokor dabba [] aana chahiye

Map (pairs)
Jab jab map aaega tab tab dimag me curly braces { } aane chahiye
india = {
MP = "bhopal"
}

Ek rg banana hai hardcoded form me
Variable bana ke string dalke rg bana dala
Block ko baar baar copy karne ke dard ko solve karne ke lie
Concept aa jata hai looping -
for_each + list - 4 rg - agar sab ek hi location me banana hai toh
for_each + map - 4 RG, charo alg alg region me