

Description Accepted Editorial Solutions Submit

All Submissions

Accepted 58 / 58 testcases passed

Vishal_sai_11 submitted at Feb 06, 2026 22:37



Solution


Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

8.13 MB | Beats 12.39%



Code | C

```
1 bool rotateString(char * s, char * goal){
2     int len_s = strlen(s);
3     int len_g = strlen(goal);
```

Code

C Auto

```
1 bool rotateString(char * s, char * goal){
2     int len_s = strlen(s);
3     int len_g = strlen(goal);
4
5
6     if(len_s != len_g){
7         return false;
8     }
9
10
11     char *buffer = malloc(len_s * 2 + 1);
12     if (buffer == NULL) return false;
13     strcpy(buffer, s);
14     strcat(buffer, s);
15
16
17     bool result = (strstr(buffer, goal) != NULL);
18
19     free(buffer);
20     return result;
21 }
```

Saved

Ln 1, Col 1

Testcase Test Result

You must run your code first

Accepted Runtime: 0 ms

☒ Case 1

☒ Case 2

Input

```
s =  
"abcde"
```

```
goal =  
"cdeab"
```

Output

```
true
```

Expected

```
true
```

[♥ Contribute a testcase](#)