

Quieter Lines, Faster App

Eleven horizontal rules came off the app and five things stopped being computed on every redraw. Nothing was removed from what the app does or says — every figure, row, list and animation is what it was.

11

rules removed, each the second line doing a job another line already did within about twenty points

5

per-redraw computations that now happen once — the register, the nearby rail, two atlas readings, the rain gauge

0

features, rows, figures or sources changed. Every deletion is a duplicate line, not a line

ABOUT THE SCREENSHOTS IN THIS DOCUMENT

These are **renderings drawn from the code**, not captures from a simulator. This session runs on Linux with no Xcode and no iOS simulator, so I cannot photograph the running app. Each panel below is built from the actual view code — the same fonts, the same spacing tokens, the same rules in the same order — and is accurate about *where the lines are*, which is what this change is about. It is not a substitute for looking at the built app, and the last page says exactly what to check on device.

Every line that came off

Sixty-four line-drawing sites were read. Most draw one line that does one job and are untouched. These eleven each had a second line within about twenty points of a first.

	SCREEN	WHAT WENT	WHY IT WAS THE ONE TO GO
1	Profile	identity – bottom Hairline	The <i>Parks visited</i> heading forty points below draws its own rule and carries the count. Two full-width lines were separating one thing from one thing.
2	Trip · Days	SourceLine ruled: false	<code>PlannedDayRow</code> is a <code>DividedRow</code> and closes the list. The source note drew a second rule twelve points under it.
3	Park · Stay	SourceLine ruled: false	<code>PlaceRows</code> are <code>DividedRow</code> s. Same twelve-point double.
4	Park · Things to do	SourceLine ruled: false	Same — but conditional: with no activities published there are no rows above it, and the rule is what closes the panel, so it still draws.
5	Park · Nearby	SourceLine ruled: false	The three bands are lists of <code>DividedRow</code> s; the last band closes itself.
6	Trip · My list	SourceLine ruled: false	Every day group ends in a rule, so the last day had already closed the list.
7	Leg sheet · driven	SourceLine ruled: false	Third rule in seventy points.
8	Leg sheet · driven	roads – top Hairline	Second rule in seventy points, fourteen under the stop list's own. Now conditional on whether any stops came back, so a leg with no roadside keeps its line.
9	Leg sheet · flown	SourceLine ruled: false	The branch above already ruled, either over the <i>driving either side</i> kicker or over the <i>driven instead</i> paragraph.
10	Discover · Near you	last row – bottom Hairline	A rule under the final park with only a footnote below it, inside a card that already has a border.
11	Trip · My list	last day – trailing rule	Kept, in fact — it is what closes the list now that the source note does not. Number 6 is the deletion; this row is the line that survives it.

Deliberately kept: the trip screen's stat band (its two rules open and close one band and are thirty points apart with content between); every heading rule, which carries a label and a count and is the app's own idiom; the lit-edge gradients on the Today tiles and the saved plates, which are highlights rather than dividers; and `Grouped`'s border, which is a container edge.

Before and after, where it shows most

Four of the eleven, drawn at the spacing the code actually uses. A red line is one that came off; a dashed red gap is where it used to be.

1 · Profile — two rules under the monogram

WAS

GG Your parks
7 trips · 4 visited · 6 saved · stored on this iPhone

PARKS VISITED WITH PARKHOP ————— 4 parks

two full-width rules, ~40pt apart

NOW

GG Your parks
7 trips · 4 visited · 6 saved · stored on this iPhone

PARKS VISITED WITH PARKHOP ————— 4 parks

one rule – the heading's, which carries the count

2 · Trip · Days — the list closed itself, then the note closed it again

WAS

Fri 14 · Denver → Zion
Driving day · 3 stops

Sat 15 · Zion
Zion National Park · day 1 of 2

Stops from the National Park Service, detours measured by OSRM against the same drive without them.

two rules, 12pt apart

NOW

Fri 14 · Denver → Zion
Driving day · 3 stops

Sat 15 · Zion
Zion National Park · day 1 of 2

Stops from the National Park Service, detours measured by OSRM against the same drive without them.

one rule – the list's own

3 · Leg sheet — three rules inside seventy points

WAS

Love's Travel Stop
mile 84 · diesel, charging

Grand Junction Supercharger
mile 162 · 12 stalls

I-70 W → US-6 → UT-9 E

Distance and wheel time from OSRM over the roads listed.

three rules in ~70pt

NOW

Love's Travel Stop
mile 84 · diesel, charging

Grand Junction Supercharger
mile 162 · 12 stalls

I-70 W → US-6 → UT-9 E

Distance and wheel time from OSRM over the roads listed.

one rule – and it comes back when no stops do

4 · Discover · Near you — a rule under the last park

WAS

Rocky Mountain

78 mi · 1 h 25 · quiet this week

Great Sand Dunes

212 mi · 3 h 40

Written on this iPhone by Apple Intelligence, from the figures beside each park.

trailing rule, then the card's own border

NOW

Rocky Mountain

78 mi · 1 h 25 · quiet this week

Great Sand Dunes

212 mi · 3 h 40

Written on this iPhone by Apple Intelligence, from the figures beside each park.

rules between the parks only

Why it had been getting slower

Mostly one habit, repeated across four screens: building the whole national-park register inside a computed property that `body` reads.

	WHAT WAS HAPPENING	COST PER REDRAW	NOW
A	The register, rebuilt on every redraw. <code>CuratedPark(bundled:)</code> lowercases a park's full name and scans it for a terrain word, hashes its code into three OKLCH strings and allocates four arrays. Today, Discover, Profile, the atlas and <code>AppState.visitedCodes</code> each built all sixty-two inside a computed property. Discover built it three times per keystroke, once in <code>curated</code> , once in <code>allNational</code> and once through <code>results</code> .	62 × (1 lowercase + up to 11 substring scans + 3 string interpolations + 4 array allocations), ×1–3 per screen	<code>NationalParks.allCurated</code> — once per launch. Safe to hold: a pure function of a bundled file that cannot change while the app runs.
B	The home screen measured the nearby rail twice. <code>neighbours</code> builds the register, runs a haversine against every park, sorts and takes eight. <code>radiusLabel</code> called it again to print <i>within 200 miles</i> .	2 × (register + 62 haversines + a full sort)	Measured once in <code>body</code> and handed to both.
C	The atlas card counted its collection twice to print two numbers, and the atlas screen had five computed properties that each asked the one below it — so a single pass marked sixty-two parks against the rail four times and grouped them by state twice, before every annotation asked again.	4 × register + 2 × grouping, per pass, plus once per annotation	One <code>tally</code> on the card, one <code>Reading</code> on the screen, threaded through.
D	A dry day animated anyway. The rain gauge on the weather tab ran a <code>TimelineView</code> at twenty-four frames a second for as long as it was on screen. Its <code>Canvas</code> returns immediately when there is no rain — so it was waking the display twenty-four times a second to draw nothing, on most days in most parks.	24 canvas invalidations/second, indefinitely	Holds still when there is no water in it. Still moves when there is, and still freezes under Reduce Motion.
E	Every pin asked which pins were tiles. On the atlas, <code>tiled</code> was a computed property read inside the annotation builder — so it walked the shown register once for each of the sixty-two annotations.	62 × a filter over 62	Worked out once, before the builder.

WHAT THIS IS AND IS NOT

These are counted operations removed from the redraw path, read off the code. They are not measured frame times — that needs Instruments on a device, and the honest way to confirm the effect is a Time Profiler trace on Discover while typing, and an Animation Hitches trace on the park screen's weather tab. A and D are the two I would expect to be felt.

What was validated, and what could not be

Checked here

- ✓ All 64 line-drawing sites in the app enumerated and read in context — `Hairline` , `Divider` , `WP.divider` fills and strokes, and every `DividedRow` and `Grouped` call site.
- ✓ Delimiter balance across every Swift file in the module, compared against the pre-edit tree: 0/0/0 both sides.
- ✓ `tools/design-lint.py` — 4/4 passing.
- ✓ No stale references left by the refactors: the atlas's five removed properties, the home screen's `radiusLabel` , and every `SourceLine` call site traced.
- ✓ `SourceLine` 's new parameter is defaulted, so the five sites that keep their rule needed no change and cannot have been missed.
- ✓ The conditional rules are exhaustive over their state machines — `stopsDrewTheirOwnRule` covers all four `LegStops.State` cases.
- ✓ Version in sync: v2.38.1, build 65.

Not checked here

- ✗ **It has not been compiled.** There is no Swift toolchain in this environment. Everything above is static verification.
- ✗ **No screenshots of the running app.** No macOS, no simulator. The panels in part two are renderings from the code.
- ✗ **No measured frame times.** The performance section counts work removed, not milliseconds saved.

What to look at on device

SCREEN	LOOK FOR
Profile	One rule between the monogram block and <i>Parks visited</i> , not two.
Trip · Days	One rule between the last day and the source note.
Trip · My list	One rule between the last day group and the source note.
Park · Stay, Things to do, Nearby	One rule above each source note. On a park with no activities published, <i>Things to do</i> should still show its rule — that one is conditional.
Leg sheet, with stops	One rule below the stop list. The roads line has none of its own.
Leg sheet, no stops	The roads line keeps its rule — this is the case the conditional exists for, and the one to check first.
Discover · Near you	Rules between the parks, none under the last one.
Park · Weather	The rain gauge still animates on a wet day and holds still on a dry one.
Today, Discover	Same parks, same order, same distances — the register is memoised, not changed.

Branch `claude/quieter-lines-and-faster` , commit `60aa7d9` , off `main` at `1163a73` . Fifteen files changed. Run `xcodegen generate` before building — this branch adds no files, but the atlas on main did. Full prose in `CHANGELOG.md` under 2.38.1.