

Distance Running Tights — Landing Page

Documentation

Complete HTML & CSS Code Reference Guide

Project: Athlos Distance Running Tights Product Page **Files:** test.html · style.css **Built with:** Plain HTML + CSS only.
No JavaScript, no frameworks, no libraries.

Table of Contents

1. Project Overview
 2. HTML Fundamentals
 3. CSS Fundamentals
 4. Section-by-Section Breakdown
 5. Color Palette
 6. Key Concepts Summary
-

Section 1 — Project Overview

This is a **product landing page** for the "Distance Running Tights" by Athlos. It is a static webpage built using only two files — **test.html** for structure and content, and **style.css** for all visual styling.

The page has **13 sections** named hero1 through hero13. Each section represents one part of the product story — from the full-screen hero photo at the top, down to the wash and care instructions at the bottom.

No JavaScript was used. No React, no Bootstrap, no external libraries. Everything is written as a student learning from scratch.

File Structure

```
figma/
├─ test.html      page structure and content
├─ style.css      all visual styles
├─ hero.jpg       hero background image
├─ hero2.jpg      product image
├─ hero3.jpg      liner section image
├─ image1.jpg     outer fabric image
├─ image2.jpg     inner liner image
├─ watch.jpg      hero5 row1 image
├─ laugh.jpg      hero5 row2 left image
├─ run.jpg        hero5 row2 right image
├─ image.jpg      hero6 left B&W photo
├─ images.jpg     hero6 right B&W photo
├─ devil.jpg      devil in the details image
├─ bottle.jpg     hero11 community photo
├─ uncle.jpg      testimonial reviewer photo
├─ 2side.mp4      pocket video 1
├─ front.mp4      pocket video 2
├─ rear.mp4       pocket video 3
└─ sidewaist.mp4  pocket video 4
```

Section 2 — HTML Fundamentals

2.1 Page Structure

Every HTML file follows this skeleton:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Page Title</title>
    <link rel="stylesheet" href="style.css">
  </head>
  <body>
    <!-- visible content here -->
  </body>
</html>
```

Tag	What it does
<!DOCTYPE html>	Tells browser this is HTML5. Must always be line 1.
<html>	Root container of the entire page.
<head>	NOT visible. Holds page settings: title, CSS link.
<title>	Sets the browser tab name.
<link rel="stylesheet">	Connects HTML to style.css. Without it — zero styling.
<body>	Everything the user SEES goes here.

2.2 Tags Used in This Project

Tag	Purpose	Where Used
<section>	Groups a major block (like a chapter)	All 13 hero sections
<div>	A box — no visual meaning, used for grouping	Columns, rows, containers
<p>	A paragraph of text	All body text and labels
<h1>	Biggest heading	Hero title
<h2>	Section headings	SUSTAINABLE, REFLECT, Devil in the DETAILS
<h3>	Sub-headings	Performance (under SUSTAINABLE)
<h4>	Small headings	Colour, Size, pocket card titles
	Displays an image	All photos
<video>	Displays a video	hero10 pocket cards

<button>	A clickable button	Pre-Order, Wishlist, size buttons
<a>	A clickable link	Size Chart
	Inline box inside text	Style one word differently in a heading
	Italic text	Typographic contrast headings
	Bold text	"Highly recommended!" in testimonial
<hr>	Horizontal divider line	Between price and color sections
 	Line break inside paragraph	Care instructions

2.3 HTML Attributes

Attribute	What it does	Example
class	Names an element so CSS can style it	class="hero2"
src	File path for image or video	src="hero.jpg"
alt	Fallback text if image fails to load	alt="Running Tights"
href	URL for a link	href="#" (placeholder)
autoplay	Video plays immediately on page load	All pocket videos
loop	Video restarts when it ends	All pocket videos
muted	No audio — REQUIRED for autoplay to work	All pocket videos
playsinline	On mobile: plays in page, not fullscreen	All pocket videos

Important: Browsers block autoplay if the video has sound. `muted` must always be present alongside `autoplay`.

2.4 HTML Entities — Special Characters

These are codes for symbols that cannot be safely typed directly in HTML:

Code	Symbol	Used for
₹	₹	Indian Rupee symbol
↗	↗	Arrow on Pre-Order button
♡	♡	Heart on Wishlist button
“	"	Opening curly quote in testimonial
”	"	Closing curly quote in testimonial
⌄	▼	Down chevron arrow in hero
&	&	Ampersand — never write bare & in HTML source

Section 3 — CSS Fundamentals

3.1 The Global Reset

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
```

* selects every single element on the page. This removes all browser default spacing so we start with a clean slate.

box-sizing: border-box is critical — normally if you set width: 200px and padding: 20px, the box becomes 240px wide. With border-box, padding is included in the width — the box stays exactly 200px.

3.2 Body Font and Color

```
body {
  font-family: Georgia, serif;
  color: #222;
}
```

Georgia is a serif font — has decorative strokes on letter ends. Looks elegant and premium, matching the athletic brand identity. If Georgia is not installed, the browser falls back to any serif font.

#222 is very dark grey. Pure black (#000) on white feels too harsh. #222 is softer and more readable.

3.3 display: flex — The Most Used Property

Used in almost every section of this project.

```
.product-row {
  display: flex;
  justify-content: center;
  align-items: center;
  gap: 100px;
}
```

Turns a container into a flex container. Its direct children automatically sit **side by side** in a row.

Property	What it does
justify-content: center	Centers children horizontally
align-items: center	Centers children vertically
align-items: flex-start	Aligns children to the top

gap: 60px	Adds 60px space between each child
flex-direction: column	Stacks children vertically instead of side by side
flex-wrap: wrap	Children wrap to next line if they don't all fit

3.4 flex Values on Children

Value	Meaning
flex: 1	Takes 1 equal share of available space
flex: 2	Takes 2 shares — twice as wide as flex: 1
flex: 0 0 280px	Fixed at exactly 280px. Does not grow or shrink.

hero8 example: 4 columns in one row.

- `.s-text` = flex: 0 0 280px → always 280px
- `.s-img1` = flex: 1 → equal share of remaining space
- `.s-img2` = flex: 1 → equal share of remaining space
- `.r-text` = flex: 0 0 280px → always 280px

On a 1400px screen: 1400 - 560 (two fixed panels) = 840px shared equally = 420px per image.

3.5 position: relative and position: absolute

Used to place text ON TOP of the hero background image.

```
.hero { position: relative; }
.title { position: absolute; bottom: 15%; left: 8%; }
```

`position: relative` on the parent makes it the anchor point for any child using `position: absolute`.

`position: absolute` removes the child from normal page flow. It floats freely and positions itself relative to the nearest `relative` parent — in this case `.hero`.

`bottom: 15%` places the text 15% up from the bottom. `left: 8%` places it 8% from the left edge.

3.6 height: 100vh

```
.hero { height: 100vh; }
```

`vh` = viewport height = the visible screen height. `100vh` = 100% of screen height. The hero section fills the entire visible screen on any device — small laptop or large monitor.

3.7 Background Image Properties


```
.hero {
  background-image: url("hero.jpg");
  background-size: cover;
  background-position: center;
}
```

Property	What it does
<code>background-image: url("hero.jpg")</code>	Sets the image as the background
<code>background-size: cover</code>	Scales image to fill the element. May crop edges slightly.
<code>background-position: center</code>	Keeps the center of image visible if cropped

3.8 object-fit: cover

Same effect as `background-size: cover` but for `<img>` and `<video>` elements.

```
.devil-image img {
  width: 100%;
  height: 100%;
  object-fit: cover;
}
```

Fills the entire box without stretching or distorting. Crops the edges if image proportions don't match the box shape. Used in hero6, hero8, hero9, hero10.

When NOT to use it: hero5 and hero11 — where we want full images with zero cropping. Those sections use `width: 100%` only, letting the browser calculate height naturally.

3.9 height: 100% — Parent Must Have Defined Height

```
.hero8      { height: 600px; } /* parent has defined height */
.s-img1 img { height: 100%; } /* = exactly 600px — this works */
```

`height: 100%` means "100% of parent's height". If the parent has no height defined, the browser doesn't know what 100% means — the child collapses or ignores it. Always give the parent a fixed height when children need `height: 100%`.

3.10 margin: 0 auto — Centering

```
.description {
  width: 600px;
  margin: 0 auto;
}
```

`auto` on left and right = equal space on both sides = centered horizontally. Only works on block elements with a defined width. `margin: 0 auto 80px` = top: 0, left/right: auto (centered), bottom: 80px.

3.11 border-radius

Value	Effect	Used on
50%	Perfect circle (width must equal height)	Color swatches, size buttons, care numbers
30px	Pill-shaped button (very rounded ends)	Pre-Order and Wishlist buttons
8px	Moderately rounded corners	Pocket video cards
4px	Barely rounded corners	Testimonial photo, liner image

3.12 Other Important Properties

Property	What it does	Used where
<code>opacity: 0.85</code>	85% visible, slightly transparent	Sub-text on dark backgrounds
<code>line-height: 1.8</code>	Generous line spacing	Body paragraphs
<code>line-height: 0</code>	Removes gap below inline images	hero5, hero6, hero11
<code>letter-spacing: 3px</code>	Space between individual letters	"SUSTAINABLE", "MEN'S"
<code>text-transform: uppercase</code>	Forces all caps	Category and subtitle labels
<code>outline</code>	Ring outside element — no layout effect	Active color swatch ring
<code>outline-offset: 3px</code>	Gap between element and outline	Active color swatch
<code>cursor: pointer</code>	Mouse becomes hand icon on hover	All clickable elements
<code>text-decoration: none</code>	Removes underline from links	Size Chart link
<code>flex-shrink: 0</code>	Prevents flex item from shrinking	Testimonial image (420px)
<code>min-height: 600px</code>	Minimum height — can grow taller	hero9

Section 4 — Section-by-Section Breakdown

HERO1 — Full Screen Landing

Background image fills 100vh using `background-size: cover`. Text placed bottom-left using `position: absolute; bottom: 15%; left: 8%`. Down arrow `↓` guides user to scroll.

HERO2 — Product Detail Card

Three parts: (1) Centered description paragraph using `width: 600px; margin: 0 auto`. (2) Product card with `display: flex` — image left (320px), details right (380px) with 100px gap. (3) "Note on the fit" centered below. Color swatches and size buttons are circles via `border-radius: 50%`. Buttons are pill-shaped via `border-radius: 30px`.

HERO3 — That ONE Liner

Dark olive background `#4a4a30`. `display: flex` with image left and text right. Max-width 1200px container centered with `margin: 0 auto`. Heading "That ONE Liner" uses `<em>` for italic words mixed with normal words.

HERO4 — Rational for Mid-Compression

White background. Pure centered text. `width: 620px; margin: 0 auto; text-align: center`. Heading uses `<em>` for the italic phrase "Rational for".

HERO5 — Two Rows of Images

`line-height: 0` removes gap between rows. Row 1: `watch.jpg` full width, no cropping. Row 2: `display: flex` — `laugh.jpg` left (`flex: 1` = 1/3 width) + `run.jpg` right (`flex: 2` = 2/3 width).

HERO6 — Two B&W Photos

`display: flex`. Each image: `width: 50%; height: 550px; object-fit: cover`. Both same size.

HERO7 — Recommended For

Simple centered text. `text-align: center`. Italic `<em>` on "for".

HERO8 — Sustainable (4 Columns)

Dark purple `#2d2040`. Height `600px` (so images can use `height: 100%`). Four direct children: s-text (280px) | s-img1 (flex:1) | s-img2 (flex:1) | r-text (280px). Both text panels use `flex-direction: column; justify-content: center`.

HERO9 — Devil in the DETAILS

White. `display: flex; min-height: 600px`. `devil-text ( flex: 1 )` left. `devil-image ( flex: 1 )` right with `height: 100%; object-fit: cover`. Heading: "Devil in the" is `<em>` (italic + thin), "DETAILS" is bold.

HERO10 — Picking the Right Pocket

Light grey #fafafa . Four cards in a row with `display: flex; gap: 30px` . Each card uses `<video>` not `<img>` with `autoplay loop muted playsinline` . CSS selector is `.pocket-card video` .

HERO11 — Community Photo

`width: 100%; display: block` . No height limit, no `object-fit: cover` — full image shows with zero cropping. `line-height: 0` removes gap.

HERO12 — Testimonial

Warm grey #f5f4f0 . `display: flex; align-items: flex-start` . Photo left (420px, `flex-shrink: 0`). Quote text right (`flex: 1`). Decorative " marks at 80px. Author section has `border-top: 1px solid #ddd` .

HERO13 — Wash and Care

White. Five cards using `display: flex; flex-wrap: wrap; gap: 40px` . Each card stacks vertically using `flex-direction: column; align-items: center` . Golden circle number uses nested flex (`justify-content: center; align-items: center`) to center the digit.

Section 5 — Color Palette

Code	Name	Used For
#a3834f	Warm Golden Brown	Pre-Order button, active dot, offer price, care numbers, active color ring
#2d2040	Dark Purple/Indigo	hero8 background
#4a4a30	Dark Olive Green	hero3 background
#fafafa	Very Light Off-White	hero2 and hero10 backgrounds
#f5f4f0	Warm Light Grey	hero12 testimonial background
#222	Very Dark Grey	Body text (softer than pure black)
#555	Medium Grey	Paragraph text on white
#888	Light Grey	Tax text, links, author role
#ccc	Pale Grey	Inactive dots, quote marks
#e5e5e5	Very Light Grey	HR divider line



Section 6 — Key Concepts Summary

The "Why" Behind Every Major Decision

Decision	Why
<code>display: flex</code> for columns	Simplest way to place elements side by side
<code>flex: 1</code> and <code>flex: 2</code>	Proportional widths without calculating percentages
<code>flex: 0 0 280px</code> for fixed columns	Lock columns that must never resize
<code>height: 600px</code> on hero8	Children need <code>height: 100%</code> — parent must have defined height
No height on hero5 and hero11	Full images, zero cropping — browser calculates height from aspect ratio
<code>object-fit: cover</code> on others	Fill box perfectly — small edge crop is acceptable
<code>line-height: 0</code> on image sections	Removes invisible 3-4px gap below inline images
<code>margin: 0 auto</code> for centered text	Standard centering — requires defined width + block display
<code>position: absolute</code> for hero text	Text must float over background image, outside normal document flow
<code><video></code> not <code></code> in hero10	<code></code> cannot play video. <code><video></code> is the correct HTML element
<code>muted</code> on all videos	Browsers block autoplay with sound. <code>muted</code> is required
<code>outline</code> not <code>border</code> for color ring	<code>border</code> shifts layout. <code>outline</code> draws outside box with no layout effect
<code>border-radius: 50%</code> for circles	Works when width equals height. Turns any square into a perfect circle
Georgia, serif font	Serif fonts look premium — matches brand identity
<code>#222</code> not <code>#000</code> for text	Dark grey is softer and more readable than pure black on white

CSS Property Quick Reference

<code>margin</code>	space OUTSIDE element
<code>padding</code>	space INSIDE element
<code>width</code>	how wide the element is
<code>height</code>	how tall the element is
<code>display</code>	how element behaves (block / inline / flex)
<code>position</code>	where element sits (static / relative / absolute)
<code>background</code>	background color or image
<code>color</code>	text color
<code>font-size</code>	text size in pixels
<code>font-weight</code>	boldness (100=thin, 400=normal, 700=bold)
<code>font-style</code>	italic or normal
<code>line-height</code>	spacing between lines of text
<code>letter-spacing</code>	spacing between individual letters
<code>border-radius</code>	rounds corners of a box
<code>opacity</code>	transparency (0=invisible, 1=fully visible)

cursor	changes mouse cursor appearance
object-fit	how image/video fills its box
flex	how much space a flex item takes
gap	space between flex children
justify-content	aligns flex children horizontally
align-items	aligns flex children vertically
flex-direction	row (default) or column
flex-wrap	wrap to next line or not
min-height	minimum height, can grow taller
max-width	maximum width, never wider

Documentation for Vishal Tiwari — Distance Running Tights Landing Page Built with plain HTML and CSS as a learning project from scratch.