

1. Password Management: Hardcoded Password

Password Management: Hardcoded Password	High
Package: Desktop.secureyes.eOfficePortal_certin.eOfficePortal_certin.KMS.config	
Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/config/app.php, line 421 (Password Management: Hardcoded Password)	
Sink: ArrayAccess File: Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/config/app.php:421 Taint Flags:	
<pre>418 'timezone' => 'Asia/Kolkata', 419 'host' => 'localhost', 420 'username' => 'postgres', 421 'password' => 'postgres', 422 'database' => 'eFile_Common', 423 'flags' => [], 424 'cacheMetadata' => true,</pre>	
Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/config/app.php, line 435 (Password Management: Hardcoded Password)	
Issue Details	
Kingdom: Security Features Scan Engine: SCA (Structural)	
Sink Details	
Sink: ArrayAccess File: Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/config/app.php:435 Taint Flags:	
<pre>432 //'port' => 9200, 433 'Authorization' => 'ApiKey c1lReHc00EJnN0hGNG5FWHFxSEU6REN4dkxXcGhTQUtiX3dHUGJlMWIxZW==', 434 'username' => 'elastic', 435 'password' => 'Ib-vlfeSAt1Z5SJixPI3', 436 'index' => 'kms', 437 'port' => 443, 438 'transport' => 'https'</pre>	

Password Management: Hardcoded Password**High**

Package: Desktop.secureyes.eOfficePortal_certin.eOfficePortal_certin.KMS.vendor.alt3.cakephp-swagger.webroot.lang

Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/tr.js, line 35 (**Password Management: Hardcoded Password**)

lang/tr.js:35

Taint Flags:

```
32 "Model": "Model",
33 "apply": "uygula",
34 "Username": "Kullanıcı Adı",
35 "Password": "Parola",
36 "Terms of service": "Servis şartları",
37 "Created by": "Oluşturan",
38 "See more at": "Daha fazlası için",
```

Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/es.js, line 35 (**Password Management: Hardcoded Password**)

Issue Details

Kingdom: Security Features
Scan Engine: SCA (Structural)

Sink Details

Sink: FieldAccess: Password

Enclosing Method: ~file_function()

File: Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/es.js:35

Taint Flags:

```
32 "Model": "Modelo",
33 "apply": "aplicar",
34 "Username": "Nombre de usuario",
35 "Password": "Contraseña",
36 "Terms of service": "Términos de Servicio",
37 "Created by": "Creado por",
38 "See more at": "Ver más en",
```

Issue Details	Severity
Package: Desktop.secureyes.eOfficePortal_certin.eOfficePortal_certin.KMS.vendor.alt3.cakephp-swagger.webroot.lang Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/ko-kr.js, line 35 (Password Management: Hardcoded Password) Enclosing Method: ~file_function() File: Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/ko-kr.js:35 Taint Flags:	High
<pre> 32 "Model": "모델", 33 "apply": "적용", 34 "Username": "사용자 이름", 35 "Password": "암호", 36 "Terms of service": "이용약관", 37 "Created by": "작성자", 38 "See more at": "추가정보: ", </pre>	
Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/pt.js, line 35 (Password Management: Hardcoded Password) Issue Details Kingdom: Security Features Scan Engine: SCA (Structural) Sink Details Sink: FieldAccess: Password Enclosing Method: ~file_function() File: Desktop/secureyes/eOfficePortal_certin/eOfficePortal_certin/KMS/vendor/alt3/cakephp-swagger/webroot/lang/pt.js:35 Taint Flags:	
<pre> 32 "Model": "Modelo", 33 "apply": "Aplicar", 34 "Username": "Usuário", 35 "Password": "Senha", 36 "Terms of service": "Termos do serviço", 37 "Created by": "Criado por", 38 "See more at": "Veja mais em", </pre>	

Note: Same findings are present in multiple instances across the application code.

Recommendation:

Remove hardcoded password values from source code and configuration files. Store sensitive credentials securely using environment variables, encrypted configuration files, or a dedicated secrets management solution. Implement secure key management practices and ensure passwords are never exposed in application code, client-side files, logs, or repositories. Regularly rotate credentials and enforce least-privilege access controls to reduce the risk of unauthorized access.