

```
Activities Terminal Wed 16:15 vishal@Quantiphi-747: ~  
File Edit View Search Terminal Help  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
abc False  
default True vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry False vishal.bisht@quantiphi.com  
vishal@Quantiphi-747:~$ gcloud config configurations set harry  
ERROR: (gcloud.config.configurations) Invalid choice: 'set'.  
Maybe you meant:  
gcloud config configurations activate  
gcloud config configurations create  
gcloud config configurations delete  
gcloud config configurations describe  
gcloud config configurations list  
gcloud config set  
To search the help text of gcloud commands, run:  
gcloud help -- SEARCH_TERMS  
vishal@Quantiphi-747:~$ gcloud config configurations activate harry  
Activated [harry].  
vishal@Quantiphi-747:~$ gcloud config set PROJECT  
ERROR: (gcloud.config.set) argument VALUE: Must be specified.  
Usage: gcloud config set SECTION/PROPERTY VALUE [optional flags]  
optional flags may be --help | --installation  
For detailed information on this command and its flags, run:  
gcloud config set --help  
vishal@Quantiphi-747:~$ gcloud config set project project1  
Updated property [core/project].  
WARNING: You do not appear to have access to project [project1] or it does not exist.  
vishal@Quantiphi-747:~$ gcloud config set project pe-training  
Updated property [core/project].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
abc False  
default False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry True vishal.bisht@quantiphi.com pe-training  
vishal@Quantiphi-747:~$
```

```
Activities Terminal Wed 16:16 vishal@Quantiphi-747: ~  
File Edit View Search Terminal Help  
vishal@Quantiphi-747:~$ gcloud config set compute/zone us-east1-b  
Updated property [compute/zone].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
abc False  
default False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry True vishal.bisht@quantiphi.com pe-training us-east1-b  
vishal@Quantiphi-747:~$ gcloud config set compute/region us-east1  
Updated property [compute/region].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
abc False  
default False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry True vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
vishal@Quantiphi-747:~$ gcloud config configurations activate default  
Activated [default].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
abc False  
default True vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
vishal@Quantiphi-747:~$
```

```
Activities Terminal Wed 16:17 vishal@Quantiphi-747: ~  
File Edit View Search Terminal Help  
vishal@Quantiphi-747:~$ gcloud config configurations delete abc  
The following configurations will be deleted:  
- abc  
Do you want to continue (Y/n)? Y  
Deleted [abc].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
default True vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
harry False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
vishal@Quantiphi-747:~$ gcloud config set compute/zone us-east1-c  
Updated property [compute/zone].  
vishal@Quantiphi-747:~$ gcloud config configurations list  
NAME IS_ACTIVE ACCOUNT PROJECT DEFAULT_ZONE DEFAULT_REGION  
default True vishal.bisht@quantiphi.com pe-training us-east1-c us-east1  
harry False vishal.bisht@quantiphi.com pe-training us-east1-b us-east1  
vishal@Quantiphi-747:~$
```