



Endless Innovations

COMPANY PROFILE

Delivering Symmetrical Elegance For Aesthetic Resonance

ZOLON has been an innovative and professional company engaged in research, development, manufacture and marketing of fittings for architectural hardware. ZOLON supplies fittings of high quality and provides consulting services to the architectural industry. Through many years development, ZOLON achieves a good reputation in Construction Industry and Hardware Industry.

Unique value can only be created by professionalism, speculation has no future. This motto is practiced by ZOLON personnel at all levels, ranging from senior executives to the new entry employees. In the continuous quest for constant technology development, higher quality and better services, today ZOLON has become the prominent and largest supplier of fittings for architectural hardware industry.

Striving to become the leader to serve the architectural hardware industry in the world, ZOLON not only adopts advanced management and manufacturing method, but also invests heavily in design and innovation. Rich product and prominent capability of innovation is the driving force for its progress. The company has achieved acclaim in innovative design, elegant appearance, high quality products and unsurpassed services, greatly meets the individual needs of different customers, and is widely praised by customers. ZOLON takes pride in supplying fittings to many famous landmarks in countless cities of all over the world.

ZOLON is always your best and most reliable partner in supplying fittings for architectural hardware.



TABLE OF CONTENTS


Patch Fitting	Hydraulic Patch	Floor Spring	Glass Connectors
			
01-03	04	05-06	07-08
Shower Hinges	Plastic Profiles	Shower Knight Head Accessories	Glass Door Knobs
			
09-10	11	12	12
Canopy Fittings	Point Fixed Glass fittings	Shower Glass Sliding Fitting	Sliding System
			
13	13	14-16	17-18
Sliding Folding System	Center Sliding Folding System	Sliding Systems	Spider Fittings
			
19	20	21	22-24
Fin Plates & Splice Plates	Routels	Locks without Cutout	Glass Door Handles
			
25	26	27	28-32
Glass Railing Accessories	Door Closer		
			
33-34	35		

 **ZOLON®**
ARCHITECTURAL HARDWARE


Available Colours:




ZPF-2
Top Patch




ZPF-3
Bottom Patch





ZPL-1
Bottom Patch Lock with Strike Plate




ZPF-1
Top Patch L Type with Fin (Big L)



ZPF-610
Over Panel Side Panel Patch Connector (Small L)



ZPF-4
Wall Mounted Over Panel Patch with Pivot



Patch Fitting

Available Colours:





Black Matt Gold Rose Gold





ZPF-640

Wall to Glass Connecting Patch





ZPF-650

Glass to Glass Connecting Patch with Wall/ceiling





ZPF-51

Double Over Panel Patch with Fin





ZPF-61

Double Over Panel Patch




ZPF-610ST

Over Panel Side Panel Patch Connector with Stopper



ZPF-62

Top Pivot for Patch Fittings Doors




Available Colours:
Black Matt Gold Rose Gold



ZPF-63
Top Pivot/Bottom Pivot
for Wooden/Aluminium Doors



ZPF-64
Mini Floor Hinge



ZPF-65
Glass Door Stopper



Hydraulic Patch Fitting



Available Colours:




Black Matt Gold Rose Gold




ZHP-100
Hydraulic Patch

Product Specification

- Suitable door weight : Max 100kg
- Suitable door width : 750~100mm
- Suitable door thickness : 8~13mm
- Ambient temperature : -20°C~+50°C
- Quick and easy installation



Adjustments




Max. opening angle:150° for left and right opening (double action)
Hold open at 90°


Two speed adjustment

Closing Speed (150° ~10°)

Braking speed (10° ~0°)


Hydraulic Patch Installation Instruction





Construction & Technical Details

- One unit for both single & double action door where surface mounted closer cannot be fitted.
- High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.
- Internal mechanism components utilizing heat treated high alloy steels & ball bearing for optimum efficiency.
- Suitable for timber, metal & tempered glass doors.
- Built in pressure relief valve protect the closer from rough use. Closer mechanism totally immerse in hydraulic fluid.



Floor Spring


Available Colours:



TESTED TO
500000 CYCLES





ZFS-6400
Single Spring Floor Hinge



Specification

Over 5,00,000 cycles tested.
General design, suitable for left or right hand to open the door in single and both sides.
Universal machine cylinder.
Closing force-20nm.
Maximum wide door leaf-900mm.
Maximum door weight 60-100kgs
Speed covering control-two stage adjustable speed.
Location-90° hold open




Specification
General design, suitable for left or right hand to open the door in single and both sides.
Used low temp. hydraulic oil for any climate operation and constant lubrication.
Suitable for wooden and toughened glass doors.
Suitable for door weight from 100-120kgs.
Closing force 19nm.
Suitable for maximum wide door leaf (900x2100mm).
Opening angle 90° / 115°
304 SS Plate



ZFS-6500
Double Spring Floor Hinge



ZFS-8400
Double Spring Floor Hinge



Specification


General design, suitable for left or right hand to open the door in single and both sides.
Used low temp. hydraulic oil for any climate operation and constant lubrication.
Suitable for wooden and toughened glass doors.
Suitable for door weight from 100-150kgs.
Closing force 25nm.
Suitable for maximum wide door leaf (1100x2400mm).
Opening angle 90° / 115°
304 SS Plate

* Available in SS- 3 mm Sheet Metal



Available Colours:
 Black Matt Gold Rose Gold




ZGC-01A
U Connector (Single Hole)




ZGC-01
U Connector




ZGC-02
Glass to Glass 135°




ZGC-03
Glass to Glass 90°




ZGC-04
L Connector




ZGC-05
Glass to Glass 180°



ZGC-06
Wall to Glass 180°



ZGC-07
T-Connector Glass to Glass 90°



Glass Connectors

Available Colours:




Black Matt Gold Rose Gold



* Available in SS- 5mm Thickness Casting




ZGC-11A
U Connector (Single Hole)




ZGC-11
U Connector




ZGC-22
Glass to Glass 135°





ZGC-33
Glass to Glass 90°




ZGC-44
L Connector




ZGC-55
Glass to Glass 180°



ZGC-66
Wall to Glass 180°




ZGC-77
T-Connector Glass to Glass 90°




Available Colours:




ZSH-01A
Wall to Glass Hinge 90° Offset Hinge




ZSH-01
Wall to Glass Hinge 90°




ZSH-02
Glass to Glass Hinge 180°




ZSH-03
Glass to Glass Hinge 135°




ZSH-04
Glass to Glass Hinge 90°



ZSH-05
Wall to Glass Hinge 90° Fix Bracket



ZSH-06
Glass to Glass Hinge for 2 Door
(Three Glass T Connector)



Brass Shower Hinges


Available Colours:




Black Matt Gold Rose Gold




ZSH-11A
Wall to Glass Hinge 90° Offset Hinge




ZSH-11
Wall to Glass Hinge 90°




ZSH-22
Glass to Glass Hinge 180°




ZSH-33
Glass to Glass Hinge 135°




ZSH-44
Glass to Glass Hinge 90°



ZSH-55
Wall to Glass Hinge 90° Fix Bracket




Available Colours:




ZPS-01 (Wall Seal)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)




ZPS-02 (Central Seal)

10mm (2.2mtr.)
12mm (2.2mtr.)




ZPS-03 (Central 180° Weather Seal)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



ZPS-04 (Central 180° Weather Seal)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)




ZPS-06 (Water Disperser Seal)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)




Magnetic Profiles




ZPS-M1 180° (Magnetic Seal for 180° Connection)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



ZPS-M2 135° (Magnetic Seal for 135° Connection)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



ZPS-M3 90° (Magnetic Seal for 90° Connection)

8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)

Shower Knight Head Accessories


Available Colours:




Round Series Dia 19mm




ZKH-1
Wall to Rod (Dia 19mm)




ZKH-2
Rod to Glass (Dia 19mm)




ZKH-3
Rod to Glass (One Side Blind)



ZKH-4
Rod to Rod (Dia 19mm)



ZKH-5
Rod to Rod T Connector (Dia 19mm)




ZKH-6
Reinforcing Rod (Dia 19mm)


Square Series Dia 25mm




ZKH-11
Wall to Rod (Dia 19mm)



ZKH-22
Rod to Glass (Dia 19mm)




ZKH-33
Rod to Glass (One Side Blind)



ZKH-44
Rod to Rod (Dia 19mm)



ZKH-55
Rod to Rod T Connector (Dia 19mm)



ZKH-66
Reinforcing Rod (Dia 19mm)

Rectangle Series Dia 10x30mm



ZKH-111
Wall to Track Connector



ZKH-222
Glass to Track Connector



ZKH-333
90° Track Connector



ZKH-444
Track to Track Connector with Glass Clamp



ZKH-555
Track Connector T-Type




ZKH-666
Shower Sliding Track


Glass Door Knobs




ZDK-01
Glass Door Knobs



ZDK-02
Glass Door Knobs




ZDK-03
Glass Door Knobs



* For : 8/10/12mm Glass *Available in 2.2 mtr. and 2.5 mtr.



ZCF-1
Wall to Glass Connector




Specification

- Finish : Satin stainless steel (SSS)
- Suitable for canopies in interior & exterior
- Stainless steel 304 grade
- To fix glass with the wall
- Adjustable angle
- Washer to prevent glass from damage



ZCF-2
Rod to Glass Connector

Black Matt	Gold	Rose Gold




Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding canopy glass with rod along with wall to rod
- Stainless steel 304 grade
- To hold canopy glass with rod
- Adjustable angle
- Washer to prevent glass from damage



ZCF-3
Wall to Rod Connector



Specification

- Finish : Satin stainless steel (SSS)
- Suitable for holding wall to rod with wall
- Stainless steel 304 grade
- To hold rod with the wall
- Adjustable angle
- Washer to prevent glass from damage



ZCF-ROD (16mm)
Canopy Rod



Point Fixed Glass fittings



ZPC-1
Wall to Glass (Adjustable)
(Available in 60mm, 82mm & 103mm)




ZPC-2
Wall to Glass (Fix)
(Available in 60mm, 82mm & 103mm)



ZPC-3
Glass to Glass (Adjustable)
(Available in 60mm, 82mm & 103mm)



ZPC-4
Glass to Glass (Adjustable with Fin)
(Available in 60mm, 82mm & 103mm)





ZOLON[®]
ARCHITECTURAL HARDWARE



Shower Glass Sliding Fitting

Specification :


- Material : Stainless steel 304 grade
- Finish : Polish stainless steel
- Available with countersunk hole

Available Colours:

Black Matt	Gold	Rose Gold
------------	------	-----------



ZSL-11A
Shower Sliding Roller



ZSL-11B
Wall to Glass Connector



ZSL-11C
Wall to Glass Connector with Stopper



ZSL-11D
Wall to Rod Holder (Dia 25mm)



ZSL-11E
Glass to Rod Holder



ZSL-11F
Floor Guide



ZSL-11G
Stopper



ZSL-11H
Rod to Rod Holder (Dia 25mm)



ZSL-11 I
Stopper with Over Head Support



ZSL-11 J
Stopper with Bumper



ZSL-K
Shower Sliding Pipe

Shower Glass Sliding Fitting

Available Colours:



ZSL-11-A1

Roller

Specification

- Independent needle bearings
- Eccentrically mounted rollers
- Bottom glass fixing point adjustable
- Countersunk head for better grip and look
- Glass thickness 8 - 10mm
- Stainless Steel Grade 304
- Finish: SSS



ZSL-11-A2

Track to Glass Holder

Specification

- Firm grip with glass & track
- Stainless Steel Grade 304
- Finish: SSS



ZSL-11-A3

Stopper

Specification

- Stopper with bumper
- Easily Slides in the track and held with grub screw
- Stainless Steel Grade 304
- Finish: SSS



ZSL-11-A4

Floor Guide

Specification

- Double Guide to hold Fixed and Moving Glass
- Controls movement of Sliding Glass
- Stainless Steel Grade 304
- Finish: SSS



ZSL-11-A5

Wall to Track Connector

Specification

- For mounting with wall
- Rectangular design
- With two grub screws to prevent relative movement
- Material : Stainless Steel 304 Grade
- Finish: SSS



ZSL-11-Track
Shower Sliding Track

Specification

- Rectangular design
- Available in 1.5 Mt, 1.8 Mt & 2.1 Mt. length
- Material : Stainless Steel 304 Grade
- Finish: SSS/PSS

Shower Sliding Set

ZSL-11-A1


ZSL-11-A1 (2 Big Rollers, 2 Small Rollers)

ZSL-11-A2 (2 Track to Glass Holder)

ZSL-11-A3 (2 Stopper)

ZSL-11-A4 (1 Floor Guide)

ZSL-11-A5 (2 Wall to Track Connector)




Available Colours:



ZSL-44-A1


Small Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 80Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)



Specification


- Four fiber reinforced plastic rollers of 30 mm diameter
- Stainless Steel Grade 304 glass holding point
- Height adjustable glass holding points (10 mm)
- Secure grip for the door
- Self aligning suspension of door
- Roller configuration for even distribution of load
- Independently connected rollers to prevent damage to track and rollers
- Suitable for 10 mm or 12 mm glass
- Suitable for door weight 40 kg.

CUTOUT DETAILS OF SSL-44-A1



ZSL-44-A2


Big Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 100Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)



Specification


- Heavy duty sliding door roller
- Suitable for up to a door weight of 80 Kg
- Larger surface area for secure grip of the door
- Adjustable threaded rod for installation perfection
- Solid brass for glass holding

CUTOUT DETAILS OF SSL-44-A2



ZSL-44-A3


Small Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 80Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)



Specification


- Four fiber reinforced plastic rollers of 30 mm diameter
- Stainless Steel Grade 304 glass holding point
- Height adjustable glass holding points (10 mm)
- Secure grip for the door
- Self aligning suspension of door
- Roller configuration for even distribution of load
- Independently connected rollers to prevent damage to track and rollers
- Suitable for 10 mm or 12 mm glass
- Suitable for door weight 40 kg.

CUTOUT DETAILS OF SSL-44-A1



ZSL-44-A4


Big Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 100Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)



Specification

- Heavy duty sliding door roller
- Suitable for up to a door weight of 80 Kg
- Larger surface area for secure grip of the door
- Adjustable threaded rod for installation perfection
- Solid brass for glass holding

CUTOUT DETAILS OF SSL-44-A2



Sliding System Accessories

Available Colours:



Black Matt Gold Rose Gold



ZSL-44-A3
Stopper



ZSL-44-A5
Wall to Track Clamp



ZSL-44-A6
Glass to Track Clamp



ZSL-44-A8
90° Track Connector



ZSL-HN-50
Sliding Handle



ZSL-HN-60
Sliding Handle



ZSL-FL-60
Sliding Handle (Full Hole)



ZSL-HN-70
Sliding Handle (Square)



ZSL-HN-80
Sliding Handle (Rectangle)



ZSL-HN-90
Sliding Handle (Rectangle)



ZSL-44G
Floor Guide



ZSDL-13A+13C
Sliding Door Lock with Strike Plate



ZSDL-13A
Sliding Door Lock



ZSDL-13B
Strike Box




ZSDL-13D
Strike Box For Over Lap Glass



ZSL-44-B1
Aluminium Track (Single)
Available in 8,10,13 & 16 Ft



ZSL-44-B2
Aluminium Track (Double Door)
Available in 8,10,13 & 16 Ft.



ZSL-44-B3
Aluminium Track (Door+Fix Glass)
Available in 8,10,13 & 16 Ft.



ZSL-44-A9
Wall to Track Connector













Available Colours:



Track for sliding folding door system to be mounted to the ceiling and floor

Maximum weight per door : 70kg
Maximum height per door : 2500mm

Maximum width per door : 900mm
Suitable for 8 to 10mm glass thickness





Center Sliding Folding System


Available Colours:




Black Matt Gold Rose Gold




ZCSF-111
Folding Door Roller



ZCSF-112
Glass to Wall Hinge




ZCSF-113
Glass to Glass Hinge



ZCSF-114
Glass Door Knob



ZCSF-115
Knob Sleeve



ZCSF-116
Aluminium Track
Available in 4 Mt.




Available Colours:



ZSL-22A
Office Sliding Roller



ZSL-33A
Office Sliding Roller



ZSL-33-TH-WL
Wall to Rod Holder



ZSL-33-TH-G2
Glass to Rod Clamp



ZSL-33G
Floor Guide
M



ZSL-33B
Door Stopper



ZSL-33-TH
Wall to Rod Clamp



ZSL-33H
Glass to Glass Connector 180°



ZSL-ACC-25
Shower Sliding Pipe
)






* Available in SS 304 and SS 316


Available Colours:
 Black Matt Gold Rose Gold




ZSP-201
One Way Spider without Fin




ZSP-202 (90°)
Two Way Spider 90° without Fin




ZSP-203 (180°)
Two Way Spider 180° without Fin




ZSP-204
Three Way Spider without Fin



ZSP-205
Four Way Spider without Fin



ZSP-206 (90°)
Four Way Spider without Fin (90°)





Spider Fittings


Available Colours:






* Available in SS 304 and SS 316



ZSP-301
Four Way Spider






ZSP-302
Two Way Spider (Wall Mounted)





ZSP-303
Two Way Spider

ZSP-304
One Way Spider (Wall Mounted)



ZSP-305
Two Way Spider

ZSP-306
Two Way Spider



ZSP-307
Two Way Spider

ZSP-A308
Two Way Spider

Available Colours:




Fin Plates



ZFP-100
Fin Plate (100mm)

Specification


- Two point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



ZFP-200
Fin Plate (200mm)

Specification


- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



ZFP-300
Fin Plate (300mm)

Specification


- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



ZFP-400
Fin Plate (400mm)

Specification

- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage





Splice Plates



ZSP-300
Splice Plate (300mm)

Specification


- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



ZSP-250
Splice Plate (250mm)

Specification

- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



ZSP-350
Splice Plate (350mm)

Specification

- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage

Available Colours:




Black Matt Gold Rose Gold



ZAR-01
Articulated Routel

Specification


- Articulated flat head Routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable upto 15mm glass thickness



ZFR-02
40mm Fixed Routel (Flat Head)

Specification


- Fixed flat head routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable to glass thickness
- Smaller in sizes



ZFR-03
50mm Fixed Routel (Flat Head)

Specification


- Fixed flat head routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable to glass thickness
- Smaller in sizes




ZRS-04
Routel Stud

Specification

- Fixing bolt helps to hold without fin spiders with fix structure
- Material : Stainless Steel 304 Grade
- Adjustable height for accurate fixing of pider with flat head



Available Colours:



ZLK-3
Double Door Lock (Key & Knob)
Finish : Matt



Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One side key-Lock from outside only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass



ZLK-4
Single Door Lock (Key & Knob)
Finish : Matt



Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One side key-Lock from outside only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure



ZLK-13
Double Door Lock (Only Knob)
Finish : Matt



Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One knob only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass



ZLK-14
Single Door Lock (Only Knob)
Finish : Matt



Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One side knob only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure



ZLK-15
Double Door Lock (Key & Knob)
Finish : Matt

on

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One side key/one side knob
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass



ZLK-16
Single Door Lock (Key & Knob)
Finish : Matt

Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One side key/one side knob
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure





Available Colours:



ZGH-01

Glass Door Handle 'H' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length
22x200
22x250
22x300
22x350
22x400
22x450
25x250
25x300
25x350
25x400
25x450
25x500
25x550
25x600
32x450
32x600
32x750
32x900
32x1200
32x1500
32x1800
38x600
38x750
38x900
38x1200
38x1500
38x1800



ZGH-02

Glass Door Handle 'D' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length
19x200
19x250
19x300
22x200
22x250
22x300
22x350
22x400
22x450
25x250
25x300
25x350
25x400
25x600
32x600
32x750
32x900
32x1200
32x1500
32x1800



ZGH-03

Glass Door Handle 'S' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length
22x200
22x250
22x300



Glass Door Pull Handles

Available Colours:



Black Matt Gold Rose Gold

ZGH-04


Glass Door Handle 'HP' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length

25x25x200
25x25x250
25x25x300
25x25x450
25x25x600



ZGH-05

Glass Door Handle 'Q' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length

22x200
22x250
22x300
22x450
22x600



ZGH-06


Glass Door Handle 'L' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length

22x200
22x250
22x300
25x250
25x300
25x350
25x400
25x450
25x600
32x450
32x600
32x750
32x900
31x1200



ZGH-07


Glass Door Handle 'H+' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES Dia/Length

10x25x200
10x25x250
10x25x300
10x25x350
10x25x400
10x25x450
10x25x600
10x40x250
10x40x300
10x40x350
10x40x400
10x40x450
10x40x500
10x40x550
10x40x600
10x40x650
10x40x700
10x40x750



Available Colours:



ZGH-08

Glass Door Handle 'PSD' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	Dia/Length
20x20x200	
20x20x250	
20x20x300	
20x20x350	
20x20x400	
20x20x450	
25x25x250	
25x25x300	
25x25x350	
25x25x400	
25x25x450	
25x25x600	



ZGH-08

Glass Door Handle 'PSD' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	Dia/Length
10x40x250	
10x40x300	
10x40x350	
10x40x400	
10x40x450	
10x40x500	
10x40x550	
10x40x600	
10x40x650	
10x40x700	
10x40x750	
10x40x800	
10x40x850	
10x40x900	
10x40x1200	



ZGH-09

Glass Door Handle 'C' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	Dia/Length
22x300	
22x350	
25x300	
25x350	



ZGH-10

Glass Door Handle 'B' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	Dia/Length
22x250	
22x300	
25x250	
25x300	



ZGH-11

Grabe Bar

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	Dia/Length
22x22x200	
22x22x250	
22x22x300	
22x22x350	
22x22x400	
22x22x450	
22x22x500	
22x22x550	
22x22x600	




Glass Door Pull Handles

Available Colours:



Black Matt Gold Rose Gold



ZGHL-14
35x1500



ZGHL-15
25x1340

Shower Glass Door Handles

ZGH-12

Shower Handle

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
	Dia/Length
22	x200x400
22	x250x400
22	x250x450
22	x300x450
22	x400x600




ZGH-13

Shower Handle

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
	Dia/Length
20	x200x400
20	x200x450
20	x250x400
20	x250x450



Available Colours:



ZGR-01
Spigot

Specification


- Size : 40x10
- Height : 6"
- Flat base plate



ZGR-02
Spigot

Specification

- Size : 40x40 (Sq. Pipe)
- Height : 12"



ZGR-03
Spigot

Specification

- Size : 25x25 Sq. Pipe
- Height : 9"



ZGR-04
Spigot

Specification

- Size : 40x12
- Height : 12"
- Flat base plate



ZGR-05
Spigot

Specification

- Size : 25x25 Sq. Bar
- Height : 9"



ZGR-06
Spigot

Specification

- Size : 40x12
- Height : 12"
- Flat base plate



ZGR-07
Spigot

Specification

- Size : 40x12
- Height : 12"
- Flat base plate



ZGR-08
Spigot

Specification

- Size : 40x12
- Height : 10"
- Flat base plate

Glass Railing Accessories



Available Colours:



Black Matt Gold Rose Gold



ZGR-09 (25 Bar)
Wall to Hand Rail



ZGR-10 (30 Bar)
Wall to Hand Rail



ZGR-11 (30 Bar)
Glass to Hand Rail



ZGR-12 (Die Cast)
Glass to Hand Rail



ZGR-13 (50x5)
Glass to Hand Rail



ZGR-14 (30 Bar)
Wall to Glass Stud



ZGR-15 (30 Bar)
Structural Stud (Double)




ZGR-16 (50 Bar)
Structural Stud



ZGR-17
Railing Bracket (Flat Back)



ZGR-18
Railing Bracket (Round Back)



Available Colours:



ZDC-01
Door Closer 65Kg.

Aluminium Extruded Body
Thermal check range is -10 c to 55 c
Rack (En8)
Pinion (En8 steel with hardening)
Leak proof, two speed adjustment,
smooth function
Manufactured on CNC - VMC Machine
5,00,000 cycles tested
Opening force for door - 3.5 N/mm
Power size - EN 2/3
Recommended door size 850mm to 950mm
Weight capacity : upto 60 kg
Finish : Silver, Black, Rose Gold



ZDC-02
Door Closer 75-80Kg.

Aluminium Extruded Body
Thermal check range is -10 c to 55 c
Rack (En8)
Pinion (En8 steel with hardening)
Leak proof, two speed adjustment,
smooth function
Manufactured on CNC - VMC Machine
5,00,000 cycles tested
Opening force for door - 3.5 N/mm
Power size - EN 2/4
Recommended door size 850mm to 1100mm
Weight capacity : upto 85 kg
- Finish : Silver, Black, Rose Gold, Antique



ZDC-03
Palmate Hold Open Closer 100 - 120Kg.

Aluminium Extruded Body
Thermal check range is -10 c to 55 c
Rack (En8)
Pinion (En8 steel with hardening)
Leak proof, two speed adjustment,
smooth function
Manufactured on CNC - VMC Machine
5,00,000 cycles tested
Opening force for door - 3.5 N/mm
Power size - EN 2/6
Recommended door size 850mm to 1400mm
Weight capacity : upto 120 kg
Finish : Silver, Black, Rose Gold, Antique



ZDC-04
Concealed Door Closer 70 - 80Kg.

Aluminium Extruded Body
Thermal check range is -10 c to 55 c
Rack (En8)
Pinion (En8 steel with hardening)
Leak proof, two speed adjustment,
smooth function
Manufactured on CNC - VMC Machine
5,00,000 cycles tested
Opening force for door - 3.5 N/mm
Power size - EN 2/4
Recommended door size 850mm to 1100mm
Weight capacity : upto 85 kg
Finish : Silver





Mfg. By:

ZOLON ARCHITECTURAL HARDWARE

Rajkot (Guj.) India

✉ | info@zolonhardware.com  | www.zolonhardware.com