


Rohan Paramane 10+ years	Module Lab - 40 Marks IA - 20 Marks CCEE - 40 Marks	AWP -> HTML CSS JS Typescript
Internet		Bootstrap -> Tailwind Node Platform Express (Backend Server) React
Browser -> Runtime Environment web applications		JDK JRE -> core lib + JVM

- C++
- Database
 - Browsers
 - Games




1000111000111000111100000111100111

ASM

C -> C with classes(CPP)

HTML

Browser Architecture



- Rendering Engine
- Safari - Webkit
 - Chrome - Blink
 - Firefox - Gecko
-
- Javascript Engine
- Safari - Javascript Core
 - Chrome - V8
 - Firefox - SpiderMonkey

```
CPP - File IO
emp.db -> dept.db
id,name,sal,deptno -> deptno, dname,loc
write()
read()



select * from emp where deptno = 20
```

```
- display all the emps from dept Dev dept
read -> emp.db -> vector<Employee> emps;
read -> dept.db -> vector<Department> deps;
```

```
for(int i = 0; i<emps.size;i++)
    if(emps[i].deptno == 20)
        cout<<emps
```

Server - An application that servers an incoming request is called as Server

Web Architecture



D:\ -> ecommerce resource
/ -> index.html
/home -> home.html
/contact -> contact.html
/ac.jpg -> dacimage.jpg

Request

headers
method
authority
port
path
body
data

```
Date d;  
class Employee{  
    int empid;  
    string name;  
    double salary;  
    Date doj;  
}
```

Response

headers
content-length
content-type
status
body
data

Http Method

GET -> to request the server to provide the resource/data

- every request from the browser url is by default get request

POST -> pass the data to the server / add/store the data on the server

PUT -> Update the data on server

DELETE -> delete the data from the server

status

1XX-> Information

2XX -> success

3XX -> Client action required

4XX -> Client Errors

5XX -> Server Error

HTML

- Hyper Text Markup Language

- interpreted language

Tags

- word written in <>

1. Opening tag <p>

<p>this is some dummy data</p>

2. Closing tag </p>

3. Empty tag

 <hr/>

Dummy web server -> 5500

live server -> http