

HTML
CSS -> Tailwind
JS
DOM
Node Platform

- JS Applications
- Http module
- Express
- React

HTML	tags to be used in head
<> -> tags	1. meta
	2. title
<html>	3. style
<head>	4. link
// metadata	5. script
// 6 tags	6. base
</head>	
<body>	
</body>	
</html>	

<!DOCTYPE html>
- this html page is developed with html 5 version

```
function button(string text=" ", string color="gray"){  
  
}  
  
button()  
button("save");  
button("cancel", "red")
```

Textual tags

- h -> header -> h1, h2, h3, h4, h5, h6
- p -> paragraph
- div -> division

- Formatting tags
- explore the formatting tags
- character entities

Lab Work

20 mins -> notes reading

solve the classwork that is not understood

solve some complicated programs from classwork

solving the assignments

Self Learning

Rapid fire sheets

pending work from previous modules

Leetcode

- There are 3 types of text tags

1.

2.

3.

HTML

- Hypertext markup language

- List of Modules

1. CPP

- Function Overloading
- Function overriding

2. JAVA

- OOP
- Functional
- Lamda

Table tag

id	name	price
1	Pen	20
2	Pencil	5
3	Book	50
Total		75

- Resource tags

1. image

2. audio

3. video