ML Lab Assignment -1

Name-Vishal Dixit

Section- B (68)

Submitted to:-

Dr. Gaurav Kumar Sir

1.Numpy creating arrays

```
import numpy as np
a=np.array([1,2,3,4])
print(type(a))              o/p-: <class numpy.array>
```

2.Numpy Indexing

```
import numpy as np
a=np.array([1,2,3,4])
print(a[2])        #print 2nd index
print(a[1:3])      #4 is not included in output
print(a[5])        #index out of bound error
print(a[-1])       #print last number
```

3.Numpy Slicing

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5, 6, 7])
print(arr[1:5:2])                          #print index with difference of 2
print(arr[-4:-1])                          #negative slicing
print(arr[::-1])                           #reverse array
```

4.Numpy DataTypes

```
import numpy as np

#arr = np.array([1, 2, 3, 4])      print int 64
#arr=np.array([1.5,2.4])           print float 64
#arr=np.array(["raman","sakshi"])  print u6
print(arr.dtype)
```

5 . Copy

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
x = arr.copy()
arr[0] = 42
print(arr)

print(x)
```

o/p:-

```
[42  2  3  4  5]
[1 2 3 4 5]
```

6.View

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
x = arr.view()
arr[0] = 42

print(arr)
print(x)
```

o/p:-

```
[42  2  3  4  5]
[1 2 3 4 5]
```

7.Shape

```
import numpy as np
my_list=[[2,3,4] , [5,6,7], [8,9,10], [11,12,13]]
a=np.array(my_list)
print(a)
print(a.shape)                #print shape according to row column
```

8.Reshape

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12])
newarr = arr.reshape(4, 3)
print(newarr)
```

```
o/p:- [[ 1  2  3]
      [ 4  5  6]
      [ 7  8  9]
      [10 11 12]]
```

9.Iterative method

```
import numpy as np
arr = np.array([1, 2, 3])
for x in arr:
  print(x)        #print array as a loop line by line
```

10.Join Method

```
import numpy as np
a = np.array([1, 2, 3])
b = np.array([4, 5, 6])
c = np.concatenate((a,b))
print(c)                          #join two arrays
```

11.Split Method

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5, 6])
newarr = np.array_split(arr, 3)
print(newarr)                              #split array in 3parts
```

12.Search Method

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5, 4, 4])
x = np.where(arr == 4)
print(x)                                   #print index where 4 present
```

13.Sort Method

```
import numpy as np
arr = np.array([3, 2, 0, 1])
print(np.sort(arr))                        #sort array
```

14.Filter Method

```
import numpy as np
arr = np.array([41, 42, 43, 44])
x = [True, True, True, False]
newarr = arr[x]
print(newarr)                              #print only where array had true
```