


CHUBB WEEKEND ASSESSMENT-4


NAME: VISHALI M



The image shows a web browser window displaying the Swagger UI for a REST API. The browser's address bar shows the URL `localhost:44388/swagger/index.html`. The page title is "Movie REST API" with version "v1" and "OAS3" (OpenAPI Specification 3.0) indicated. Below the title, there is a list of endpoints for the "Movie" resource:

- GET** `/api/Movie/Languages`
- POST** `/api/Movie/AddLanguage`
- GET** `/api/Movie/Movies/{LanguageId}`
- POST** `/api/Movie/AddMovie`
- PUT** `/api/Movie/UpdateMovie`
- GET** `/api/Movie/Reviews/{MovieId}`
- POST** `/api/Movie/AddReview`

1. Post Language Api:



The image shows the Swagger UI for the **POST** `/api/Movie/AddLanguage` endpoint. The browser's address bar shows the URL `localhost:44388/swagger/index.html`. The endpoint details are as follows:

- Method:** POST
- Path:** `/api/Movie/AddLanguage`
- Parameters:** No parameters
- Request body:** application/json
- Request body content:**

```
{  "name": "Gujarati"}
```
- Buttons:** Execute, Clear, Cancel

Responses

Curl

```
curl -X POST "https://localhost:44388/api/Movie/AddLanguage" -H "accept: */*" -H "Content-Type: application/json" -d "{\"name\":\"Gujarati\"}"
```

Request URL

https://localhost:44388/api/Movie/AddLanguage

Server response

Code	Details
200	<div><div>Response body</div><div>true</div><div>Download</div></div> <div><div>Response headers</div><div>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:35:13 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</div></div>

Responses

Code	Description	Links
200	Success	No links

2. Get Language Api

Movie

GET

/api/Movie/Languages

Parameters

Try it out

No parameters

Responses

Curl

```
curl -X GET "https://localhost:44388/api/Movie/Languages" -H "accept: */*"
```

Request URL

https://localhost:44388/api/Movie/Languages

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ { "languageId": 1, "languageName": "Malayalam" }, {</pre></div></div>

```
},
{
  "languageId": 2,
  "languageName": "Hindi"
},
{
  "languageId": 3,
  "languageName": "English"
},
{
  "languageId": 4,
  "languageName": "Tamil"
},
{
  "languageId": 5,
  "languageName": "Telugu"
},
{
  "languageId": 6,
  "languageName": "Marati"
},
{
  "languageId": 7,
  "languageName": "Gujarati"
},
},
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sun19 Jul 2020 04:39:54 GMT
server: Microsoft-IIS/10.0
status: 200
x-powered-by: ASP.NET
```

Responses

Code	Description	Links
200	Success	No links

3. Post Movie By LanguageId Api:

POST /api/Movie/AddMovie

Parameters

Cancel

No parameters

Request body

application/json

```
{
  "name": "nibara",
  "languageId": 6
}
```

Execute

Clear

Responses

Curl

curl -X POST "https://localhost:44388/api/Movie/AddMovie" -H "accept: */*" -H "Content-Type: application/json" -d "{\"name\":\"nihara\",\"languageId\":6}"

Request URL

https://localhost:44388/api/Movie/AddMovie

Server response

Code	Details
200	<div><div>Response body</div><div>true</div><div>Download</div></div> <div><div>Response headers</div><div>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:41:52 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</div></div>

Responses

Code	Description	Links
200	Success	No links

4. Get Movies By LanguageId

GET /api/Movie/Movies/{LanguageId}

Parameters

Cancel

Name	Description
LanguageId * required	
integer(int32)	6
(path)	

Execute

Clear

Responses

Curl

curl -X GET "https://localhost:44388/api/Movie/Movies/6" -H "accept: */*"

Request URL

https://localhost:44388/api/Movie/Movies/6

Server response

Code	Details
200	<div>Response body</div> <div> <pre>[{ "languageId": 6, "languageName": "Marati", "movieName": "praneetha" }, { "languageId": 6, "languageName": "Marati", "movieName": "nihara" }]</pre> <div>Download</div> </div> <div>Response headers</div> <div> <pre>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:43:45 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</pre> </div>

Responses

Code	Description	Links
200	Success	No links

5. Update Movie By LanguageId Api

PUT

/api/Movie/UpdateMovie

Parameters

Cancel

No parameters

Request body

application/json

```
{
  "id": 1,
  "name": "Bangalore Days",
  "languageId": 1
}
```

Execute

Clear

Responses

Curl

```
curl -X PUT "https://localhost:44388/api/Movie/UpdateMovie" -H "accept: */*" -H "Content-Type: application/json" -d "{ \"id\":1, \"name\": \"Bangalore Days\", \"languageId\":1}"
```

Request URL

```
https://localhost:44388/api/Movie/UpdateMovie
```

Server response

Code	Details
200	<p>Response body</p> <pre>true</pre> <p>Response headers</p> <pre>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:48:29 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</pre>

Responses

Code	Description	Links
200	Success	No links

6. Post Review By MovieId Api

POST /api/Movie/AddReview

Parameters Cancel

No parameters

Request body application/json

```
{
  "review": "Extraordinary Art Work",
  "movieId": 6
}
```

Execute Clear

Responses

Curl

```
curl -X POST "https://localhost:44388/api/Movie/AddReview" -H "accept: */*" -H "Content-Type: application/json" -d "{\"review\":\"Extraordinary Art Work\",\"movieId\":6}"
```

Request URL

```
https://localhost:44388/api/Movie/AddReview
```

Server response

Code	Details
200	<p>Response body</p> <pre>true</pre> <p>Download</p> <p>Response headers</p> <pre>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:51:27 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</pre>

Responses

Code	Description	Links
200	Success	No links

7. Get Review By MovieId Api

GET /api/Movie/Reviews/{MovieId}

Parameters

Cancel

Name	Description
MovieId * required integer(int32) (path)	<input type="text" value="6"/>

Execute Clear

Responses

Curl

```
curl -X GET "https://localhost:44388/api/Movie/Reviews/6" -H "accept: */*"
```

Request URL

```
https://localhost:44388/api/Movie/Reviews/6
```

Server response

Code	Details	
200	<div><div>Response body</div><div><pre>[{ "reviewDetails": "Good movie", "movieId": 6, "movieName": "SuperDeluxe" }, { "reviewDetails": "Extraordinary Art Work", "movieId": 6, "movieName": "SuperDeluxe" }]</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>content-type: application/json; charset=utf-8 date: Sun19 Jul 2020 04:53:02 GMT server: Microsoft-IIS/10.0 status: 200 x-powered-by: ASP.NET</pre></div></div>	
Responses		
Code	Description	Links
200	Success	No links

Schemas
<div>AddLanguageRequest ▾ { name string nullable: true }</div>
<div>AddMovieRequest ▾ { name string nullable: true languageId integer(\$int32) }</div>
<div>UpdateMovie ▾ { id integer(\$int32) name string nullable: true languageId integer(\$int32) }</div>
<div>AddReviewRequest ▾ { review string nullable: true movieId integer(\$int32) }</div>