

Northstar Labs — 02 Products

Fictional reference document created for RAG retrieval, chunking, embedding, vector search, metadata filtering, and multi-document QA testing.

1. OrbitFlow

OrbitFlow is the workflow automation product.

Users define triggers followed by actions. Triggers include webhooks, schedules, application events, and manual execution. Actions can call APIs, send notifications, transform data, or create records.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

2. OrbitFlow Limits

The standard plan supports 100 active workflows and 10,000 runs per month.

The professional plan supports 500 active workflows and 100,000 runs per month. Enterprise limits are negotiated according to workload.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

3. Atlas Analytics

Atlas is the analytics workspace.

It organizes events around organizations, users, workflows, runs, actions, and timestamps. Operational dashboards normally refresh every five minutes.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

4. Beacon Assistant

Beacon is an organization-specific AI knowledge assistant.

It supports PDF, Markdown, HTML, and plain text sources. Documents receive metadata such as source, department, owner, publication date, and access scope.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

5. Connector Catalog

OrbitFlow connectors integrate communication, productivity, and data applications.

Connector actions declare input schemas and output structures. Authentication is separated from action configuration. Retries are used carefully for idempotent operations.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

6. Webhooks

Webhooks allow external systems to start workflows.

The endpoint validates authentication or signatures and quickly acknowledges accepted events. Actual workflow processing happens asynchronously in workers.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

7. Scheduling

Scheduled workflows use intervals or cron-style rules.

Timezone configuration is stored with each workflow. The scheduler creates jobs; workers perform business actions. Missed schedules follow a bounded recovery policy.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

8. API Platform

Northstar exposes REST APIs for product and integration use.

Clients may use bearer tokens or OAuth 2.0. API errors contain a code, message, and request identifier. Breaking changes use a new API version.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

9. Plans

Starter provides basic automation and documentation-first support. Professional adds higher limits and advanced options.

Enterprise provides custom limits, governance, and dedicated support. Usage is measured per organization.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.

10. Roadmap

Fictional roadmap themes include workflow debugging, execution traces, connector health, and improved retrieval controls.

AI features should expose evidence where practical. Automation features should make side effects visible before execution when feasible.

Testing note: This section contains source-of-truth fictional facts for semantic retrieval. Related concepts may appear in other documents with different details, allowing comparison of source relevance.