# Test Run Report




#### Test Run Overview

Started 24 Jan 2023, 13:22:32 Ended 24 Jan 2023, 13:24:41

Duration (mm:ss) 02:08.557

## **Test Results Summary**

Passed 0 Failed 1 Skipped 0



## **Test Case Summary**



• The Operation failed. Page Object: pageobjects.MyPageObject1, operation: toast, cause: [NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"vishal"} (Session info: chrome=109.0.5414.75) (Driver info: chromedriver=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}),platform=Windows NT 10.0.19045 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 29 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-VISHALPOUDE', ip: '10.101.140.19', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_322' Driver info: org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts=(implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53624}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}), userDataDir=C:\Users\vishal.poude\\Provar\URLTest\.chromeProfiles\profile0\}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=109.0.5414.75, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: f16e5fb91217f2eb922e3070170a03de \*\*\* Element info: {Using=xpath, value=vishal}], stack trace: java.lang.reflect.InvocationTargetException at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInvokeInteraction(SeleniumUiHandler.java:3858) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2564) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5719) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2249) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5674) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:433) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.iava:360) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:351) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:870) at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:798) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java.770) at com.provar.core.testexecution.container.iava.LocalTestExecutionContainerRunner.access

\$12(LocalTestExecutionContainerRunner.java:702) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1435) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"vishal"} (Session info: chrome=109.0.5414.75) (Driver info: chromedriver=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}),platform=Windows NT 10.0.19045 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 29 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-VISHALPOUDE', ip: '10.101.140.19', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_322' Driver info: org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts=(implicit=0.0, pageLoad=300000.0, script=30000.0), hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53624}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}),  $user Data Dir = C. \\ Users \\ vishal. poude \\ I Provar \\ URL Test\\ . chrome Profiles \\ profileo\}, takes \\ Heap Snapshot = true, page \\ Load Strategy = normal, page \\ Load Strategy = nor$ strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=109.0.5414.75, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: f16e5fb91217f2eb922e3070170a03de \*\*\* Element info: {Using=xpath, value=vishal} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215) at org.openga.selenium.remote.ErrorHandler.throwlfResponseFailed(ErrorHandler.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671) at org.openqa.selenium.chrome.ChromeDriver\$ \$EnhancerByCGLIB\$\$dace278c.CGLIB\$execute\$13(<generated>) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$ \$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$ \$\$dace278c.execute(<generated>) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElement\$53(<generated>) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cqlib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.findElement(<generated>) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509) at org.openqa.selenium.chrome.ChromeDriver\$ \$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElementByXPath\$27(<generated>) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB \$\$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openga.selenium.chrome.ChromeDriver\$ \$EnhancerByCGLIB\$\$dace278c.findElementByXPath(<generated>) at org.openga.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402) at org.openqa.selenium.chrome.ChromeDriver\$ \$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElement\$52(<generated>) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$ \$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openga.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$ \$dace278c.findElement(<generated>) at pageobjects.MyPageObject1.toast(MyPageObject1.java:39) ... 22 more

One or more Sub-Test Steps failed.

## Functional Area Summary

No details found.

# Test Case 10.testcase

#### Summary

Started 24 Jan 2023, 13:22:32 Ended 24 Jan 2023, 13:24:37

Duration (mm:ss) 02:04.479
Outcome failed

#### Output

Salesforce Connect: conn1 (Test)

0 13:22:32(00:00.033)

- Connecting to Salesforce as conn1
- (i) Successfully connected to Salesforce as conn1
- On SF Account Record Type selection screen

0 13:22:36(00:04.134)

- ① Start of With Screen. Connection Name: conn1, target: sf:ui:target?object=Account&action=recordTypeNew
- (i) Opening Chrome webdriver instance to https://login.salesforce.com/
- (1) Successfully opened Chrome webdriver to https://login.salesforce.com/
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: recordTypeNew, Page URL: /lightning/o/001/home, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- (i) Successfully opened user home page
- (i) Clicking the Record Type selection Button
- ① Find action link element using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'wsTabset') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))) ]//div[contains(@class, 'forceListViewManager')]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'roreActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@title, 'New')]
- ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]
- (i) Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- (1) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the Continue button

0 13:23:18(00:45.255)

- ① Start of Interact. Connection: conn1, Locator: ui:locator?name=save&path=selectRecordType, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&path=selectRecordType
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679495010762&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find elements using xpath: ((//\*[contains(@class, 'active') and ( (contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and not(contains(@class, 'navexWorkspace')) or contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))) ]// div[contains(@class, 'modal-footer') or contains(@class, 'modal-footer') or contains(@class, 'modal-footer'))][last()]/button)[last()]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.

- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on XP (f16e5fb91217f2eb922e3070170a03de)] -> xpath: ((// \*[contains(@class, 'active') and ( (contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]/div[contains(@class, 'modal-footer') or contains(@class, 'modal\_footer') or contains(@class, 'indeal\_footer') or contains(@class,
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Next]
- 1 Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful
- Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA
- Going to update browser window handles.
- (i) Successfully updated browser window handles.

## On SF Account (consulting) New screen

① 13:23:22(00:49.788)

- ① Start of With Screen. Connection Name: conn1, target: sf:ui:target?object=Account&action=New&noOverride=true&recordType=consulting
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account: consulting]
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Set Values: name

0 13:23:29(00:56.533)

- Setting value name to vishal
- Successfully set name to vishal
- Set the Account Name field to vishal


- 0 13:23:29(00:56.582)
- ① Start of Interact. Connection: conn1, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- (i) Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'iightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or ./text() = 'Account Name']/ancestor::div[1]
- i Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2bd2e17b -> unknown locator]] -> xpath: .//input
- (i) Got webElement. tagName: INPUT, id: input-191, type: text, class: slds-input
- Typing value. tagName: INPUT, type: text, value: vishal, blur: false

- Doing after wait. waitUrl: default End of <default&gt; wait. Going to update browser window handles. Successfully updated browser window handles. 0 13:23:33(01:01.025) Set the GST\_Demo field to 18 1 Start of Interact. Connection: conn1, Locator: ui:locator?name=GST\_Demo\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject %3DAccount%26field%3DGST\_Demo\_\_c, before wait: default, after wait: default, auto retry: default ① Locator: ui:locator?name=GST\_Demo\_\_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DGST\_Demo\_\_c i Interaction: ui:interaction?name=set ⑤ Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext= %2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA ① Interaction: ui:interaction?name=set ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class,'test-id\_\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='GST\_Demo'] or .//text() = 'GST\_Demo')]/ancestor::div[1] (i) Find field using relative xpath: .//input (i) Waiting for element to be present. Timeout(seconds): 10 i Doing before wait. waitUrl: default End of <default&gt; wait. ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2bd2e17f -> unknown locator]] -> xpath: .//input] (1) Got webElement. tagName: INPUT, id: input-256, type: text, class: slds-input ① Typing value. tagName: INPUT, type: text, value: 18, blur: false Doing after wait. waitUrl: default End of <default&gt; wait. (i) Going to update browser window handles. Successfully updated browser window handles. All Sub-Test Steps were successful. Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext=%2Flightning %2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA Injecting script to get created object ID from aura component ⚠ Some toast message(s) are still open and might cause inconsistent issues in execution.

- Fetching created Id from URL
- Reattempting for the createdId
- Reattempting for the createdId
- Reattempting for the createdId
- Storing created Salesforce Object ID. Result Name: accountld, created ID: null, location: https://d2x000000d6h3eac-dev-ed.lightning.force.com/ lightning/o/Account/new?

%2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA

- Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext=%2Flightning %2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA
- Going to update browser window handles.
- Successfully updated browser window handles.



Error Screenshot

① Start of Interact. Connection: conn1, Locator: ui:pageobject:method?operation=toast&pageId=pageobjects.MyPageObject1, before wait: null, after wait: null, auto retry: default

- 1 Locator: ui:pageobject:method?operation=toast&pageId=pageobjects.MyPageObject1
- 1 Interaction: ui:interaction?name=invoke
- ① Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=167454679911010666&backgroundContext= %2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent&recordTypeId=0122x000000g2vyAAA
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- Doing after wait. waitUrl: default
- Got Page Object. Class: pageobjects.MyPageObject1
- (i) Extracted arg value. Arg Name: param\_s, value: vishal
- 🎈 The Operation failed. Page Object: pageobjects.MyPageObject1, operation: toast, cause: [NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"vishal"} (Session info: chrome=109.0.5414.75) (Driver info: chromedriver=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}),platform=Windows NT 10.0.19045 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 29 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-VISHALPOUDE', ip: '10.101.140.19', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_322' Driver info: org.openqa.selenium.chrome.ChromeDriver \$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53624}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/ branch-heads/5414@{#1172}), userDataDir=C:\Users\vishal.poudel\Provar\URLTest\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=109.0.5414.75 browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: f16e5fb91217f2eb922e3070170a03de \*\*\* Element info: {Using=xpath value=vishal)], stack trace: java.lang.reflect.InvocationTargetException at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInvokeInteraction(SeleniumUiHandler.java:3858) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2564) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5719) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2249) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5674) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:433) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:360) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:351) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:870) at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:798) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:770) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access \$12(LocalTestExecutionContainerRunner.java:702) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1435) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"vishal"} (Session info: chrome=109.0.5414.75) (Driver info: chromedriver=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913-refs/branch-heads/5414@{#1172}),platform=Windows NT 10.0.19045 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 29 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-VISHALPOUDE', ip: 10.101.140.19', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_322' Driver info: org.openqa.selenium.chrome.ChromeDriver \$\$EnhancerByCGLIB\$\$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53624}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=109.0.5414.74 (e7c5703604daa9cc128ccf5a5d3e993513758913refs/branch-heads/5414@{#1172}), userDataDir=C:\Users\vishal.poudel\Provar\URLTest\.chromeProfiles\profile0} takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=109.0.5414.75, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true)] Session ID: f16e5fb91217f2eb922e3070170a03de \*\*\* Element info: {Using=xpath, value=vishal} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openga.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215) at org.openqa.selenium.remote.ErrorHandler.throwlfResponseFailed(ErrorHandler.java:167) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671) at org.openqa.selenium.chrome.ChromeDriver\$ \$EnhancerByCGLIB\$\$dace278c.CGLIB\$execute\$13(<generated>) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$ \$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB \$\$dace278c.execute(<generated>) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElement\$53(<generated>) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB\$ \$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB \$\$dace278c.findElement(<generated>) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElementByXPath

\$27(<generated>) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB

\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy.intercept(WebDriverProxy.java:91) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.findElementByXPath(<generated>) at org.openqa.selenium.By\$ByXPath.findElement(By.java:361) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.CGLIB\$findElement52(<generated>) at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerByCGLIB\$\$dace278c\$\$FastClassByCGLIB\$\$bdc1d4c5.invoke(<generated>) at net.sf.cglib.proxy.MethodProxy.invokeSuper(MethodProxy.java:228) at com.provar.core.testapi.WebDriverProxy, intercept(WebDriverProxy.java:91) at org.openqa.selenium.chrome.ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c.findElement(<generated>) at pageobject1.toast(MyPageObject1.java:39) ... 22 more

- ① Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://d2x000000d6h3eac-dev-ed.lightning.force.com/lightning/r/Account/0012x00000gaE7fAAE/view
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- ① Pausing for Pause On Error (after executing last child)
- (i) Handling managed resource. Name: conn1
- (i) Salesforce Connection handled successfully. Name: conn1