

FRESH & QUICK

USER MANUAL

Technical Reference & User Guide for Customer, Vendor, Delivery Partner & Admin Portals

Version 3.14 – Registration approval

9 October 2026

Table of Contents

Chapter 1 — Introduction & System Overview.....3

Chapter 2 — Getting Started.....7

Chapter 3 — Customer Module.....9

Chapter 4 — Vendor Module.....30

Chapter 5 — Delivery Partner Module.....37

Chapter 6 — Admin Module.....41

Chapter 7 — Cross-Cutting Features.....48

Chapter 8 — Ask Zippy.....52

Appendix A — Technical Architecture & Stack.....56

Appendix B — Database Schema Reference.....58

Appendix C — Seeded Test Accounts.....61

Appendix D — Glossary of Terms.....65

Chapter 1 — Introduction & System Overview

Fresh & Quick is a full-stack, multi-portal food and local-goods delivery platform, built as a functional, from-scratch clone of the delivery-app experience popularised by apps like DoorDash and Uber Eats. It is not a single application but four cooperating web portals that share one Next.js codebase and one Postgres database, each portal gated to its own role so that a login on one portal never grants access to another.

The platform's marketplace has grown beyond restaurants: as of this manual, 77 seeded stores span 11 categories — Restaurants plus Grocery, Convenience, Alcohol, Health, Retail, Pet, Flowers, Baby, Personal Care and Electronics — all browsable, orderable and trackable through the same customer experience.

1.1 The Four Portals

- Customer App ("/customer") — anonymous browsing of every store and category, cart management, checkout with contact details (including a required phone number) and a choice of payment method, and an Orders list with a full order detail page and six-step tracker. After a delivery, customers can rate the store, each dish and the delivery, and read other customers' reviews on store pages (sections 3.2.1 and 3.5.2).
- Vendor Portal ("/vendor") — store owners (restaurants and every other marketplace category) manage their menu/catalog, open or close their store, set delivery fee and promo text, and work incoming orders through a colour-coded kanban board that shows who each order is for, with a Full details view. A Reviews page lets the store reply to customer reviews and report abusive ones (section 4.5).
- Delivery Partner Portal ("/delivery") — delivery partners go online, accept ready orders and mark them picked up, using the full pickup and drop-off details on each card, with a History of finished deliveries and a live location ping. The customer's own order page then completes the delivery (see section 3.5.1). A My rating page shows the partner's average rating and recent comments (section 5.2).
- Admin Portal ("/admin") — platform staff see every order and open its full detail, add vendors and delivery partners, suspend a misbehaving store, and reassign a stuck delivery to a different partner. A Registrations page approves or rejects new customer sign-ups, a Reviews page moderates reported reviews, and the Delivery Partners page shows each partner's rating (sections 6.4 and 6.6).

Each portal is reachable at its own top-level path and has its own dedicated sign-in page; the platform enforces this separation both in the UI (separate login forms, separate navigation shells) and at the data layer (Postgres row-level security policies scoped to each role, plus service-role-only write paths for anything security-sensitive).

1.2 How the System Fits Together

All four portals are pages within one Next.js application. Every data-changing action goes through a Next.js API route running on the server, which uses a privileged "service role" Supabase key to talk to Postgres — this key never reaches the browser. Reads that are safe for a signed-in user's own browser to perform directly (e.g. browsing restaurants, viewing your own orders) go through Supabase's auto-generated REST layer (PostgREST) protected by row-level security policies, so that even a technically savvy customer cannot read or write another customer's data by crafting their own request.

A separate automation layer, n8n, listens for events such as an order being placed and drives cross-portal side effects — resolving a mock payment, notifying the vendor, emailing the customer when an order is accepted and when it is delivered, and so on — by calling a small set of internal API routes ("/api/internal/*") protected by a shared secret header. If n8n is not running, the same checkout still works: the checkout route falls back to resolving payment itself after a short wait, so the demo experience never depends on n8n being present.




Figure 1.1 — System architecture: four portals, one Next.js codebase, Supabase Postgres with row-level security, and an n8n automation layer reachable via internal webhooks.

1.3 Who This Manual Is For

This manual is written for two audiences at once: (1) anyone actually using the platform — a customer placing orders, a restaurant or store owner managing their menu, a delivery partner fulfilling orders, or platform staff running the admin console — and (2) a technical reader who wants to understand how the system is built, summarised in the Technical Appendix at the end of this manual.

1.4 What's New in Version 3.14

Version 3.14 adds registration approval. A new customer account must now be approved by an admin before it can be used: after sign-up the form shows a notice (“Your registration approval is in progress. We will email you once the admin has reviewed it.”) instead of signing you in, and logging in before approval shows a message saying the registration is still awaiting approval (section 3.6). The admin is emailed about each new registration and the customer is emailed the result; a rejected email address may register again. Admins get a Registrations page with a pending count, Pending and History tabs, and Approve and Reject (a reason is required) (sections 6.1 and 6.8). Ask Zippy now requires sign-in: a visitor who has not registered and logged in sees a notice instead of a chat window (chapter 8). No new screenshots were added for this version: the new screens are described in text.

Version 3.13 adds promo codes, a wallet with referral credit, and notifications. At checkout a customer can type a promo code and tick Use wallet credit in a new Promo code and wallet section; the discount and credit appear as their own lines in the order summary, on the order page and in the delivered email (section 3.4.1). The Wallet page now shows the credit balance, a referral code to share and a history of every credit and use, and sign-up has an optional Referral code box (section 3.7.1). Stores get a Coupons page to create their own codes (section 4.6) and admins a Coupons page for platform-wide codes with a Scope column (section 6.7). Every customer, store and delivery partner now has a notification inbox behind a bell with an unread badge, plus notification

settings (sections 4.7, 5.3 and 7.2.3). No new screenshots were added for this version: the new screens are described in text.

Version 3.12 adds ratings and reviews. After an order is delivered the customer can rate the store (stars, a comment and an optional photo), each dish and the delivery partner (section 3.5.2). Store pages show the average rating, the number of reviews, a star breakdown and the reviews themselves, and each dish shows its own average (section 3.2.1); customers can report a review, and a delivery partner shows as New partner until it has 5 ratings. Stores get a Reviews page to reply to or report reviews (section 4.5), delivery partners a My rating page (section 5.2), and admins a Reviews page to hide, unhide or dismiss reports (section 6.6) plus a Rating column and a Low score badge on Delivery Partners (section 6.4). About an hour after delivery an email asks the customer for a review.

Version 3.11 adds favorite stores and Reorder (section 3.1.2): heart a store, filter Home with the Favorites chip, and refill the cart from an earlier order with Reorder on Home, Your orders and an order page. Reorder never places the order.

Version 3.10 adds Automatic order acceptance (demo mode), a checkbox on the Admin Overview page (section 6.5). When ticked, every paid order is accepted, prepared, marked ready, assigned and picked up by itself, about 3 seconds apart, so the whole journey can be shown without any vendor or delivery-partner clicks; the customer's courier animation then delivers it. It is off by default and is driven by a new n8n workflow, 09 (section 7.2.1).

Version 3.9 changes customer sign-up and location. Creating a customer account now asks for a phone number and an address, which the server checks with Google before the account exists (section 3.6); that address becomes your delivery location in the header, which you can change at any time (section 3.1.1) and which follows your account; every store now has a real Mumbai address, so distances and nearest-store ordering are real (section 3.2); and when the delivery partner's last location is more than 5 minutes old the order map shows only "Last seen ... (location may be out of date)" with no distance (section 3.5).

Version 3.8 adds a road route and an arrival estimate to the live delivery map on the order page (section 3.5): while a partner is on the way you see "About N min · X km by road", and after delivery the final road route. If the road route cannot be loaded, the earlier dashed straight line returns. The phone app now has its own live map too (see the phone manual), and this manual gains new figures for the location picker, address search at checkout, the live and delivered maps and an Ask Zippy cart card. Version 3.7 adds Google Maps to the website's customer app: the header address now opens a location picker with address search, a map with a draggable pin, a Use my current location button and a manual coordinates box (section 3.1.1); checkout can search for your address and fill the address form (section 3.4); and the order page shows a live map of the store, your address and your delivery partner (section 3.5). The phone app is unchanged. Version 3.6.1: Ask Zippy can now set, replace or clear your order note after you confirm a card (see the order note item in the Ask Zippy chapter). Cards now show option prices, for example "Spice level: Extra spicy (+₹20)", and a Try again button appears when confirming fails with an unexpected error. Version 3.6 makes Ask Zippy answers appear word by word as they are written, instead of all at once at the end. When Zippy needs to look something up, a short lead-in line may appear first and is then cleared before the real answer; the Confirm, Dismiss and Go to checkout cards appear once the answer has finished. Version 3.5 adds a Go to checkout card to Ask Zippy: when you ask Zippy to check out, it shows a card that opens the Checkout page for your current cart (section 8.4); you still enter your details and pay yourself, and Zippy never places or pays for an order. Version 3.4 added cart changes to Ask Zippy: a signed-in customer can ask Zippy to add a dish, repeat a past order, change a quantity, remove a line or empty the cart, and confirm each change with a card (section 8.4). Version 3.3 shortens the automatic fallback: if the customer never opens the order, the system now completes the delivery 20 seconds after pickup (it was 5 minutes), and the customer does not need the order page open for delivery to complete; the "Delivered! Enjoy your meal." card no longer has a Done button and closes itself after 3 seconds (section 3.5.1). Version 3.2 added one clarification: the courier animation always plays, whatever the browser's reduced-motion setting (section

3.5.1). Version 3.1 changed how a delivery is completed (first item below). The other items were added in version 3.0, whose screenshots this edition keeps:

- Customer-completed delivery (new in 3.1): delivery partners no longer press Mark delivered; they only press Mark picked up. The customer's order page then plays a 15-second courier animation ("Your order is on the way!", counting down "Arriving in 15s") and the order becomes Delivered automatically, which also sends the delivered email. If the customer never opens the order, the system completes the delivery 20 seconds after pickup. After pickup the partner's card shows "Customer is receiving the order..." in place of a button. See sections 3.5.1 and 5.1.
- Phone number at checkout: Checkout now has a required Phone field under Contact details (an Indian 10-digit mobile number starting with 6 to 9; an optional +91, 91 or 0 prefix is accepted). It is stored as +91XXXXXXXXXX and shown to the vendor and, once an order is assigned, to the delivery partner.
- Orders list and order detail: the sidebar Orders link opens your list of orders (store, date, status, item thumbnails and total). Opening an order shows a six-step tracker (Placed, Accepted, Preparing, Ready, On the way, Delivered), the deliver-to details, the items with photos, totals, payment and a timeline. The status wording is now Partner assigned and On the way instead of a single Out for delivery.
- Delivered email: when an order is delivered, a confirmation email goes to the email address entered at checkout (subject "Your order from <store> has been delivered") listing the items, totals and where it was delivered. The order-accepted email goes to the same address.
- Vendor Orders board: larger type and colour-coded New, Accepted, Preparing and Ready columns; every card shows who the order is for, phone, payment, address, items with photos and any delivery note, and Full details opens the complete order. The board refreshes every 10 seconds.
- Delivery partner Dashboard and History: the Dashboard now shows active work only, with the pickup store and address, the recipient name, tap-to-call phone and address, and the items on each card; available orders show the customer only after you press Accept (the old View address button and the Claim wording are gone). A new History page lists finished deliveries.
- Admin portal: the old tabbed page is replaced by a sidebar with Overview (summary tiles), Orders (table with a status filter), an order detail page with a Reassign control, Vendors (with Add vendor) and Delivery Partners (with Add delivery partner). The admin types a temporary password (minimum 6 characters) and shares it with the new account holder.
- Carried over from version 2.0: the orange / navy / green look with pill-shaped buttons; every browser starts signed out after the server restarts; My Profile with a Reset password link in every portal; your delivery location is remembered between visits; and the delivery and admin portals use the same left-sidebar layout as the vendor portal.

Chapter 2 — Getting Started

2.1 Local Environment Prerequisites

Fresh & Quick runs entirely on infrastructure you control — there is no cloud/hosted Supabase project and no external database. To run it locally you need:

- Node.js 20 or newer
- Docker Desktop, running, before you start the stack (Supabase's local stack and the optional n8n container both run as Docker containers)

2.2 Starting the Application

1. `npm install` — installs the Next.js application's dependencies.
2. `npx supabase start` — starts local Postgres, Auth, Storage and Realtime in Docker containers.
3. Copy the API URL and anon key that step 2 prints into `.env.local` (see `.env.example` for the exact variable names).
4. `npm run app:seed` — applies every database migration and loads the seed data (77 stores, 80 test accounts, menu items, and cuisine taxonomy).
5. `npm run dev` — starts the Next.js application at `http://localhost:3000`, which redirects to the customer app by default.

For a production-style build and start (matching how the app is actually deployed) rather than the hot-reloading dev server, use `npm run app:build` followed by `npm run app:start`; both are also available as `npm run app:stop` to shut everything down together.

Signing in after a restart: because the app treats every server start as a fresh session, you will be signed out of every portal the first time you open it after running `npm run app:start` (or restarting `npm run dev`). Simply sign in again.

2.3 URLs at a Glance

Portal	URL	Notes
Customer app	<code>http://localhost:3000/customer</code>	No login needed to browse
Vendor portal	<code>http://localhost:3000/vendor/login</code>	Store owners
Delivery portal	<code>http://localhost:3000/delivery/login</code>	Delivery partners
Admin portal	<code>http://localhost:3000/admin/login</code>	Platform staff, no self-signup
Supabase Studio	<code>http://localhost:54323</code>	Database admin UI

2.4 Test Accounts

The seed data includes one demo account per role, ready to sign in with immediately — see Appendix C for the complete account list, including every seeded restaurant and non-restaurant store's own vendor login. New customer accounts must be approved by an admin before they can log in (section 3.6). New customer, vendor

and delivery-partner accounts can also be created at any time from each portal's own "Sign up" toggle; admin accounts are seeded only, since the platform has no admin self-registration flow by design.

2.5 Testing Multiple Roles at Once (Multi-Port Mode)

By default the app runs entirely on `http://localhost:3000`, with each portal distinguished only by its login path (`/customer`, `/vendor/login`, `/delivery/login`, `/admin/login`). Because all four portals share that one origin, and a browser's sign-in session is stored per-origin, logging into a second portal in another tab on the same port silently replaces the session of whichever role was signed in first — fine for testing one role at a time, but not for having a customer, vendor, delivery partner, and admin all signed in simultaneously to watch an order move through the whole system.

For that, start the app in multi-port mode instead: `npm run app:start:all-roles` (or `.\scripts\start.ps1 -Dev -AllRoles`) runs the same application four times, one per port, so each portal is its own browser origin with its own independent session:

Role	URL (multi-port mode)
Customer	<code>http://localhost:3000/customer</code>
Vendor	<code>http://localhost:3001/vendor/login</code>
Delivery Partner	<code>http://localhost:3002/delivery/login</code>
Admin	<code>http://localhost:3003/admin/login</code>

All four can be open in tabs of the same ordinary browser window at once, with no Incognito windows or separate browser profiles needed. Use `npm run app:start:dev` when you only need one role at a time; use `app:start:all-roles` when you want to watch an order cross from customer to vendor to delivery to admin live. `npm run app:stop` (or `app:stop:all-roles`) shuts down whichever mode is running.

Chapter 3 — Customer Module

The customer app is the storefront: browsing, cart, checkout, and order tracking. Browsing every store and category requires no account at all; an account is required only once you try to check out, so that guest browsing is always frictionless.

3.1 Home Page

The home page is a DoorDash-style layout with a persistent left sidebar, a header with an address picker and a Delivery/Pickup toggle (Pickup is a disabled placeholder — no pickup flow exists in this version), and a body that mixes restaurants with every other store category into cuisine- and category-grouped horizontal carousels.

- Left sidebar — one-tap jumps to Home, Restaurants, and each of the ten non-restaurant categories (Grocery, Convenience, Alcohol, Health, Retail, Pet, Flowers, Baby, Personal Care, Electronics), plus Orders and Account.
- Header search box — finds restaurants or stores by name or cuisine/category label.
- Quick filters — Rating, Delivery fee, and "Under 30 min", plus a sort dropdown (Distance, Rating, Delivery fee, Prep time).
- Cuisine category chips — one-tap filtering by cuisine (Bakery, Chinese, Indian, Italian, and more).
- Store carousels — sections such as "Popular near you" and "Quick delivery" mix restaurants with grocery, pet, beauty and every other category by default; each carousel shows left/right scroll arrows once there is more content than fits on screen.




Figure 3.1 — Customer home page: sidebar categories, header search and delivery toggle, and a mixed feed of restaurants and other stores.

Step by step: finding something to order

1. Open <http://localhost:3000/customer> — it lands on the home page.
2. Either tap a category in the left sidebar, tap a cuisine chip, type into the search box, or simply scroll the curated carousels.
3. Tap any store card to open that store's full menu or catalog page.

3.1.1 Setting Your Delivery Location

The address line in the header (a pin, a label and coordinates, for example Home) is your delivery location; it decides which stores are shown nearby. Select it to open the location picker. The picker offers four ways to set a location:

- Search — type your address in Search for your address and pick a result. The location is applied at once.
- Use my current location — allow the browser to share your position; it is applied at once when found. If permission is denied or the position cannot be found, a message explains why and your location is unchanged.
- Move the pin — click the map or drag the pin, then select Save location to keep it.
- Enter coordinates manually — open the section, type a label, a latitude (-90 to 90) and a longitude (-180 to 180), then select Save location.

If Google Maps cannot load, the map and the search box are hidden and the manual coordinates section opens by itself, so a location can always be set. Press Escape or click outside the picker to close it without saving.

Once your customer registration has been approved and you log in, the address you enter (Address 1, Address 2, City, State and Pincode) becomes your delivery location in the header automatically; you can replace it at any time with any of the four ways above. When you are signed in, your saved location follows your account, so it is the same the next time you sign in.




Figure 3.1a — The location picker opened from the header address: address search, a map with a draggable pin, Use my current location, the manual coordinates section and Save location.




Figure 3.1b — After registration is approved and you log in, the header shows the address you registered with

3.1.2 Favorites and Reorder

Signed-in customers can save favorite stores and refill the cart from an earlier order. Favorites are saved on your account, so they also appear on the phone app (and the other way round).

- Save a favorite - click the heart on a store card or on the store page; a filled heart means saved, click again to remove it.
- See your favorites - on Home click the Favorites chip (shown only when signed in) to list only your favorite stores; click it again to see all stores.
- Order again - Home shows an Order again row with up to three stores you ordered from most recently, each with a Reorder button. The Orders page and each order page also have a Reorder button; it is not shown for cancelled or rejected orders.
- What Reorder does - it fills the cart with that order's items, options and notes at today's prices; it does not place the order, so go to Checkout as usual. Items that are no longer available are skipped and listed in the message. A closed store shows Closed right now and cannot be reordered. Reordering from a different store replaces the cart and the message says how many items were replaced; reordering from the same store adds the quantities together.




Figure 3.1c - The Favorites chip (active) lists only favorite stores; each store card has a heart. The basket shows items added by Reorder.




Figure 3.1d - Your orders: delivered orders have a Reorder button, a cancelled order does not.

3.2 Restaurant & Store Pages

Every store — whether a restaurant or a grocery, pet, electronics, or any other category store — uses the same browse-and-add layout: a banner, the store's name, cuisine/category tags, rating and estimated prep time, a menu search box, a Rating summary with the average from customer reviews, the review count and a 5-to-1-star breakdown, followed by the customers' reviews (section 3.2.1), a horizontal “Featured items” carousel (the first available items with a photo), category filter pills, and the full item catalog laid out as a 4-column grid of cards (2 columns on narrow screens), grouped by category. Each item card shows its photo, name, description, price, a veg/non-veg indicator dot for food items, and a circular “+” button that adds one unit to the cart.

Every store now has a real Mumbai street address (geocoded from Google), so the distances shown on store cards, the Distance sort and nearest-first ordering are based on real locations rather than placeholder coordinates.




Figure 3.2 — Demo Kitchen's store page: the store rating, a Featured items carousel, category pills, and the item catalog as a card grid, with the persistent cart panel on the right once an item has been added.

Ten non-restaurant categories use the identical catalog layout, so everything explained above for a restaurant menu applies equally to a grocery, pet-supply, or electronics store's catalog page.




Figure 3.3 — Daily Basket, a Grocery-category store, browsed with the exact same rating/featured-items/grid layout as a restaurant menu.




Figure 3.4 — The home page filtered to the Grocery category via the sidebar, showing every seeded grocery store.

3.2.1 Ratings and Reviews on a Store Page

Below the menu, a store page shows its Rating summary: the average from real customer reviews to one decimal (for example 4.3), the number of reviews, and a breakdown of how many 5, 4, 3, 2 and 1-star reviews there are. Until a store has its first review, the summary shows the starting rating the store was listed with and no review count. Hidden reviews are not counted.

Under the summary, the Reviews list shows the newest reviews first, 10 at a time; select Load more reviews for older ones. Each review shows the reviewer's first name and last initial (for example Priya S.; never an email address or phone number), the stars, the date, the comment, the photo if the customer added one, the stars given to each dish, and the store's reply if it has answered. Dishes that have been rated also show their own average and number of ratings on their menu card, for example ★ 4.7 (3).




Figure 3.4a — A store page's Rating summary (average, review count and star breakdown) above the Reviews list; every review has a Report link. Reviewer names appear as first name and last initial.

Report a review - under any review, select Report and choose a reason: Offensive or abusive, Spam or fake, or Not about this store. You must be signed in (otherwise you are taken to the sign-in page first), and you cannot report your own review. The review stays visible until an administrator decides what to do (section 6.6).

3.3 Cart

The cart is single-store only by design: adding an item from a different store than the one already in your cart prompts you to clear the cart first, rather than silently mixing items from two different stores into one order. On a store's own page, the cart appears as a persistent panel docked to the right of the menu, listing every item with quantity +/- controls, a per-item note field, a Remove link, the running subtotal and delivery fee, and a whole-order note field separate from any per-item notes.




Figure 3.5 — The cart panel with an item added: quantity control, per-item note, subtotal/delivery-fee/total breakdown, and the whole-order note field.




Figure 3.5a — Adding an item from a different restaurant asks whether to start a new cart: a cart can only hold items from one store at a time.

Step by step: building an order

1. On a store's page, tap the + button next to each item you want.
2. Use the – / + controls in the cart panel to adjust quantity, or Remove to drop an item.
3. Optionally add a per-item note (e.g. "no onions") or a whole-order note (e.g. a gate code or "leave at door").
4. Review the subtotal, delivery fee and total, then select Checkout.

3.4 Checkout

Checkout is a single page: contact details, delivery address, and payment method stacked in one column on the left. The persistent cart panel on the right — the same panel visible on every store page — shows the order summary and the single Place Order button for the whole app; checkout no longer shows a second, separate order-summary card. Reaching checkout while signed out redirects you to the login page and returns you to checkout automatically once you sign in.

The checkout page collects three things before it will let you place an order:

- Contact details — a recipient name, email and a required Phone (an Indian 10-digit mobile number starting with 6 to 9; a +91, 91 or 0 prefix is optional and is stored as +91XXXXXXXXXX). The email receives the order-accepted and order-delivered emails; the phone is shown to the vendor and, once a delivery partner is assigned, to that partner.
- Delivery address — a real form: Address 1, Address 2 (optional), City, State, and Pincode, all required except Address 2. Saved locally so it's pre-filled on your next order.
- Payment method — Mock Card, Mock UPI, or Cash on Delivery, each with its own required fields.

Between the delivery address and the payment method sits a Promo code and wallet section (section 3.4.1). The Place Order button stays disabled (greyed out) until every required field (including a valid Phone) and every field for the selected payment method validates — this prevents an incomplete or malformed order from ever reaching the server.

Address search at checkout: above the address fields, Search for your address finds a place and fills Address 1, City, State and Pincode where Google provides them, and moves your delivery pin to that place. Use my pinned location fills the fields from the pin you already set. You can edit any field afterwards. These checkout fields are not saved for later orders. If Google Maps cannot load, the search is hidden and you type the address yourself.

The screenshot displays the checkout interface for 'Fresh & Quick'. On the left is a vertical sidebar with category icons: Home, Restaurants, Grocery, Convenience, Alcohol, Health, Retail, Pet, Flowers, Baby, Personal Care, Electronics, and Orders. The main content area is divided into sections:

- Contact details:** Fields for Email (demo@example.com) and Phone (9000000001).
- Delivery address:** Fields for Address 1 (12 Demo Street), Address 2 (Landmark, area (optional)), City (Mumbai), State (Maharashtra), and Pincode (400001).
- Payment method:** A section showing 'Mock Card' as the selected option.

 On the right, a persistent 'My Basket' panel is visible, showing items like 'Masala Dosa' and 'Idli Sambar' with quantity controls and a 'Remove' button. Below the items, a summary shows Subtotal: ₹360.00, Delivery fee: ₹30.00, and Total to pay: ₹390.00, with a 'Place order' button. At the bottom of the basket panel is an 'Order note' field and a 'Clear cart' link.

Figure 3.6 — Checkout with Mock Card selected: Contact details (name, email and Phone), the Address 1/2/City/State/Pincode delivery address form, card number/expiry/cardholder-name fields, and the persistent cart panel's order summary and Place Order button on the right.

The screenshot shows the checkout interface for 'Fresh & Quick' in Mumbai. The left sidebar lists categories: Home, Restaurants, Grocery, Convenience, Alcohol, Health, Retail, Pet, Flowers, Baby, Personal Care, Electronics, and Orders. The main form is divided into sections: Contact details (Email: demo@example.com, Phone: 9000000001), Delivery address (Address 1: 12 Demo Street, Address 2: Landmark, area (optional), City: Mumbai, State: Maharashtra, Pincode: 400001), and Payment method (Mock Card and Mock UPI are visible). The right sidebar shows 'My Basket' with items: Masala Dosa (2) and Idli Sambar (1). The subtotal is ₹360.00, delivery fee is ₹30.00, and the total to pay is ₹390.00. A 'Place order' button is present. An 'Order note' field is also available.

Figure 3.7 — Checkout with Mock UPI selected, showing the UPI ID field that replaces the card fields; the delivery address form stays the same regardless of payment method.

This screenshot shows the checkout interface with 'Cash on Delivery' selected. The layout is identical to Figure 3.7, but the 'Payment method' section now includes 'Cash on Delivery' as an option. The 'Phone' field is now required and populated with 9000000001. The delivery address and order summary remain the same.

Figure 3.7a — Checkout with Cash on Delivery selected: the required Phone field under Contact details, the delivery address form, and the order summary on the right. No extra fields are needed for Cash on Delivery.




Figure 3.7b — Checkout address search: typing in Search for your address shows Google's suggestions; choosing one fills Address 1, City, State and Pincode. Use my pinned location sits under the search box.

Payment methods explained

- Mock Card — requires a 16-digit card number, an MM/YY expiry, and a cardholder name. Resolves to success or failure at random, roughly an 80% success rate, to simulate a real payment gateway.
- Mock UPI — requires a UPI ID (e.g. name@bank). Same ~80% success/failure simulation as Mock Card.
- Cash on Delivery — no extra fields required, and always succeeds immediately, since payment happens in person at delivery.

All prices throughout the platform are calculated and stored to the exact paisa (1/100 of a rupee) using integer arithmetic, never floating-point multiplication — this avoids the rounding errors that plain JavaScript float math would otherwise introduce into money calculations.

Placing an order is processed atomically on the server: the order row, its line items, and the payment record are all created together through a single database transaction (a Postgres function reserved for the server's own privileged connection), so a partial failure midway through checkout cannot leave a half-created order behind. If a local n8n automation instance is running, it resolves the mock payment within a few seconds; if not, the checkout route itself waits out a ~10-second timeout and then resolves the payment in-process, so every order completes correctly either way — just faster with n8n connected.

Step by step: completing checkout

1. Fill in or confirm your recipient name and email under Contact details.
2. Enter your Phone number (required): a 10-digit Indian mobile number, with or without +91, 91 or 0 in front.
3. Choose a payment method and fill in its required fields.
4. Optionally, open Promo code and wallet: type a promo code and select Apply, or tap one of the suggested codes, and tick Use wallet credit if you have a balance (section 3.4.1).
5. Review the order summary — line items, subtotal, delivery fee, any discount or wallet credit, and total — on the right.
6. Select Place Order once the button is enabled.
7. Wait for payment to resolve; you are then taken to the order's detail page.

3.4.1 Promo Codes and Wallet Credit

Between the delivery address and the payment method, checkout has a section titled Promo code and wallet. It lets you take money off the order with a promo code, with wallet credit, or both. The order summary in this section (and the cart panel on the right) then shows Subtotal, Delivery fee, Discount (with the code), Wallet credit and Total.

- Promo code — type the code (letters are capitalised for you) and select Apply. When it is accepted the box changes to “<CODE> applied: you save ₹X” with a Remove button. Codes that currently work for your store are listed underneath as dashed, tap-to-apply chips with a short summary such as “10% off up to ₹100, min order ₹199”; tap one to apply it. Only one code can be used per order. The code is not remembered: if you change your cart it is removed with the note “Your cart changed, so the promo code was removed. Apply it again.”
- What a code takes off — either a percentage or a fixed rupee amount off the subtotal (the food), never the delivery fee, and never more than the subtotal. A percentage code can have a maximum discount.
- If a code is refused — the message under the box says why: the code does not exist, is paused, has expired or not started yet, belongs to a different store, needs a bigger order (“Add items worth ₹X more”), has been fully used by everyone, has already been used by you, or is only for a first order.
- Use wallet credit — shown only when your wallet balance is above zero, as a tick box labelled “Use wallet credit (balance ₹X)”. Credit is applied after any promo code and never goes beyond what is left to pay.

The server works the discount and credit out again when you place the order, so the total on the confirmation is always the one checkout showed; if prices changed in the meantime the order is refused and you are asked to review it. If an order is later rejected or cancelled (including when its payment fails), the promo code counts as unused again and any wallet credit you used is returned to your wallet. The order page shows a Discount tile (with the code) and a Wallet credit tile when they apply.

Not illustrated in this version: the Promo code and wallet section is described in text only.

3.5 Orders, Order Detail & Tracking

After a successful checkout, the customer lands on that order's detail page. At the top is a six-step tracker — Placed, Accepted, Preparing, Ready, On the way, Delivered — with a one-line description of the current step. Once a delivery partner accepts the order its status reads Partner assigned, and once the partner has picked it up it reads On the way (these two labels replace the single "Out for delivery" status of earlier versions). A rejected or cancelled order shows a red banner in place of the tracker.




Figure 3.8 — Order detail page for a freshly placed Cash on Delivery order: the six-step tracker at Placed, the deliver-to card, the order's items with photos, and the subtotal, delivery fee, total and payment.

Below the tracker the page shows a Deliver to card (name, email, phone and address), the Items with photos and line prices, Subtotal, Delivery fee and Total tiles (plus Discount and Wallet credit tiles when the order used a promo code or wallet credit) beside a Payment tile (for example "Paid · Cash on delivery"), and a Timeline listing the time each stage was reached.

The order detail page polls the server periodically for status updates and stops polling once the order reaches a terminal state (Delivered, Rejected or Cancelled), so it does not poll forever after the order journey has ended.

To find an order later, choose Orders in the left sidebar. The Orders list shows every order you have placed, newest first: the store name, order number and date, a status pill, thumbnails of the items with an item count, and the total. Select any order to open its detail page.




Figure 3.8a — The Orders list: one card per order with the store, order number and date, a status pill (Placed, Partner assigned, Delivered, and so on), item thumbnails with a count, and the total.

As the order progresses the tracker ticks off each step. While the order is On the way the first four steps are ticked, step 5 is highlighted, and the live delivery map (described below) shows the partner's position and the road route above the order summary.




Figure 3.8b — Order detail while the order is On the way: steps 1 to 4 are ticked, step 5 is highlighted, and the live map shows the store (S), your address (H) and the delivery partner (D) joined by the road route, with "About 23 min · 8.3 km by road" under it.

Once the order is delivered the status pill turns green and the Timeline records the time of each stage reached (Placed, Accepted, Picked up and Delivered). The Subtotal, Delivery fee and Total tiles and the Payment tile stay on the page for reference.




Figure 3.8c — Order detail for a delivered order (scrolled down past the tracker): the deliver-to card, items, totals, payment and the Timeline of times for each stage reached.




Figure 3.8d — A delivered order: the map stays on the page as a final road route from the store (S) to your address (H), with its distance and no arrival time.

Delivered email: when an order is delivered, n8n also emails the address entered at checkout. The subject is "Your order from <store> has been delivered", and the message reads "Thank you for your order. Your order has been successfully delivered. Please let us know your experience." It lists each item with its photo, quantity and options, the subtotal, delivery fee, any discount and wallet credit, and the total, and the name, phone and address it was delivered to. The order-accepted email is sent to the same checkout address.

Live delivery map: once a delivery partner is assigned (status Partner assigned or On the way), a map appears on the order page. S marks the store, H your delivery address and D the delivery partner once they have reported a position; D glides to each new position, and the page shows when it was last updated and about how far the

partner is from your address. Until the first position arrives it says it is waiting for the delivery partner's location. After delivery the map stays as a final route from the store to your address, with no partner marker. Before a partner is assigned there is no map.

While the partner is on the way, a solid line follows the roads from the partner to your address and the page shows an estimated time and road distance, for example "About 23 min · 8.3 km by road". The time is the usual driving time without live traffic, so it is an estimate. After delivery the final store-to-address route and its road distance are shown, with no time estimate. If the road route cannot be loaded, a dashed approximate straight line is shown instead, with no time estimate. If the map cannot load, the page says so and shows the partner's coordinates as text instead. The phone app shows a simpler version of this map (store, address and partner with a straight dashed line, no road route or arrival time). If the partner's last location ping is more than 5 minutes old, the page shows only "Last seen ... (location may be out of date)" and no distance, route or arrival time.

3.5.1 The Courier Animation and Automatic Delivery

Delivery partners only mark an order Picked up; they cannot mark it Delivered. Once the order is On the way, the customer's order detail page completes the journey. If the order page is open, a "Your order is on the way!" dialog appears with an animated courier scene and a countdown that reads "Arriving in 15s". The animation always plays for a full 15 seconds from the moment the dialog first appears, however long ago the partner picked the order up. The animation always plays, regardless of the browser's reduced-motion preference.

When the countdown ends the dialog briefly shows "Confirming delivery...", then "Delivered! Enjoy your meal." and the order becomes Delivered (tracker step 6 and a green status pill); there is no Done button: the dialog closes itself 3 seconds after it shows. The delivered email is sent at that moment, once per order. If you leave the page part-way through and come back in the same browser session, the animation resumes where it left off. If delivery could not be confirmed straight away, the dialog says "We couldn't confirm delivery just yet — your order will be marked delivered shortly." and shows a Close button; the order page then completes the delivery on its own.

If you never open the order after pickup, nothing is lost: the platform completes the delivery by itself 20 seconds after pickup and sends the same single delivered email, so the order page does not need to be open for delivery to complete. Either way an order is delivered exactly once.

3.5.2 Rating Your Order

Once an order is Delivered, its order page shows a Rate your order form below the totals and Timeline (Figure 3.8e). Each order can be rated once, and only after it has been delivered. The form has three parts:

- The store (required) - 1 to 5 stars, with an optional comment of up to 1,000 characters and an optional photo (JPEG, PNG or WebP, up to 3 MB; select Remove to take a chosen photo off before sending).
- The dishes (optional) - 1 to 5 stars for any dish in the order, each with an optional comment of up to 500 characters.
- The delivery (optional) - shown only when a delivery partner delivered the order: 1 to 5 stars and an optional comment of up to 500 characters about the rider's handling and courtesy, not the restaurant's wait.

Rate your order

The store

★★★★★

Hot, fresh and well packed.

Photo (optional, JPEG, PNG or WebP, up to 3 MB)
Choose File No file chosen

The dishes (optional)

Paneer Tikka

★★★★★

A word about this dish (optional)

Butter Naan

★★★★★

A word about this dish (optional)

The delivery (optional)

How was the delivery? Rate the rider's handling and courtesy, not the restaurant's wait.

★★★★★

A word about the delivery (optional)

Submit review

Figure 3.8e — The Rate your order form on a delivered order: store stars, comment and optional photo, then optional dish ratings and an optional delivery rating, and Submit review. Above the form the order page shows Your delivery partner · New partner until that partner has 5 ratings.

Only the store rating is required. Select Submit review to send it. A review is final: the website has no way to edit or delete it afterwards. Afterwards the page shows Your review (Figure 3.8f) with your stars, comment, photo, dish and delivery ratings, and the store's reply once there is one. If the Fresh & Quick team hides your review, that panel says it is currently hidden, and the review disappears from the store page and from the store's average.

Your delivery partner · New partner

Your review

★★★★★

Wonderful food, hot and well packed. The paneer tikka was perfect.

Paneer Tikka: ★★★★★ · Perfectly charred

Butter Naan: ★★★★★

Delivery: ★★★★★ · Polite and quick

Reply from the store: Thank you, Priya! We are glad you enjoyed the paneer tikka.

Figure 3.8f — After sending, the order page shows Your review: stars, comment, photo, the dish ratings, the delivery rating and the store's reply.

Who sees what: the store rating, comment and photo are public on the store page under your first name and last initial, together with the stars you gave each dish. The delivery rating and comment are seen only by the delivery partner (without your name) and by administrators, never by the store. Do not put personal details in a comment or photo.

Your delivery partner: on the order page, the line Your delivery partner shows the partner's average stars and number of ratings, for example ★ 4.2 (12 ratings). Until a partner has 5 ratings it reads New partner instead of a number.

Review reminder email: about one hour after an order is delivered, n8n emails the address entered at checkout with the subject “How was your order from <store>?” and a Rate your order button that opens the order page. It is not sent if the order has already been reviewed.

3.6 Signing In & Creating an Account


The customer sign-in page accepts a registered email and password; a toggle on the same screen switches to account creation for a brand-new customer. Both flows use Supabase's own authentication service under the hood, so passwords are never stored or handled directly by the application code.

Creating a customer account asks for: Full name, Email, Password (at least 6 characters), Phone (a 10-digit Indian mobile number) and an address — Address 1, Address 2 (optional), City, State and a 6-digit Pincode. Before the account is created, the server checks the address with Google. If the address cannot be found, or the result is too vague or partial, the form shows “We could not find that address. Check the details and try again.” If the address lookup service is not available it shows “Address lookup is unavailable right now. Try again later.” In both cases no account is created, so you can correct the details and try again. The address you register becomes your delivery location in the header (section 3.1.1). There is also an optional Referral code box (a sign-up link ending in ?ref=CODE fills it in for you); a code that does not exist is refused and no account is created (section 3.7.1).

Sign-up does not log you in. When you submit the form successfully, a popup says “Your registration approval is in progress. We will email you once the admin has reviewed it.” Select OK to return to the Log in form. Your account stays pending until an admin approves it, and you cannot log in before then.


If you try to log in while the account is pending, the form shows “Your registration is still awaiting admin approval.” If the registration was rejected it shows “Your registration was rejected. Please check your email for the reason.” If the account is blocked for any other reason it shows “Your account is not active yet. Please try again later or check your email.” Once approved, log in with the email and password you chose when you registered.

Emails: the admin receives an email titled “New registration awaiting approval” for each new registration. When the admin decides, you receive an approval email with a Log in button, or a rejection email that shows the admin's reason. A rejected email address may register again: the new details and password replace the old ones and the registration becomes pending again. Registering with an email that is already pending shows “Your registration is already awaiting approval.”, and registering with an email that already has an approved account shows “An account with this email already exists. Please log in.” Seeded and existing accounts are already approved.



The image shows a web application interface for 'Fresh & Quick'. On the left is a vertical sidebar with icons and labels for various categories: Home, Restaurants, Grocery, Convenience, Alcohol, Health, Retail, Pet, Flowers, Baby, Personal Care, Electronics, and Orders. The main header area includes the brand name 'Fresh & Quick', a location pin icon with the text 'Test Locality (19.2000, 72.9000)', and two toggle buttons: 'Delivery' (which is active) and 'Pickup'. The central content area features a 'Log in' form with fields for 'Email' and 'Password', a 'Log in' button, and a link that says 'Need an account? Sign up'.

Figure 3.9 — Customer sign-in page. The same screen toggles to "Sign up" for new customers.



The image shows a 'Sign up' form. It contains the following fields: 'Demo Customer' (name), 'demo.customer@example.invalid' (email), a password field with masked characters '*****', '9876543210' (phone number), '12 Pali Hill Road' (address line 1), 'Bandra West' (address line 2), 'Mumbai' (city), 'Maharashtra' (state), and '400050' (pin code). Below the fields is a 'Sign up' button and a link that says 'Have an account? Log in'.

Figure 3.9a — Sign up now asks for phone and address




Figure 3.10 — The full customer order journey from browsing to delivery.

3.7 Account Menu

Once signed in, the Sign In / Sign Up buttons in the left sidebar disappear, and the hamburger icon in the top-right of the header opens the account menu: your name, Orders (the Orders list of your past and current orders — tap one to open its order detail page and tracker), Wallet (your credit balance, referral code and credit history, section 3.7.1), Notifications (your inbox and notification settings, section 7.2.3), Help (a short FAQ on how to use the site), and Sign out. Under your name is a Reset password link: click it and a password-reset email is sent to your account address, and the link changes to “Reset email sent”.




Figure 3.11 — The account menu open from the header hamburger icon, showing the signed-in customer's name with a Reset password link, and the Orders / Wallet / Help / Sign out links. From version 3.13 the menu also has a Notifications link between Wallet and Help.

3.7.1 Wallet and Referrals

Wallet in the account menu opens your wallet page. It replaces the old reference page that only listed payment methods. It has three parts:

- **Wallet credit** — your current balance in large type. Credit comes only from referrals: you cannot add money, withdraw it or send it to someone else, and it does not expire. No card details are stored. Use it at checkout by ticking Use wallet credit (section 3.4.1).
- **Refer a friend** — your referral code with a Copy button (it changes to “Copied”). Give the code to a friend: they type it in the optional Referral code box when they sign up. When the friend's first order is delivered and its subtotal is ₹100 or more, you and your friend each get ₹50 in your wallets. You can earn up to 10 referral rewards, and you cannot refer yourself. Below the code the page shows how many friends you referred and how many rewards you earned.
- **History** — every credit and use, newest first, each with its date and a signed amount: Referral reward, Welcome bonus (the friend's ₹50), Used at checkout, Refunded credit (returned when an order is cancelled or rejected) and Adjustment. With no activity it says “No wallet activity yet.”

Not illustrated in this version: the wallet page is described in text only.

3.8 Troubleshooting: Unexpected Errors on an Order Page


If an order-tracking page shows an unexpected error instead of your order's status, the most common cause is being signed into a different role's account in another browser tab on the same localhost:3000 origin — for example, signing into the vendor portal in one tab silently replaces the customer session an already-open order-tracking tab was relying on, so that page's next refresh tries to load your order as the vendor instead of as yourself. The fix is simply to sign in again as the customer on the order page: it now detects this automatically and sends you back to the login screen instead of showing a raw error. To avoid this altogether when you want more than one role signed in at once (for example, to watch an order move from customer to vendor to delivery to admin), use the multi-port mode described in section 2.5, which gives each role its own browser origin and its own independent session.

Chapter 4 — Vendor Module

Every seller on the platform — whether a restaurant or any of the ten non-restaurant categories — is a "vendor" account with access to the same vendor portal. A vendor signs in separately from customers, at its own login page, and manages exactly one store: its menu/catalog, its open/closed status, its delivery settings, and its incoming orders.

4.1 Vendor Sign-In & Sign-Up

The vendor login page is a plain, centered form with no sidebar (the sidebar only appears once signed in). A "New restaurant? Sign up" toggle on the same screen lets a brand-new store register directly: email, password, store name, one or more cuisine/category tags, and a latitude/longitude stub standing in for a real address (vendor sign-up does not use the map picker).



The screenshot shows a 'Vendor log in' form. It has a title 'Vendor log in' in bold. Below the title are two input fields: 'Email' and 'Password'. Below these fields is a brown 'Log In' button. At the bottom of the form is a link that says 'New restaurant? Sign up'.

Figure 4.1 — Vendor sign-in page (no sidebar); the same screen toggles to new-restaurant sign-up.

A brand-new store starts closed (`is_open = false`) and cannot be opened until it has at least one available menu item — the platform refuses to let an empty store go live, so customers never land on a store with nothing to order.

4.2 Vendor Dashboard

After signing in, the vendor portal shows a persistent left sidebar (Dashboard, Menu, Orders, Reviews, Coupons, a notification bell, an open/closed status pill, a My Profile section with your name, email and a Reset password link, and Sign out) with the working area on the right. The Dashboard page itself has two parts:

- Store status — an Open/Closed indicator and a toggle to close or reopen the store.
- Delivery settings — a card for editing the store's own delivery fee and an optional promo text line shown to customers.




Figure 4.2 — Vendor dashboard: store status with the Open/Closed toggle, and the delivery settings card.

Step by step: opening a brand-new store

1. Sign up at `/vendor/login` (toggle to "New restaurant? Sign up").
2. Go to Menu and add at least one item, making sure it is marked Available.
3. Return to Dashboard and use the Open restaurant toggle — this is refused if there are zero available items.
4. Optionally set a delivery fee and promo text under Delivery settings.

4.3 Menu Management

The Menu page shows an add-item form (name, price, image URL, and the other item fields) above a table listing every existing item — its image, name, price, veg/non-veg tag, availability, and a row of actions: Edit, Mark unavailable, Delete, and Options (for item customization option groups, e.g. size or spice level, introduced in a later redesign pass).

Vendor
[Open](#)
[Dashboard](#)
[Menu](#)
[Orders](#)

Menu

Image	Name	Price	Veg	Available	Actions
	Paneer Butter Masala	₹220.00	Veg	Yes	Edit Mark unavailable Delete Options
	Veg Fried Rice	₹150.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Chicken Tikka Masala	₹240.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Dal Makhani	₹190.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Aloo Gobi	₹160.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Chana Masala	₹170.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Veg Kofta	₹190.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Butter Naan	₹60.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Garlic Naan	₹70.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Tandoori Roti	₹40.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Veg Pulao	₹170.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Chicken Biryani	₹260.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Mutton Curry	₹300.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Egg Curry	₹180.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Malai Kofta	₹220.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Rajma Chawal	₹180.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Kadhi Pakora	₹170.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Bhindi Masala	₹160.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Mixed Veg Curry	₹170.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Dal Tadka	₹160.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Palak Paneer Demo Style	₹210.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Chicken 65	₹220.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Veg Manchurian Demo Style	₹180.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Hakka Noodles Demo Style	₹180.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Spring Rolls Demo Style	₹140.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Chicken Momos	₹170.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Veg Momos	₹150.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Paneer Tikka	₹210.00	Veg	Yes	Edit Mark unavailable Delete Options
	Demo Tandoori Chicken	₹260.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Seekh Kebab	₹230.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Fish Curry	₹250.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Prawn Curry	₹270.00	—	Yes	Edit Mark unavailable Delete Options
	Demo Cheese Naan	₹90.00	Veg	Yes	Edit Mark unavailable Delete Options

Figure 4.3 — Vendor menu management page: the add-item form above the full menu table with per-row actions.

Step by step: adding a menu item

1. On the Menu page, fill in the add-item form: name, description, price, category, veg/non-veg, and an image URL.
2. Submit the form — the new item appears immediately at the top of the table below, marked Available by default.
3. Use Edit on any row to change its details later, or Mark unavailable to temporarily hide it from customers without deleting it.

Any code path that touches an item's price is written using integer-paisa arithmetic; Postgres's own numeric constraints on the products and orders tables reject invalid values, giving the platform a second line of defence even if a client-side validation were ever bypassed.

4.4 Orders (Kanban Board)

The Orders page shows every incoming order for this store as a kanban board with one large, colour-coded column per stage: New, Accepted, Preparing, and Ready (each header shows how many orders it holds, and an empty column reads "Nothing here yet"). The board refreshes itself every 10 seconds. Each card shows the order number and total; who the order is for, their phone number, the payment (for example "Paid · Cash on delivery") and the delivery address; the items with photos and quantities; and any delivery note. A new order appears in the New column with Reject and Accept order buttons; accepting it moves it to Accepted, from which the vendor advances it forward one stage at a time (Start preparing, then Mark ready) using a single button on the order's card. A Full details link on every card opens a dialog with the full order. Once Ready, the order becomes visible to online delivery partners and leaves the vendor's own workflow.




Figure 4.4 — Vendor Orders board: colour-coded New, Accepted, Preparing and Ready columns. Each card shows who the order is for, phone, payment, address and items with photos, with Reject / Accept order on a new order and a Full details link.




Figure 4.4a — The Full details dialog: the deliver-to card, items with photos, subtotal, delivery fee, total, payment and the order timeline.

Step by step: fulfilling an order

1. A new order appears in the New column — review who it is for, its items and total (select Full details for the complete order).
2. Select Accept order to take the order, or Reject to decline it (a rejected order is not fulfilled and the customer sees it marked Rejected).
3. Once accepted, select Start preparing when you begin cooking/packing.
4. Select Mark ready once the order is ready for pickup — it now appears to delivery partners as an available order.

Demo mode: when the Admin has ticked Automatic order acceptance, new paid orders are accepted, prepared and marked ready by themselves about 3 seconds apart, so these buttons are not needed (they still work; a step that was already done is skipped).



Figure 4.5 — The vendor order fulfillment flow, from a new order notification through to hand-off to a delivery partner.

4.5 Reviews

The Reviews page in the vendor sidebar lists the reviews of your store, newest first (Figure 4.6). Each card shows the customer's first name and last initial, the stars, the date, the comment, any photo, and the stars given to each dish. You do not see delivery ratings or comments about the delivery partner, and you cannot hide or delete a review.




Figure 4.6 — Vendor Reviews: the All, Needs reply and Reported tabs with a badge counting reviews that still need a reply; each card has a reply box and Report to admin, and a review with a reply shows Your reply with a Remove link.

- Tabs - All, Needs reply and Reported. A badge beside the title shows how many reviews still need a reply.
- Reply - type up to 600 characters under the review and select Reply. A review has one reply from the store; it appears under the review on the store page and on the customer's order page. To change it, type the new text and select Update reply; Remove deletes it.
- Report to admin - for an abusive, fake or off-topic review, select Report to admin. The card then shows Reported to admin and an administrator decides whether to hide it (section 6.6).

A review that an administrator has hidden shows only as a note with its date ("A review from <date> was hidden by the Fresh & Quick team"), with none of its content.

4.6 Coupons

Coupons in the vendor sidebar is where a store creates promo codes that customers can use at checkout. A store coupon works only at your store. Because there is no payout model in this app, a coupon simply lowers the order total the customer pays.

Select New coupon and fill in the form: Code (3 to 20 letters, digits, dashes or underscores; codes are unique across the whole app), Type (Percent off or Fixed amount off), the value (Percent off or Amount off in ₹), and the optional limits — Maximum discount (₹, for percent codes), Minimum order (₹), End date, Total uses limit, Uses per customer and First order only — plus an optional Description of up to 200 characters. A store coupon can give at most 50% off or at most ₹500 off. Select Create coupon.

The table lists each coupon's Code, Offer, Status (Active or Paused), how many times it was Used, the total Discount given and its validity and limits. Use Pause or Resume on a row to switch a code off or on. The code, type and value cannot be edited after creation: create a new coupon instead. A store's promo text on the Dashboard is a separate banner and does not create a code, so keep the two consistent.

4.7 Notifications

A bell with an unread count sits at the top of the vendor portal (in the sidebar on wide screens). It opens the Notifications page, where a new order appears as soon as a customer places it. The page lists notifications newest first with a Mark all read button and Load more, and has a Notification settings card (section 7.2.3).

Chapter 5 — Delivery Partner Module

Delivery partners sign in at their own portal to see and fulfil deliveries. Like the vendor portal, delivery partners can self-register from the login page's "New partner? Sign up" toggle, collecting email, password, full name, and vehicle type.




Figure 5.1 — Delivery partner sign-in page; the same screen toggles to new-partner sign-up.

5.1 Delivery Dashboard & History

After signing in, a persistent left sidebar shows the partner's online/offline status pill, the Dashboard, History and My rating links, a notification bell, a My Profile section (name, email and a Reset password link) and Sign out. The Dashboard shows active work only, in two sections:

- Your active deliveries — one card for every order you have accepted that is not yet delivered: the order number and amount, the Pickup store and its address, the Drop-off recipient's name, a tap-to-call phone number and the full address, the items with photos, and a Mark picked up button. After pickup the card shows "Customer is receiving the order..." in place of a button — partners do not mark orders delivered.
- Available orders — orders that have reached Ready status and have no delivery partner assigned yet, visible to any online partner on a first-come basis: the store, its pickup address, the items, the amount and an Accept button. The customer's name, phone and address appear only after you accept the order.

An Online/Offline toggle plus two manual latitude/longitude fields stand in for live GPS tracking in this local environment; where the browser grants location permission, these fields prefill automatically from the device's own geolocation, falling back to manual entry otherwise.




Figure 5.2 — Delivery Dashboard, Your active deliveries: each card shows the pickup store, the drop-off name, tap-to-call phone and address, the items, and the next action (Mark picked up); the sidebar shows Dashboard, History and the My Profile section.




Figure 5.2a — Available orders: the store, pickup address, items, amount and Accept button. "Customer details appear after you accept."

History (in the sidebar) lists your finished orders — delivered, cancelled or rejected — newest first, up to 50. Each card shows the order number, status and amount, the pickup store, who it was delivered to and when, and the items. History does not show a customer's phone number or address: a partner sees those only while an order is assigned to them or picked up. Refresh reloads the list.




Figure 5.2b — History: finished deliveries with the pickup store, who each order was delivered to, the time and the items.

Step by step: fulfilling a delivery

1. Toggle Online at the top of the dashboard.
2. Select Accept on any order listed under Available orders — it moves to Your active deliveries and the customer's details appear on its card.
3. Use the tap-to-call phone number and the full address on the card to reach the customer.
4. Select Mark picked up when you collect the order. The card then reads "Customer is receiving the order..." and has no further button: the customer's order page plays a 15-second courier animation and the order is marked Delivered automatically (or by the system 20 seconds after pickup if the customer never opens it). A delivered order moves to History.

While online, the dashboard automatically sends a location ping every 15 seconds and polls for newly available orders every 10 seconds, so a partner does not need to manually refresh the page to see new work appear. The customer's own order detail page reflects that shared location once a partner has accepted the order (Partner assigned), and that access expires automatically once the order is Delivered.

Demo mode: when the Admin has ticked Automatic order acceptance, an assigned order is picked up automatically about 3 seconds after it is assigned, so Mark picked up is not needed (the button still works).



Figure 5.3 — The delivery partner flow, from going online through to picking up an order. The final Delivered step is completed from the customer's side (section 3.5.1), not by the partner.

5.2 My Rating

My rating in the sidebar shows your average stars to one decimal, how many ratings you have, and your Recent comments (Figure 5.4). Customers rate the delivery after an order is delivered and it is optional for them, so not every delivery is rated. Each comment shows the stars, the date and the comment text, never the customer's name.




Figure 5.4 — Delivery My rating: average stars, the number of ratings (with a note that customers see New partner until there are 5) and the recent comments.

Customers see your average on their order page only once you have 5 ratings; until then they see New partner, and while you have fewer than 5 ratings this page says so. With no ratings yet it reads “No ratings yet”. Administrators also see your average and rating count (section 6.4).

5.3 Notifications

The bell at the top of the delivery portal shows an unread count. When an order is assigned to you, a New delivery notification (“Order #... from <store> is assigned to you.”) appears in the Notifications page it opens. The page has Mark all read, Load more and a Notification settings card (section 7.2.3).

Chapter 6 — Admin Module

The admin portal gives platform staff full oversight of the marketplace: every order, every vendor/store, and every delivery partner, across all four portals, and lets them add new vendors and delivery partners. There is no admin self-signup — admin accounts exist only as seeded, pre-provisioned accounts, reflecting that granting admin access is an operational decision, not a public sign-up flow.




Figure 6.1 — Admin sign-in page.

6.1 Overview & Sidebar

After signing in, a left sidebar lists Overview, Orders, Vendors, Delivery Partners, Reviews, Coupons and Registrations (with a badge showing the number of pending registrations), followed by a My Profile section (name, email and a Reset password link) and Sign out. Each item opens its own page. The Overview page shows three summary tiles — Active orders, Vendors and Revenue (rejected and cancelled orders are not counted in revenue) — plus a Registrations awaiting approval tile that shows the pending count and opens the Registrations page.




Figure 6.1a — Admin Overview: the sidebar (Overview, Orders, Vendors, Delivery Partners) and the Active orders, Vendors and Revenue tiles.

6.2 Orders and Order Detail

The Orders page is a table of every order on the platform: the order number (a link), customer, store, a status pill, the amount, the delivery partner (a dash when none is assigned) and the time placed. A status filter at the top right narrows the table to one status. Selecting an order number opens the Order detail page, which shows the same full view the customer sees (deliver-to details, items with photos, totals, payment and timeline) plus the delivery partner. For an order that is Partner assigned or On the way, a Reassign control with a dropdown of currently-online delivery partners lets an admin move the order to a different partner — useful if the originally assigned partner goes offline or is unresponsive.

Orders All statuses						
Order	Customer	Store	Status	Amount	Partner	Placed
#7c90870c	Demo Customer	Dosa Corner	On the way	₹390.00	Partner B1	10/1/2026, 12:29:49 AM
#d2a941c8	Sample Customer	Dosa Corner	Delivered	₹390.00	Partner B1	9/30/2026, 11:01:01 PM
#d75ad597	Sample Customer	Dosa Corner	Delivered	₹390.00	Partner B1	9/30/2026, 10:52:14 PM
#254ab79c	Second Customer	Dosa Corner	Partner assigned	₹220.00	Partner B1	9/30/2026, 8:52:59 PM
#18fe002a	Test Customer With A Rather Long Name Indeed Surname	Dosa Corner	Delivered	₹160.00	Partner B1	9/30/2026, 8:52:36 PM
#98974198	Reject T9	Dosa Corner	Rejected	₹130.00	—	9/30/2026, 7:36:26 PM
#afed303f	Verify T9	Dosa Corner	Cancelled	₹130.00	—	9/30/2026, 7:32:25 PM
#c2f2d0cd	Board Test	Dosa Corner	Partner assigned	₹130.00	Partner B1	9/30/2026, 7:13:42 PM
#a30777de	Phone Test	Dosa Corner	Accepted	₹130.00	—	9/30/2026, 6:55:12 PM
#651ce7ce	Sample Customer	Juice Junction	Partner assigned	₹130.00	Demo Delivery Partner	9/30/2026, 5:50:31 PM
#da73504d	Demo Customer	Demo Kitchen	Partner assigned	₹400.00	Demo Delivery Partner	9/29/2026, 10:13:38 PM
#f3b41a7c	Sample Customer	Juice Junction	Delivered	₹230.00	Demo Delivery Partner	9/29/2026, 9:52:08 PM
#ebfdb1e8	Sample Customer	Green Bowl	Delivered	₹430.00	Demo Delivery Partner	9/29/2026, 9:48:47 PM
#33a5dd7c	Sample Customer	The Wine Cellar	Delivered	₹2880.00	Demo Delivery Partner	9/29/2026, 9:35:02 PM

Figure 6.2 — Admin Orders: every order with its number, customer, store, status, amount, delivery partner and placed time, plus a status filter.

Orders
Vendors
Delivery Partners

Pickup: Dosa Corner Location

Deliver to

Demo Customer

demo@example.com

+919000000001

Mumbai (default)

12 Demo Street

Mumbai, Maharashtra 400001

Items (3)



2× Masala Dosa
₹260.00



1× Idli Sambar
₹100.00

Subtotal
₹360.00

Delivery fee
₹30.00

Total
₹390.00

Payment
Paid · Cash on delivery

Timeline

Placed 10/1/2026, 12:29:49 AM

Accepted 10/1/2026, 12:30:58 AM

Picked up 10/1/2026, 12:32:03 AM

Delivery partner: Partner B1

Select partner...
Reassign

MY PROFILE
Demo Admin
admin@foodhub.local
Reset password
Sign out

Figure 6.2a — Admin Order detail (scrolled to the lower part of the page): the deliver-to card, items, totals and payment, the Timeline, the delivery partner and the Reassign control.

Step by step: reassigning a stuck delivery

1. Open Orders and select the order number (the order must be Partner assigned or On the way).

2. On the order detail page, open the Select partner dropdown, which lists every currently-online delivery partner.
3. Choose a different partner and select Reassign — the order updates immediately and the new partner sees it under their own Your active deliveries.

6.3 Vendors

The Vendors page lists every store on the platform — 77 in the current seed data, spanning all 11 marketplace categories — with its Active or Suspended status and a Suspend (or Unsuspend) action. Suspending a store immediately removes it from customer browsing without deleting any of its data; unsuspending brings it back. The Add vendor form takes a store name, owner name, email, a temporary password (minimum 6 characters; the admin shares it with the vendor, who can change it from their profile) and latitude/longitude; the new vendor is active immediately and can sign in at /vendor/login.

The screenshot shows the 'Admin Vendors' page. On the left is a dark blue sidebar with the 'Admin' header and a menu containing 'Overview', 'Orders', 'Vendors' (highlighted in orange), and 'Delivery Partners'. The main content area has a dark blue header with the title 'Vendors' and a 'Cancel' button. Below the header is the 'Add vendor' form, which includes input fields for 'Store name', 'Owner name', 'Email', 'Temporary password', 'Latitude' (pre-filled with 12.9716), and 'Longitude' (pre-filled with 77.5946). A note states: 'Share this with the vendor — they can change it from their profile'. A 'Create vendor' button is at the bottom of the form. Below the form is a table listing existing vendors.

Name	Status	Action
Demo Kitchen	Active	Suspend
Spice Route	Active	Suspend
Punjabi Dhaba	Active	Suspend
Dosa Corner	Active	Suspend
Golden Dragon	Active	Suspend
Wok This Way	Active	Suspend
Bella Italia	Active	Suspend
Pasta Palace	Active	Suspend
Burger Barn	Active	Suspend

Figure 6.3 — Admin Vendors: the Add vendor form above the list of every store with its status and a Suspend action.

6.4 Delivery Partners

The Delivery Partners page lists every delivery partner account with its current status (Online or Offline) and vehicle, giving admin staff visibility into how many partners are actively available at any given moment. The Add delivery partner form takes a full name, email, temporary password (minimum 6 characters, shared by the admin with the partner) and vehicle; the new partner can sign in at /delivery/login.

Admin

- Overview
- Orders
- Vendors
- Delivery Partners**

Delivery partners Cancel

Full name Email

Temporary password Vehicle

Share this with the delivery partner — they can change it from their profile

Create delivery partner

Name	Status	Vehicle
Partner B1	Online	bike
Admin Partner B	Offline	bike
Demo Delivery Partner	Online	bike
Review Rider	Offline	bike

MY PROFILE
Demo Admin
 admin@foodhub.local
[Reset password](#)
[Sign out](#)

Figure 6.4 — Admin Delivery Partners: the Add delivery partner form above the list of partners with their status and vehicle.

Rating column: each partner's average stars and number of ratings, for example ★ 2.4 (5), or No ratings when none have been given. A red Low score badge appears when the partner has at least 5 ratings and the average is below 3.0.

Admin

- Overview
- Orders
- Vendors
- Delivery Partners**
- Reviews

Delivery partners Add delivery partner

Name	Status	Vehicle	Rating
Admin Partner B	Offline	bike	No ratings
Demo Delivery Partner	Online	bike	★ 5.0 (1)
Ravi Kumar	Offline	bike	★ 2.4 (5) Low score
Review Rider	Offline	bike	No ratings
Partner B1	Offline	bike	No ratings

Figure 6.4a — Admin Delivery Partners with the Rating column: a partner with 5 ratings averaging 2.4 carries the Low score badge.

6.5 Automatic Order Acceptance (Demo Mode)

The Overview page has a checkbox, Automatic order acceptance (demo mode), for showing the whole order journey from start to finish with nobody clicking. When it is ticked, every paid order moves by itself: Accepted, Preparing, Ready, then Partner assigned (the nearest online delivery partner, exactly as before), then Picked up, each step about 3 seconds after the last. The customer's normal courier animation then delivers the order. Vendors do not have to accept, prepare or mark anything ready, and delivery partners do not have to press Mark picked up. It works for orders placed on the website and in the phone app.

Overview

☒ **Automatic order acceptance (demo mode)**
 When on, every paid order is accepted, prepared, marked ready and picked up by itself, 3 seconds apart. Vendors and delivery partners do nothing. Needs n8n running.

Figure 6.5a — Admin Overview with Automatic order acceptance (demo mode) ticked: new paid orders now run by themselves.



Figure 6.5b — The same card with the box cleared, which is the default: vendors and delivery partners handle every step by hand.

Step by step: running a hands-free demo

1. Make sure Docker, the app and n8n are running, that the n8n workflow 09 (Auto Order Flow) is published, and that at least one delivery partner is online.
2. Sign in as admin, open Overview and tick Automatic order acceptance (demo mode). If a message says n8n did not respond, the setting is saved but open orders were not started; check that n8n is running.
3. Place an order as a customer. On the order page the tracker moves about every 3 seconds up to On the way, and the courier animation then delivers it.
4. Clear the checkbox to go back to manual handling. Orders that are already in progress stay where they are.

Good to know: ticking the box also starts every order that is already open (placed and paid, accepted, preparing, ready or assigned). If no delivery partner is online, an order waits at Ready until one is assigned and is then picked up 3 seconds later. If a vendor or partner does a step by hand first, or a payment fails, the automatic step simply skips that order. The setting is stored in the database (table app_settings) and is off by default.

6.6 Reviews (Moderation)

Reviews in the admin sidebar is where customer reviews are moderated (Figure 6.6a). Three tabs filter the list: Reported (the default), which holds reviews that a customer or a store has reported, with the reason and who reported it; Hidden; and All. Each card shows the store, the customer's name, the stars, the date and time, the comment, any photo, the dish ratings with their comments, the delivery rating and comment, the store's reply, and the report reason.




Figure 6.6a — Admin Reviews, Reported tab: a reported review with its report reason, the required Reason for hiding box, Hide and Dismiss report.

- Hide - type a reason (required, up to 300 characters) and select Hide. The review disappears from the store page and stops counting toward the store's average, review count and breakdown, its dishes' averages and the partner's rating; its photo is no longer shown; the customer's order page says it is hidden, and the store sees only a dated note. Hiding a review also clears its report.
- Unhide - on the Hidden tab, select Unhide to bring a review back; it counts again.

- Dismiss report - on a reported review that you decide to keep, select Dismiss report. The review stays visible.

6.7 Coupons

Coupons in the admin sidebar lists every coupon, platform-wide and store, with columns Code, Scope (Platform or the store's name), Offer, Status, Used, Discount given and Validity and limits. Select New coupon to create one: leave the store set to Platform-wide for a code that works at every store, or pick a store. The form is the same as the vendor's (section 4.6) except that admin coupons have no 50% or ₹500 cap, only the schema limits of at most 100% and never more than the order subtotal. Pause or Resume switches a code off or on; the code, type and value cannot be edited after creation. The admin portal has no notification inbox.

6.8 Registrations (Approval)

Registrations in the admin sidebar is where new customer sign-ups are approved. A badge beside the item shows how many are waiting, and the same number appears on the Overview page. Two tabs filter the table: Pending (the default) lists registrations waiting for a decision, with Name, Email, Phone, Address and when it was requested; History lists decided registrations with the decision, its date and, for a rejection, the reason.

Approve - select Approve on a pending row. The customer can log in from then on and is emailed an approval message with a Log in button.

Reject - select Reject, type a reason in the dialog (required, up to 500 characters) and confirm. The reason is emailed to the applicant, who cannot log in but may register again. If another admin has already decided the same registration, the decision is refused and nothing changes.

Whenever someone registers, the admin accounts are also emailed with the subject “New registration awaiting approval”.

Chapter 7 — Cross-Cutting Features

7.1 Money & Pricing Precision

Every part of the platform that touches a price — menu item prices, cart subtotals, delivery fees, order totals — is computed using integer arithmetic in the smallest currency unit (paise, 1/100 of a rupee), never plain floating-point multiplication in JavaScript. This matters because floating-point money math can silently introduce rounding errors (for example, $0.1 + 0.2$ not equalling exactly 0.3 in IEEE-754 arithmetic); Postgres's own numeric CHECK constraints on the orders table (including a constraint that a stored total must exactly equal its subtotal plus delivery fee, minus any promo discount and wallet credit used) would reject such an error outright once real, non-round decimal prices are used, rather than the kind of whole-number seed prices that could otherwise mask the bug.

7.2 Notifications & the n8n Automation Layer

A set of n8n workflows automate cross-portal side effects that would otherwise require polling: resolving a mock payment shortly after an order is placed, notifying a vendor of a new order, emailing the customer when an order is accepted and when it is delivered, emailing the admin about each new customer registration and the customer about its approval or rejection (workflow 11), and similar events. n8n calls back into the Next.js application through a small family of `/api/internal/*` routes, authenticated with a shared secret header (X-Internal-Secret) rather than a normal user session, since these calls originate from an automation server rather than a logged-in browser. If no n8n instance is reachable, every one of these flows still completes correctly through an in-process fallback inside the relevant API route — n8n makes the demo faster, not functionally required.

7.2.1 The 5 Workflows and What Triggers Each

All 5 workflows are triggered by a Postgres Database Webhook (via the `n8n_notify()` trigger function on the orders/payments tables) firing an HTTP POST to n8n on a row INSERT or UPDATE OF status — none of the 5 is interval- or cron-based. Supabase fires the webhook on every row event for the table it is attached to; each workflow's own IF/Filter node is what narrows execution down to the specific status value(s) it cares about.

01 — Order Placed

Trigger: payments UPDATE OF status = 'success'

Calls POST `/api/internal/orders/[id]/notify-vendor`, which writes a row to public.notifications for the vendor. This now fires only once a payment actually succeeds, not at the moment the order is placed — earlier versions notified the vendor immediately on order placement, which could notify a vendor of an order whose payment then failed and was cancelled a moment later.

02 — Payment Mock Confirmation

Trigger: payments INSERT (status='pending')

Calls back into the app to resolve the mock payment to success/failed via `applyPaymentResult()`. The checkout route itself polls for up to ~10s and falls back to resolving the payment in-process if n8n does not answer in time, so checkout behaves identically either way.

03 — Restaurant Accepts / Status Change

Trigger: orders UPDATE OF status (accepted/preparing/ready)

Writes a placeholder notification row on every filtered transition; on accepted specifically, a second branch also emails the customer via a Gmail node. The email goes to the address entered at checkout (requires a connected Gmail OAuth2 credential — without one this branch fails at the Gmail node only, which does not block the order).

04 — Delivery Partner Assignment

Trigger: orders UPDATE OF status = ready

Looks up the store's lat/lng, requests nearest-first candidate delivery partners, and assigns the closest online partner automatically if any are online.

05 — Delivery Status Propagation

Trigger: orders UPDATE OF status (picked_up/delivered)

Propagates delivery-side status changes to any downstream notification/logging the workflow defines. On delivered it also sends the delivered email via a Gmail node to the address entered at checkout: the subject is "Your order from <store> has been delivered", and the body thanks the customer, lists the items (with photos, quantities and options), the subtotal, delivery fee and total, and the name, phone and address it was delivered to. On picked up it also starts a 20-second fallback: if the customer's own order page has not completed the delivery by then, the workflow completes it, so the delivered email is sent exactly once either way. About one hour after delivery it also asks for a review: after a one-hour wait the app checks that the order is delivered, has no review yet and has a checkout email, and if so a Gmail node sends "How was your order from <store>?" with a Rate your order button to the order page.

09 – Auto Order Flow (demo mode)

Trigger: payments INSERT/UPDATE OF status and orders UPDATE OF status (webhook foodhub/auto-order-step), plus foodhub/auto-order-sweep when the Admin ticks the box

Does nothing unless Automatic order acceptance is ticked. After a payment succeeds or an order reaches Accepted, Preparing or Assigned it waits about 2 seconds and calls the app's auto-step route, which re-checks the setting and the order's current status and then moves the order one step (Placed to Accepted to Preparing to Ready; Assigned to Picked up). Ready orders are assigned by workflow 04 as usual. The sweep webhook starts every open order once when the box is ticked.

7.2.2 Live Verification — 2026-09-28 and 2026-09-30

The local stack (self-hosted Supabase via Docker, the n8n container with N8N_INTERNAL_SECRET/APP_BASE_URL/SUPABASE_URL all set to host.docker.internal per docs/n8n-webhook-setup.md, and the Next.js dev server) was started fresh and a real order was placed end-to-end through the running customer app (test account customer@foodhub.local) to observe actual behaviour, not just configuration. Findings, checked directly against Postgres rather than assumed from n8n's execution log:

- Workflow 01 (Order Placed): confirmed firing. The order was placed at 00:13:42 UTC and a matching row appeared in public.notifications at 00:13:44.98 — about 2.6 seconds later, consistent with a live webhook round trip rather than the app's own code creating that row synchronously.
- Workflow 02 (Payment Mock Confirmation): confirmed firing. The order's payment moved from pending to success at 00:13:46.78 — about 4.4 seconds after checkout, well inside the ~10-second in-process fallback window documented in section 7.2 and Appendix A, so this resolution was n8n's, not the fallback's.
- Workflow 03 (Restaurant Accepts): the seeded vendor account (daily-basket@foodhub.local) advanced the same order through accepted → preparing → ready via /vendor/orders in this session, which is the real trigger for workflow 03's filtered UPDATE OF status. The Gmail-send branch was not separately confirmed (no Gmail credential is configured in this local n8n instance, matching the known gap in section 4 of docs/n8n-webhook-setup.md), so this document did not claim that branch fired at the time (confirmed later, see 2026-09-30 below) — only that the accepted/preparing/ready transitions themselves, which are what the workflow listens for, occurred live.
- Workflow 04 (Delivery Partner Assignment): NOT observed to auto-assign in this test. With the order at status=ready and a delivery partner already online (delivery@foodhub.local), the order appeared under that partner's "Available orders" list for manual self-accept rather than being auto-assigned by the

workflow — `orders.delivery_partner_id` remained null until the partner accepted it by hand through `/delivery/dashboard`. This manual is deliberately not claiming workflow 04 fired successfully; it may not be active in this local n8n instance, or its assignment call may not have succeeded silently. Either way, the manual accept path (section 5.1) worked correctly as the primary, always-available assignment mechanism, exactly as designed — workflow 04 is additive automation on top of it, not a replacement for it.

- Workflow 05 (Delivery Status Propagation): not separately exercised in this pass (the test order was left at the accepted/assigned stage); see `docs/n8n-webhook-setup.md` section 5 for its documented test procedure; the delivered email it sends was verified live on 2026-09-30, see below.

Net conclusion: this local instance's checkout-critical automation (workflows 01 and 02) is live, active, and measurably faster than its own documented fallback — not merely configured on paper. Workflow 04's auto-assignment did not visibly act in this run, so treat the delivery partner's manual Accept as the mechanism to rely on and workflow 04 as an unconfirmed bonus in this environment rather than a guaranteed path.

2026-09-30 follow-up: the order-accepted email (workflow 03) and the delivered email (workflow 05) were verified live against the same local stack. An order was placed with a checkout email address, accepted by the vendor, then moved through picked up to delivered by a delivery partner. Both emails arrived at the checkout email address (not the account address), and the delivered email carried the subject "Your order from <store> has been delivered", the thank-you sentence, the item rows with photos, quantities and options, the subtotal, delivery fee and total, and the delivered-to name, phone and address. The Gmail branch noted as unconfirmed above is therefore now confirmed for both emails. (That test predates version 3.1, when partners still marked orders delivered; delivery is now completed from the customer's order page or by the 20-second fallback.)

7.2.3 In-App Notifications and Push (version 3.13)

Besides the n8n emails, customers, stores and delivery partners have an in-app notification inbox. It is filled by database triggers, so no code path can forget to notify: customers get an update for every order status change plus wallet events (referral reward, welcome bonus, refunded credit); a store gets a New order notification; a delivery partner gets a New delivery notification when an order is assigned. Admins have no inbox.

- The bell — shown in the customer header and in the vendor and delivery portals. Its unread badge refreshes about every 30 seconds and shows 99+ above 99. Customers can also open Notifications from the account menu.
- The Notifications page — newest first; unread items are marked, a Mark all read button clears them, and Load more shows older ones. Opening the page marks what it shows as read.
- Notification settings — switches for Order updates, Wallet updates, Promotions and Push notifications. A category switched off stops new notifications of that kind; Push notifications switches off push only. SMS and WhatsApp switches are shown but disabled, marked "Not available yet". Emails are not controlled here: they remain automatic.

Push is sent only to the phone app (see the Mobile App User Manual). The inbox row triggers an n8n workflow (workflow 10, webhook foodhub/notify-dispatch) that asks the app to deliver the push; if n8n is not running the inbox still works and push waits. SMS and WhatsApp are built but off by default and need provider credentials, so they are not available in this local build.

Not illustrated in this version: the bell, the Notifications page and its settings are described in text only.

7.3 Payment Methods

Three payment methods are available at checkout, described in full in section 3.4: Mock Card and Mock UPI (each with method-specific required fields, and each resolving to success or failure with roughly an 80% success rate to simulate a real gateway), and Cash on Delivery (no extra fields, always succeeds). All three are simulated

— no real payment processor is integrated, appropriate for a local development and demonstration environment.

7.4 Categories & the Marketplace Taxonomy

The platform's category system (11 categories: Restaurants plus the 10 non-restaurant categories listed throughout this manual) and cuisine taxonomy (Indian, Chinese, Italian, Mexican, and more) are both enforced as fixed, predefined lists at the database level, not just in the UI — a database trigger rejects any cuisine tag or category value outside the recognised set. This keeps every filter, chip, and carousel on the customer home page working against a known, closed set of values rather than free-text tags that could drift or typo over time.

Chapter 8 — Ask Zippy

8.1 What Ask Zippy Is

Ask Zippy is the platform's built-in help assistant. You type a question in plain words and Zippy answers it in a chat panel, without you having to leave the page or search the manual. It is available to registered people who are signed in. A visitor who is not signed in sees a notice instead of a chat window (section 8.2).

8.2 Finding and Opening Zippy

On the website, an Ask Zippy button floats at the bottom-right corner of every page of every portal, including the login pages. On pages that show the basket, the button sits beside the basket so it never covers it. Select the button to open the chat panel and select the × in its header to close it. If you are not signed in, selecting the button opens a notice instead of the chat panel: “I am sorry I cannot respond to you till you register and log in. This is necessary to ensure that only validated people are allowed to use the Application & Chat.” Select Close to dismiss it, or Register or log in to go to the customer sign-in page. The same notice appears if your session has expired while you were chatting.




Figure 8.1 — The Ask Zippy button at the bottom-right of the Customer home page.

8.3 Asking a Question

A new chat opens with a short welcome message and three suggested questions: how to place an order, how to track an order and how to cancel an order. Select one, or type your own question in the box at the bottom and press Enter or Send. The answer appears word by word as Zippy writes it and ends with a short note naming the guide it came from.




Figure 8.2 — Zippy answering "Can I cancel an order?" from the platform's ordering guide.

8.4 Asking about stores and menus

Zippy can answer questions about stores and dishes using their current details. Examples: "Is Dosa Corner open right now?", "What does the Cheese Dosa cost?", "Which stores have free delivery?", "What options does the Cheese Dosa have?"

- Prices, delivery fees and open or closed status are looked up when you ask and can change at any time, so check them again in the cart and at checkout before you pay.
- When Zippy needs to look up store details, a short lead-in line may appear and then disappear before the real answer starts appearing word by word, so a store question can still take a few seconds to begin. Any card appears when the answer has finished. If you start a new chat, open History or sign out while an answer is still being written, it stops and is not saved; closing the chat panel lets it finish.
- "Nearest" questions, such as "Which three stores are closest to me?", use the delivery location you have chosen on the website, or the default location if you have not chosen one. The location is used only to answer that question and is not saved with your chat.
- Zippy can also look up your own orders when you are signed in as a customer and ask about them: the status, what was in the order, the totals, the payment, and the delivery details on it. Example: "Where is my order?" It cannot see anyone else's orders, and it cannot place, change, cancel or pay for an order. Order details are used only to answer the question you asked.
- When you are signed in as a customer, Zippy can also change your cart for you. Ask, for example, "Add two Cheese Dosas to my cart", "Order what I had last time", "Make the Cheese Dosa three", "Remove the lassi" or "Empty my cart". Zippy does not change the cart by itself: it shows a card describing the change, and nothing happens until you tap Confirm. Tap Dismiss to ignore the card. Each card can be confirmed once.
- Adding from a different store than the one already in your cart replaces the cart when you confirm, and the card says so beforehand, for example "Confirming replaces the 3 items from Dosa Corner in your

cart." Closed or suspended stores and unavailable dishes are refused; when you ask to repeat a past order, unavailable dishes are skipped and listed. Quantities are 1 to 20, a reply shows at most 3 cards, and for a dish with a required choice (such as a size) Zippy asks which option you want before showing the card.




Figure 8.3 — Ask Zippy proposing a cart change: the Add to cart card shows what will be added and its price, with Confirm and Dismiss. Nothing changes in your cart until you tap Confirm.

- Zippy does not place, pay for or cancel orders. (Order notes are covered below.) After confirming a change you still review the cart and check out yourself (or ask Zippy for the Go to checkout card, below). Cart changes are available only to signed-in customers; stores, delivery partners and admins get none. On the website, the Confirm button works on the customer pages; elsewhere the card shows a link to the customer area, where you can ask again.
- Checkout from chat: when you are signed in as a customer, ask Zippy to check out, for example "Check out for me" or "Take me to checkout", and it shows a Go to checkout card. Tap it once and the chat closes and the Checkout page opens for your current cart. Zippy refuses, with no card, if your cart is empty, the store is closed or suspended, or a dish is unavailable. You enter your own name, contact details and delivery address and pay on the Checkout page; Zippy never places or pays for an order and never asks for those details or card numbers. If your cart changed to a different store after the card was shown, the card says "Your cart changed, ask me again." The Go to checkout card works on any page of the website for a signed-in customer.
- Order note from chat: when you are signed in as a customer and your cart is not empty, ask Zippy to add, change or remove a note for the store, for example "No onions please". Zippy shows a card with the exact note and nothing changes until you tap Confirm. The note is the order's delivery note, so the store and the delivery partner can read it. It can be at most 500 characters; a longer note is refused, not cut, so shorten it and ask again. Double quotes in the note are saved as single quotes, and Zippy uses only your own words. If your cart changed after the card appeared, the tap says "Your cart changed, ask me again."

8.5 Chats, History and New Chat

Select New chat in the panel header to start a fresh conversation. When you are signed in, your chats are saved and a History button appears beside New chat: select it to see your earlier chats and pick one to continue, then select Chat to go back. Because history belongs to your account, a chat you started on the website can be continued in the mobile app.

8.6 What it can and cannot do

Zippy answers how-to questions about using Fresh & Quick, such as placing an order, tracking it, what each order status means, payments, and managing your account. It answers from the platform's own guides and says which guide the answer came from. Zippy is role-aware: a customer is shown customer guides, and a vendor, delivery partner or admin is shown the guides for their own portal.

Zippy can look up stores, dishes, prices, options and whether a store is open, using their current details (see the section on asking about stores and menus). When you are signed in as a customer it can also look up your own orders, and it cannot see anyone else's. It cannot place, change, cancel or pay for an order. The only thing it can change is your cart, and only after you tap Confirm on a card, and it can open the Checkout page for you with a Go to checkout card (see section 8.4). If the guides do not cover a question, Zippy says so instead of guessing.

8.7 Limits, privacy and support

- Each question can be up to 1,000 characters.
- By default, signed-in users can send up to 10 questions per minute and 60 per day (the site owner can change these). If you go over, Zippy tells you how many seconds to wait, or to try again tomorrow; if Zippy is busy for everyone, it asks you to try again in a few minutes.
- Your questions are sent to Anthropic (Claude) and OpenAI to produce the answer. Do not type passwords or card numbers into the chat. When a question needs your order details, those details are sent too.
- Under the platform's policy, saved Zippy chats with no activity for 30 days are deleted by a nightly cleanup. Orders are kept, and may be deleted on request. To have your orders deleted, or for a problem Zippy cannot solve, contact support at vishalshah1973@gmail.com or +919820020000.

Appendix A — Technical Architecture & Stack

A.1 Technology Stack

Layer	Technology
Frontend framework	Next.js (App Router, TypeScript) + Tailwind CSS
Backend	Next.js API routes (server-side), running in the same codebase as the frontend
Database	Postgres, via self-hosted Supabase (Docker) — no cloud/hosted Supabase project
Auth	Supabase Auth (email/password), one role column driving portal redirect
Storage	Supabase Storage (self-hosted)
Realtime / polling	Supabase Realtime plus client-side polling for order status and available-order lists
Automation	n8n (self-hosted, Docker), calling back via internal API routes
Row security	Postgres Row-Level Security (RLS) policies, scoped per role and per table

A.2 Why Self-Hosted, Local-Only

A deliberate project decision (documented from the platform's earliest design phase) keeps every backing service — Postgres, Auth, Storage, and the n8n automation layer — running in local Docker containers rather than any hosted cloud service. This keeps the running cost at zero and keeps the entire stack reproducible on a single developer machine, at the cost of features that would need a real cloud deployment (e.g. a public webhook endpoint reachable from outside the local machine).

A.3 Security Model

- The Supabase "service role" key — which bypasses all row-level security — is only ever imported in server-side files explicitly guarded by the server-only package, so it can never end up in a browser-shipped JavaScript bundle.
- Any API route that creates data on a customer's behalf derives that customer's identity from a verified session token (checked server-side against Supabase Auth), never from a client-supplied ID in the request body.
- Checkout runs through a single Postgres function (a "security definer" RPC) so that an order's four related inserts — the order row, its line items, and its payment record — happen atomically; that function is granted only to the service role, so a customer's own browser session cannot call it directly and bypass the checkout route's own validation.
- Row-level security write policies exist only on tables a browser client is genuinely meant to write to directly; every other table is written exclusively through service-role-backed API routes, closing off a class of bug where a leftover "just in case" RLS write policy becomes a live bypass of an API route's own validation.

A.4 Architecture Diagram




Figure A.1 — System architecture (repeated from Chapter 1 for reference).

Appendix B — Database Schema Reference

The tables below summarise the platform's core Postgres schema. Every table has Row-Level Security enabled; most read access is public or authenticated-only, while all sensitive writes route through service-role-backed API routes rather than direct client writes.

B.1 users

Extends Supabase's own `auth.users` table with an application profile: a role (customer, vendor, delivery, or admin — this single column drives which portal a signed-in user is redirected to), full name, phone, avatar URL and, for customers, an approval status (pending, approved or rejected) with the admin's rejection reason.

B.2 addresses

A saved delivery address for a user: a label, a structured street address (line1, an optional line2, city, state, and pincode), and a latitude/longitude pair captured from the manual location-entry stub.

B.3 stores

Represents any store on the platform, not only food restaurants — the same table backs every one of the 11 marketplace categories. Key columns: owner (the vendor's user id), name, an array of cuisine/category tags, a location (address reference plus lat/long), an open/closed flag, average prep time in minutes, a rating (the average of its visible reviews, or its starting rating until the first review), review totals (rating_sum and rating_count), and a banner image URL.

B.4 products

An item in a store's catalog: name, description, price (checked non-negative at the database level), category, a veg/non-veg flag, an availability flag, and an image URL. Belongs to exactly one restaurant/store row.

B.5 orders

The central transactional record: customer, restaurant/store, an optional assigned delivery partner, a delivery address, a recipient phone number, and a status that moves forward through a fixed chain — placed, accepted, preparing, ready, assigned, picked_up, delivered, or rejected/cancelled at any point. Subtotal, delivery fee, and total are each checked non-negative, and a database constraint requires total to exactly equal subtotal plus delivery fee minus discount minus credit_used, closing off an entire class of pricing bug at the data layer. Version 3.0 added recipient_phone (text, required; older orders hold the literal "Not provided") and three nullable timestamps, accepted_at, picked_up_at and delivered_at, that a database trigger stamps when the status changes. From version 3.1 only the customer's order page (or the n8n 20-second fallback) moves an order from picked_up to delivered; a delivery partner can no longer set delivered. Version 3.13 added discount and credit_used (rupees, like the other money columns) and coupon_code, which record the promo discount, the wallet credit spent and the code used.

B.6 order_items

One row per line item within an order: which menu item, what quantity (must be positive), and the unit price actually charged at the time of the order (stored independently of the menu item's current price, so a later price change never rewrites the price on a historical order).

B.7 delivery_partners

One row per delivery-partner user: online/offline flag, current latitude/longitude and the timestamp of the last location ping, and vehicle type. This is the table the delivery dashboard's Online toggle and location-ping feature read from and write to. It also keeps the partner's rating totals (rating_sum and rating_count) from customers' delivery ratings.

B.8 payments

One row per order's payment attempt: method (mock_card, mock_upi, or mock_cod), status (pending, success, or failed), amount, a mock reference string standing in for a real payment gateway's transaction id, and a paid-at timestamp.

B.9 reviews

A post-delivery review: which order, which customer, which store, a 1–5 star rating and an optional comment (up to 1,000 characters). Each order can have one review, and only once it is delivered. It also holds an optional photo (served by the app only while the review is visible), a status (visible or hidden, with the administrator's reason), the store's one reply, and the report reason if it has been reported. The companion tables review_dishes and review_partner hold the optional dish ratings and the delivery rating. Database triggers keep running totals (rating_sum and rating_count) on stores, products and delivery_partners up to date, leaving hidden reviews out.

B.10 Coupons, Wallet and Notification Tables

Version 3.13 added seven tables, all with Row-Level Security on and no client policies (reached only through service-role API routes). coupons holds the code, type (percent or fixed), value, optional maximum discount, minimum order, validity dates, total and per-customer limits, a first-order-only flag, an active flag and an optional store (empty means platform-wide). coupon_redemptions records each use against an order and is released when the order is cancelled or rejected. wallet_ledger is an append-only list of signed credit amounts (referral reward, welcome bonus, spend, refund, adjustment); the balance is their sum. referrals links a referrer to a referred customer and whether the reward was paid, and users gained a unique referral_code. user_notifications is the inbox (category, title, body, order, read flag); notification_preferences holds each user's switches; device_tokens stores the phone push tokens.

B.11 Schema Summary Table

Table	Purpose	Key columns
users	App profile layered on Supabase Auth	role, full_name, phone
addresses	Saved delivery addresses	line1, line2, city, state, pincode, lat, lng, is_default
stores	Any store (all 11 categories)	name, cuisine_tags[], is_open, rating, rating_sum, rating_count
products	Catalog items for a store	name, price, category, is_available
orders	Central order record	status, subtotal, delivery_fee, discount,

Table	Purpose	Key columns
		credit_used, coupon_code, total, recipient_phone, accepted_at, picked_up_at, delivered_at
order_items	Order line items	menu_item_id, quantity, unit_price
delivery_partners	Partner online status & location	is_online, current_lat, current_lng, rating_sum, rating_count
payments	Payment attempts per order	method, status, amount
reviews	Post-delivery reviews (with review_dishes and review_partner)	rating, comment, photo_path, status, vendor_reply
coupons	Promo codes (platform or store)	code, kind, value, store_id, limits, is_active
coupon_redemptions	One row per code use	coupon_id, customer_id, order_id, discount_paise, status
wallet_ledger	Append-only wallet credit ledger	customer_id, amount_paise, kind, order_id
referrals	Referrer and referred customer	referrer_id, referred_id, status
user_notifications	In-app notification inbox	user_id, category, title, body, read_at, order_id
notification_preferences	Per-user notification switches	order_updates, wallet_updates, promotions, push, sms, whatsapp
device_tokens	Phone push tokens	user_id, token, platform

Appendix C — Seeded Test Accounts

Re-running `npx supabase db reset` restores exactly these 80 accounts with exactly these passwords every time, making the environment fully reproducible for testing or demonstration. All passwords below are dummy, development-only credentials, seeded locally, and are never used outside a local Supabase instance.

C.1 Core Accounts (one per role)

Role	Login page	Email	Password
Admin	/admin/login	admin@foodhub.local	admin-demo-password
Customer	/customer/login	customer@foodhub.local	demo1234
Delivery Partner	/delivery/login	delivery@foodhub.local	demo1234
Vendor (Demo Kitchen)	/vendor/login	vendor.demo@foodhub.local	demo1234

A second delivery partner is not part of the seed data: create one at /delivery/login ("New partner? Sign up") or have an admin add one from Admin → Delivery Partners. With more than one partner Online, workflow 04 auto-assigns a ready order to one of them; with none Online it appears under Available orders for any Online partner to accept. Vendor, delivery-partner and admin accounts that an admin creates from the Admin portal are likewise not part of the seed data.

C.2 Restaurant Vendor Accounts

All 16 restaurants share the password demo1234; sign in at /vendor/login with any of these to manage that restaurant's menu and orders.

Restaurant	Email	Cuisine
Spice Route	spice-route@foodhub.local	indian
Punjabi Dhaba	punjabi-dhaba@foodhub.local	north_indian
Dosa Corner	dosa-corner@foodhub.local	south_indian
Golden Dragon	golden-dragon@foodhub.local	chinese
Wok This Way	wok-this-way@foodhub.local	chinese
Bella Italia	bella-italia@foodhub.local	italian
Pasta Palace	pasta-palace@foodhub.local	italian
Burger Barn	burger-barn@foodhub.local	fast_food
Sweet Tooth	sweet-tooth@foodhub.local	desserts
Juice Junction	juice-junction@foodhub.local	beverages
Taco Fiesta	taco-fiesta@foodhub.local	mexican
El Sombrero	el-sombrero@foodhub.local	mexican
Bangkok Bites	bangkok-bites@foodhub.local	thai

Restaurant	Email	Cuisine
The Bread Basket	the-bread-basket@foodhub.local	bakery
Green Bowl	green-bowl@foodhub.local	healthy
Fresh Fit	fresh-fit@foodhub.local	healthy

C.3 Non-Restaurant Marketplace Vendor Accounts

Six stores per category (all sharing the password demo1234), grouped below by category. Sign in at /vendor/login.

C.3.1 Grocery

Store	Email	Category
Daily Basket	daily-basket@foodhub.local	Grocery
Fresh Mart	fresh-mart@foodhub.local	Grocery
Green Grocer	green-grocer@foodhub.local	Grocery
Harvest Greens	harvest-greens@foodhub.local	Grocery
Metro Grocery	metro-grocery@foodhub.local	Grocery
Pantry Post	pantry-post@foodhub.local	Grocery

C.3.2 Convenience

Store	Email	Category
24/7 Shop	247-shop@foodhub.local	Convenience
24Seven Store	24seven-store@foodhub.local	Convenience
Corner Store	corner-store@foodhub.local	Convenience
QuickBite Mart	quickbite-mart@foodhub.local	Convenience
Metro Mart Express	metro-mart-express@foodhub.local	Convenience
QuickStop	quickstop@foodhub.local	Convenience

C.3.3 Alcohol

Store	Email	Category
Barrel & Bottle	barrel-and-bottle@foodhub.local	Alcohol
Craft Beer Co.	craft-beer-co@foodhub.local	Alcohol
Spirits & More	spirits-and-more@foodhub.local	Alcohol
The Bottle Shop	the-bottle-shop@foodhub.local	Alcohol
The Liquor Loft	the-liquor-loft@foodhub.local	Alcohol

Store	Email	Category
The Wine Cellar	wine-cellar@foodhub.local	Alcohol

C.3.4 Health

Store	Email	Category
Care & Cure	care-and-cure@foodhub.local	Health
HealthFirst Pharmacy	healthfirst-pharmacy@foodhub.local	Health
MedPlus Pharmacy	medplus-pharmacy@foodhub.local	Health
Nature Cure Clinic	nature-cure-clinic@foodhub.local	Health
Vitamin Shop	vitamin-shop@foodhub.local	Health
WellnessRx	wellness-rx@foodhub.local	Health

C.3.5 Retail

Store	Email	Category
Fashion Hub	fashion-hub@foodhub.local	Retail
Home Essentials	home-essentials@foodhub.local	Retail
Style Bazaar	style-bazaar@foodhub.local	Retail
Trend Corner	trend-corner@foodhub.local	Retail
Urban Living	urban-living@foodhub.local	Retail
Urban Nest	urban-nest@foodhub.local	Retail

C.3.6 Pet

Store	Email	Category
Furry Friends Mart	furry-friends-mart@foodhub.local	Pet
Happy Paws Supply	happy-paws-supply@foodhub.local	Pet
Paws & Claws	paws-claws@foodhub.local	Pet
The Pet Corner	pet-corner@foodhub.local	Pet
Wagging Tails	wagging-tails@foodhub.local	Pet
Whiskers & Wags	whiskers-wags@foodhub.local	Pet

C.3.7 Flowers

Store	Email	Category
Bloom & Blossom	bloom-blossom@foodhub.local	Flowers

Store	Email	Category
Bloom Street	bloom-street@foodhub.local	Flowers
Fresh Petals Co.	fresh-petals-co@foodhub.local	Flowers
Petal Bloom	petal-bloom@foodhub.local	Flowers
Petal & Vine	petal-and-vine@foodhub.local	Flowers
The Flower Basket	flower-basket@foodhub.local	Flowers

C.3.8 Baby

Store	Email	Category
BabyCare Hub	babycare-hub@foodhub.local	Baby
Cuddle & Co.	cuddle-co@foodhub.local	Baby
Little Nest Baby	little-nest-baby@foodhub.local	Baby
Little Steps	little-steps@foodhub.local	Baby
Tiny Tots Store	tiny-tots-store@foodhub.local	Baby
Tiny Treasures	tiny-treasures@foodhub.local	Baby

C.3.9 Personal Care

Store	Email	Category
Beauty Bar	beauty-bar@foodhub.local	Personal Care
Glow Beauty	glow-beauty@foodhub.local	Personal Care
Grooming Co.	grooming-co@foodhub.local	Personal Care
Pure Skin	pure-skin@foodhub.local	Personal Care
Radiant Skin Lab	radiant-skin-lab@foodhub.local	Personal Care
Shine & Glow	shine-and-glow@foodhub.local	Personal Care

C.3.10 Electronics

Store	Email	Category
ByteWorks	byteworks@foodhub.local	Electronics
CircuitPoint	circuitpoint@foodhub.local	Electronics
Digital Hub	digital-hub@foodhub.local	Electronics
Gadget World	gadget-world@foodhub.local	Electronics
Circuit City Store	circuit-city-store@foodhub.local	Electronics
TechZone	techzone@foodhub.local	Electronics

Appendix D — Glossary of Terms

Term	Meaning
Portal	One of the four role-specific areas of the site: Customer, Vendor, Delivery, Admin.
Vendor	A seller account managing exactly one store — a restaurant or any other marketplace category store.
Store / Restaurant row	The database and UI term for any seller's catalog, whether food or non-food.
RLS (Row-Level Security)	A Postgres feature restricting which rows a given database role may read or write, enforced at the database itself rather than only in application code.
Service role	A privileged Supabase key that bypasses RLS, used only in server-side API routes, never exposed to the browser.
RPC (Remote Procedure Call)	A named Postgres function called directly (here, the checkout function that atomically creates an order).
n8n	A self-hosted workflow-automation tool used here to resolve payments and send cross-portal notifications after key events.
Mock payment	A simulated (non-real) payment method — Mock Card, Mock UPI, or Cash on Delivery — used since no real payment gateway is integrated.
Available order	An order that has reached Ready status and has no delivery partner assigned yet, visible to online delivery partners to accept.
Seed data	The fixed set of demo accounts, stores, and menu items loaded by npx supabase db reset, used for local development and testing.
Paisa	1/100 of an Indian Rupee; all money in the platform is computed and stored in whole paise to avoid floating-point rounding errors.
Review	A customer's rating of a delivered order: stars for the store plus an optional comment, photo, dish ratings and a delivery rating. Each order can be reviewed once.
Reply	The store's single public answer to a review; it can be edited or removed by the store.
Hidden review	A review an administrator has taken down: it no longer appears on the store page or counts toward ratings, and it can be unhidden.
New partner	What customers see instead of a delivery partner's average until the partner has 5 ratings.
Promo code	A code typed at checkout that takes a percentage or fixed amount off the subtotal (never the delivery fee). One per order; created by a store or the admin.
Wallet credit	Rupee credit in a customer's wallet, earned only through referrals and spent at checkout. It cannot be bought, withdrawn or transferred.
Referral code	A customer's personal code, shown on the Wallet page. A friend who enters it at sign-up and completes a first delivered order of ₹100 or more earns both customers ₹50.

Term	Meaning
Notification inbox	The in-app list of updates behind the bell icon, with an unread badge and per-category settings.