
## LAB8

## NAME: SINDHAL VISHAL JAYESHBHAI

**ROLL NO: CE129** 


## 1) Code test 1:

• Code:




2) Code test 2:

```
void main() => runApp(MaterialApp(
      debugShowCheckedModeBanner: false,
      home: HomeScreen(),
    )); // MaterialApp
class HomeScreen extends StatelessWidget {
 @override
 Widget build(BuildContext context) {
    return Scaffold(
      body: Column(
        mainAxisAlignment: MainAxisAlignment.spaceAround,
        crossAxisAlignment: CrossAxisAlignment.stretch,
        children: [
          Text('HELLO ROW'),
          ElevatedButton(
            onPressed: () {},
            child: Text('press me'),
          ), // ElevatedButton
            color: ☐Colors.cyanAccent,
            padding: EdgeInsets.all(30.0),
            child: Text('inside container'),
         ), // Container
```




```
void main() => runApp(MaterialApp(
          debugShowCheckedModeBanner: false,
          home: HomeScreen(),
        )); // MaterialApp
8 ∨ class HomeScreen extends StatelessWidget {
      @override
      Widget build(BuildContext context) {
        return Scaffold(
          body: Column(
            mainAxisAlignment: MainAxisAlignment.spaceAround,
            crossAxisAlignment: CrossAxisAlignment.stretch,
            children: [
              Container(
                color: ■Colors.deepOrange[800],
                padding: EdgeInsets.all(30.0),
                child: Text('inside container 1'),
                color: ☐ Colors.limeAccent,
                padding: EdgeInsets.all(50.0),
                child: Text('inside container 2'),
              Container(
                color: □Colors.green[800],
                padding: EdgeInsets.all(70.0),
                child: Text('inside container 3'),
              ), // Container
          ), // Column
        ); // Scaffold
```



```
void main() => runApp(MaterialApp(
      debugShowCheckedModeBanner: false,
      home: HomeScreen(),
    )); // MaterialApp
class HomeScreen extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: Column(
        mainAxisAlignment: MainAxisAlignment.spaceAround,
        crossAxisAlignment: CrossAxisAlignment.stretch,
        children: [
          Row(),
            color: ■Colors.deepOrange[800],
            padding: EdgeInsets.all(30.0),
            child: Text('inside container 1'),
            color: □Colors.limeAccent,
            padding: EdgeInsets.all(50.0),
            child: Text('inside container 2'),
         Container(
           color: □Colors.green[800],
            padding: EdgeInsets.all(70.0),
            child: Text('inside container 3'),
```

• Output:




• Row and Column:

```
void main() => runApp(MaterialApp(
      debugShowCheckedModeBanner: false,
      home: HomeScreen(),
    )); // MaterialApp
class HomeScreen extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: Column(
        mainAxisAlignment: MainAxisAlignment.spaceAround,
        crossAxisAlignment: CrossAxisAlignment.stretch,
        children: [
          Row(),
          Container(
            color: ■Colors.deepOrange[800],
            padding: EdgeInsets.all(30.0),
            child: Text('inside container 1'),
          ), // Container
            color: □ Colors.limeAccent,
            padding: EdgeInsets.all(50.0),
            child: Text('inside container 2'),
            color: ■Colors.green[800],
            padding: EdgeInsets.all(70.0),
            child: Text('inside container 3'),
          ), // Container
    ); // Scaffold
```

• Output:


hello ddu,Hello 5th sem students
inside container 1
inside container 2
inside container 3

```
class HomeScreen extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
       title: const Text("Row and Column Layout"),
        centerTitle: true,
       backgroundColor: ■Colors.red[600],
      ), // AppBar
     body: Column(
        mainAxisAlignment: MainAxisAlignment.center,
        crossAxisAlignment: CrossAxisAlignment.center,
        children: [
         Container(
            color: ■Colors.deepOrange[800],
           padding: EdgeInsets.all(30.0),
           child: Text('inside container 1'),
         Row(),
           color: Colors.limeAccent,
           padding: EdgeInsets.all(50.0),
           child: Text('inside container 2'),
         Container(
           color: □Colors.green[800],
            padding: EdgeInsets.all(70.0),
            child: Text('inside container 3'),
         ), // Container
    ); // Scaffold
```




```
class HomeScreen extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: const Text("Row and Column Layout"),
        centerTitle: true,
        backgroundColor: ■Colors.red[600],
      ), // AppBar
      body: Column(
        mainAxisAlignment: MainAxisAlignment.end,
        crossAxisAlignment: CrossAxisAlignment.end,
        children: [
          Row(),
          Container(
            color: ■Colors.deepOrange[800],
            padding: EdgeInsets.all(30.0),
            child: Text('inside container 1'),
          ), // Container
         Row(),
            color: □Colors.limeAccent,
            padding: EdgeInsets.all(50.0),
           child: Text('inside container 2'),
         Container(
            color: □Colors.green[800],
            padding: EdgeInsets.all(70.0),
            child: Text('inside container 3'),
          ), // Container
```


• Output:




```
class HomeScreen extends StatelessWidget {
       @override
       Widget build(BuildContext context) {
         return Scaffold(
           appBar: AppBar(
             title: const Text("Row and Column Layout"),
             centerTitle: true,
             backgroundColor: ■Colors.red[600],
           ), // AppBar
           body: Column(
             mainAxisAlignment: MainAxisAlignment.end,
             crossAxisAlignment: CrossAxisAlignment.end,
             children: [
                 children: [
                   Text('hello ddu,...'),
                   Text(' ...Hello 5th sem students....')
                ۰,
               ), // Row
26
               Container(
                 color: ■Colors.deepOrange[800],
                 padding: EdgeInsets.all(30.0),
                 child: Text('inside container 1'),
               ), // Container
               Row(),
               Container(
                 color: □ Colors.limeAccent,
                 padding: EdgeInsets.all(50.0),
                 child: Text('inside container 2'),
               Container(
                 color: □Colors.green[800],
                 padding: EdgeInsets.all(70.0),
                 child: Text('inside container 3'),
               ), // Container
             Π,
              // Column
```



```
class HomeScreen extends StatelessWidget {
       @override
       Widget build(BuildContext context) {
           appBar: AppBar(
             title: const Text("Row and Column Layout"),
             centerTitle: true,
backgroundColor: ■Colors.red[600],
           ), // AppBar
           body: Column(
             mainAxisAlignment: MainAxisAlignment.center,
             crossAxisAlignment: CrossAxisAlignment.end,
             children: [
               Padding(
                 padding: const EdgeInsets.all(8.0),
                 child: Container(
                    color: ■Colors.deepOrange[800],
                    padding: EdgeInsets.all(30.0),
                   child: Text('inside container 1'),
                 ), // Container
                ), // Padding
               Row(),
               Padding(
                 padding: const EdgeInsets.all(8.0),
                 child: Container(
                    color: □Colors.limeAccent,
                    padding: EdgeInsets.all(50.0),
                   child: Text('inside container 2'),
                 ), // Container
                ), // Padding
               Padding(
                 padding: const EdgeInsets.all(8.0),
                 child: Container(
40
                    color: □Colors.green[800],
                    padding: EdgeInsets.all(70.0),
                    child: Text('inside container 3'),
                  ), // Container
```



```
class HomeScreen extends StatelessWidget {
  @override
 Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: const Text("Row and Column Layout"),
        centerTitle: true,
backgroundColor: ■Colors.red[600],
      ), // AppBar
      body: Column(
        mainAxisAlignment: MainAxisAlignment.center,
        crossAxisAlignment: CrossAxisAlignment.center,
        children: [
          Expanded(
            child: Container(
              color: ■Colors.deepOrange[800],
              padding: EdgeInsets.all(30.0),
              child: Text('inside container 1'),
            ), // Container
          ), // Expanded
          Row(),
          Container(
            color: □Colors.limeAccent,
            padding: EdgeInsets.all(50.0),
            child: Text('inside container 2'),
          Container(
            color: □Colors.green[800],
            padding: EdgeInsets.all(70.0),
            child: Text('inside container 3'),
          ), // Container
```



```
class HomeScreen extends StatelessWidget {
 @override
 Widget build(BuildContext context) {
    return Scaffold(
     appBar: AppBar(
       title: const Text("Row and Column Layout"),
       centerTitle: true,
       backgroundColor: ■Colors.red[600],
      ), // AppBar
     body: Row(
       mainAxisAlignment: MainAxisAlignment.center,
        crossAxisAlignment: CrossAxisAlignment.center,
        children: [
         Expanded(
           child: Container(
             color: ■Colors.deepOrange[800],
             padding: EdgeInsets.all(30.0),
             child: Text('inside container 1'),
            ), // Container
          ), // Expanded
         Row(),
           color: □Colors.limeAccent,
           padding: EdgeInsets.all(50.0),
           child: Text('inside container 2'),
         Container(
           color: □Colors.green[800],
           padding: EdgeInsets.all(70.0),
           child: Text('inside container 3'),
```

## **Row and Column Layout** i n s inside inside container 2 n е r 1

• Github: https://github.com/vishalsindhal/Vishal\_Sindhal\_SDP\_LAB\_1-10\_CE129