

Authenticating with public key "Imported-Openssh-Key"

• MobaXterm Personal Edition v26.3 •
(SSH client, X server and network tools)

- SSH session to `hadoop@ec2-54-158-45-22.compute-1.amazonaws.com`
 - Direct SSH : ✓
 - SSH compression : ✓
 - SSH-browser : ✓
 - X11-forwarding : ✗ (disabled or not supported by server)
- For more info, ctrl+click on [help](#) or visit our [website](#).

—| —|—)
—| (—| /
—| \ —| —| Amazon Linux AMI

<https://aws.amazon.com/amazon-linux-ami/2018.03-release-notes/>
54 package(s) needed for security, out of 80 available
Run "sudo yum update" to apply all updates.

```
EEEEEEEEEEEEEEEEEEEE MMMMMMM          MMMMMMM RRRRRRRRRRRRRRR
E::::::::::::::::::::E M:::::::::M          M:::::::::M R::::::::::::R
EE::::::::EEEEEEEE::::E M:::::::::M          M:::::::::M R::::RRRRRR::::R
  E:::E          EEEEE M:::::::::M          M:::::::::M RR:::R      R:::R
  E:::E          M:::::::::M M:::M M:::M M:::M M:::M R:::R      R:::R
  E:::EEEEEEEEEE M:::M M:::M M:::M M:::M M:::M R::RRRRRR::::R
  E::::::::::::E M:::M M:::M M:::M M:::M M:::M R:::::::::RR
  E:::EEEEEEEEEE M:::M M:::M M:::M M:::M M:::M R::RRRRRR::::R
  E:::E          M:::M M:::M M:::M M:::M M:::M R:::R      R:::R
  E:::E          EEEEE M:::M M:::M M:::M M:::M M:::M R:::R      R:::R
EE::::::::EEEEEEEE::::E M:::M M:::M M:::M M:::M M:::M R:::R      R:::R
E::::::::::::E M:::M M:::M M:::M M:::M M:::M RR:::R      R:::R
EEEEEEEEEEEEEEEEEEEE MMMMMMM          MMMMMMM RRRRRRR      RRRRRR
```

```
[hadoop@ip-172-31-43-73 ~]$ CREATE DATABASE restaurant_db;
-bash: CREATE: command not found
[hadoop@ip-172-31-43-73 ~]$ hive
```

```
Logging initialized using configuration in
file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive> CREATE TABLE geoplaces2 (
  > placeID INT,
  > latitude DOUBLE,
  > longitude DOUBLE,
  > the_geom_meter STRING,
  > name STRING,
  > address STRING,
  > city STRING,
  > state STRING,
  > country STRING,
  > fax STRING,
```

```

> zip STRING,
> alcohol STRING,
> smoking_area STRING,
> dress_code STRING,
> accessibility STRING,
> price STRING,
> url STRING,
> Rambience STRING,
> franchise STRING,
> area STRING,
> other_services STRING
> )
> ROW FORMAT DELIMITED
> FIELDS TERMINATED BY ','
> STORED AS TEXTFILE
> TBLPROPERTIES ("skip.header.line.count"="1");

```

OK

Time taken: 3.369 seconds

```

hive> CREATE TABLE rating_final (
  > userID STRING,
  > placeID INT,
  > rating INT,
  > food_rating INT,
  > service_rating INT
  > )
  > ROW FORMAT DELIMITED
  > FIELDS TERMINATED BY ','
  > STORED AS TEXTFILE
  > TBLPROPERTIES ("skip.header.line.count"="1");

```

OK

Time taken: 0.114 seconds

```

hive> CREATE TABLE chefmozcuisine (
  > placeID INT,
  > Rcuisine STRING
  > )
  > ROW FORMAT DELIMITED
  > FIELDS TERMINATED BY ','
  > STORED AS TEXTFILE
  > TBLPROPERTIES ("skip.header.line.count"="1");

```

OK

Time taken: 0.08 seconds

```

hive> CREATE TABLE chefmozparking (
  > placeID INT,
  > parking_lot STRING
  > )
  > ROW FORMAT DELIMITED
  > FIELDS TERMINATED BY ','
  > STORED AS TEXTFILE
  > TBLPROPERTIES ("skip.header.line.count"="1");

```

OK

Time taken: 0.087 seconds

```

hive> CREATE TABLE userpayment (
  > userID STRING,
  > Upayment STRING
  > )

```

```

    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE
    > TBLPROPERTIES ("skip.header.line.count"="1");
OK
Time taken: 0.133 seconds
hive> CREATE TABLE chefmozaccepts (
    > placeID INT,
    > Rpayment STRING
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE
    > TBLPROPERTIES ("skip.header.line.count"="1");
OK
Time taken: 0.12 seconds
hive> LOAD DATA LOCAL INPATH '/user/hadoop/data/geoplaces2.csv' INTO TABLE geoplaces2;
FAILED: SemanticException Line 1:23 Invalid path ''/user/hadoop/data/geoplaces2.csv':
No files matching path file:/user/hadoop/data/geoplaces2.csv
hive> LOAD DATA INPATH '/user/hadoop/data/geoplaces2.csv' INTO TABLE geoplaces2;
Loading data to table default.geoplaces2
OK
Time taken: 1.332 seconds
hive> LOAD DATA INPATH '/user/hadoop/data/rating_final.csv' INTO TABLE rating_final;
Loading data to table default.rating_final
OK
Time taken: 0.78 seconds
hive> LOAD DATA INPATH '/user/hadoop/data/chefmozcuisine.csv' INTO TABLE chefmozcuisine;
Loading data to table default.chefmozcuisine
OK
Time taken: 0.52 seconds
hive> LOAD DATA INPATH '/user/hadoop/data/chefmozparking.csv' INTO TABLE chefmozparking;
Loading data to table default.chefmozparking
OK
Time taken: 0.561 seconds
hive> LOAD DATA INPATH '/user/hadoop/data/userpayment.csv' INTO TABLE userpayment;
Loading data to table default.userpayment
OK
Time taken: 0.657 seconds
hive> LOAD DATA INPATH '/user/hadoop/data/chefmozaccepts.csv' INTO TABLE chefmozaccepts;
Loading data to table default.chefmozaccepts
OK
Time taken: 0.492 seconds
hive> SELECT
    >     g.alcohol,
    >     COUNT(r.userID) AS total_visits
    > FROM geoplaces2 g
    > JOIN rating_final r
    > ON g.placeID = r.placeID
    > GROUP BY g.alcohol;
Query ID = hadoop_20260429135528_90cac87f-4278-45cb-a5d1-04077e0f9c23
Total jobs = 1
Launching Job 1 out of 1
Tez session was closed. Reopening...
Session re-established.

```

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```
-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
```

```
-----
Map 1 ..... container  SUCCEEDED      1          1          0          0          0
0
Map 3 ..... container  SUCCEEDED      1          1          0          0          0
0
Reducer 2 ..... container  SUCCEEDED      1          1          0          0          0
0
-----
```

```
-----
VERTICES: 03/03 [=====>>] 100% ELAPSED TIME: 12.35 s
-----
```

```
-----
OK
Full_Bar      80
No_Alcohol_Served 762
Wine-Beer     319
Time taken: 24.658 seconds, Fetched: 3 row(s)
hive> show tables;
```

```
OK
chefmozaccepts
chefmozcuisine
chefmozparking
geoplaces2
rating_final
userpayment
Time taken: 0.059 seconds, Fetched: 6 row(s)
hive> SELECT
```

```
> g.alcohol,
> g.price,
> ROUND(AVG(r.rating), 2) AS avg_rating
> FROM geoplaces2 g
> JOIN rating_final r
> ON g.placeID = r.placeID
> GROUP BY g.alcohol, g.price
> ORDER BY g.alcohol, g.price;
```

Query ID = hadoop_20260429135736_ef754abc-6f41-4171-be89-55af8c74d71b

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```
-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
```

```
-----
Map 1 ..... container  SUCCEEDED      1          1          0          0          0
0
-----
```

Map 2	container	SUCCEEDED	1	1	0	0	0
0							
Reducer 3	container	SUCCEEDED	1	1	0	0	0
0							
Reducer 4	container	SUCCEEDED	1	1	0	0	0
0							

VERTICES: 04/04 [=====>>] 100% ELAPSED TIME: 11.95 s

OK

Full_Bar	high	1.3
Full_Bar	low	1.5
Full_Bar	medium	1.19
No_Alcohol_Served	high	1.13
No_Alcohol_Served	low	1.07
No_Alcohol_Served	medium	1.26
Wine-Beer	high	1.31
Wine-Beer	low	1.06
Wine-Beer	medium	1.25

Time taken: 13.094 seconds, Fetched: 9 row(s)

hive> SELECT

```

>   g.alcohol,
>   p.parking_lot,
>   COUNT(DISTINCT g.placeID) AS total_restaurants,
>   ROUND(AVG(r.rating), 2) AS avg_rating
> FROM geoplaces2 g
> LEFT JOIN chefmozparking p
> ON g.placeID = p.placeID
> LEFT JOIN rating_final r
> ON g.placeID = r.placeID
> GROUP BY g.alcohol, p.parking_lot
> ORDER BY g.alcohol, total_restaurants DESC;
```

No Stats for default@geoplaces2, Columns: alcohol, placeid

No Stats for default@chefmozparking, Columns: placeid, parking_lot

No Stats for default@rating_final, Columns: placeid, rating

Query ID = hadoop_20260429135844_62e44bed-8130-484c-bd66-f05ef991d2ae

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED
--	----------	------	--------	-------	-----------	---------	---------	--------

KILLED

Map 1	container	SUCCEEDED	1	1	0	0	0
0							
Map 5	container	SUCCEEDED	1	1	0	0	0
0							
Map 6	container	SUCCEEDED	1	1	0	0	0
0							
Reducer 2	container	SUCCEEDED	1	1	0	0	0

```
0
Reducer 3 ..... container    SUCCEEDED      1          1          0          0          0
0
Reducer 4 ..... container    SUCCEEDED      1          1          0          0          0
0
```

```
-----
VERTICES: 06/06 [=====>>] 100%  ELAPSED TIME: 16.60 s
-----
```

```
-----
OK
Full_Bar      yes      4      1.04
Full_Bar      none     3      1.33
Full_Bar      public   1      1.42
Full_Bar      valet parking 1      1.67
No_Alcohol_Served none    50     1.19
No_Alcohol_Served yes     24     1.19
No_Alcohol_Served public  13     1.1
Wine-Beer     yes     18     1.27
Wine-Beer     none    12     1.2
Wine-Beer     public   2      1.25
Wine-Beer     valet parking 2      1.31
Time taken: 17.92 seconds, Fetched: 11 row(s)
hive> ANALYZE TABLE geoplaces2 COMPUTE STATISTICS;
Query ID = hadoop_20260429140303_b31b42c0-79e7-417b-9b8f-06be96fa0eed
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)
-----
```

```
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
```

```
Map 1 ..... container    SUCCEEDED      1          1          0          0          0
0
-----
```

```
VERTICES: 01/01 [=====>>] 100%  ELAPSED TIME: 4.64 s
-----
```

```
-----
OK
Time taken: 5.798 seconds
hive> ANALYZE TABLE chefmozparking COMPUTE STATISTICS;
Query ID = hadoop_20260429140406_c9eb1cf5-5d2e-4a85-a5d4-da4e9d813d73
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)
-----
```

```
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
```

```

-----
Map 1 ..... container    SUCCEEDED      1      1      0      0      0
0
-----

```

```

-----
VERTICES: 01/01 [=====>>] 100% ELAPSED TIME: 5.33 s
-----

```

```

-----
OK
Time taken: 6.158 seconds
hive> ANALYZE TABLE rating_final COMPUTE STATISTICS;
Query ID = hadoop_20260429140415_c023e0e7-25cc-4829-b4a9-95d6fd9a516d
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)
-----

```

```

-----
VERTICES    MODE    STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----

```

```

-----
Map 1 ..... container    SUCCEEDED      1      1      0      0      0
0
-----

```

```

-----
VERTICES: 01/01 [=====>>] 100% ELAPSED TIME: 0.11 s
-----

```

```

-----
OK
Time taken: 0.865 seconds
hive> SELECT
>     alcohol,
>     Rcuisine,
>     cuisine_count,
>     total_count,
>     ROUND((cuisine_count * 100.0) / total_count, 2) AS percentage
> FROM (
>     SELECT
>         a.alcohol,
>         a.Rcuisine,
>         a.cuisine_count,
>         b.total_count
>     FROM (
>         SELECT
>             g.alcohol,
>             c.Rcuisine,
>             COUNT(*) AS cuisine_count
>         FROM geoplaces2 g
>         JOIN chefmozcuisine c
>         ON g.placeID = c.placeID
>         GROUP BY g.alcohol, c.Rcuisine
>     ) a
>     JOIN (
>         SELECT

```

```

>          g.alcohol,
>          COUNT(*) AS total_count
>      FROM geoplaces2 g
>      JOIN chefmozcuisine c
>      ON g.placeID = c.placeID
>      GROUP BY g.alcohol
>  ) b
>  ON a.alcohol = b.alcohol
> ) x
> ORDER BY alcohol, percentage DESC;
No Stats for default@geoplaces2, Columns: alcohol, placeid
No Stats for default@chefmozcuisine, Columns: rcuisine, placeid
No Stats for default@geoplaces2, Columns: alcohol, placeid
No Stats for default@chefmozcuisine, Columns: placeid
Query ID = hadoop_20260429140645_8b4f0abf-2c0c-427d-add4-60b0061d5485
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```

```

-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----

```

```

-----
Map 1 ..... container  SUCCEEDED    1      1      0      0      0
0
Map 2 ..... container  SUCCEEDED    1      1      0      0      0
0
Map 4 ..... container  SUCCEEDED    1      1      0      0      0
0
Map 5 ..... container  SUCCEEDED    1      1      0      0      0
0
Reducer 3 ..... container  SUCCEEDED    1      1      0      0      0
0
Reducer 6 ..... container  SUCCEEDED    1      1      0      0      0
0
Reducer 7 ..... container  SUCCEEDED    1      1      0      0      0
0
-----

```

```

-----
VERTICES: 07/07 [=====>>] 100% ELAPSED TIME: 16.58 s
-----

```

```

-----
OK
Full_Bar      Bar      5      12      41.67
Full_Bar      Bar_Pub_Brewery 4      12      33.33
Full_Bar      Mexican 3      12      25.00
No_Alcohol_Served Mexican 20      73      27.40
No_Alcohol_Served Fast_Food 8      73      10.96
No_Alcohol_Served Cafeteria 7      73      9.59
No_Alcohol_Served American 5      73      6.85
No_Alcohol_Served Seafood 5      73      6.85
No_Alcohol_Served Pizzeria 5      73      6.85
No_Alcohol_Served Burgers 5      73      6.85

```


No_Alcohol_Served	Japanese	3	73	4.11	
No_Alcohol_Served	Chinese	3	73	4.11	
No_Alcohol_Served	Italian	2	73	2.74	
No_Alcohol_Served	Game	1	73	1.37	
No_Alcohol_Served	Family	1	73	1.37	
No_Alcohol_Served	Cafe-Coffee_Shop		1	73	1.37
No_Alcohol_Served	Breakfast-Brunch		1	73	1.37
No_Alcohol_Served	Bar	1	73	1.37	
No_Alcohol_Served	Bakery	1	73	1.37	
No_Alcohol_Served	Armenian	1	73	1.37	
No_Alcohol_Served	International	1	73	1.37	
No_Alcohol_Served	Mediterranean	1	73	1.37	
No_Alcohol_Served	Regional	1	73	1.37	
Wine-Beer	Bar	7	27	25.93	
Wine-Beer	Mexican	5	27	18.52	
Wine-Beer	International	3	27	11.11	
Wine-Beer	Japanese	2	27	7.41	
Wine-Beer	Italian	2	27	7.41	
Wine-Beer	Contemporary	2	27	7.41	
Wine-Beer	Cafeteria	2	27	7.41	
Wine-Beer	Bar_Pub_Brewery	2	27	7.41	
Wine-Beer	Family	1	27	3.70	
Wine-Beer	Vietnamese	1	27	3.70	

Time taken: 18.033 seconds, Fetched: 33 row(s)

hive> SELECT

```

> g.state,
> ROUND(AVG(r.rating), 2) AS avg_rating
> FROM geoplaces2 g
> JOIN rating_final r
> ON g.placeID = r.placeID
> GROUP BY g.state
> ORDER BY avg_rating ASC;
```

Query ID = hadoop_20260429140724_4aa6f31e-96f1-4977-90fa-085168cad847

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED
----------	------	--------	-------	-----------	---------	---------	--------

KILLED

Map 1	container	SUCCEEDED	1	1	0	0	0
Map 2	container	SUCCEEDED	1	1	0	0	0
Reducer 3	container	SUCCEEDED	1	1	0	0	0
Reducer 4	container	SUCCEEDED	1	1	0	0	0

VERTICES: 04/04 [=====>>] 100% ELAPSED TIME: 11.14 s

```

-----
OK
tamaulipas      0.9
Tamaulipas      0.91
san luis potosi 1.02
?               1.14
San Luis Potosi 1.14
SLP             1.23
mexico          1.24
slp             1.27
s.l.p.          1.28
Morelos         1.34
S.L.P.          1.56
morelos         1.6
san luis potos  1.67
Time taken: 11.783 seconds, Fetched: 13 row(s)
hive> SELECT

```

```

>   g.state,
>   g.alcohol,
>   c.Rcuisine,
>   COUNT(DISTINCT g.placeID) AS total_restaurants,
>   COUNT(r.userID) AS total_visits,
>   ROUND(AVG(r.rating), 2) AS avg_rating,
>   ROUND(AVG(r.food_rating), 2) AS avg_food_rating,
>   ROUND(AVG(r.service_rating), 2) AS avg_service_rating
> FROM geoplaces2 g
> JOIN rating_final r
> ON g.placeID = r.placeID
> LEFT JOIN chefmozcuisine c
> ON g.placeID = c.placeID
> WHERE LOWER(g.state) = 'tamaulipas'
> GROUP BY g.state, g.alcohol, c.Rcuisine
> ORDER BY avg_rating ASC;

```

No Stats for default@geoplaces2, Columns: alcohol, placeid, state

No Stats for default@rating_final, Columns: food_rating, placeid, rating, service_rating, userid

No Stats for default@chefmozcuisine, Columns: rcuisine, placeid

Query ID = hadoop_20260429140830_bed8b9cd-9032-4807-a318-1685adf57c14

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```

-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
-----
Map 1 ..... container  SUCCEEDED    1         1         0         0         0
0
Map 5 ..... container  SUCCEEDED    1         1         0         0         0
0
Map 6 ..... container  SUCCEEDED    1         1         0         0         0
0
Reducer 2 ..... container  SUCCEEDED    1         1         0         0         0

```

```
0
Reducer 3 ..... container    SUCCEEDED      1      1      0      0      0
0
Reducer 4 ..... container    SUCCEEDED      1      1      0      0      0
0
```

```
-----
VERTICES: 06/06 [=====>>] 100% ELAPSED TIME: 16.96 s
-----
```

```
-----
OK
tamaulipas    No_Alcohol_Served    Regional      1      4      0.5      1.0
0.25
Tamaulipas    No_Alcohol_Served    Fast_Food     1      5      0.6      0.6
0.6
Tamaulipas    No_Alcohol_Served    Mexican 5     32      0.84      1.16      0.88
tamaulipas    No_Alcohol_Served    Mexican 4     20      0.85      0.85      0.9
tamaulipas    No_Alcohol_Served    NULL 2       9      0.89      0.89      0.67
tamaulipas    No_Alcohol_Served    Armenian     1      4      1.25      2.0
1.25
tamaulipas    No_Alcohol_Served    Italian 1     4      1.25      1.0      1.0
Tamaulipas    No_Alcohol_Served    Pizzeria     1      10      1.3      1.3
1.2
```

Time taken: 18.322 seconds, Fetched: 8 row(s)

```
hive> SELECT
>   g.state,
>   g.alcohol,
>   p.parking_lot,
>   COUNT(DISTINCT g.placeID) AS total_restaurants,
>   COUNT(r.userID) AS total_visits,
>   ROUND(AVG(r.rating), 2) AS avg_rating,
>   ROUND(AVG(r.food_rating), 2) AS avg_food_rating,
>   ROUND(AVG(r.service_rating), 2) AS avg_service_rating
> FROM geoplaces2 g
> JOIN rating_final r
> ON g.placeID = r.placeID
> LEFT JOIN chefmozparking p
> ON g.placeID = p.placeID
> WHERE LOWER(g.state) = 'tamaulipas'
> GROUP BY g.state, g.alcohol, p.parking_lot
> ORDER BY avg_rating ASC;
```

No Stats for default@geoplaces2, Columns: alcohol, placeid, state

No Stats for default@rating_final, Columns: food_rating, placeid, rating, service_rating, userid

No Stats for default@chefmozparking, Columns: placeid, parking_lot

Query ID = hadoop_20260429140942_6d1f76fd-b2d9-4b4e-8473-7772b2b632cb

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
```

```

-----
Map 1 ..... container    SUCCEEDED    1          1          0          0          0
0
Map 5 ..... container    SUCCEEDED    1          1          0          0          0
0
Map 6 ..... container    SUCCEEDED    1          1          0          0          0
0
Reducer 2 ..... container SUCCEEDED    1          1          0          0          0
0
Reducer 3 ..... container SUCCEEDED    1          1          0          0          0
0
Reducer 4 ..... container SUCCEEDED    1          1          0          0          0
0
-----

```

VERTICES: 06/06 [=====>>] 100% ELAPSED TIME: 16.88 s

```

-----
OK
tamaulipas      No_Alcohol_Served    public  1          4          0.5        1.0        0.25
Tamaulipas      No_Alcohol_Served    none    2          16         0.69       1.06       0.81
Tamaulipas      No_Alcohol_Served    public  2          10         0.9        1.2        0.9
tamaulipas      No_Alcohol_Served    none    7          33         0.91       1.0        0.88
Tamaulipas      No_Alcohol_Served    yes     3          21         1.1        1.14       1.0
tamaulipas      No_Alcohol_Served    yes     1          4          1.25       1.0        1.0

```

Time taken: 17.797 seconds, Fetched: 6 row(s)

hive> SELECT

```

>   g.placeID,
>   g.name,
>   g.city,
>   g.state,
>   p.parking_lot
> FROM geoplaces2 g
> JOIN chefmzparking p
> ON g.placeID = p.placeID
> WHERE LOWER(p.parking_lot) = 'valet parking';

```

Query ID = hadoop_20260429141010_c45d2076-119b-40f4-bbcc-335949f2a43d

Total jobs = 1

Launching Job 1 out of 1

Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```

-----
-----
      VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
Map 1 ..... container    SUCCEEDED    1          1          0          0          0
0
Map 2 ..... container    SUCCEEDED    1          1          0          0          0
0
-----

```

VERTICES: 02/02 [=====>>] 100% ELAPSED TIME: 9.54 s

```

-----
OK
134975 Rincon del Bife ? ? valet parking
132875 shi ro ie ? ? valet parking
132862 La Posada del Virrey San Luis Potosi San Luis Potosi valet parking
Time taken: 10.174 seconds, Fetched: 3 row(s)
hive> SELECT
  > g.placeID,
  > g.name,
  > g.city,
  > g.state,
  > c.Rcuisine
  > FROM geoplaces2 g
  > JOIN chefmozcuisine c
  > ON g.placeID = c.placeID
  > WHERE LOWER(c.Rcuisine) = 'fast_food';
Query ID = hadoop_20260429141131_fd30996f-9109-40ba-9bd5-cd6abe867a03
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```

```

-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----
-----
Map 1 ..... container  SUCCEEDED      1        1         0         0         0
0
Map 2 ..... container  SUCCEEDED      1        1         0         0         0
0
-----
-----
VERTICES: 02/02 [=====>>] 100% ELAPSED TIME: 10.59 s
-----

```

```

-----
OK
135021 Subway Cuernavaca Morelos Fast_Food
132717 tortas hawai ? ? Fast_Food
135085 Tortas Locas Hipocampo San Luis Potosi SLP Fast_Food
135053 La Fontana Pizza Restaurante and Cafe San Luis Potosi SLP Fast_Food
135046 Restaurante El Reyecito San Luis Potosi SLP Fast_Food
135043 pizza clasica Soledad SLP Fast_Food
132609 Pollo_Frito_Buenos_Aires victoria Tamaulipas Fast_Food
135086 Mcdonalds Parque Tangamanga San Luis Potosi SLP Fast_Food
Time taken: 11.162 seconds, Fetched: 8 row(s)
hive> SELECT DISTINCT
  > c.Rcuisine
  > FROM userpayment u
  > JOIN rating_final r
  > ON u.userID = r.userID
  > JOIN chefmozcuisine c
  > ON r.placeID = c.placeID
  > WHERE LOWER(u.Upayment) = 'bank_debit_cards';
No Stats for default@userpayment, Columns: upayment, userid

```

No Stats for default@rating_final, Columns: placeid, userid
 No Stats for default@chefmozcuisine, Columns: rcuisine, placeid
 Query ID = hadoop_20260429141157_155f6e26-1aaa-4da5-9d9e-0cea80589e93
 Total jobs = 1
 Launching Job 1 out of 1
 Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

```

-----
-----
VERTICES      MODE      STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED
KILLED
-----

```

```

-----
Map 1 ..... container    SUCCEEDED      1        1         0         0         0
0
Map 2 ..... container    SUCCEEDED      1        1         0         0         0
0
Map 4 ..... container    SUCCEEDED      1        1         0         0         0
0
Reducer 3 ..... container SUCCEEDED      1        1         0         0         0
0
-----

```

```

-----
VERTICES: 04/04 [======>>] 100% ELAPSED TIME: 15.91 s
-----

```

```

-----
OK
American
Armenian
Bar
Bar_Pub_Brewery
Breakfast-Brunch
Burgers
Cafe-Coffee_Shop
Cafeteria
Chinese
Contemporary
Family
Fast_Food
International
Italian
Japanese
Mediterranean
Mexican
Pizzeria
Seafood
Vietnamese
Time taken: 16.947 seconds, Fetched: 20 row(s)

```

```

hive> SELECT DISTINCT
>     c.Rcuisine
> FROM chefmozaccepts a
> JOIN chefmozcuisine c
> ON a.placeID = c.placeID
> WHERE LOWER(a.Rpayment) = 'bank_debit_cards';
Query ID = hadoop_20260429141245_c2675d55-4bd1-453e-bc97-47cbee3f71a0

```

Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1777470200741_0003)

	VERTICES	MODE	STATUS	TOTAL	COMPLETED	RUNNING	PENDING	FAILED
KILLED								

Map 1	container		SUCCEEDED	1	1	0	0	0
0								
Map 2	container		SUCCEEDED	1	1	0	0	0
0								
Reducer 3	container		SUCCEEDED	1	1	0	0	0
0								

VERTICES: 03/03 [=====>>] 100% ELAPSED TIME: 10.46 s								

OK
African
American
Armenian
Bakery
Bar_Pub_Brewery
Barbecue
Brazilian
Breakfast-Brunch
Burgers
Cafe-Coffee_Shop
Cafeteria
Chinese
Contemporary
Continental-European
Deli-Sandwiches
Diner
Dutch-Belgian
Family
Fine_Dining
French
German
Greek
International
Italian
Japanese
Korean
Latin_American
Mediterranean
Mexican
Pizzeria
Seafood
Spanish
Steaks

Time taken: 11.055 seconds, Fetched: 33 row(s)