VELORA CABS

SEO + Website Master Prompt

For Antigravity / an AI coding agent working on the existing Next.js site

Canonical domain: https://www.veloracabs.in | Revised: 23 October 2026

You are working on the existing Next.js site for **Velora Cabs** (cab and taxi service, Gujarat and Mumbai). Implement everything below in one pass, within the owner-confirmation rules in Sections "Who does what" and 0. Do not skip sections, but never publish anything unconfirmed. After finishing, run the verification checklist in Section 14 and report the results.

WHO DOES WHAT

Antigravity (code and repository only): everything in Sections 0-12 and 14-15: code, metadata, schema, pages, data files, sitemap/robots, validation script, performance work, and the files `OFFSITE_CHECKLIST.md`, `IMPLEMENTATION_TODO.md`, `CHANGELOG.md`, `SEO_AUDIT_REPORT.md`.

Owner confirmation needed (facts only the business can supply, Antigravity must never guess): service cities and routes, fares and what they include or exclude (tolls, parking, driver allowance, taxes, return charges, waiting, night charges), cancellation policy, address visibility, business hours, real rating and review count, real reviews and permission, vehicle seating and luggage capacity, driver verification and safety claims, registrations or credentials, and approval of policy and legal wording.

External actions needing account access (Antigravity must NOT claim these are done): DNS and Vercel/Cloudflare redirect settings; Google Business Profile creation, verification, photos and review management; Search Console and Bing verification and sitemap submission; GA4 setup and consent; off-site directory listings.

Whenever a task depends on the owner, Antigravity writes it into `OFFSITE_CHECKLIST.md` or `IMPLEMENTATION_TODO.md` with the exact steps, and reports it as NOT RUN or BLOCKED instead of guessing.

0. RULES

1. Production domain (canonical): `https://www.veloracabs.in`. Create ONE constant `SITE_URL` in `lib/site.ts` and use it everywhere (canonical, og:url, og images, sitemap, schema, robots). NEVER hardcode `veloracabs.com` anywhere. Search the whole repo for `veloracabs.com` and replace it.
2. Never invent facts. Where a real value is unknown, leave it `undefined` in `lib/site.ts` (see Section 1), hide the UI or schema that depends on it, and list it in `IMPLEMENTATION_TODO.md`. Never publish fake reviews, fake ratings, fake addresses or fake prices.
3. Keep the brand: name "Velora Cabs", tagline "Safe Rides. On Time. Every Time.", primary colour `#30AFFF`, phone +91 87803 11279, WhatsApp https://wa.me/918780311279, email veloracabs07@gmail.com.
4. Use the Next.js App Router, the Metadata API (`generateMetadata`), `next/image`, `next/font`, and `app/sitemap.ts` + `app/robots.ts`. All page content (text, headings, links, schema) must be server-rendered or statically generated (SSG). Interactive widgets (booking form, vehicle selector, sticky call/WhatsApp bar, GA4 events) may be small client components, but no indexable content may depend on client-side rendering.

Declare `metadataBase: new URL(SITE.url)` in the root `app/layout.tsx` so nested dynamic segments always resolve absolute URLs correctly, and make `SITE.url` fall back to `https://www.veloracabs.in` if an env variable is missing.

5. Mobile-first. Most users are on phones in India.
6. **Audit first**: before editing, inspect the repository (framework version, routes, metadata, schema, forms, analytics) and preserve working functionality, especially the booking form, vehicle selector and call/WhatsApp actions. Improve in place; do not redesign unrelated UI.
7. **No public placeholders or unfinished content**: never render `[ADD_...]`, `TODO`, owner-confirmation notes, developer comments, lorem ipsum, or unconfirmed policy text anywhere public. Sweep EVERY public page and component (homepage, FAQs, footer, nav, metadata, alt text, JSON-LD, error and 404 pages), not just the homepage, for unfinished notes about tolls, parking, cancellation, business address and similar. Replace them only with owner-confirmed information; if information is not confirmed, omit the claim or remove that content. Never invent an address, cancellation policy, toll or parking charge, or any other business detail. Unknown facts stay in a private `IMPLEMENTATION_TODO.md`. Where a policy matters to customers but is unconfirmed, use neutral wording such as "please confirm before booking".
8. **Report honestly**: report every check as PASS, FAIL or NOT RUN with evidence. Never claim deployment, redirects, Search Console or Google Business Profile changes unless actually completed. Do not promise rankings or Lighthouse scores before measuring.

---

1. SITE CONFIG (`lib/site.ts`)

Unknown values must be `undefined`, never placeholder strings, so they can never leak into pages or schema. Use this typed structure:

```
export type SiteConfig = {
  url: string;
  name: string;
  phone: string;
  phoneDisplay: string;
  whatsapp: string;
  email: string;
  owner?: string;
  // Optional: leave undefined until the owner confirms the real value.
  address?: { street: string; city: string; state: string; postalCode: string; country: string };
  geo?: { lat: number; lng: number };
  googleBusinessUrl?: string;
  googleReviewUrl?: string;
  rating?: { value: number; count: number }; // visible text only; confirm against live Google
    profile
  logo?: string;      // absolute URL of a real logo file
  image?: string;     // absolute URL of a real social/OG image
  open24x7?: boolean; // true ONLY if the owner confirms round-the-clock service
  gaId?: string;
  gscVerification?: string;
  social?: { facebook?: string; instagram?: string; youtube?: string };
};

export const SITE: SiteConfig = {
  url: process.env.NEXT_PUBLIC_SITE_URL ?? "https://www.veloracabs.in",
  name: "Velora Cabs",
  phone: "+918780311279",
  phoneDisplay: "+91 87803 11279",
  whatsapp: "https://wa.me/918780311279",
  email: "veloracabs07@gmail.com",
  owner: "Dharmeshbhai B. Kava",
  // address, geo, googleBusinessUrl, googleReviewUrl, rating, gaId, gscVerification, social
  // are intentionally omitted until confirmed by the owner.
};
```

Rendering rules: every component and every JSON-LD builder must check that an optional field exists before using it (for example, render the address block, map, rating badge, Google reviews link, GA4 script and verification tag only when the value is defined). Public schema must omit any property whose source value is `undefined`; never output empty strings, `null`, or fake defaults. Record every omitted field in `IMPLEMENTATION_TODO.md`. Build all NAP (name, address, phone) displays from this one object so they are identical everywhere.

---

2. GLOBAL TECHNICAL SEO FIXES

1. **Canonical**: every page must emit `<link rel="canonical">` to its own absolute `.in` URL via `alternates.canonical`. Set `metadataBase: new URL(SITE.url)`.
2. **og:url, og:image, twitter:image** must all use the `.in` domain. Create a real 1200x630 OG image per page type (`/og/home.jpg`, etc.), under 300 KB. Use `app/opengraph-image` where practical.
3. **Redirects**: do NOT put apex-to-www or alternate-domain (`.com`) redirects in `next.config.js` (risk of redirect loops and cache conflicts). Configure them at the hosting/edge layer (Vercel Domains or Cloudflare rules) and document the exact steps in `OFFSITE_CHECKLIST.md`: (a) apex `veloracabs.in` 301 to `www.veloracabs.in`; (b) if the client owns `veloracabs.com`, 301 all of it to the `.in` equivalent; (c) force HTTPS. Only ONE layer may handle each redirect. In `next.config.js` only set `trailingSlash: false` and keep it consistent. Canonical tags remain the safety net.
4. `<html lang="en-IN">`.
5. **Remove the** `meta keywords` **tag entirely.** Google ignores it and the current one is stuffed and truncated. Also fix the spelling "Ahemdabad" to "Ahmedabad" everywhere. Put keyword intent in titles, H1/H2s and body copy instead.
6. **Titles**: unique per page, 50-60 characters, primary keyword first, brand last. **Meta descriptions**: unique, 140-158 characters, include a call to action and the phone number where it fits. Exact values are given per page in Sections 5-8.
7. **Headings**: exactly one H1 per page, logical H2/H3 hierarchy, no skipped levels.
8. `app/robots.ts`: allow all, disallow `/api/` and `/_next/static/` only if not needed, and point to `${SITE.url}/sitemap.xml`.
9. `app/sitemap.ts`: include every public page (home, services, all city pages, all route pages, fleet, about, contact, faq, blog posts, privacy, terms) with `lastModified`, `changeFrequency`, and `priority` (home 1.0, city/route/service pages 0.8, others 0.5).
10. **Custom 404** (`app/not-found.tsx`) with links to home, services, cities, and a WhatsApp CTA. It must return a real 404 status. Add a `loading.tsx` where useful.
11. **Favicon set** (`favicon.ico`, `icon.png` 512, `apple-icon.png` 180) and `app/manifest.ts` (name, short_name, theme_color `#30AFFF`, icons).
12. **Security and performance headers** in `next.config.js`: `X-Content-Type-Options`, `Referrer-Policy: strict-origin-when-cross-origin`, `X-Frame-Options: SAMEORIGIN`, long cache headers for `/images/*`. Enable compression.
13. **Search Console / Bing verification**: render verification meta tags only when `SITE.gscVerification` (and an optional Bing token) are defined; otherwise skip and list the step in `OFFSITE_CHECKLIST.md`.
14. **GA4**: add the GA4 script with `next/script` (`strategy="afterInteractive"`) using `SITE.gaId`, and fire these events: `click_call`, `click_whatsapp`, `submit_booking_form` (with trip type, route, vehicle). Track every phone link and WhatsApp link.
15. **Crawl and indexing hygiene**: check for broken internal links, duplicate metadata, empty headings, accidental `noindex` directives, and indexable development/preview/placeholder pages (block preview deployments with `noindex` or `X-Robots-Tag`, and make sure production pages are indexable). Confirm structured data matches visible page content.

---

3. PERFORMANCE / CORE WEB VITALS

1. Replace the current `/_next/image?...w=3840` usage: set sensible `sizes` on every `next/image` (for example `sizes="(max-width: 768px) 100vw, 400px"` for fleet cards) and tune `deviceSizes` and `imageSizes` in `next.config.js` so small cards never load oversized (such as 3840 px) images. Larger variants are fine where a hero genuinely needs them. Serve WebP/AVIF where quality allows.
2. The home hero currently loads 3 large PNG illustrations. Use ONE hero image with `priority` (LCP element); lazy-load the other two or turn them into a lightweight CSS or slider element that loads after interaction. Convert hero PNGs to WebP at 100 KB or less.
3. Give every image explicit `width` and `height` (prevent layout shift, CLS under 0.1). Write descriptive, keyword-relevant alt text (for example "Maruti Swift Dzire taxi for Bhavnagar to Ahmedabad cab service"), not generic alt text.

4. Use `next/font` (one family, `display: swap`, subset latin). No render-blocking external font CSS.
5. Run Lighthouse/PageSpeed on mobile before and after changes (home, one city page, one route page) and record the actual scores and Core Web Vitals. Treat 90+ Performance and 95+ Accessibility as goals, not guarantees; report measured results honestly, and never claim scores or rankings that were not measured.

---

4. STRUCTURED DATA (JSON-LD, server-rendered)

Create a reusable `<JsonLd>` server component; use the reference implementation in Appendix A (`components/JsonLd.tsx`) as the base and keep its rules (compact() stripping, no priceRange, no offers, no rating or review markup). Add:

1. **Sitewide** (in root layout): `WebSite` (name, url) and `Organization` (name, url, logo, phone, email, sameAs).
2. `TaxiService` **(LocalBusiness subtype)** on home and contact only: include `name`, `url`, `telephone`, `email`, `image`, `areaServed` (only cities with `serviceConfirmed: true`), and `openingHoursSpecification` only if the owner confirms 24x7 availability. Include `address`, `geo`, `hasMap`, `sameAs`, and `priceRange` ONLY when the matching `SITE` field is defined and owner-confirmed; otherwise omit the property entirely (never guess, never output empty values; do not invent a `priceRange`). Do NOT add `aggregateRating` or `review` to the business's own markup: Google treats self-serving reviews as ineligible and it risks a manual action. Show the 4.2 Google rating as visible text with a link to the Google reviews page, only when `SITE.rating` is defined and matches the live Google Business Profile. Implement `buildAggregateRating(SITE.rating)` in `lib/schema.ts` as a guarded utility that returns `undefined` unless `count` is a positive integer and `value` is between 1 and 5, and spread its result into JSON-LD so nothing breaks; by default do not call it for the business's own page. Write a similar guard for every optional field.
3. `Service` schema on each service page and route page (serviceType, provider, areaServed, offers without a fake price, use "Call for quote" in the visible text).
4. `FAQPage` on the home page, every city page, every route page, and /faq. The marked-up Q&A MUST match the visible text exactly. Note: Google now shows FAQ rich results mainly for authoritative government and health sites, so do not expect rich snippets here; the visible FAQ content still helps users and relevance.
5. `BreadcrumbList` on all inner pages (visible breadcrumbs too).
6. `Article` on blog posts.
7. Do NOT mark up the testimonials as `Review` unless they are real, attributable reviews.

---

5. CONTENT TRUST FIXES (Google quality and legal safety)

1. **Rating**: remove the unverified "4.9/5 Rating". Show "4.2/5 on Google" ONLY if the live Google Business Profile currently shows exactly that; otherwise show a neutral "Read our Google reviews" link with no number. When shown, link it to `SITE.googleReviewUrl`. Pull from `SITE.rating`.
2. **"15,000+ Happy Commuters"**: replace with a defensible claim via an optional config value `SITE.stats?.trips`. If not provided, use "Trusted by thousands of travellers across Gujarat" without a number.
3. **Testimonials**: remove the "Verified Passenger" label, stock-style photos and future-dated reviews. Keep a testimonials section ONLY if `lib/reviews.ts` contains real, permissioned reviews with accurate attribution (default: empty array). If it is empty, replace the section with a "Read our Google reviews" link (only when `SITE.googleReviewUrl` is defined) or remove the section.
4. **"One-way & round trips across India" / "pan-India"**: change to "across Gujarat, Mumbai and nearby states" unless the client confirms nationwide service.
5. **Claims needing proof**: soften "Zero Delay Guarantee", "100% Safety Verified", "Police Verified 5★ Drivers", "Guaranteed on every ride". Use accurate wording such as "Verified, experienced drivers", "GPS-tracked cabs", "On-time pickup focus". Keep a `SITE.claimsConfirmed` flag to make this easy to adjust.
6. **Prices**: do not show per-km rates unless real values exist in `lib/pricing.ts`. Default CTA: "Get a fixed quote on WhatsApp".
7. **Claims audit**: audit every numerical, safety, service-quality and guarantee claim on the site (ratings, trip counts, "100% Safety Verified", police verification, delay or arrival-time guarantees, "no hidden charges", "GPS live tracking", "flight tracking", sanitisation claims). Keep a claim only if the owner can supply supporting evidence; otherwise remove it or soften it to accurate wording. Record each claim and its

decision (kept, softened, removed) with evidence in `SEO_AUDIT_REPORT.md`. Link ratings to the real review source where possible. Never add self-serving review or rating markup, fake testimonials, fake review counts, or safety credentials.

8. Add a visible **Address / Service Area** block and an embedded Google Map (lazy-loaded iframe) on Contact and in the footer.

---

6. SITE ARCHITECTURE (create these pages; city and route pages only when confirmed)

```
/                              Home (rewrite sections, see 7)
/services/outstation-taxi      Outstation cab service
/services/airport-taxi-transfer Airport transfers
/services/local-city-cab       Local city and hourly rental
/services/24x7-cab-service     Emergency / 24x7 cab (only if the owner confirms round-the-clock
  service)
/fleet                         Fleet (Dzire, Ertiga, Tempo Traveller)
/taxi-service/[city]           14 city landing pages (Section 8)
/routes/[route]                Priority route pages (Section 9)
/about                         About Velora Cabs
/contact                       Contact + map + form
/faq                           Full FAQ
/blog                          Blog index
/blog/[slug]                   3 starter posts (Section 10)
/privacy-policy
/terms-and-conditions
```

Use `generateStaticParams` + data files (`data/cities.ts`, `data/routes.ts`) so pages are generated from structured data but each has UNIQUE copy (no template spam, no copy-paste with only the city name swapped). Anti-doorway rule: every city and route in the data files has `published: boolean` and `serviceConfirmed: boolean`. Only pages with BOTH true are rendered, linked, indexed and added to the sitemap; others return 404 (or `noindex`) and stay out of navigation. Start with Bhavnagar plus the routes the owner confirms (default: Bhavnagar-Ahmedabad both ways, Vadodara, Surat, Mumbai, Palitana). Each published page needs genuinely useful unique content (aim for roughly 300+ words) with verified local details; do not swap only the city name in a template. If pages overlap heavily, consolidate them.

Navigation: Home, Services (dropdown), Cities (mega menu or dropdown listing all 14), Fleet, Routes, About, Blog, Contact, plus sticky "Call" and "WhatsApp" buttons. **Footer**: NAP, all 14 city links, all service links, top routes, legal links, social links, copyright. Every page must be reachable within 3 clicks and linked from the sitemap and footer.

---

7. HOME PAGE REWRITE

- **Title**: `Velora Cabs | Taxi Service in Bhavnagar & Gujarat` (≤60 chars)
- **Meta description**: `Book local, airport and outstation AC cabs from Bhavnagar to Ahmedabad, Vadodara, Surat, Mumbai & more. Call +91 87803 11279 for a quote.`
- **H1**: `Cab & Taxi Service in Bhavnagar and Across Gujarat`
- Sections in order: Hero (H1, subline "Safe Rides. On Time. Every Time.", Call + WhatsApp + Book buttons, rating badge using the real 4.2) → Booking form → Services (4 cards linking to service pages) → Fleet (3 cards linking to /fleet) → Popular Routes (8 cards linking to route pages) → Cities We Serve (14 links) → Why Choose Velora (6 points, accuracy-checked wording) → How Booking Works (3 steps) → Google Reviews block → FAQ (8 questions) → Final CTA.
- Add 300+ words of useful body text mentioning the cities and services naturally. No keyword stuffing.
- Home FAQ (write full answers of 40-70 words each): How do I book a cab in Bhavnagar? / Do you offer one-way outstation taxis? / Is there airport pickup and drop? / Which cities do you serve? / Are your drivers verified? / How is the fare calculated? / Can I book a Tempo Traveller for a group or pilgrimage? / Is the service available 24x7?

---

8. CITY PAGES (`/taxi-service/[city]`), up to 14 candidate pages (publish only confirmed ones)

Title pattern: `Taxi Service in {City} | AC Cab Booking, Velora Cabs` (trim to ≤60). **Meta description pattern**: `Book a taxi in {City}: local, airport and outstation AC cabs. Request a quote on WhatsApp or call +91 87803 11279 for route and fare details.` (adjust to 140-158). **H1**: `Taxi & Cab Service in {City}`.

Page structure: Hero + CTAs → intro (120+ words, unique) → Services in {City} (local, airport/station, outstation) → Popular routes from {City} (links to route pages) → Vehicles available → Local landmarks and pickup areas (unique, factual) → Why book with Velora in {City} → FAQ (5 unique questions with schema) → Nearby cities (internal links) → CTA.

Audience differentiation (required): city copy must reflect who actually books there. Industrial and corporate cities (Dahej, Bharuch incl. Ankleshwar, Vapi, Dholera) focus on staff and shift transfers, port and plant visits, visitor and vendor pickups, monthly or corporate billing enquiries, and punctuality. Pilgrimage and leisure destinations (Palitana, Daman, Bhuj/Kutch) focus on families and groups, Tempo Traveller group bookings, early-morning departures, luggage, and multi-stop itineraries. Business hubs (Ahmedabad, Mumbai, Surat, Vadodara) focus on airport and station transfers and meetings. Never reuse the same paragraphs across these types.

Slugs and local hooks (verify every fact, do not invent):

Slug	City	Local hooks to use
bhavnagar	Bhavnagar	HQ/primary page (most content). Bhavnagar railway station and airport, Alang, Nilambag Palace, Takhteshwar Temple, Gopnath, Velavadar
ahmedabad	Ahmedabad	SVPI airport, Kalupur station, business trips, Bhavnagar-Ahmedabad highway
vadodara	Vadodara	Vadodara airport and station, Statue of Unity trips
surat	Surat	Surat airport and station, textile and diamond business travel
bharuch	Bharuch	Industrial belt, Ankleshwar, Dahej connection
dahej	Dahej	Dahej port and industrial zone, corporate and staff transfers
vapi	Vapi	Vapi GIDC and station, Daman connection
daman	Daman	Beaches, weekend trips, Vapi station pickup
dholera	Dholera	Dholera SIR, business and investor visits
mumbai	Mumbai	Airport, CSMT/Dadar/Bandra stations, long outstation to Gujarat
bhuj	Bhuj	Kutch, Rann of Kutch, Bhuj airport and station
gandhidham	Gandhidham	Kandla port, Gandhidham station, Kutch trips
amreli	Amreli	Saurashtra, nearby towns, Gir region trips
palitana	Palitana	Shatrunjaya Jain pilgrimage, group Tempo Traveller bookings

8.1 Typed data schema (`data/cities.ts`)

Define `type City = { slug: string; name: string; audience: "business" | "industrial" | "pilgrimage-leisure"; metaTitle: string; metaDescription: string; h1: string; intro: string; localHooks: string[]; services: string[]; nearestCities: string[]; topRoutes: string[]; faqs: {q: string; a: string}[]; }`. Every field is required, `intro` must be 120+ unique words, `faqs` must have 5 unique entries, and `nearestCities` / `topRoutes` must reference valid slugs (fail the build if a slug does not exist). Use the same pattern for `data/routes.ts`.

8.2 Metadata builder (`lib/metadata.ts`)

Create `buildMetadata({ title, description, path, image })` that returns a Next.js `Metadata` object with the canonical (`SITE.url + path`), openGraph, and twitter fields. Never use `.slice()` or any truncation on titles or descriptions (it cuts words mid-way and hides errors from the validator); `buildMetadata` must throw on empty, placeholder (`[ADD_`, `TODO`) or duplicate copy, and only log a warning when a title is over 60 characters or a description is outside 140-158 (these are editorial guidelines, not hard ranking rules; what matters is that the copy is complete, accurate and not cut off). Accept an optional `image` param (default `${SITE.url}/og/home.jpg`). DOMAIN RULE: the canonical host is `www.veloracabs.in` everywhere: `SITE.url`, `metadataBase`, the Vercel primary domain, and any Cloudflare redirect target. Any redirect or `metadataBase` pointing to non-www `https://veloracabs.in` is a bug, because it conflicts with the apex-to-www redirect and causes a loop. For routes, `data/routes.ts` must also include `reverseSlug`, `vehicleTips`, `relatedRoutes` (valid slugs), `faqs` (4 unique) and an `intro` of 150+ unique words, with `originCity` and `destinationCity` typed as valid city slugs. Also add `scripts/validate-seo.ts`, run it before `next build`, and make it FAIL on: duplicated titles or descriptions, missing or multiple H1s, placeholder text (`[ADD_`, `TODO`) in rendered output, any canonical that does not start with `SITE.url`, any `veloracabs.com` reference, and any sitemap URL that is not published and indexable. Title length over 60 or description length outside 140-158 should only WARN.

---

9. ROUTE PAGES (`/routes/[route]`), 12 candidate routes (publish only confirmed ones)

Slugs (both directions as separate pages where useful): `bhavnagar-to-ahmedabad-taxi`, `ahmedabad-to-bhavnagar-taxi`, `bhavnagar-to-ahmedabad-airport-taxi`, `bhavnagar-to-vadodara-taxi`, `bhavnagar-to-surat-taxi`, `bhavnagar-to-mumbai-taxi`, `bhavnagar-to-palitana-taxi`, `bhavnagar-to-dahej-taxi`, `bhavnagar-to-bharuch-taxi`, `bhavnagar-to-bhuj-taxi`, `bhavnagar-to-dholera-taxi`, `bhavnagar-to-amreli-taxi`.

Title: `{A} to {B} Taxi | One-Way & Round Trip Cab, Velora Cabs`. **H1**: `{A} to {B} Cab Service`. **Meta**: `Book a {A} to {B} taxi: one-way or round trip AC cab. Request a quote on WhatsApp or call +91 87803 11279 for route and fare details.`

Page structure: Intro → Route facts (approx distance, approx travel time, highway or stops; mark values `[VERIFY]` in data if unsure, e.g. Bhavnagar to Ahmedabad is about 170 km by road, roughly 3 to 4 hours depending on traffic; several route sites list 167-175 km. Google Maps on 23 Oct 2026 showed a 199 km two-wheeler detour (road closures on Bagodara Rd) and about 3 hr by car. Do NOT use 215 km. Write "approx. 170-200 km depending on route and road conditions" and "about 3.5-4.5 hours". Avoid naming highway numbers unless verified on Google Maps) → Vehicle options and who they suit → What is included / not included (tolls, state tax, parking, night charges: ask the client for the real policy) → Pickup and drop details → Reverse-route link → Related routes and city links → FAQ (4 unique questions) → CTA button prefilled with the route in the WhatsApp text.

---

10. OTHER PAGES: CONTENT SPEC

- **/services/outstation-taxi** | Title: `Outstation Taxi Service in Gujarat | One-Way & Round Trip` | H1: `Outstation Cab Service from Bhavnagar`. 500+ words: one-way vs round-trip, how fares work, tolls and taxes transparency, popular routes (link all), vehicle picks, FAQ.
- **/services/airport-taxi-transfer** | Title: `Airport Taxi Transfer | Bhavnagar, Ahmedabad, Mumbai Cabs` | H1: `Airport Pickup & Drop Taxi Service`. Cover flight-time planning, luggage-friendly cars, 24x7, FAQ.
- **/services/local-city-cab** | Title: `Local City Cab & Hourly Taxi Rental in Bhavnagar` | H1: `Local Taxi & Hourly Cab Rental`. Cover hourly packages (real values only), shopping, meetings, sightseeing.
- **/services/24x7-cab-service** | Title: `24x7 Cab Service in Bhavnagar | Late-Night & Emergency Taxi` | H1: `24x7 Emergency & Late-Night Taxi`.
- **/fleet** | Title: `Taxi Fleet: Dzire, Ertiga & Tempo Traveller | Velora Cabs` | H1: `Our Cab Fleet`. For each vehicle: seats, luggage, best for, AC, suggested trips (Dzire 4 passengers, Ertiga 6-7, Tempo Traveller 12-17, confirm exact counts with the client).
- **/about** | Title: `About Velora Cabs | Trusted Taxi Service in Gujarat` | H1: `About Velora Cabs`. Founder name, story, service values, driver standards, vehicle care, address (only if public and confirmed) and real team/office photos (only if provided; never stock or placeholder images). Add E-E-A-T signals (real details only).

- **/contact** | Title: `Contact Velora Cabs | Call, WhatsApp & Book a Taxi` | H1: `Contact & Book a Cab`. NAP, click-to-call, WhatsApp, form, embedded map, opening hours "Open 24x7".
- **/faq** | Title: `Taxi Booking FAQs | Velora Cabs Gujarat` | H1: `Frequently Asked Questions`. 20 grouped questions (Booking, Fares and Payments, Safety, Outstation, Airport, Luggage and Vehicles, Cancellation) with FAQPage schema.
- **/blog** posts (700+ words each, original): (1) `Bhavnagar to Ahmedabad by Taxi: Distance, Time & Best Route`, (2) `Palitana Shatrunjaya Yatra Guide: Taxi & Tempo Traveller Tips`, (3) `One-Way vs Round-Trip Outstation Cab: Which Is Cheaper?`. Include Article schema, author, date, images with alt text, and internal links to relevant route/service pages.
- **/privacy-policy** and **/terms-and-conditions**: draft plain-language pages (data collected by the booking form and WhatsApp, cancellation and waiting charges) but keep them unpublished (`noindex`, excluded from sitemap and footer) until the owner approves the policy wording; never ship placeholder legal text. Once approved, link them in the footer and next to the booking form.

---

11. INTERNAL LINKING RULES

- Home links to every service, the top routes, and all 14 cities.
- Each city page links to its top 3 routes, the 3 nearest cities, and the relevant services.
- Each route page links to the reverse route, the origin and destination city pages, and the relevant service page.
- Use descriptive anchor text ("Bhavnagar to Ahmedabad taxi"), never "click here".
- Breadcrumbs on all inner pages.

---

12. DESIGN DIRECTION

- Clean, trustworthy, mobile-first travel brand. Primary `#30AFFF`, deep navy `#0B1F33` for text and headings, white backgrounds, a warm accent (`#FFB400`) only for primary CTAs. Good contrast (WCAG AA).
- One font family via `next/font` (for example Inter or Poppins), system fallback.
- **Sticky bottom bar on mobile** with two big buttons: Call Now / WhatsApp. Floating WhatsApp button on desktop.
- Cards with rounded corners (16px), soft shadows, generous spacing. Route and city cards show a simple icon and a short line.
- The booking form is above the fold on mobile, with a minimal number of fields; keep the WhatsApp prefill but also validate the phone number (10-digit Indian mobile), and show a clear success state.
- Accessible: visible focus states, labels on all inputs, ARIA labels on icon buttons, `prefers-reduced-motion` respected, tap targets 44px or larger.
- Trust strip under the hero: "24x7 Dispatch · GPS-tracked cabs · Verified drivers · 4.2★ on Google" (only claims that are accurate).

12.1 Booking and quote experience (improve in place, do not break what works)

Keep the existing booking form to WhatsApp flow if it works reliably, and improve it:

- Make the primary Quote / Book CTA prominent, especially on mobile (above the fold and in the sticky bottom bar).
- Make these inputs easy: pickup, destination, trip type, travel date, passenger count and vehicle requirement. Use proper input types, labels, `autocomplete`, and a date picker that blocks past dates.
- Validate required fields (10-digit Indian mobile, name, route, date) with clear, helpful error messages and visible focus states.
- Build the WhatsApp message with `encodeURIComponent` so special characters, spaces and line breaks survive; include route, trip type, date, vehicle and passenger details. Keep personal data out of analytics events.
- Label the action honestly: "Request a quote on WhatsApp", not "Book now", unless the business actually confirms bookings instantly. Add a line such as "We will confirm availability and fare on WhatsApp". Provide a fallback (copy message, call button) if WhatsApp cannot open.

- Show indicative fares only if the owner provides them; otherwise explain the quote process. State what the fare includes and excludes (tolls, parking, driver allowance, taxes, return charges, waiting, night charges) only once confirmed.
- Show vehicle seating and luggage capacity only when verified. Use genuine fleet photos when available.
- Test the whole flow on mobile and desktop, and report PASS/FAIL/NOT RUN.

---

13. OFF-SITE CHECKLIST (NOT CODE; output as `OFFSITE_CHECKLIST.md` for the human)

1. **Google Business Profile**: category "Taxi service" (secondary: "Car rental", "Airport shuttle service"); business name exactly "Velora Cabs" (no keyword stuffing); service areas = the 14 cities; address (or hide address if service-area-only); phone, website `https://www.veloracabs.in`; hours = open 24 hours; description (750 chars); services list; 10+ real photos (vehicles, drivers, office); verify by video/postcard; collect real reviews and reply to all; post weekly.
2. **Google Search Console**: add a Domain property for `veloracabs.in`; verify via DNS; submit `https://www.veloracabs.in/sitemap.xml`; use URL Inspection to request indexing on home, services, and top city/route pages; monitor coverage and Core Web Vitals.
3. **Bing Webmaster Tools**: import from GSC and submit the sitemap.
4. **Citations (identical NAP)**: Justdial, Sulekha, IndiaMART, TripAdvisor (if relevant), Facebook, Instagram, YouTube, local Bhavnagar directories.
5. **Reviews**: add a short link/QR for customers to review on Google.
6. **Backlinks**: local business associations, travel and tourism blogs, tie-ups with hotels and companies in Bhavnagar and Dahej.

---

14. VERIFICATION CHECKLIST (run and report PASS/FAIL for each)

1. `grep -r "veloracabs.com" .` returns nothing.
2. View-source on `/` shows canonical `https://www.veloracabs.in/`, og:url and og:image on `.in`, no `meta keywords` tag.
3. Every indexable page has a unique, complete, accurate title and description (editorial guidelines: about 50-60 and 140-158 characters, warnings only), one H1, and a self-referencing canonical.
4. `/sitemap.xml` lists all pages; `/robots.txt` references it.
5. JSON-LD validates (no errors) in Google's Rich Results Test for: TaxiService/LocalBusiness, FAQPage, BreadcrumbList.
6. No page has duplicated body copy between city or route pages (unique content check).
7. The unverified "4.9" rating and "15,000+" figure are gone; any rating shown matches the live Google profile; no fake counts, testimonials or reviews remain.
8. Baseline and final mobile Lighthouse scores recorded for `/`, one city page and one route page (report measured numbers; goals in Section 3 are not guarantees).
9. All images have meaningful alt text and explicit dimensions, and responsive sizes are set so small cards do not load oversized (for example 3840 px) images.
10. 404 page returns status 404; apex-to-www redirect returns 301.
11. Every link works (no broken internal links); phone and WhatsApp links fire GA4 events.
12. Final report lists every omitted or unconfirmed value from `IMPLEMENTATION_TODO.md` (address, PIN, geo, GBP URL, review count, GA4 ID, GSC token, real reviews, pricing policy, hourly packages, confirmed cities and routes).
13. Rendered-page sweep finds no TODO, owner-confirmation note, developer comment or placeholder text on any public page.
14. Booking flow tested on mobile and desktop: validation, encoded WhatsApp message with correct details, fallback, and quote-vs-booking wording.

15. No accidental `noindex` on production pages; preview or development deployments are not indexable; no empty headings or broken links.
16. Claims audit table present in `SEO_AUDIT_REPORT.md` (kept, softened or removed, with evidence).

---

15. DELIVERABLES

Complete working code for all pages and components, updated `next.config.js`, `app/sitemap.ts`, `app/robots.ts`, `app/manifest.ts`, data files, `OFFSITE_CHECKLIST.md`, a short `CHANGELOG.md`, `IMPLEMENTATION_TODO.md` (private list of unknown facts and owner decisions), and `SEO_AUDIT_REPORT.md` with PASS/FAIL/NOT RUN for every check in Section 14, the baseline and final mobile Lighthouse scores, a page inventory (improved, created, consolidated, intentionally not created), and remaining blockers. Build must pass with zero errors (`next build`) before you finish.

APPENDIX A. REFERENCE: `components/JsonLd.tsx`

Server component. Place it at `components/JsonLd.tsx`. It uses `SITE.url` (www), strips every unverified or empty field with `compact()`, escapes `<`, and never emits `priceRange`, offers, ratings or reviews. Use `<JsonLd type="root" />` in the root layout; `type="business"` on home and contact (pass only confirmed cities); `type="service"` on service and route pages; `type="faq"` only with items identical to the visible FAQ; `type="breadcrumb"` on inner pages with visible breadcrumbs.

```
// components/JsonLd.tsx
// Server component (no "use client"). Emits JSON-LD only for facts that exist in SITE
// and are visible/accurate on the page. Unknown optional fields are omitted, never guessed.
//
// Required additions to lib/site.ts (all optional, leave undefined until confirmed):
//   logo?: string;            // absolute URL of a real logo file
//   image?: string;           // absolute URL of a real social/OG image
//   open24x7?: boolean;       // true ONLY if the owner confirms round-the-clock service
//   (address, geo, googleBusinessUrl, social already exist in SiteConfig)

import { SITE } from "@/lib/site";

type Json = Record<string, unknown>;

export type FaqItem = { q: string; a: string };
export type Crumb = { name: string; path: string };

type Props =
  | { type: "root" }
  // areaServed must contain ONLY cities with serviceConfirmed: true
  | { type: "business"; areaServed?: string[] }
  | { type: "service"; serviceType: string; path: string; areaServed?: string[] }
  // Question/answer text must match the visible FAQ text exactly
  | { type: "faq"; items: FaqItem[] }
  | { type: "breadcrumb"; crumbs: Crumb[] };

const abs = (path: string) => `${SITE.url}${path.startsWith("/") ? path : `/${path}`}`;

// Recursively drop undefined, null, empty strings, empty arrays and empty objects.
function compact<T>(value: T): T | undefined {
  if (Array.isArray(value)) {
    const arr = value.map((v) => compact(v)).filter((v) => v !== undefined);
    return (arr.length ? arr : undefined) as T | undefined;
  }
  if (value && typeof value === "object") {
    const entries = Object.entries(value as Json)
      .map(([k, v]) => [k, compact(v)] as const)
      .filter(([, v]) => v !== undefined);
    return (entries.length ? Object.fromEntries(entries) : undefined) as T | undefined;
  }
  if (value === null || value === undefined || value === "") return undefined;
  return value;
}

const cities = (names?: string[]) =>
  names?.map((name) => ({ "@type": "City", name }));

function build(props: Props): Json | undefined {
  const BIZ_ID = `${SITE.url}/#business`;
  const ORG_ID = `${SITE.url}/#organization`;
```

```
switch (props.type) {
  case "root":
    return {
      "@context": "https://schema.org",
      "@graph": [
        { "@type": "WebSite", "@id": `${SITE.url}/#website`, name: SITE.name, url: SITE.url },
        {
          "@type": "Organization",
          "@id": ORG_ID,
          name: SITE.name,
          url: SITE.url,
          logo: SITE.logo,
          telephone: SITE.phone,
          email: SITE.email,
          sameAs: [
            ...Object.values(SITE.social ?? {}),
            SITE.googleBusinessUrl,
          ].filter(Boolean),
        },
      ],
    };

  case "business":
    // LocalBusiness is the business entity; TaxiService is the service it provides.
    return {
      "@context": "https://schema.org",
      "@graph": [
        {
          "@type": "LocalBusiness",
          "@id": BIZ_ID,
          name: SITE.name,
          url: SITE.url,
          telephone: SITE.phone,
          email: SITE.email,
          image: SITE.image,
          address: SITE.address && {
            "@type": "PostalAddress",
            streetAddress: SITE.address.street,
            addressLocality: SITE.address.city,
            addressRegion: SITE.address.state,
            postalCode: SITE.address.postalCode,
            addressCountry: SITE.address.country,
          },
          geo: SITE.geo && {
            "@type": "GeoCoordinates",
            latitude: SITE.geo.lat,
            longitude: SITE.geo.lng,
          },
          hasMap: SITE.googleBusinessUrl,
          openingHoursSpecification: SITE.open24x7
            ? {
                "@type": "OpeningHoursSpecification",
                dayOfWeek: [
                  "Monday", "Tuesday", "Wednesday", "Thursday",
                  "Friday", "Saturday", "Sunday",
                ],
                opens: "00:00",
                closes: "23:59",
              }
            : undefined,
          areaServed: cities(props.areaServed),
          // Deliberately NO priceRange, aggregateRating or review (unverified / self-serving).
        },
        {
          "@type": "TaxiService",
          "@id": `${SITE.url}/#taxi-service`,
          name: `${SITE.name} taxi service`,
          serviceType: "Taxi and cab service",
          provider: { "@id": BIZ_ID },
          areaServed: cities(props.areaServed),
        },
      ],
    };

  case "service":
    return {
      "@context": "https://schema.org",
```

```
        "@type": "Service",
        serviceType: props.serviceType,
        url: abs(props.path),
        provider: { "@id": BIZ_ID },
        areaServed: cities(props.areaServed),
        // Deliberately NO offers / prices: quotes are given on request.
      };

    case "faq":
      return props.items.length
        ? {
            "@context": "https://schema.org",
            "@type": "FAQPage",
            mainEntity: props.items.map(({ q, a }) => ({
              "@type": "Question",
              name: q,
              acceptedAnswer: { "@type": "Answer", text: a },
            })),
          }
        : undefined;

    case "breadcrumb":
      return props.crumbs.length
        ? {
            "@context": "https://schema.org",
            "@type": "BreadcrumbList",
            itemListElement: props.crumbs.map((c, i) => ({
              "@type": "ListItem",
              position: i + 1,
              name: c.name,
              item: abs(c.path),
            })),
          }
        : undefined;
  }
}

export default function JsonLd(props: Props) {
  const schema = compact(build(props));
  if (!schema) return null;

  // Escape "<" so content can never close the script tag.
  const json = JSON.stringify(schema).replace(/</g, "\\u003c");

  return <script type="application/ld+json" dangerouslySetInnerHTML={{ __html: json }} />;
}
```

APPENDIX B. DECISION LOG (outside suggestions reviewed)

Source	Suggestion	Decision
Gemini	Bhavnagar to Ahmedabad is about 215 km	Rejected. Route sites list roughly 167-175 km by road; Google Maps showed 199 km only as a two-wheeler detour around road closures. Use "approx. 170-200 km depending on route and road conditions".
Gemini	Move apex-to-www and .com redirects to the hosting edge	Accepted. Only one layer handles each redirect.
Gemini	Redirect and metadataBase target non-www `veloracabs.in`	Rejected. `www.veloracabs.in` everywhere, otherwise redirect loops and duplicate URLs.
Gemini	`buildMetadata` that truncates with `.slice()`	Rejected. No truncation; throw on empty, placeholder or duplicate copy, warn on length.
Gemini	Runtime guard for `aggregateRating`	Accepted, but off by default for the business's own markup (self-serving reviews).
Gemini	Typed `data/cities.ts` and `data/routes.ts`	Accepted and expanded (valid slugs, unique intros, FAQs, publish flags).
Gemini	JsonLd.tsx with hardcoded non-www URLs, broken type check, `priceRange`, fake offer	Rejected as written. Corrected version is Appendix A.
ChatGPT	Audit first, no public placeholders, PASS/FAIL/NOT RUN reporting	Accepted.
ChatGPT	No self-serving review or rating schema; FAQ rich results are limited	Accepted.
ChatGPT	Length limits are guidelines, not hard build failures	Accepted. Duplicates and placeholders still fail the build.
ChatGPT	Build fewer pages, only confirmed cities and routes	Accepted via `published` and `serviceConfirmed` flags; page set is still built for confirmed locations.
ChatGPT	Live homepage shows TODO notes, 215 km and a 4.2 rating	Not confirmed. A live fetch on 23 Oct 2026 still showed 4.9/5, "15,000+" and the old testimonials, with no FAQ section, TODO text or 215 km. The sweep rule covers either case.

APPENDIX C. OWNER CONFIRMATION CHECKLIST

Antigravity must not guess any of these. Ask the owner, then record answers in `IMPLEMENTATION_TODO.md`.

1. Which cities and routes are actually served (confirm each of the 14 cities and each route page)?
2. Is service really available 24x7, and is dispatch or pickup timing guaranteed?
3. Fares: per-km rates, minimum charges, and what is included or excluded (tolls, parking, driver allowance, state tax, return charges, waiting, night charges).
4. Cancellation and waiting-charge policy.
5. Public address (or service-area-only), PIN code, map location, business hours.
6. Real Google rating and review count, Google Business Profile URL and review link.
7. Real customer reviews with permission (or remove the testimonials section).
8. Trip count claim ("15,000+") and any safety, police verification, GPS or flight-tracking claims, with evidence.
9. Vehicle seating and luggage capacity, and real fleet photos.
10. Which domain is primary (default `www.veloracabs.in`), and whether `veloracabs.com` is owned.
11. GA4 ID, Search Console and Bing access, social profile links.
12. Approval of privacy, terms and cancellation wording before publishing.