

I Claim:

1. A method for relieving or preventing symptoms associated with uric acid crystals, comprising consuming a formulation that supports three or more processes that reduce a symptom due to uric acid crystals in a body, the processes comprising:
 - 1) a process that inhibits formation of uric acid in the body;
 - 2) a process that increases elimination of uric acid from the body; and
 - 3) a process that interferes with formation of uric acid crystals in the body.
2. The method of claim 1, wherein the formulation comprises an extract of celery, an extract of cherry, and a lithium salt.
3. The method of claim 2, wherein the extract of celery is from a seed.
4. The method of claim 2, wherein the extract of cherry is from a fruit.
5. The method of claim 2, wherein the lithium salt is selected from lithium orotate, lithium aspartate, lithium proteinate, lithium citrate, lithium carbonate, and mixtures thereof.
6. The method of claim 2, wherein the formulation comprises from 25 to 200 mg of extract of celery, from 100 to 1500 mg extract of cherry, and from 1.5 to 10 mg of lithium in the lithium salt; and wherein the formulation is consumed from one to four times per day.
7. The method of claim 1, wherein the extract of celery is standardized to contain at least 50% 3-n-butylphthalide calculated as total phthalides.
8. The method of claim 4, wherein the cherry fruit extract is sweet cherry (*Prunus avium*) fruit extract of at least 5:1.
9. A formulation for relieving or preventing symptoms associated with uric acid crystals, comprising:
 - a. an extract of celery;
 - b. an extract of cherry; and
 - c. a lithium salt.
10. The formulation of claim 9, wherein the extract of celery is from a seed.

11. The formulation of claim 9, wherein the extract of celery is standardized to contain at least 50% 3-n-butylphthalide calculated as total phthalides.
12. The formulation of claim 9, wherein the extract of cherry is from a fruit.
13. The formulation of claim 9, wherein the extract of cherry is sweet cherry
5 (Prunus avium) fruit extract of at least a 5:1 concentrate.
14. The formulation of claim 9, comprising from 25 to 200 mg of extract of celery, from 100 to 1500 mg extract of cherry, and from 1.5 to 10 mg of lithium in the lithium salt in a medicament selected from the group consisting of a tablet, a capsule, a pill, a softgel, a suspension, and a powder.
- 10 15. The formulation of claim 9, comprising less than 5 wt% inert filler.
16. The formulation of claim 9, that is a high dose formulation for acute gout phase treatment.
17. The formulation of claim 9, that is a low dose formulation for preventative treatment of gout, kidney stones, or a combination thereof.
- 15 18. The formulation of claim 9, wherein the formulation is a mixture made of dry particles.
19. A process to make a formulation for relieving or preventing symptoms associated with uric acid crystals, comprising:
- a. mixing together:
- 20 i. a material that when consumed inhibits formation of uric acid in a body;
- ii. a material that when consumed increases elimination of uric acid from the body;
- iii. a material that when consumed interferes with formation of uric acid crystals in the body; and
- 25 b. forming the mixture of step (a) into a medicament.
20. The process of claim 19, wherein the material that when consumed inhibits formation of uric acid in the body is celery seed extract; the material that when consumed increases elimination of uric acid from the body is cherry fruit extract; and wherein the material that when consumed interferes with
30 formation of uric acid crystals in the body is lithium salt.

CLAIMS

- 5 | 1. A therapeutic combination for use in a method of relieving and preventing gout symptoms associated with uric acid crystals, the therapeutic combination comprising:
- a. an extract of celery;
 - b. an extract of cherry; and
 - c. a lithium salt.
- 10 | 2. The therapeutic combination for use according to claim 1, wherein the extract of celery is standardized to contain at least 50% 3-n-butylphthalide calculated as total phthalides.
- 15 | 3. The therapeutic combination for use according to claim 1, wherein the extract of cherry is sweet cherry (*Prunus avium*) fruit extract of at least a 5:1 concentrate.
- 20 | 4. The therapeutic combination for use according to claim 1, comprising from 25 to 200 mg of extract of celery, from 100 to 1500 mg extract of cherry, and from 1.5 to 10 mg of lithium in the lithium salt in a medicament selected from the group consisting of a tablet, a capsule, a pill, a softgel, a suspension, and a powder.
- 25 | 5. The therapeutic combination for use according to claim 1, comprising less than 5 wt% inert filler.
- 30 | 6. The therapeutic combination for use according to claim 1, wherein the lithium salt is selected from the group of lithium orotate, lithium aspartate, lithium proteinate, lithium citrate, lithium carbonate, and mixtures thereof, for example wherein the lithium salt is selected from the group of lithium aspartate, lithium proteinate, and mixtures thereof.
7. The therapeutic combination for use according to claim 1, wherein the amount of lithium in the lithium salt is from 1.5 to 4.9 mg therapeutic combination contains from 25 to 150 mg of extract of celery, from 100 to 1000 mg of extract of cherry, and from 1.5 to 7.5 mg of lithium in the lithium salt.

8. The therapeutic combination for use according to claim 1, wherein the extract of cherry is from *Prunus maackii*, optionally wherein the extract of cherry is from a portion of the plant selected from the leaves, pit, bark or roots.
- 5 9. The therapeutic combination for use according to any one of the preceding claims, ~~for use in a method of relieving or preventing symptoms associated with wherein~~ the uric acid crystals are made of salts of urate anions and cations selected from ammonium, sodium, potassium, calcium and magnesium.
- 10 10. The therapeutic combination for use according to claim 9~~1~~, wherein the combination is in the form of a capsule and is taken from once every other day to prevent symptoms or at least once per one to three times a day to relieve symptoms.
- 15 11. The therapeutic combination for use according to claim 9~~1~~, wherein the combination is taken for more than four weeks with no adverse effects on the body.
- 20 12. The therapeutic combination for use according to claim 9~~1~~, wherein the ~~formulation~~ therapeutic combination is in the form of a capsule containing 100mg celery seed extract, approximately 833 mg cherry fruit extract and 4.9 mg lithium as lithium orotate and wherein the therapeutic combination causes no gastrointestinal distress.
- 25 13. The therapeutic combination for use according to claim 9~~12~~, wherein ~~the symptoms are relieved with~~ one capsule is taken three times a day for two to four days, until all gout symptoms are abated. ~~after the initiation of ingestion of the formulation.~~
- 30 14. A process to make a formulation for relieving or preventing gout symptoms associated with uric acid crystals, comprising:
- 35 a. mixing together:
- i. a material comprising an extract of celery;
 - ii. a material comprising an extract of cherry;
 - iii. a material comprising a lithium salt; and
- b. forming the mixture of step (a) into a medicament

15. The process of claim ~~14~~13, wherein the extract of celery is a celery seed extract and wherein the extract of cherry is a cherry fruit extract.