

【CLAIMS】

【Claim 1】

A method for promoting hyaluronic acid synthesis, which comprises administering a food or pharmaceutical composition comprising a pomegranate concentrate as an active ingredient to a subject in need of promotion of hyaluronic acid synthesis.

【Claim 2】

The method according to claim 1, wherein the subject is a human.

【Claim 3】

The method according to claim 1, wherein the pomegranate concentrate comprises: 0.8-3 mg/g of ellagic acid; and/or 8-15 mg/g of polyphenol.

【Claim 4】

The method according to claim 1, wherein the pomegranate concentrate is prepared through a process of treating a pomegranate fruit with a starch-degrading enzyme and then concentrating by heating.

【Claim 5】

The method according to claim 1, wherein the food composition is in the form of a fortified food, a dietary supplement, a non-alcoholic drink, a sports drink, a fruit drink, tea- or milk-based drink or a liquid food.

【Claim 6】

The method according to claim 1, wherein the method is effective for improving skin moisturization.

5

【Claim 7】

The method according to claim 1, wherein the treatment with the starch-degrading enzyme is performed at 40-65 °C within 60 minutes.

10 **【Claim 8】**

The method according to claim 1, wherein the concentrating by heating is performed at 40-110 °C for 3 or more times.

【Claim 9】

15 The method according to claim 8, wherein the concentrating by heating is performed by performing heating concentration at 70-100 °C and 400-850 mbar for 2 or more times and then performing heating concentration at 40-80 °C and 100-350 mbar for 1 or more time.

20 **【Claim 10】**

The method according to claim 8, wherein the concentrating by heating is performed by performing first heating concentration at 70-85 °C and 400-550 mbar, performing second heating concentration at 85-92 °C and 550-750 mbar, performing third heating concentration at 92-100 °C and 750-850 mbar, performing fourth

heating concentration at 60-80 °C and 250-350 mbar and performing fifth heating concentration at 40-60 °C and 100-250 mbar.

【Claim 11】

5 The method according to claim 8, wherein the concentrating by heating is performed by performing first heating concentration at 55-90 °C, performing second heating concentration at 105-110 °C and performing third heating concentration at 100-105 °C.

~

10 **【Claim 12】**

A method for improving skin moisturization, which comprises administering a food or pharmaceutical composition comprising a pomegranate concentrate as an active ingredient to a subject in need of skin moisturization.

15 **【Claim 13】**

The method according to claim 12, wherein the method further has one or more effect selected from a group consisting of improvement of skin moisturization, improvement of wrinkles, skin whitening, improvement of skin elasticity and reduction of cornification.

20

【Claim 14】

A method for preparing a pomegranate concentrate effective for promoting hyaluronic acid synthesis, which comprises treating a pomegranate fruit with a starch-degrading enzyme and concentrating a pomegranate degradation product by

heating.

【Claim 15】

A food or pharmaceutical composition for improving skin moisturization,
5 which comprises a pomegranate concentrate prepared by the method according to
claim 14 as an active ingredient and is effective for promoting hyaluronic acid
synthesis.

Unser Zeichen/Our Ref.
HL02P002WOEP

Datum/Date
January 18, 2021

Amended claims (marked-up)

1. A cosmetic use of a composition comprising a pomegranate concentrate as an active ingredient, for improving skin moisturization via ~~for~~-promotion of skin whitening and hyaluronic acid synthesis of a subject in need thereof, wherein the pomegranate concentrate comprises: 1.8-3 mg/g of ellagic acid and 8-15 mg/g of polyphenol,

wherein the composition is a food composition in the form of a fortified food, a dietary supplement, a non-alcoholic drink, a sports drink, a fruit drink, tea- or milk-based drink or a liquid food.

2. The cosmetic use according to claim 1, wherein the subject is a human.

~~3. The cosmetic use according to claim 1, further for improving skin moisturization.~~