

Amended claims

1. A pharmaceutical composition for use in the treatment and prevention of Avian Influenza comprising active ingredients ~~and/or~~ medical acceptable vectors, wherein the said active ingredients include the following raw materials: herba houttuyniae 4.7wt.%-70.0wt.%, caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.% and other herbs for removing fever and detoxification.
2. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said herbs for removing fever and detoxification are Male Fern Rhizome, Radix angelicae dahuricae, Herba Andrographis, Dandelion, Natural Indigo, Sargentgloryvine Stem and Chinese Licorice.
3. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said active ingredients are consisted of herba houttuyniae 4.7wt.%-70.0wt.%, Caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, and radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.%.
4. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said active ingredients include the following raw materials: herba houttuyniae 4.7wt.%-58.4wt.%, caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.%, male fern rhizome 1.9wt.%-37.3wt.%, radix angelicae dahuricae 1.2wt.%-35.0wt.% and other herbs for removing fever and

detoxification.

5. The pharmaceutical composition according to claim 4 for use as defined in claim 1, wherein the said herbs for removing fever and detoxification are rhizoma paridis, herba artemisiae annuae, Java brucea fruit, herba andrographis, dandelion, mint, platycodon grandiflorus, and Chinese licorice.
6. The pharmaceutical composition according to claim 4 for use as defined in claim 1, wherein the said active ingredients are consisted of the following raw materials: herba houttuyniae 4.7wt.%-58.4wt.%, Caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, and radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.%, male fern rhizome 1.9wt.%-37.3wt.%, radix angelicae dahuricae 1.2wt.%-35.0wt.%.
7. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said active ingredients are consisted of the following raw materials: herba houttuyniae 9.3wt.%-46.7wt.%, Caulis lonicerae japonicae 9.3wt.%-37.3wt.%, radix isatidis 4.7wt.%-35.0wt.%, male fern rhizome 2.3wt.%-28.0wt.%, radix et rhizoma sophorae tonkinensis 2.3wt.%-23.3wt.%, radix angelicae dahuricae 2.3wt.%-23.3wt.%, rhizoma paridis 2.3wt.%-23.3wt.%, herba artemisiae annuae 2.3wt.%-23.3wt.%, rhizoma iridis tectoris 2.3wt.%-23.3wt.%.
8. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said active ingredients are consisted of the following raw materials: herba houttuyniae 14.0wt.%-35.0wt.%, Caulis lonicerae japonicae 11.7wt.%-23.3wt.%, radix isatidis 9.3wt.%-21.0wt.%, male fern rhizome 7.0wt.%-18.7wt.%, radix et rhizoma sophorae tonkinensis 4.7wt.%-11.7wt.%, radix angelicae dahuricae 4.7wt.%-11.7wt.%, rhizoma paridis 4.7wt.%-11.7wt.%, herba artemisiae annuae

4.7wt.%-11.7wt.%, rhizoma iridis tectoris 4.7wt.%-11.7wt.%.

9. The pharmaceutical composition according to claim 1 for use as defined in claim 1, wherein the said active ingredients are consisted of the following raw materials: herba houttuyniae 21.4wt.%, Caulis lonicerae japonicae 17.9wt.%, radix isatidis 14.3wt.%, male fern rhizome 10.7wt.%, radix et rhizoma sophorae tonkinensis 7.1wt.%, radix angelicae dahuricae 7.1wt.%, rhizoma paridis 7.1wt.%, herba artemisiae annuae 7.2wt.%, rhizoma iridis tectoris 7.2wt.%.
10. The pharmaceutical composition according to claims 1-9 for use as defined in claim 1, wherein the said pharmaceutical composition is in any of the medicine types.
11. The pharmaceutical composition according to Claim 10 for use as defined in claim 1, wherein the said pharmaceutical composition is a pellet.
12. A preparation method for the pharmaceutical composition according to any of Claims 1-11 for use as defined in claim 1, wherein the method includes the following steps:
 - (1) all raw materials are weighed;
 - (2) the herba houttuyniae is boiled in water for 10~40 minutes, and filtered, then the filtrate is concentrated to obtain a clear cream with a density of 1.05, and cooled;
 - (3) the clear cream from step 2 is added with ethanol until the amount of ethanol is 50~80%, allowed to sit for 24 hours and filtered, then ethanol is recovered from the filtrate and concentrated to obtain a clear cream with a density of 1.25;
 - (4) other raw materials are boiled in water twice for 2 hours each time and filtered, then the filtrate is concentrated to a density of 1.20, filtered, and

concentrated again to obtain a clear cream with a density of 1.10-1.25;

- (5) the clear cream from step 3 and step 4 are mixed, concentrated continuously to obtain a thick cream with a density of 1.26 or above, and added with accessory agents.

13. The use of a pharmaceutical composition comprising active ingredients and/or medical acceptable vectors in preparation of medicines for prevention or treatment of avian influenza, wherein the said active ingredients include the following raw materials: herba houttuyniae 4.7wt.%-70.0wt.%, caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.% and other herbs for removing fever and detoxification.
14. The use of a pharmaceutical composition comprising active ingredients and/or medical acceptable vectors in preparation of health foods for prevention or treatment of avian influenza, wherein the said active ingredients include the following raw materials: herba houttuyniae 4.7wt.%-70.0wt.%, caulis lonicerae japonicae 4.7wt.%-46.7wt.%, radix isatidis 2.3wt.%-42.0wt.%, radix et rhizoma sophorae tonkinensis 1.2wt.%-35.0wt.% and other herbs for removing fever and detoxification.
15. The use according to claim 13 or 14, wherein the said avian influenza is highly pathogenic avian influenza.
16. The use according to claim 15, wherein the said highly pathogenic avian influenza is caused by H_5N_1 .
17. The use according to claim 15, wherein the said avian influenza is human-avian influenza.
18. The use according to claim 13, wherein the said avian influenza is animal-avian influenza.