

CLAIMS (20 October 2023)1. Hydroalcoholic gel composition formulated for topical use comprising

- a. cannabidiol present in an amount of 0.1-20%, such as 0.1-10% or more preferred 0.2-5 % (by weight), ~~and optionally, wherein the cannabidiol is provided in a crystalline or pure form;~~
- b. ~~a skin penetration enhancer(s) present in an amount of 0.5-1.5 % (by weight), such as a skin penetration enhancer selected from isopropyl myristate, dimethylsulfoxid (DMSO), urea, or any combination(s) thereof;~~
- c. ethanol present in an amount of 10-30 % (by weight);
- d. one or more thickeners or gelling agents present in a total amount of 0.4-2 % (by weight), ~~such as thickener and/or gelling agent is selected from acrylate cross polymers, hydroxyethyl cellulose, xanthan gum and/or any combinations thereof;~~
- e. 10-25 % (by weight) sodium chloride, preferably sea salt, or more preferably Dead Sea salt; and
- f. water in a quantity for the composition to a total of 100 % (by weight);
- ~~g. and optionally, wherein said composition is formulated for topical use.~~

2. Composition according to claim 1 for use as a medicament.3. Composition according to claim 1 or 2 for use as a medical composition in a topical application in the treatment or alleviation of symptoms of psoriasis, in particular of red, dry, itchy, and/or scaly skin in a subject, such as a human, mammal or other animal.4. Composition according to any one of the preceding claims for use as a medical composition in a topical application in the treatment or alleviation of a painful condition associated with one or more red, dry, itchy, and/or scaly skin in a subject, such as a human, mammal or other animal.

5. Composition according to any one of claims 2-4, wherein the topical gel composition is applied topically to a local skin area of a subject, such as a human, mammal or other animal, 1-5 times daily.

5 6. Composition according to any one of claims 2-5, wherein the topical gel composition is applied in an amount of 5-100, or 10-50 mg/ cm² per application.

10 7. Composition according to any one of claims 2-6 for use in the treatment of mild, moderate and/or severe psoriasis, wherein the treatment comprises: application of the psoriasis on the surface of the skin by gently massaging a suitable amount of the gel onto the parts of the body to be treated (e.g. 0.25 g ~ size of a pea to hand, wrists or elbows (~25 cm²), or 0.5 g size of 2 peas to foot, ankle or knee (~50 cm²); and/or topical application of the composition to a local skin area of a subject in an amount of 2-250, 5-100, or 10-50 mg/cm² per application.

15 8. Composition for use according to any one of claims 2-7, wherein the dosage is 1-5 times per day, 1-3 times per day, or 1-2 times per day.

20 9. Composition for use according to any one of the claims 2-8, wherein the use comprises rinsing the skin with water, such as warm tap water within maximum one hour after application of the gel.

10. Composition according to any one of the preceding claims, wherein the composition is formulated as a cosmetic skin hydrating or skin care composition.

25 11. Composition according to any one of the preceding claims, wherein the cannabidiol is provided in a crystalline or pure form.

30 12. Composition according to ~~any one of the preceding claims~~¹, wherein the cannabidiol comprises less than 1.5_%, 1.0_% or 0.5_% (by weight) of any one of: Cannabidivarin (CBDV), Cannabidiolic acid (CBDA), Cannabigerol (CBG)-, Cannabinol (CBN); and/or less than 1.0% of Tetrahydrocannabinol (THC).-

13. Composition according to any one of the preceding claims 1 or 2, wherein the composition comprises less than 2.0 %, 1.0 %, 0.5, or 0.1 % (by weight) oil, such as vegetable and/or mineral oil.

~~4. Composition according to any one of the preceding claims, wherein the composition further comprises 10-25% (by weight) of sodium chloride, in particular sea salt, or more preferred Dead Sea salt.~~

145. Composition according to any one of the preceding claims, wherein the composition further comprises one or more skin care or skin hydrating/moisturizing agents, selected from

- i. 0.01-1 % (by weight) extract of aloe barbadensis leaves;
- ii. 1-5 % (by weight) of panthenol;
- iii. 0.1-1-5 % (by weight) of retinyl palmitate; and
- iv. 0.5-5 % (by weight) of glycerine;

including ~~or~~ any combinations thereof.

~~6. Composition according to any one of the preceding claims, wherein the composition further comprises one or more further components selected from 0.5-5 % (by weight) of menthol and/or 0.1-2 % (by weight) of camphor and/or 0.5-1.5% (by weight) of eucalyptus oil.~~

157. Composition according to any one of the preceding claims, wherein:

- the skin penetration enhancer is selected from isopropyl myristate, dimethylsulfoxid (DMSO), and urea, including any combination(s) thereof.
- the thickener and/or gelling agent is selected from acrylate cross polymers, hydroxyethyl cellulose, and xanthan gum, including any combinations thereof; and/or
- the composition further comprises one or more pharmaceutically acceptable adjuvants selected from antioxidants, emulsifiers, pH regulating agents, such as acids or bases, stabilizers, and colorants; including ~~or~~ any combination thereof.

—

~~8. Composition according to any one of the preceding claims, wherein the composition is a cosmetic skin hydrating or skin care composition.~~

5

~~9. Composition according to any one of the preceding claims, for use as a medical composition in a local topical application in the treatment or alleviation of symptoms, in particular pain, resulting from arthritis, in particular rheumatoid arthritis, osteoarthritis, juvenile rheumatoid arthritis and/or psoriatic arthritis and/or neurological pain, such as pain resulting from sclerosis, e.g. multiple sclerosis, in a subject, such as a human, mammal or other animal.~~

10

~~10. Composition according to any one of the preceding claims, for use as medical composition to alleviate a painful condition associated with one or more hot and/or swollen joints in a subject, such as a human, mammal or other animal.~~

15

—

~~11. Composition according to any one of the preceding claims, for use as a medical composition in local a topical application in the treatment or alleviation of symptoms of psoriasis, in particular of red, dry, itchy, and/or scaly skin; and/or a painful condition associated with one or more red, dry, itchy, and/or scaly skin in a subject, such as a human, mammal or other animal.~~

20

~~12. Composition according to any one of claims 8-11, wherein the topical gel composition is applied topically to a local skin area of a subject, such as a human, mammal or other animal, 1-5 times daily, and/or in an amount of 5-100, or 10-50 mg/cm² per application.~~

25

~~13. Composition according to any one of the preceding claims formulated for local topical application in order to reduce or alleviate psoriasis-related symptoms, comprising:~~

30 | $\Rightarrow$

~~0.1-10 % (by weight) cannabidiol,~~

~~0.5-1.5 % (by weight) skin penetration enhancer or isopropyl myristate,~~

~~— 0.5-1.5 % (by weight) glycerine,~~

~~— 10-30 % (by weight) ethanol,~~

5 ~~— 0.4-2 % (by weight) in total of one or more thickener(s) or gelling agent(s),~~

~~— 12-18 % (by weight) sodium chloride,~~

~~— 0.01-0.1 % (by weight) of extract of aloe barbadensis leaves,~~

~~— 1-5 % (by weight) panthenol,~~

~~— 0.1-1.5 % (by weight) retinyl palmitate,~~

10 ~~— 0.5-5 % (by weight) glycerine, and~~

~~water in a quantity for the composition to a total of 100%.~~

~~— H)~~

~~— 0.5-2.0 % (by weight) cannabidiol,~~

~~— 0.3-1.5 % (by weight) skin penetration enhancer, in particular isopropyl myristate,~~

15 ~~— 0.1-0.5 % (by weight) glycerine,~~

~~— 10-30 % (by weight) ethanol,~~

~~— 0.5-2.5 % (by weight) of one or more thickeners or gelling agents,~~

~~— 10-20 % (by weight) sea salt, preferably Dead-Sea salt,~~

~~— 0.01-0.1 % (by weight) of extract of aloe barbadensis leaves,~~

20 ~~— 1.5-4.0 % (by weight) panthenol,~~

~~— 0.1-0.5 % (by weight) retinyl palmitate,~~

~~— 0.1-0.3 % (by weight) glycerine,~~

~~— 0.01-0.03 % (by weight) antioxidant, and~~

~~— water in a quantity for the composition to a total of 100% (by weight);~~

25 ~~— III)~~

~~— 0.5-2.0 % (by weight) cannabidiol,~~

~~— 0.5-1.5% (by weight) skin penetration enhancer~~

~~— 0.5-1.5 % (by weight) glycerine,~~

~~— 10-20 % (by weight) ethanol,~~

~~— 0.4-2 % (by weight) one or more thickener(s) or gelling agent(s);~~

~~— 12-18 % (by weight) sodium chloride;~~

~~— 0.01-0.1 % (by weight) of extract of aloe barbadensis leaf;~~

~~— 2-3 % (by weight) panthenol;~~

5 ~~— 0.1-0.5 % (by weight) retinyl palmitate;~~

~~— 1-5 % (by weight) glycerine; and~~

~~— water in a quantity for the composition to a total of 100%;~~

~~— or~~

~~— IV)~~

10 ~~— 0.2-2.0 % (by weight) cannabidiol;~~

~~— 0.7-1.1 % (by weight) isopropyl myristate;~~

~~— 0.5-1.5 % (by weight) glycerine;~~

~~— 10-20 % (by weight) ethanol;~~

~~— 0.4-2 % (by weight) in total of one or more thickener(s) or gelling agent(s);~~

15 ~~— 12-18 % (by weight) Dead Sea salt;~~

~~— 0.01-0.1 % (by weight) of extract of aloe barbadensis leaf;~~

~~— 2-3 % (by weight) of panthenol;~~

~~— 1.0-3.0 % (by weight) tocopherol acetate~~

~~— 0.1-0.5 % (by weight) retinyl palmitate;~~

20 ~~— 1-3 % (by weight) glycerine;~~

~~0.01-0.03 % (by weight) sodium stearoyl glutamate;~~

~~0.01-0.03 % (by weight) of citric acid (monohydrate); and~~

~~— water in a quantity for the composition to a total of 100%.~~

~~—~~

25 ~~— 14. Composition according to any one of claims 1-12 formulated for local topical application in order to reduce or alleviate local symptoms related to pain in joints or neurological pain, comprising:~~

~~V)~~

~~— 0.2-2.0 % (by weight) cannabidiol;~~

~~— 0.5-1.5% (by weight) skin penetration enhancer(s);~~
~~— 20-30 % (by weight) ethanol;~~
~~— 0.5-1.5 % (by weight) in total of one or more thickener(s) or gelling agent(s);~~
~~— 1.5-2.5 % (by weight) menthol;~~
~~— 0.4-0.7 % (by weight) of camphor, and~~
~~— water in a quantity for the composition to a total of 100%.~~

or

~~VI)~~

~~— 0.2-2 % (by weight) cannabidiol;~~
~~— 0.7-1.1 % (by weight) skin penetration enhancer(s)~~
~~— 20-30 % (by weight) ethanol;~~
~~— 0.8-1.2 % (by weight) in total of one or more thickener(s) or gelling agent(s);~~
~~— 1.5-2.5 % (by weight) menthol;~~
~~— 0.4-0.7 % (by weight) of camphor;~~
~~— 0.05-0.3 % (by weight) phytic acid, and~~
~~— water in a quantity for the composition to a total of 100%.~~

~~—~~
 165. A kit comprising a composition according to any one of the preceding claims in a container and optionally an instruction for use.