

MEISSNER BOLTE

Postfach 860624
81633 München

07 827 609.4
Sunev Pharma Solution Limited Corporate

M/EVL-028-PC/EP
August 26, 2011
SH/ec/hm

AUXILIARY REQUEST

Amended claims

New claims
(marked-up version)

1. A topical wound healing formulation comprising
 - a) 4 to 7 % of an aqueous extract of the barks of Azadirachta indica,
 - b) an oil-herbs mix consisting of
a mixture of castor oil, mustard oil, coconut oil and black sesame oil in equal ratios along with
extracts of the twelve following herbs ~~an extract of herbs selected from the group comprising~~
0.5 to 4 % of the roots of Berberis aristata, of the stems of Glycyrrhiza glabra, of the stems, leaves and flowers of Jasminum officinale, of the rhizomes of Picrorhiza kurrooa, of the seeds or leaves of Pongamia pinnata, of the stems of Rubia cordifolia, of the rhizomes of Saussurea lappa, of the fruits of Terminalia chebula, of the fruits of Capsicum and of the flowers of Stellata wild, 6 to 9% of the roots of Curcuma longa and of the fruits or leaves of Trichosanthes dioica, ~~and oils in equal ratios~~
 - c) mixed with adjuncts, such as thickening agents, preservatives, coloring agents, decolorizing agents, fragrances, opacifiers and vitamins, ~~wherein the extract of~~

~~herbs are oil or alcohol extracts, wherein the extract of herbs comprises additionally~~ Symplocos racemosa and/or Ichnocarpus frutescens.

~~2. A topical wound healing formulation according to claim 1, wherein the extract of herbs comprises additionally 0.5 to 4% of the barks of Symplocos racemosa and/or of the roots of Ichnocarpus frutescens.~~

~~23. A topical wound healing formulation according to at least any one of claims 1 and 2, wherein the formulation has synergistic antibacterial, anti-fungal, anti-inflammatory, analgesic, antioxidant, and immuno-modulatory properties which and increases the blood flow, thus eliminating undesirable side effects and exhibiting remarkable efficacy in treating incurable wounds.~~

~~4. A topical wound healing formulation according to at least any one of the preceding claims, wherein the oils used comprise castor oil, mustard oil, coconut oil and black sesame oil.~~

~~35. A topical wound healing formulation according to at least any one of the preceding claims, wherein the preservative is copper sulphate, wherein the thickening agent is bee wax and wherein the decolorizing agent is activated charcoal.~~

~~46. A topical wound healing formulation according to at least any one of the preceding claims, wherein the concentration of the copper sulphate ranges from 0.1 to 0.5%, and/or the concentration of bee wax ranges from 1 to 7% by weight.~~

~~57. A process for preparing the topical wound healing formulation according to at least any one of the preceding of claims, which comprises the steps of:~~

- preparing an aqueous extract by taking water and dry bark of Azadirachta indica in the ratio of 16 parts water to 1 part of bark, boiling the same to reduce the water to 1/4th of the original concentration and filtering the same;

- preparing an extract of herbs by mixing four oils viz castor, mustard, coconut and black sesame oils in equal ratios to each other and adding appropriate quantities of dry powdered parts/ alcohol extract of the herbs *Berberis aristata*, *Curcuma longa*, *Glycyrrhiza glabra*, *Jasminum officinale*, *Picrorhiza kurrooa*, *Pongamia pinnata*, *Rubia cordifolia*, *Saussurea lappa*, *Terminalia chebula*, *Trichosanthes dioica*, *Capsicum*, and *Stellata wild* to the oil mixture;
- preparing a formulation by adding the aqueous extract of *Azadirachta indica* to the extract of herbs and boiling till the water evaporates completely, followed by the addition of adjuncts such as thickeners, preservatives deodorizing agents, coloring agents, fragrances, opacifiers and vitamins.

68. Use of the topical wound healing formulation according to ~~at least any one of claims 1 to 64 as a medicament for improving the blood flow, for improving the immuno-modulatory properties in addition to being antibacterial, antifungal, anti-inflammatory and analgesic.~~

79. Use of a topical wound healing formulation according to ~~at least any one of claims 1 to 64 for treating infections, chronic non-healing wounds, like diabetic foot ulcer, dry and wet gangrene, venous ulcer, varicose veins, war wounds, and burn wounds, and post-operative situations.~~

810. Use of the topical wound healing formulation according to ~~at least any one of claims 1 to 64 for preventing amputations.~~

* * *

MEISSNER BOLTE

Postfach 860624
81633 München

07 827 609.4
Sunev Pharma Solution Limited Corporate

August 26, 2011
M/EVL-028-PC/EP
SH/ec/hm

MAIN REQUEST

New claims
(marked-up version)

1. A topical wound healing formulation comprising
 - a) 4 to 7 % of an aqueous extract of the barks of Azadirachta indica,
 - b) an oil-herbs mix consisting of
a mixture of castor oil, mustard oil, coconut oil and black sesame oil in equal ratios along with
extracts of the twelve following herbs ~~an extract of herbs selected from the group comprising~~
0.5 to 4 % of the roots of Berberis aristata, of the stems of Glycyrrhiza glabra, of the stems, leaves and flowers of Jasminum officinale, of the rhizomes of Picrorhiza kurrooa, of the seeds or leaves of Pongamia pinnata, of the stems of Rubia cordifolia, of the rhizomes of Saussurea lappa, of the fruits of Terminalia chebula, of the fruits of Capsicum and of the flowers of Stellata wild, 6 to 9% of the roots of Curcuma longa and of the fruits or leaves of Trichosanthes dioica, ~~and oils in equal ratios~~
 - c) mixed with adjuncts, such as thickening agents, preservatives, coloring agents, decolorizing agents, fragrances, opacifiers and vitamins, ~~wherein the extract of herbs are oil or alcohol extracts.~~

2. A topical wound healing formulation according to claim 1, wherein the extract of herbs comprises additionally ~~0.5 to 4% of the barks of~~ *Symplocos racemosa* and/or ~~of the roots of~~ *Ichnocarpus frutescens*.

3. A topical wound healing formulation according to at least any one of claims 1 and 2, wherein the formulation has synergistic antibacterial, anti-fungal, anti-inflammatory, analgesic, ~~antioxidant,~~ and immuno-modulatory properties ~~which and increases the blood flow, thus eliminating undesirable side effects and exhibiting remarkable efficacy in treating incurable wounds.~~

~~**4.** A topical wound healing formulation according to at least any one of the preceding claims, wherein the oils used comprise castor oil, mustard oil, coconut oil and black sesame oil.~~

45. A topical wound healing formulation according to ~~at least any one of the preceding claims,~~ wherein the preservative is copper sulphate, wherein the thickening agent is bee wax and wherein the decolorizing agent is activated charcoal.

56. A topical wound healing formulation according to ~~at least any one of the preceding claims,~~ wherein the concentration of the copper sulphate ranges from 0.1 to 0.5%, and/or the concentration of bee wax ranges from 1 to 7% by weight.

67. A process for preparing the topical wound healing formulation according to at least any one of the preceding of claims, which comprises the steps of:

- preparing an aqueous extract by taking water and dry bark of *Azadirachta indica* in the ratio of 16 parts water to 1 part of bark, boiling the same to reduce the water to 1/4th of the original concentration and filtering the same;
- preparing an extract of herbs by mixing four oils viz castor, mustard, coconut and black sesame oils in equal ratios to each other and adding appropriate

quantities of dry powdered parts/ alcohol extract of the herbs *Berberis aristata*, *Curcuma longa*, *Glycyrrhiza glabra*, *Jasminum officinale*, *Picrorhiza kurrooa*, *Pongamia pinnata*, *Rubia cordifolia*, *Saussurea lappa*, *Terminalia chebula*, *Trichosanthes dioica*, *Capsicum*, and *Stellata* wild to the oil mixture;

- preparing a formulation by adding the aqueous extract of *Azadirachta indica* to the extract of herbs and boiling till the water evaporates completely, followed by the addition of adjuncts such as thickeners, preservatives deodorizing agents, coloring agents, fragrances, opacifiers and vitamins.

78. Use of the topical wound healing formulation according to ~~at least any one of claims 1 to 65 as a medicament for improving the blood flow, for improving the immuno-modulatory properties in addition to being antibacterial, antifungal, anti-inflammatory and analgesic.~~

89. Use of a topical wound healing formulation according to ~~at least any one of claims 1 to 65 for treating infections, chronic non-healing wounds, like diabetic foot ulcer, dry and wet gangrene, venous ulcer, varicose veins, war wounds, and burn wounds, and post-operative situations.~~

910. Use of the topical wound healing formulation according to ~~at least any one of claims 1 to 65 for preventing amputations.~~

* * *