



AMENDED CLAIMS

1. Cosmetic use of at least one compound of formula (I), of at least one of its salts of formula (II) or of a mixture comprising at least one compound of formula (I) and at least one compound of formula (II):



(I)



(II)

in which:

R independently represents a saturated, linear or branched, alkyl radical comprising from 12 to 20 carbon atoms, and

Cat⁺ represents an organic or inorganic cation or a mixture of organic or inorganic cations which makes it possible to achieve electrical neutrality of the compound of formula (II) or of the mixture of compounds of formulae (I) and (II),

as agent(s) intended to prevent and/or treat cutaneous signs of chronobiological ageing selected from wrinkles, fine lines, a withered skin, a flabby skin and/or a thinned skin.

2. Use according to Claim 1, in which R comprises from 14 to 18 carbon atoms, preferably from 14 to 16 carbon atoms.

3. Use according to Claim 1 or 2, characterized in that:

- the inorganic cation Cat⁺ is chosen from alkali metals, alkaline earth metals and transition metals; and

- the organic cation Cat⁺ is chosen from the cationic form of a primary, secondary or tertiary amine, and a quaternary ammonium.

4. Use according to any one of the preceding claims, in which the cation Cat⁺ represents an organic cation or a mixture of organic cations chosen from:


(i) the cationic form of an amino acid of L or D form, and

(ii) a quaternary ammonium N⁺R₁R₂R₃-L-CO₂H, where R₁, R₂ and R₃, which are identical or different, represent a saturated linear alkyl radical comprising from 1 to 12

carbon atoms and L represents a saturated linear divalent hydrocarbon radical comprising from 1 to 6 carbon atoms.

5. Use according to any one of the preceding claims, in which Cat⁺ represents the cationic form of an amino acid of L or D form and preferably the cationic form of lysine, arginine, alanine or tryptophan, more preferably of lysine.


6. Use according to any one of Claims 1 to 5, in which the compound of formula (II) is the compound or formula (A):




in which Cat⁺ is as defined in any one of Claims 1 and 3 to 5.

7. Use according to Claim 6, in which the compound of formula (II) is (A) with Cat⁺ being chosen from an alkali metal cation, preferably a sodium cation, and the cationic form of an amino acid of L or D form, preferably the cationic form of lysine, and preferably representing the cationic form of lysine.

8. Use according to any one of Claims 1 to 7, in which the compound of formula (II) is the compound of formula (F):



9. Use according to Claim 1 or 2, in which the compound of formula (I) is the compound (A'):



~~10. Use according to any one of the preceding claims, in order to prevent and/or treat wrinkles and fine lines.~~

~~11. Use according to any one of the preceding claims, in order to combat withered, flabby and/or thinned skin.~~

~~12~~10. Use according to any one of the preceding claims, characterized in that

the said compound(s) is (are) formulated in a composition.

4311. Use according to Claim 4210, in which the said compound(s) according to the invention is (are) used in a composition in a total content of compounds (I) and/or (II) ranging from 0.01 to 20% by weight, better still from 0.1 to 10% by weight, more particularly from 0.2 to 8% by weight and in particular from 0.5 to 5% by weight, with respect to the total weight of the composition.

4412. Non-therapeutic cosmetic method for preventing and/or treating cutaneous signs of chronobiological ageing, comprising at least one stage of topical application to the skin of a composition comprising at least one compound of formula (I), at least one of its salts of formula (II) or a mixture comprising at least one compound of formula (I) and at least one compound of formula (II), these compounds being as defined according to any one of Claims 1 to 9,

said cutaneous signs of chronobiological ageing being selected from wrinkles, fine lines, a withered skin, a flabby skin and/or a thinned skin.