



SAMPLE DELIVERABLE

UAT Scenario Pack

A business focused UAT package that turns requirements into realistic scenarios, expected outcomes, data needs, signoff rules, and readiness checks.

CLIENT PRIVACY

Client names and identifying details are anonymized.

DELIVERABLE TYPE

UAT strategy, scenarios, acceptance checks, test data notes, defect triage, and signoff pack.

TYPICAL BUYER

Product owners, business users, QA leads, project managers, and delivery teams.



SITUATION

Business users needed confidence before signoff.

The team had requirements, but not enough business oriented validation scenarios. UAT needed to confirm real workflow outcomes, not just screen behavior.


VALIDATION ISSUE

Test cases were too technical and did not reflect real business situations.

SIGNOFF RISK

Business acceptance could be delayed by missing data, roles, or edge cases.

UAT READINESS



Core scenarios are ready, with a small number of data and role dependencies still open.

SCENARIOS

18

Grouped by workflow and outcome.

DATA SETS

9

Normal, exception, and boundary conditions.

ROLES

6

Mapped to test execution and signoff.

OPEN BLOCKERS

5

Need resolution before start.

Use scenario based UAT with business owner signoff and daily defect triage during the validation window.



UAT scenario table.

Each scenario is written in business language so users can validate outcomes with confidence.

ID	SCENARIO	ROLE	EXPECTED RESULT	DATA NEED
UAT 01	Submit a complete request with all mandatory fields.	Requester	Request is accepted and status is new.	Standard request data.
UAT 02	Submit a request with missing business goal.	Requester	User receives clear validation message.	Incomplete request.
UAT 03	Upload multiple supporting files.	Requester	Files attach to the same request.	PDF, Word, Excel.
UAT 04	Classify request as custom scope.	Client lead	User is directed to custom scope path.	Complex request example.
UAT 05	View request status in workspace.	Client user	Status and due target are visible.	Existing request.
UAT 06	Purchase credit top up.	Billing contact	Payment confirmation appears and credits update.	Payment account.
UAT 07	Submit request with no credits.	Client user	Request is paused and top up message appears.	Zero balance account.
UAT 08	Admin marks deliverable delivered.	Operations admin	Status and credit history update.	Approved deliverable.
UAT 09	Receive low credit reminder.	Client user	Email shows balance and top up link.	Balance at threshold.
UAT 10	Cancel checkout before payment.	Client user	User returns to appropriate billing or pricing path.	Checkout session.
UAT 11	Access workspace after magic link.	Client user	Dashboard opens for signed in user.	Valid email link.
UAT 12	Attempt access after expired link.	Client user	User receives fresh link instruction.	Expired link.

How this creates value

- Tests real business outcomes.
- Shows signoff evidence clearly.
- Reduces late acceptance surprises.
- Improves alignment between business and delivery teams.


What this prevents

- Technical tests replacing business validation.
- Missing data blocking UAT.
- Unclear defect severity.
- Signoff without evidence.



UAT execution flow.

A simple flow helps business users understand what happens before, during, and after UAT.



STAGE	OUTPUT	OWNER
Prepare	Scenario pack and readiness checklist.	UAT lead
Execute	Completed scenarios and screenshots.	Business users
Triage	Defect severity and ownership.	Delivery lead
Retest	Fix confirmation.	Business users
Signoff	Approval and open item log.	Business owner

Good UAT proves that the business process works, not just that the screens load.



Defect triage and readiness controls.

The pack includes clear rules for severity, ownership, retesting, and signoff.

CONTROL	PURPOSE	OWNER	EVIDENCE
Readiness checklist	Confirm data, users, and environment.	UAT lead	Checklist approved.
Severity rules	Avoid debate during triage.	Delivery lead	Severity guide.
Daily triage	Keep blockers moving.	Project lead	Triage log.
Retest evidence	Prove fixes work.	Business user	Retest result.
Known issue log	Protect signoff transparency.	Business owner	Open item register.
Final approval	Record acceptance.	Sponsor	Signoff note.

Ready to start

- Data loaded
- Users assigned
- Scope frozen

Ready to sign off

- Critical defects closed
- Known issues accepted
- Evidence stored

Ready to release

- Training complete
- Support path ready
- Rollback known



UAT delivery roadmap.

DAY 1

Prepare

- Confirm scope
- Load data
- Brief users

DAYS 2 TO 4

Execute

- Run scenarios
- Log defects
- Track evidence

DAYS 5 TO 6

Retest

- Confirm fixes
- Update signoff view
- Close blockers

DAY 7

Sign off

- Review open items
- Approve release
- Archive evidence

Decision log

DECISION	RECOMMENDATION	STATUS
Start UAT	Start after readiness checklist is complete.	Approve
Severity rules	Use business impact to set severity.	Approve
Signoff	Allow signoff with accepted minor open items.	Controlled
Release	Block release if critical workflow fails.	Required

Open questions

- Who can approve signoff?
- Which scenarios are release blockers?
- What data is needed for edge cases?
- Where will evidence be stored?

The UAT pack gives business users a structured way to validate outcomes and sign off with confidence.