MINI PROJECT REPORT

Project Phase – 1 REPORT

Submitted by

Vishita Ghaghda [KU2407U237]

Rishika Nawani [KU2407U754]

in partial fulfilment for the award of the degree of

BACHELOR OF TECHNOLOGY

COMPUTER SCIENCE ENGINEERING

Project Mentor

Ms. Pragya Vats

UNITEDWORLD INSTITUTE OF TECHNOLOGY
KARNAVATI UNIVERSITY
Uvarsad, Gandhinagar, Gujarat – 382422

July – November, 2026

1. Abstract

Traditional city monitoring systems depend heavily on manual operation and continuous human supervision. As a result, streetlights keep consuming electricity even when no one is present, restricted areas may be accessed without being noticed, and suspicious activity is often detected late.

This project presents the design and simulation of an IoT-based Smart City Monitoring and Automation System using Cisco Packet Tracer. Motion detectors placed at different locations sense movement and send signals wirelessly to a central IoT gateway. The gateway applies pre-configured automation rules and instructs the connected devices to respond automatically: streetlights switch on only when movement is detected, security cameras provide motion-triggered surveillance of government buildings, and warning lights and emergency sirens are activated when an intrusion occurs in a restricted area. An administrator smartphone provides centralized monitoring of all connected devices.

The simulation shows that wireless networking and IoT can be combined to improve public safety, reduce human effort and lower unnecessary energy consumption in a smart city environment.

2. Introduction

a) Problem Statement

Traditional city monitoring systems often depend on manual operations and continuous human supervision. The major problems are:

- Streetlights consume electricity even when there is no movement in the area.
- Continuous manual surveillance requires additional human effort.
- Unauthorized access to restricted areas may go unnoticed.
- Delayed detection of suspicious activities can affect public safety.
- Independent monitoring systems make centralized management difficult.

Problem: There is a need for an automated and centralized monitoring system that improves security while reducing unnecessary energy consumption.

b) Aim and Objectives

Aim: To design and simulate an IoT-based Smart City Monitoring and Automation System using Cisco Packet Tracer. The system aims to automate security surveillance, street lighting and restricted-area monitoring through wireless communication and a centralized IoT gateway.

Objectives:

- To automate streetlights based on motion detection.
- To provide motion-triggered security surveillance for government buildings.
- To detect unauthorized movement in restricted areas using sensors.
- To activate warning lights and emergency sirens during intrusion detection.
- To enable centralized monitoring and management of connected IoT devices through a gateway.

c) Scope of the Project

- Automate streetlights based on motion detection to reduce energy consumption.
- Provide motion-triggered security surveillance for government buildings.
- Detect unauthorized movement in restricted areas using sensors.
- Activate warning lights and emergency sirens during intrusion detection.
- Enable centralized monitoring and management of connected IoT devices.
- Demonstrate the application of IoT and wireless networking in smart cities.

3. System Requirements and Design

a) Hardware Requirements

The project is a software simulation, so the only physical requirement is a computer capable of running Cisco Packet Tracer. The IoT devices listed below are virtual devices modelled inside the simulator.

Component	Purpose
Computer / Laptop	Runs Cisco Packet Tracer for designing and simulating the network
Motion Detectors (simulated)	Detect movement in streetlight zones, government buildings and restricted areas
Streetlights (simulated)	Switch on automatically when motion is detected
Security Cameras (simulated)	Provide motion-triggered surveillance of government buildings
Warning Lights and Sirens (simulated)	Raise an alert when an intrusion is detected
IoT Gateway (simulated)	Central point for wireless communication and automation rules
Administrator Smartphone (simulated)	Centralized monitoring and management of connected devices

b) Software Requirements

- **Simulation Software:** Cisco Packet Tracer

c) System Architecture


The system follows a centralized IoT architecture consisting of three layers.

1. Sensing Layer: Motion detectors identify movement in different locations and generate signals based on the detected activity.


2. Processing and Communication Layer: The central IoT gateway receives information from the connected devices. It manages wireless communication and the configured automation rules.

3. Application and Actuation Layer: Security cameras provide surveillance, streetlights operate automatically, and warning lights and emergency sirens respond to intrusion detection. An administrator smartphone provides centralized monitoring.

WORKFLOW:



d) Diagrams






Figure 1: Layered architecture in Cisco Packet Tracer





Figure 2: System Architecture

4. Implementation

a) Technologies Used

Technology	Application
Internet of Things (IoT)	Connecting sensors and smart devices
Cisco Packet Tracer	Designing and simulating the network
Wireless Networking	Communication between IoT devices
Motion Detection	Identifying movement in monitored areas
IoT Gateway	Centralized device communication and management
Automation Rules	Triggering actions based on sensor events

a) Screenshots and Outputs






Figure 3: Administration Login




Figure 4: Streetlight turning on after motion detection




Figure 5: Security camera surveillance of the government building




Figure 6: Warning light and siren activated on intrusion in the restricted area

5. Conclusion

The IoT-based Smart City Monitoring and Automation System was successfully designed and simulated in Cisco Packet Tracer. Motion detectors, a central IoT gateway and automation rules together enabled streetlights, security cameras, warning lights and sirens to respond automatically to real-time events without manual supervision.

The project shows that motion-based lighting can reduce unnecessary energy consumption, that restricted areas can be monitored continuously, and that intrusions can trigger an immediate alert. Centralized management through the gateway and the administrator smartphone also removes the difficulty of operating independent monitoring systems.

6. Future Scope

- Integrating cloud platforms for remote monitoring and storage of event logs.
- Adding artificial intelligence and computer vision for face and object recognition in camera feeds.
- Using solar-powered streetlights to further improve energy efficiency.
- Adding sensors for traffic, air quality, fire and flood monitoring.
- Sending real-time alerts to police or emergency services through mobile applications.
- Moving from simulation to a real-world prototype using microcontrollers and wireless modules.