



EMKAY TOOLS

Effective from 26th March 2026

PRICE LIST



PRICE LIST

(Effective from 26th March 2026)

HIGH PERFORMANCE TAPS (HSS-E) AND HIGH SPEED STEEL GROUND THREAD TAPS



EMKAY TOOLS LTD

Factory : B-27 & B-27/1, M.I.D.C. Industrial Area, Hingna, Nagpur.

Telephone No. : 91-9226071464

E-mail : hq@emkaytools.com

www.emkaytools.com

CONTENTS

PAGE NO.

BRIGHT, TiN and TiCN/TiALN

METRIC COARSE : SHORT AND LONG SHANK MACHINE TAPS

i)	ISO 529, IS-6175-I, IS-6175-II, and IS-6175-III	1
ii)	ISO 2283, IS-6175-IV (IS-7821) and DIN-371	2
iii)	DIN 376	3

METRIC FINE : SHORT AND LONG SHANK MACHINE TAPS

i)	IS-6175-II, and DIN-371	3
ii)	IS-6175-III	4
iii)	ISO 2283, IS-6175-IV (IS-7821)	5
iv)	DIN-374	6

FRACTIONAL SIZES (UNC/UNF/BSW/BSF)

SHORT AND LONG SHANK MACHINE TAPS (UNC)

i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821), DIN-371	7
ii)	DIN-376,	8

SHORT AND LONG SHANK MACHINE TAPS (UNF)

i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821)	8
ii)	DIN-371, DIN-374, and DIN-376	9

SHORT AND LONG SHANK MACHINE TAPS (BSW)

i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821)	9
ii)	DIN-371, DIN-376	10

SHORT AND LONG SHANK MACHINE TAPS (BSF)

i)	ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821)	10
ii)	DIN-371, DIN-376	

PIPE TAPS

BS 949	i)	BSP, BSPT, and BSP 6" LONG	11
	ii)	NPT, NPTF, NPSF, NPT 6", and NPSF 6" LONG	
	iii)	BSP FLUTELESS OIL GROOVE.	

NIB TAP	i)	NIB TAP	12
----------------	-----------	----------------	-----------

HELICOIL STI TAPS

i)	FLUTELESS and FLUTELESS OIL GROOVE.	13
----	-------------------------------------	----



EMKAY TOOLS

Effective from 26th March 2026

PRICE LIST



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TIN-COATED						TICN/TIAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE ISO-529, IS-6175-I																
1.6 X 0.35	1602	1896	1727	1602	1757	2066	1886	1757			1818	2125	1945	1818		
1.8 X 0.35	1516	1896	1590	1516	1664	2066	1742	1664			1724	2125	1801	1724		
2 X 0.4	889	1053	1134	889	1008	1180	1266	1008			1069	1240	1324	1069		
2.2 X 0.45	889	1053	1160	889	1008	1180	1291	1008			1069	1240	1350	1069		
2.3 X 0.4	889	1053	1160	889	1008	1180	1291	1008			1069	1240	1350	1069		
2.5 X 0.45	889	872	902	889	1008	988	1021	1008			1069	1048	1080	1069		
2.6 X 0.45	889	872	902	889	1008	988	1021	1008			1069	1048	1080	1069		
METRIC COARSE ISO-529, IS-6175-II																
3 X 0.5	564	642	738	564	667	750	849	667	916	1036	727	810	907	727	987	1108
3.5 X 0.6	564	637	738	564	667	742	849	667	905	1036	727	802	907	727	980	1108
4 X 0.7	564	637	738	564	667	742	849	667	905	1036	727	802	907	727	980	1108
5 X 0.8	589	682	774	589	694	789	886	694	962	1082	754	849	947	754	1036	1153
6 X 1.0	589	693	774	589	694	802	886	694	978	1082	754	861	947	754	1051	1153
7 X 1.0	761	880	996	761	901	1027	1149	901	1252	1401	984	1108	1231	984	1352	1503
8 X 1.25	657	774	864	657	793	916	1010	793	1116	1233	875	998	1092	875	1215	1335
9 X 1.25	853	1000	1113	853	1028	1184	1302	1028	1444	1588	1134	1292	1410	1134	1576	1720
10 X 1.50	853	1000	1113	853	1028	1184	1302	1028	1444	1588	1134	1292	1410	1134	1576	1720
METRIC COARSE ISO-529, IS-6175-III																
3 X 0.5	618	736	845	618	724	846	961	724			782	904	1021	782		
3.5 X 0.6	641	781	864	641	748	895	982	748			807	955	1041	807		
4 X 0.7	618	736	845	618	724	846	961	724	1034	1173	782	904	1021	782	1105	1245
5 X 0.8	658	755	830	658	765	866	946	765	1057	1152	824	926	1004	824	1130	1227
6 X 1.0	658	755	832	658	765	866	948	765	1057	1157	824	926	1007	824	1130	1230
7 X 1.0	837	1012	1147	837	982	1164	1307	982	1422	1593	1065	1246	1388	1065	1521	1693
8 X 1.25	782	914	982	782	924	1063	1132	924	1296	1383	1007	1145	1215	1007	1396	1484
9 X 1.25	906	1138	1331	906	1085	1329	1531	1085	1621	1869	1191	1436	1639	1191	1752	2000
10 X 1.50	906	1138	1331	906	1085	1329	1531	1085	1621	1869	1191	1436	1639	1191	1752	2000
11 X 1.5	1474	1848	2014	1474	1713	2104	2278	1713	2567	2780	1846	2236	2411	1846	2728	2941
12 X 1.75	1301	1565	1764	1301	1529	1807	2016	1529	2204	2460	1662	1939	2149	1662	2365	2621
14 X 2.00	1895	2273	2725	1895	2215	2610	3087	2215	3185	3766	2397	2791	3269	2397	3406	3988
16 X 2.00	1909	2336	2725	1909	2240	2689	3097	2240	3280	3779	2430	2880	3289	2430	3513	4010
18 X 2.5	2979	3822	4427	2979	3466	4351	4985	3466			3739	4622	5258	3739		
20 X 2.5	3829	4868	5417	3829	4474	5564	6141	4474			4841	5928	6508	4841		
22 X 2.5	5486	6046	6839	5486	6293	6878	7711	6293			6723	7308	8141	6723		
24 X 3.0	5888	6704	8359	5888	6713	7570	9306	6713			7142	7998	9736	7142		
25 X 3.0	5917	7323	9223	5917	6743	8221	10211	6743			7174	8649	10641	7174		
27 X 3.0	9366	10713	11505	9366	10362	11777	12607	10362			10793	12206	13036	10793		
30 X 3.5	9949	11432	13374	9949	11187	12742	14780	11187			11789	13342	15381	11789		
33 X 3.5	10600	15623	17967	10600	11871	17140	19600	11871			12471	17742	20198	12471		
36 X 4.0	14750	20649	23438	14750	16596	22784	25709	16596			17492	23683	26609	17492		

1. SPECIAL TOLERANCE : 10% extra.

2. MACHINE TAPS : TYPE "A" - 5 Deg. Taper angle with Longer taper lead.
TYPE "B" - 10 Deg. Taper angle with Spiral point.
TYPE "C" - 20 Deg. Taper angle with Shorter taper lead.
TYPE "D" - 10 Deg. Taper angle without Spiral point.



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series)) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE ISO-2283, IS-6175-IV (IS-7821)																
4 X 0.7	1235	1363	1521	1235	1372	1506	1673	1372	1838	2040	1436	1568	1735	1436	1914	2117
5 X 0.8	814	923	1093	814	932	1045	1225	932	1276	1492	993	1107	1286	993	1352	1569
6 X 1.0	891	1161	1191	891	1012	1292	1327	1012	1580	1618	1074	1357	1390	1074	1654	1692
7 X 1.0	1078	1262	1564	1078	1236	1431	1747	1236	1745	2132	1323	1516	1835	1323	1848	2238
8 X 1.25	1025	1210	1296	1025	1183	1375	1466	1183	1679	1789	1268	1462	1551	1268	1783	1893
9 X 1.25	1304	1542	1649	1304	1506	1757	1867	1506	2144	2278	1618	1867	1980	1618	2278	2414
10 X 1.50	1304	1542	1649	1304	1506	1757	1867	1506	2144	2278	1618	1867	1980	1618	2278	2414
12 X 1.75	1752	2155	2432	1752	2009	2432	2723	2009	2966	3321	2146	2568	2858	2146	3133	3488
14 X 2.00	2809	3243	3711	2809	3182	3638	4126	3182	4436	5034	3369	3824	4315	3369	4664	5264
16 X 2.00	2774	3243	3711	2774	3156	3648	4138	3156	4451	5050	3353	3845	4334	3353	4691	5288
18 X 2.5	4400	5015	6843	4400	4928	5567	7466	4928			5213	5852	7751	5213		
20 X 2.5	5996	6541	8217	5996	6707	7275	9016	6707			7089	7658	9398	7089		
22 X 2.5	7012	7725	8721	7012	7845	8587	9622	7845			8295	9037	10071	8295		
24 X 3.0	7524	8829	10944	7524	8378	9736	11935	8378			8827	10186	12382	8827		
25 X 3.0	8344	9900	12803	8344	9229	10848	13864	9229			9678	11296	14315	9678		
27 X 3.0	11968	13690	15545	11968	12995	14786	16714	12995			13446	15233	17161	13446		
30 X 3.5	13266	14607	18129	13266	14569	15961	19621	14569			15195	16591	20250	15195		
33 X 3.5	13344	24280	29496	13344	14650	26010	31430	14650			15274	26637	32059	15274		
36 X 4.0	18889	24412	30481	18889	20800	26537	32845	20800			21740	27477	33782	21740		
METRIC COARSE DIN-371																
1.6 X 0.35	1833	2170	1917	1833	2001	2355	2090	2001			2070	2421	2157	2070		
1.8 X 0.35	1734	2170	1858	1734	1898	2355	2029	1898			1964	2421	2093	1964		
2 X 0.4	1018	1205	1326	1018	1149	1344	1472	1149			1215	1409	1539	1215		
2.2 X 0.45	1018	1205	1355	1018	1149	1344	1502	1149			1215	1409	1567	1215		
2.3 X 0.4	1018	1205	1355	1018	1149	1344	1502	1149			1215	1409	1567	1215		
2.5 X 0.45	1018	997	1128	1018	1149	1126	1264	1149			1215	1193	1332	1215		
2.6 X 0.45	1018	997	1055	1018	1149	1126	1187	1149			1215	1193	1252	1215		
3 X 0.5	646	736	843	646	759	853	967	759	1040	1179	824	918	1032	824	1122	1261
3.5 X 0.6	646	730	843	646	759	847	967	759	1032	1179	824	912	1032	824	1112	1261
4 X 0.7	646	730	843	646	759	847	967	759	1032	1179	824	912	1032	824	1112	1261
5 X 0.8	675	780	883	675	790	899	1009	790	1094	1230	856	965	1074	856	1176	1312
6 X 1.0	675	793	883	675	790	913	1009	790	1114	1230	856	978	1074	856	1195	1312
7 X 1.0	895	1036	1172	895	1035	1180	1320	1035	1439	1609	1127	1271	1411	1127	1551	1723
8 X 1.25	773	910	1018	773	909	1049	1161	909	1280	1418	1002	1142	1253	1002	1392	1529
9 X 1.25	969	1165	1298	969	1145	1346	1482	1145	1643	1805	1263	1465	1598	1263	1785	1951
10 X 1.50	969	1165	1298	969	1145	1346	1482	1145	1643	1805	1263	1465	1598	1263	1785	1951

- SPECIAL TOLERANCE : 10% extra.
- MACHINE TAPS : TYPE "A" - 5 Deg. Taper angle with Longer taper lead.
TYPE "B" - 10 Deg. Taper angle with Spiral point.
TYPE "C" - 20 Deg. Taper angle with Shorter taper lead.
TYPE "D" - 10 Deg. Taper angle without Spiral point.

VX (Series)
NEW

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE DIN-376																
4 X 0.7	769	914	1053	769	887	1040	1185	887	1268	1404	954	1107	1250	954	1350	1524
5 X 0.8	817	937	1032	817	939	1065	1164	939	1300	1420	1006	1132	1230	1006	1381	1501
6 X 1.0	817	937	1034	817	939	1065	1166	939	1300	1424	1006	1132	1232	1006	1381	1504
7 X 1.0	1071	1295	1465	1071	1217	1446	1622	1217	1764	1980	1308	1538	1715	1308	1877	2093
8 X 1.25	1071	1169	1256	1071	1217	1318	1407	1217	1607	1716	1308	1409	1499	1308	1720	1827
9 X 1.25	1148	1442	1687	1148	1331	1630	1884	1331	1988	2297	1449	1749	2001	1449	2132	2442
10 X 1.50	1148	1442	1687	1148	1331	1630	1884	1331	1988	2297	1449	1749	2001	1449	2132	2442
12 X 1.75	1723	2017	2275	1723	1939	2239	2501	1939	2732	3052	2088	2386	2650	2088	2912	3232
14 X 2.00	2422	2905	3487	2422	2717	3208	3800	2717	3914	4636	2918	3408	4002	2918	4160	4881
16 X 2.00	2439	2988	3487	2439	2746	3305	3810	2746	4032	4651	2958	3513	4021	2958	4288	4908
18 X 2.5	3875	4970	5757	3875	4290	5394	6189	4290			4593	5698	6492	4593		
20 X 2.5	5283	6328	7044	5283	5841	6895	7618	5841			6251	7304	8027	6251		
22 X 2.5	7135	7863	8893	7135	7798	8528	9573	7798			8278	9008	10050	8278		
24 X 3.0	7657	8718	10872	7657	8324	9393	11567	8324			8802	9873	12046	8802		
27 X 3.0	12179	13932	14963	12179	12886	14653	15694	12886			13365	15135	16174	13365		
30 X 3.5	12939	14867	17392	12939	13891	15836	18383	13891			14559	16504	19053	14559		
33 X 3.5	13786	20316	23365	13786	14743	21334	24408	14743			15415	22003	25079	15415		
36 X 4.0	19179	26854	30481	19179	20601	28343	32000	20601			21604	29345	33004	21604		
METRIC FINE DIN-371																
3 X 0.35	899	1110	1250	899	1027	1245	1393	1027			1095	1314	1462	1095		
4 X 0.5	899	1110	1134	899	1027	1245	1273	1027	1520	1556	1095	1314	1344	1095	1605	1639
4 X .75	994	1299	1520	994	1127	1446	1679	1127	1764	2048	1195	1515	1746	1195	1847	2131
5 X .5/.75	1015	1232	1445	1015	1148	1376	1599	1148	1679	1952	1214	1445	1669	1214	1763	2035
6 X .5	992	1257	1449	992	1124	1402	1600	1124	1708	1952	1194	1469	1669	1194	1794	2035
6 X .75	992	1257	1449	992	1124	1402	1600	1124	1708	1952	1194	1469	1669	1194	1794	2035
7 X .75	1084	1454	1549	1084	1221	1599	1695	1221	1951	2065	1314	1695	1788	1314	2065	2181
8 X .5/.75	1107	1527	1654	1107	1244	1671	1802	1244	2037	2199	1340	1765	1898	1340	2153	2315
8 X 1.0	969	1104	1289	969	1104	1242	1430	1104	1516	1744	1198	1336	1524	1198	1630	1859
9 X 1.0	1214	1547	1640	1214	1388	1725	1819	1388	2104	2221	1509	1847	1941	1509	2255	2370
10 X 1.0	1185	1429	1635	1185	1359	1605	1816	1359	1958	2218	1480	1727	1936	1480	2107	2363
10 X 1.25	1129	1350	1570	1129	1300	1527	1748	1300	1863	2135	1420	1648	1869	1420	2009	2280
METRIC FINE ISO-529, IS-6175-II																
3 X 0.35	787	970	1093	787	900	1091	1220	900			960	1151	1281	960		
4 X 0.5	787	970	992	787	900	1091	1117	900	1332	1363	960	1151	1178	960	1405	1435
4 X .75	870	1135	1329	870	987	1267	1470	987	1545	1795	1047	1326	1529	1047	1619	1866
5 X .5/.75	887	1077	1265	887	1005	1205	1401	1005	1470	1710	1065	1266	1462	1065	1544	1781
6 X .5	867	1099	1266	867	985	1229	1402	985	1497	1710	1045	1287	1462	1045	1571	1782
6 X .75	867	1099	1266	867	985	1229	1402	985	1497	1710	1045	1287	1462	1045	1571	1782
7 X .75	920	1236	1317	920	1069	1401	1484	1069	1709	1809	1151	1484	1567	1151	1809	1911
8 X .5/.75	940	1297	1407	940	1090	1464	1579	1090	1785	1927	1173	1547	1662	1173	1886	2028
8 X 1.0	824	938	1096	824	967	1088	1253	967	1327	1528	1049	1170	1336	1049	1428	1629
9 X 1.0	1043	1327	1407	1043	1227	1526	1609	1227	1862	1965	1335	1634	1717	1335	1995	2096
10 X 1.0	1017	1225	1403	1017	1202	1419	1606	1202	1732	1961	1309	1527	1714	1309	1863	2091
10 X 1.25	969	1159	1347	969	1149	1350	1547	1149	1647	1888	1256	1457	1653	1256	1778	2017

VX (Series)

NEW

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE ISO-529, IS-6175-III																
3 X 0.35	938	1114	1322	938	1059	1244	1462	1059			1119	1305	1520	1119		
4 X 0.5	1001	1306	1761	1001	1125	1447	1922	1125			1186	1506	1982	1186		
4 X .75	829	1114	1321	829	944	1244	1460	944			1003	1305	1518	1003		
5 X .5/.75	953	1158	1358	953	1075	1290	1499	1075	1574	1830	1132	1349	1560	1132	1648	1903
6 X .5	997	1265	1454	997	1122	1401	1599	1122	1709	1954	1183	1460	1659	1183	1781	2026
6 X .75	997	1265	1517	997	1122	1401	1666	1122	1709	2033	1183	1460	1725	1183	1781	2106
7 X .75	1063	1423	1503	1063	1218	1595	1680	1218	1946	2050	1301	1678	1763	1301	2048	2151
8 X .5/.75	1128	1492	1619	1128	1286	1669	1801	1286	2037	2198	1368	1751	1884	1368	2136	2298
8 X 1.0	920	1137	1297	920	1069	1297	1464	1069	1584	1785	1151	1381	1547	1151	1684	1886
9 X 1.0	1125	1418	1614	1125	1313	1622	1830	1313	1979	2230	1419	1729	1934	1419	2109	2361
10 X 1.0	1125	1418	1614	1125	1313	1622	1830	1313	1979	2230	1419	1729	1934	1419	2109	2361
10 X 1.25	1041	1331	1547	1041	1226	1531	1756	1226	1869	2144	1333	1639	1863	1333	2000	2273
11 X 1.0	1736	2206	2537	1736	1988	2481	2829	1988	3026	3451	2121	2613	2959	2121	3187	3612
12 X 1.50	1536	1779	2101	1536	1778	2033	2370	1778	2479	2892	1912	2163	2502	1912	2641	3053
12 X 1.0/1.25	1536	1779	2180	1536	1778	2033	2455	1778	2479	2995	1912	2163	2588	1912	2641	3156
14 X 1.0	2095	2513	3054	2095	2424	2861	3431	2424	3491	4186	2606	3045	3613	2606	3713	4406
14 X 1.25	2136	2377	2792	2136	2469	2721	3156	2469	3319	3849	2649	2900	3336	2649	3538	4071
14 X 1.50	1921	2336	2758	1921	2242	2678	3121	2242	3269	3808	2424	2859	3302	2424	3488	4028
16 X 1.0	2149	2560	3107	2149	2492	2921	3497	2492	3566	4267	2681	3111	3686	2681	3796	4496
16 X 1.50	1921	2336	2758	1921	2254	2689	3132	2254	3280	3821	2444	2880	3322	2444	3513	4053
18 X 1.0/2.0	3627	5238	5532	3627	4146	5836	6146	4146			4417	6109	6419	4417		
18 X 1.5	3761	4326	4941	3761	4286	4880	5523	4286			4560	5151	5796	4560		
20 X 1.0/2.0	4568	6470	7872	4568	5251	7247	8716	5251			5618	7612	9083	5618		
20 X 1.5	4832	5907	6390	4832	5528	6654	7162	5528			5893	7021	7527	5893		
22 X 1.0/2.0	5523	7382	8617	5523	6329	8281	9579	6329			6760	8712	10008	6760		
22 X 1.5	5115	6704	8213	5115	5904	7570	9152	5904			6332	7998	9583	6332		
24 X 1.0/2.0	5685	7313	9475	5685	6501	8208	10475	6501			6932	8638	10905	6932		
24 X 1.5	5685	7313	8733	5685	6501	8208	9698	6501			6932	8638	10128	6932		
25 X 1.0/2.0	6139	8900	10991	6139	6976	9875	12067	6976			7407	10305	12495	7407		
25 X 1.5	6034	8900	10991	6034	6867	9875	12067	6867			7297	10305	12495	7297		
26 X 1.0	7815	9930	12915	7815	8735	10954	14087	8735			9165	11382	14515	9165		
27 X 1.0/2.0	8627	10549	13420	8627	9587	11603	14617	9587			10016	12033	15046	10016		
27 X 1.5	8517	10549	13283	8517	9471	11603	14471	9471			9901	12033	14901	9901		
30 X 1.0/2.0	9427	13675	14701	9427	10639	15098	16173	10639			11240	15697	16774	11240		
30 X 1.5	9427	12034	14701	9427	10639	13376	16173	10639			11240	13977	16774	11240		
33 X 1.0/2.0	12711	14618	17195	12711	14084	16084	18789	14084			14684	16685	19391	14684		
33 X 1.5	12687	14589	17950	12687	14059	16056	19581	14059			14658	16653	20182	14658		
36 X 1.5	16372	17901	24899	16372	18297	19902	27244	18297			19195	20800	28142	19195		
36 X 1.0/2.0	16372	17901	24899	16372	18297	19902	27244	18297			19195	20800	28142	19195		

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE ISO-2283, IS-6175-IV (IS-7821)																
4 X .75	1683	1880	2456	1683	1842	2048	2652	1842	2499	3237	1904	2110	2716	1904	2573	3313
5 X .5/.75	1224	1491	1786	1224	1361	1639	1952	1361	2000	2382	1422	1701	2013	1422	2076	2456
6 X .5	1283	1624	1948	1283	1424	1781	2120	1424	2171	2587	1485	1841	2183	1485	2247	2663
6 X .75	1283	1624	2113	1283	1424	1781	2293	1424	2171	2798	1485	1841	2355	1485	2247	2875
7 X .75	1368	1827	1921	1368	1542	2023	2121	1542	2467	2589	1627	2108	2208	1627	2570	2692
8 X .5/.75	1378	1916	2242	1378	1552	2117	2457	1552	2584	2998	1637	2202	2544	1637	2687	3104
8 X 1.0	1188	1583	1767	1188	1352	1767	1959	1352	2157	2392	1437	1852	2046	1437	2262	2495
9 X 1.0	1606	1783	2201	1606	1822	2007	2447	1822	2449	2985	1932	2119	2557	1932	2585	3121
10 X 1.0	1606	1783	2201	1606	1822	2007	2447	1822	2449	2985	1932	2119	2557	1932	2585	3121
10 X 1.25	1453	1646	2100	1453	1662	1865	2340	1662	2275	2855	1772	1975	2453	1772	2411	2990
11 X 1.0	2181	2565	3243	2181	2458	2860	3573	2458	3490	4359	2596	2998	3711	2596	3657	4527
12 X 1.50	2086	2453	2800	2086	2360	2744	3107	2360	3348	3792	2498	2882	3245	2498	3515	3958
12 X 1.0/1.25	2124	2619	2828	2124	2399	2918	3137	2399	3559	3827	2536	3053	3274	2536	3726	3995
14 X 1.0	2801	3333	3884	2801	3170	3731	4308	3170	4549	5256	3358	3917	4495	3358	4778	5485
14 X 1.25	2848	3362	3884	2848	3220	3761	4308	3220	4585	5256	3407	3948	4495	3407	4814	5485
14 X 1.50	2792	3160	3518	2792	3162	3549	3922	3162	4329	4787	3351	3736	4112	3351	4560	5016
16 X 1.0	3252	3739	4302	3252	3655	4166	4758	3655	5083	5804	3852	4361	4953	3852	5321	6045
16 X 1.50	2724	3301	3917	2724	3102	3706	4355	3102	4523	5312	3298	3903	4552	3298	4763	5553
18 X 1.0/2.0	4881	6694	7206	4881	5428	7311	7843	5428			5714	7597	8129	5714		
18 X 1.5	4932	6067	6713	4932	5481	6661	7332	5481			5765	6946	7619	5765		
20 X 1.0/2.0	6863	8695	9790	6863	7608	9513	10651	7608			7991	9896	11033	7991		
20 X 1.5	6863	8695	9736	6863	7608	9513	10592	7608			7991	9896	10973	7991		
22 X 1.0/2.0	7018	9434	10643	7018	7855	10362	11622	7855			8304	10812	12068	8304		
22 X 1.5	7018	8791	12120	7018	7855	9695	13154	7855			8304	10143	13603	8304		
24 X 1.0/2.0	8022	10527	11954	8022	8896	11501	12982	8896			9346	11949	13431	9346		
24 X 1.5	7581	10220	12173	7581	8439	11180	13210	8439			8886	11629	13660	8886		
25 X 1.0/2.0	9156	11373	14293	9156	10075	12377	15411	10075			10527	12828	15861	10527		
25 X 1.5	9202	11373	14293	9202	10121	12377	15411	10121			10572	12828	15861	10572		
26 X 1.0	11207	12687	16793	11207	12206	13744	18011	12206			12656	14193	18461	12656		
27 X 1.0/2.0	11791	13481	17453	11791	12812	14569	18696	12812			13262	15017	19145	13262		
27 X 1.5	11805	13481	17272	11805	12828	14569	18509	12828			13276	15017	18958	13276		
30 X 1.0/2.0	12737	17474	19118	12737	14020	18941	20649	14020			14645	19567	21275	14645		
30 X 1.5	12785	15377	19541	12785	14068	16762	21088	14068			14697	17390	21714	14697		
33 X 1.0/2.0	15468	18213	21343	15468	16854	19706	22959	16854			17481	20337	23588	17481		
33 X 1.5	17032	19586	23883	17032	18478	21135	25599	18478			19107	21761	26226	19107		
36 X 1.5	22513	25241	32379	22513	24565	27401	34816	24565			25505	28338	35756	25505		
36 X 1.0/2.0	22513	25241	32379	22513	24565	27401	34816	24565			25505	28338	35756	25505		

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE D-374																
4 X .75	1246	1626	2189	1246	1388	1785	2376	1388			1453	1852	2443	1453		
5 X .5/.75	1184	1441	1690	1184	1322	1590	1854	1322			1390	1658	1919	1390		
6 X .5	1242	1573	1808	1242	1382	1729	1976	1382	2110	2414	1448	1795	2044	1448	2192	2493
6 X .75	1242	1573	1885	1242	1382	1729	2057	1382	2110	2512	1448	1795	2125	1448	2192	2592
7 X .75	1360	1821	1923	1360	1527	2003	2112	1527	2443	2575	1620	2097	2204	1620	2557	2690
8 X .5/.75	1442	1909	2071	1442	1611	2097	2262	1611	2557	2763	1706	2190	2355	1706	2671	2875
8 X 1.0	1178	1455	1659	1178	1337	1627	1838	1337	1985	2241	1430	1720	1931	1430	2099	2354
9 X 1.0	1520	1932	2049	1520	1726	2152	2277	1726	2626	2778	1846	2272	2397	1846	2773	2924
10 X 1.0	1425	1797	2046	1425	1626	2014	2271	1626	2455	2770	1747	2135	2393	1747	2602	2915
10 X 1.25	1319	1687	1957	1319	1518	1901	2180	1518	2318	2660	1636	2019	2300	1636	2464	2808
11 X 1.0	2242	2848	3275	2242	2467	3083	3519	2467	3762	4293	2614	3231	3666	2614	3941	4472
12 X 1.50	1983	2296	2713	1983	2204	2521	2944	2204	3077	3593	2351	2670	3093	2351	3257	3773
12 X 1.0/1.25	1983	2296	2814	1983	2204	2521	3050	2204	3077	3722	2351	2670	3199	2351	3257	3903
14 X 1.0	2677	3211	3904	2677	2978	3521	4225	2978	4295	5154	3176	3721	4426	3176	4539	5400
14 X 1.25	2732	3039	3567	2732	3034	3343	3884	3034	4079	4738	3232	3541	4084	3232	4323	4981
14 X 1.50	2456	3039	3528	2456	2752	3343	3842	2752	4079	4686	2951	3541	4042	2951	4323	4930
16 X 1.0	2748	3270	3971	2748	3049	3582	4294	3049	4369	5240	3248	3780	4495	3248	4614	5484
16 X 1.50	2456	2988	3528	2456	2765	3305	3855	2765	4032	4702	2976	3513	4063	2976	4288	4958
18 X 1.0/2.0	4715	6813	7196	4715	5138	7252	7638	5138			5441	7557	7945	5441		
18 X 1.5	4889	5624	6423	4889	5313	6054	6861	5313			5619	6361	7168	5619		
20 X 1.0/2.0	5942	8413	10237	5942	6506	8999	10838	6506			6913	9408	11246	6913		
20 X 1.5	6284	7680	8309	6284	6848	8260	8894	6848			7259	8669	9302	7259		
22 X 1.0/2.0	7182	9600	11208	7182	7843	10283	11907	7843			8324	10764	12387	8324		
22 X 1.5	6651	8952	10681	6651	7309	9629	11376	7309			7789	10109	11854	7789		
24 X 1.0/2.0	7393	9510	12322	7393	8058	10194	13028	8058			8538	10672	13508	8538		
24 X 1.5	7393	9510	11357	7393	8058	10194	12054	8058			8538	10672	12535	8538		
25 X 1.0/2.0	8560	11576	14293	8560	9237	12279	15017	9237			9716	12757	15496	9716		
25 X 1.5	7847	11576	14293	7847	8517	12279	15017	8517			8994	12757	15496	8994		
26 X 1.0	10164	12912	16794	10164	10851	13625	17541	10851			11331	14104	18022	11331		
27 X 1.0/2.0	11218	13718	17455	11218	11914	14439	18207	11914			12395	14918	18688	12395		
27 X 1.5	11076	13718	17272	11076	11773	14439	18023	11773			12251	14918	18502	12251		
30 X 1.0/2.0	12257	17785	19119	12257	13202	18780	20124	13202			13875	19449	20792	13875		
30 X 1.5	12257	15650	19119	12257	13202	16624	20124	13202			13875	17296	20792	13875		
33 X 1.0/2.0	16528	19010	22362	16528	17511	20012	23394	17511			18183	20683	24066	18183		
33 X 1.5	16497	18973	23344	16497	17481	19977	24386	17481			18150	20645	25055	18150		
36 X 1.5	21290	23279	32379	21290	22730	24737	33918	22730			23733	25739	34919	23733		
36 X 1.0/2.0	21290	23279	32379	21290	22730	24737	33918	22730			23733	25739	34919	23733		



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
DIA & PITCH (mm)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)

IS-6175-I,II,III, BS-949 & ISO 529 UNIFIED COARSE (UNC)

No. 2 - 56	806	987	1134	806	921	1110	1266	921			980	1169	1324	980		
No. 4 - 40	677	860	989	677	783	977	1112	783	1191	1356	843	1037	1172	843	1265	1430
No. 6 - 32	584	736	807	584	689	846	922	689	1034	1125	747	905	981	747	1105	1199
No. 8 - 32	586	713	807	586	691	822	922	691	1004	1125	750	881	981	750	1077	1199
No. 10 - 24	584	721	807	584	689	833	922	689	1014	1125	747	892	981	747	1088	1199
1/4" - 20	607	728	837	607	712	840	955	712	1024	1163	771	899	1014	771	1097	1238
5/16" - 18	668	834	924	668	805	978	1074	805	1194	1309	887	1062	1156	887	1295	1410
3/8" - 16	842	1015	1156	842	1017	1201	1348	1017	1463	1645	1125	1308	1455	1125	1596	1776
7/16" - 14	1130	1311	1491	1130	1352	1542	1730	1352	1881	2110	1485	1674	1862	1485	2042	2272
1/2" - 13	1370	1615	1890	1370	1603	1861	2149	1603	2271	2621	1734	1995	2279	1734	2433	2783
5/8" - 11	1974	2443	3000	1974	2308	2802	3385	2308	3446	4164	2797	3170	3787	2797	3900	4658
3/4" - 10	3135	3774	3968	3135	3737	4406	5179	3737			4094	4762	5583	4094		
7/8" - 9	4289	5622	6901	4289	5036	6436	7779	5036			5466	6864	8208	5466		
1" - 8	5959	7450	8663	5959	6788	8352	9625	6788			7218	8782	10055	7218		
1.1/8" - 7	9949	11199	14556	9949	11559	13177	16800	11559			12458	14606	18329	12458		
1.1/4" - 7	9516	13633	17720	9516	11683	16342	20774	11683			13383	18382	22958	13383		
1.3/8" - 6	12273	18966	24661	12273	15233	22727	28897	15233			17592	25559	31925	17592		
1.1/2" - 6	14740	22269	28954	14740	18830	27404	34695	18830			22197	31442	39017	22197		
1.5/8" -	17293	25961	33745	17293	22393	32333	40862	22393			26643	37435	46318	26643		
1.3/4" - 5	20869	34963	45454	20869	26145	41781	53143	26145			30395	46881	58600	30395		
2" - 4.5	28996			28996	34782			34782			39147			39147		

ISO 2283 IS-6175-IV (IS-7821) UNIFIED COARSE (UNC)

No. 10 - 24	975	1225	1461	975	1101	1362	1609	1101	1661	1964	1163	1424	1672	1163	1737	2038
1/4" - 20	1052	1282	1394	1052	1182	1422	1539	1182	1736	1876	1243	1485	1599	1243	1810	1952
5/16" - 18	1137	1393	1426	1137	1299	1567	1602	1299	1913	1952	1385	1652	1687	1385	2016	2056
3/8" - 16	1485	1767	1929	1485	1698	1991	2162	1698	2429	2639	1808	2101	2275	1808	2565	2774
7/16" - 14	1792	2083	2629	1792	2051	2358	2930	2051	2876	3573	2188	2495	3067	2188	3044	3740
1/2" - 13	2102	2481	3926	2102	2376	2772	4290	2376	3382	5230	2513	2910	4427	2513	3548	5398
5/8" - 11	3064	3863	4366	3064	3459	4299	4825	3459			3655	4493	5022	3655		
3/4" - 10	6366	7319	9070	6366	7081	8071	9891	7081			7454	8446	10265	7454		
7/8" - 9	7332	8637	10361	7332	8181	9536	11329	8181			8630	9984	11778	8630		
1" - 8	10538	13353	15927	10538	11509	14436	17110	11509			11961	14884	17559	11961		

DIN-371 UNIFIED COARSE (UNC)

No. 2 - 56	924	1128	1299	924	1048	1264	1444	1048			1114	1332	1509	1114		
No. 4 - 40	774	983	1131	774	893	1112	1267	893	1360	1546	959	1179	1334	959	1438	1627
No. 6 - 32	668	840	925	668	783	964	1051	783	1174	1282	850	1028	1116	850	1254	1362
No. 8 - 32	671	815	925	671	786	935	1051	786	1142	1282	852	1004	1116	852	1223	1362
No. 10 - 24	668	825	925	668	783	948	1051	783	1156	1282	850	1014	1116	850	1235	1362
1/4" - 20	695	835	957	695	811	956	1086	811	1166	1326	877	1023	1152	877	1248	1407
5/16" - 18	785	980	1088	785	923	1123	1233	923	1371	1504	1015	1215	1325	1015	1484	1616
3/8" - 16	981	1183	1349	981	1157	1364	1534	1157	1664	1870	1275	1483	1653	1275	1809	2015



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-376 UNIFIED COARSE (UNC)																
No. 10 - 24	888	1115	1330	888	1011	1250	1476	1011	1523	1799	1080	1315	1541	1080	1605	1880
1/4" - 20	956	1167	1268	956	1085	1305	1409	1085	1590	1719	1151	1369	1476	1151	1673	1801
5/16" - 18	1065	1302	1334	1065	1208	1453	1485	1208	1774	1812	1300	1547	1578	1300	1884	1924
3/8" - 16	1377	1637	1789	1377	1564	1830	1986	1564	2233	2421	1682	1948	2104	1682	2378	2567
7/16" - 14	1693	1967	2482	1693	1907	2188	2710	1907	2670	3308	2055	2335	2859	2055	2848	3490
1/2" - 13	1984	2340	3705	1984	2205	2568	3957	2205	3134	4828	2353	2717	4105	2353	3312	5010
5/8" - 11	2864	3614	4082	2864	3179	3941	4418	3179			3389	4152	4629	3389		
3/4" - 10	5953	6843	8480	5953	6503	7403	9054	6503			6902	7800	9452	6902		
7/8" - 9	6857	8076	9689	6857	7516	8746	10373	7516			7996	9224	10851	7996		
1" - 8	9853	12485	14892	9853	10537	13194	15623	10537			11019	13674	16101	11019		
IS-6175-I,II,III, BS-949 & ISO 529 UNIFIED FINE (UNF)																
No. 2 - 64	806	1008	1158	806	921	1131	1290	921			980	1190	1349	980		
No. 4 - 48	677	860	989	677	783	977	1112	783	1191	1356	843	1037	1172	843	1265	1430
No. 6 - 40	584	736	807	584	689	846	922	689	1034	1125	747	905	981	747	1105	1199
No. 8 - 36	586	713	807	586	691	822	922	691	1004	1125	750	881	981	750	1077	1199
No. 10 - 32	584	721	807	584	689	833	922	689	1014	1125	747	892	981	747	1088	1199
1/4" - 28	607	728	837	607	712	840	955	712	1024	1163	771	899	1014	771	1097	1238
5/16" - 24	668	834	924	668	805	978	1074	805	1194	1309	887	1062	1156	887	1295	1410
3/8" - 24	880	1015	1156	880	1057	1201	1348	1057	1463	1645	1164	1308	1455	1164	1596	1776
7/16" - 20	1130	1311	1491	1130	1352	1542	1730	1352	1881	2110	1485	1674	1862	1485	2042	2272
1/2" - 20	1370	1675	1890	1370	1603	1923	2149	1603	2347	2621	1734	2055	2279	1734	2508	2783
5/8" - 18	1974	2443	3000	1974	2308	2802	3385	2308	3446	4164	2797	3170	3787	2797	3900	4658
3/4" - 16	3135	3774	3968	3135	3737	4406	5179	3737			4094	4762	5583	4094		
7/8" - 14	4289	5622	6901	4289	5036	6436	7779	5036			5466	6864	8208	5466		
1" - 12	5959	7450	8663	5959	6788	8352	9625	6788			7218	8782	10055	7218		
1.1/8" - 12	9949	11199	14556	9949	11559	13177	16800	11559			12458	14606	18329	12458		
1.1/4" - 12	9516	13633	17720	9516	11683	16342	20774	11683			13383	18382	22958	13383		
1.3/8" - 12	12273	18966	24661	12273	15233	22727	28897	15233			17592	25559	31925	17592		
1.1/2" - 12	14740	22269	28954	14740	18830	27404	34695	18830			22197	31442	39017	22197		
1.5/8" - 12	17293	25961	33745	17293	22393	32333	40862	22393			26643	37435	46318	26643		
1.3/4" - 12	20869	34963	45454	20869	26145	41781	53143	26145			30395	46881	58600	30395		
2" - 12	28996			28996	34782			34782			39147			39147		
Notes : We can also give the No. 2 - 64 to 3/8" - 24 sizes in DIN-371 blanks at 8% extra.																
ISO 2283 IS-6175-IV (IS-7821) UNIFIED FINE (UNF)																
No. 10 - 32	975	1225	1461	975	1101	1362	1609	1101	1661	1964	1163	1424	1672	1163	1737	2038
1/4" - 28	1052	1282	1394	1052	1182	1422	1539	1182	1736	1876	1243	1485	1599	1243	1810	1952
5/16" - 24	1137	1393	1426	1137	1299	1567	1602	1299	1913	1952	1385	1652	1687	1385	2016	2056
3/8" - 24	1485	1767	1929	1485	1698	1991	2162	1698	2429	2639	1808	2101	2275	1808	2565	2774
7/16" - 20	1792	2083	2917	1792	2051	2358	3231	2051	2876	3941	2188	2495	3369	2188	3044	4109
1/2" - 20	2102	2481	3926	2102	2376	2772	4290	2376	3382	5230	2513	2910	4427	2513	3548	5398
5/8" - 18	3064	3863	4366	3064	3459	4299	4825	3459	5244	5886	3655	4493	5022	3655	5484	6126
3/4" - 16	6366	7319	9070	6366	7081	8071	9891	7081			7454	8446	10265	7454		
7/8" - 14	7332	8637	10361	7332	8181	9536	11329	8181			8630	9984	11778	8630		
1" - 12	10538	13353	15927	10538	11509	14436	17110	11509			11961	14884	17559	11961		

VX (Series)
NEW

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-374/DIN-376 UNIFIED FINE (UNF)																
No. 10 - 32	888	1115	1330	888	1011	1250	1476	1011	1523	1799	1080	1315	1541	1080	1605	1880
1/4" - 28	956	1167	1268	956	1085	1305	1409	1085	1590	1719	1151	1369	1476	1151	1673	1801
5/16" - 24	1065	1302	1334	1065	1208	1453	1485	1208	1774	1812	1300	1547	1578	1300	1884	1924
3/8" - 24	1377	1637	1789	1377	1564	1830	1986	1564	2233	2421	1682	1948	2104	1682	2378	2567
7/16" - 20	1693	1967	2754	1693	1907	2188	2989	1907	2670	3647	2055	2335	3137	2055	2848	3825
1/2" - 20	1984	2340	3705	1984	2205	2568	3957	2205	3134	4828	2353	2717	4105	2353	3312	5010
5/8" - 18	2864	3614	4082	2864	3179	3941	4418	3179	4807	5392	3389	4152	4629	3389	5065	5646
3/4" - 16	5953	6843	8480	5953	6503	7403	9054	6503			6902	7800	9452	6902		
7/8" - 14	6857	8076	9689	6857	7516	8746	10373	7516			7996	9224	10851	7996		
1" - 12	9853	12485	14892	9853	10537	13194	15623	10537			11019	13674	16101	11019		
IS-6175-I,II,III, BS-949 & ISO 529 British Standard Whitworth (BSW)																
1/8" - 40	584	799	918	584	689	914	1039	689	1113	1267	747	974	1099	747	1187	1341
5/32" - 32	586	764	855	586	691	877	973	691	1070	1186	750	935	1034	750	1143	1260
1/4" - 20	614	726	837	614	719	838	955	719	1021	1163	778	896	1014	778	1092	1238
5/16" - 18	743	867	1035	743	882	1013	1188	882	1236	1450	966	1096	1270	966	1338	1550
3/8" - 16	956	1027	1268	956	1138	1211	1463	1138	1477	1785	1245	1319	1569	1245	1608	1915
7/16" - 14	1219	1469	1765	1219	1445	1706	2017	1445	2082	2461	1578	1839	2150	1578	2245	2622
1/2" - 12	1512	1690	1919	1512	1753	1939	2178	1753	2365	2659	1884	2071	2311	1884	2525	2820
5/8" - 11	2050	2443	3000	2050	2389	2802	3385	2389	3416	4129	2578	2991	3573	2578	3648	4360
3/4" - 10	3846	4423	5061	3846	4483	5088	5756	4483			4840	5446	6115	4840		
7/8" - 9	4694	6046	8075	4694	5462	6878	9009	5462			5892	7307	9436	5892		
1" - 8	6854	9391	11760	6854	7726	10390	12874	7726			8158	10817	13303	8158		
ISO 2283 IS-6175-IV (IS-7821) British Standard Whitworth (BSW)																
1/4" - 20	1063	1339	1604	1063	1192	1481	1760	1192	1807	2147	1252	1544	1822	1252	1884	2223
5/16" - 18	1137	1393	1605	1137	1299	1567	1790	1299	1913	2186	1385	1652	1876	1385	2016	2290
3/8" - 16	1533	1767	2120	1533	1747	1991	2361	1747	2429	2882	1859	2101	2473	1859	2565	3018
7/16" - 14	1971	2292	2638	1971	2239	2576	2937	2239	3142	3583	2376	2714	3072	2376	3310	3751
1/2" - 12	2263	2830	3978	2263	2546	3139	4344	2546	3830	5299	2684	3276	4479	2684	3997	5466
5/8" - 11	3064	3804	4457	3064	3459	4236	4922	3459	5167	6003	3655	4433	5116	3655	5406	6243
3/4" - 10	6919	7956	9471	6919	7656	8734	10309	7656			8029	9108	10680	8029		
7/8" - 9	7608	8674	11378	7608	8467	9573	12383	8467			8916	10023	12833	8916		
1" - 8	10538	13353	17411	10538	11509	14436	18651	11509			11961	14884	19102	11961		



HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

	BRIGHT				TiN-COATED						TiCN/TiAlN-COATED					
DIA & PITCH (mm)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-371 British Standard Whitworth (BSW)																
1/8" -40	668	914	1052	668	783	1040	1183	783	1268	1445	850	1107	1250	850	1348	1524
5/32" - 32	671	875	978	671	786	998	1108	786	1220	1351	852	1064	1173	852	1299	1430
3/16" - 24	735	877	989	735	852	1000	1119	852	1221	1365	917	1065	1186	917	1300	1446
1/4" - 20	702	832	957	702	818	952	1086	818	1164	1326	884	1020	1152	884	1244	1407
5/16" - 18	875	1021	1217	875	1012	1164	1365	1012	1420	1667	1105	1256	1458	1105	1532	1780
3/8" -16	1114	1196	1476	1114	1295	1379	1664	1295	1681	2032	1413	1495	1783	1413	1827	2176
DIN-374/DIN-376 British Standard Whitworth (BSW)																
1/4" - 20	993	1252	1502	993	1104	1370	1625	1104	1671	1984	1170	1438	1693	1170	1754	2065
5/16" - 18	1065	1302	1504	1065	1208	1453	1660	1208	1774	2024	1300	1547	1753	1300	1884	2136
3/8" - 16	1448	1668	1999	1448	1624	1847	2187	1624	2255	2668	1743	1966	2307	1743	2399	2812
7/16" - 14	1861	2165	2488	1861	2079	2389	2719	2079	2913	3317	2228	2536	2868	2228	3095	3497
1/2" - 12	2135	2672	3753	2135	2359	3385	4007	2359	4128	4890	2507	3531	4155	2507	4310	5070
5/8" - 11	2864	3595	4169	2864	3179	3922	4507	3179	4787	5498	3389	4133	4717	3389	5043	5756
3/4" - 10	6470	7437	8854	6470	7024	8002	9430	7024			7422	8402	9831	7422		
7/8" - 9	7114	8183	10638	7114	7777	8854	11331	7777			8256	9332	11809	8256		
1" - 8	9853	12485	16278	9853	10537	13194	17021	10537			11019	13674	17500	11019		
IS-6175-I,II,III, BS-949 & ISO 529 British Standard Fine (BSF)																
1/4" - 26	614	726	837	614	719	838	955	719	1021	1163	778	896	1014	778	1092	1238
5/16" - 22	743	867	1035	743	882	1013	1188	882	1236	1450	966	1096	1270	966	1338	1550
3/8" - 20	956	1027	1268	956	1138	1211	1463	1138	1477	1785	1245	1319	1569	1245	1608	1915
7/16" - 18	1219	1469	1765	1219	1445	1706	2017	1445	2082	2461	1578	1839	2150	1578	2245	2622
1/2" - 16	1512	1690	1919	1512	1753	1939	2178	1753	2365	2659	1884	2071	2311	1884	2525	2820
5/8" - 14	2050	2443	3000	2050	2389	2802	3385	2389	3416	4129	2578	2991	3573	2578	3648	4360
3/4" - 12	3846	4423	5061	3846	4483	5088	5756	4483			4840	5446	6115	4840		
7/8" - 11	4694	6046	8075	4694	5462	6878	9009	5462			5892	7307	9436	5892		
1" - 10	6854	9391	11760	6854	7726	10390	12874	7726			8158	10817	13303	8158		
Notes : We can also give the No. 3/16" - 32 to 3/8" - 20 sizes in DIN-371 blanks at 8% extra.																
ISO 2283 IS-6175-IV (IS-7821) British Standard Fine (BSF)																
1/4" - 26	1063	1339	1604	1063	1192	1481	1760	1192	1807	2147	1252	1544	1822	1252	1884	2223
5/16" - 22	1137	1393	1605	1137	1299	1567	1790	1299	1913	2186	1385	1652	1876	1385	2016	2290
3/8" - 20	1533	1767	2120	1533	1747	1991	2361	1747	2429	2882	1859	2101	2473	1859	2565	3018
7/16" - 18	1971	2292	2682	1971	2239	2576	2985	2239	3142	3641	2376	2714	3124	2376	3310	3807
1/2" - 16	2263	2830	3978	2263	2546	3139	4344	2546	3830	5299	2684	3276	4479	2684	3997	5466
5/8" - 14	3064	3804	4457	3064	3459	4236	4922	3459	5167	6003	3655	4433	5116	3655	5406	6243
3/4" - 12	6919	7956	9471	6919	7656	8734	10309	7656			8029	9108	10680	8029		
7/8" - 11	7608	8751	11378	7608	8467	9654	12383	8467			8916	10103	12833	8916		
1" - 10	10538	13353	17411	10538	11509	14436	18651	11509			11961	14884	19102	11961		
DIN-374/DIN - 376 British Standard Fine (BSF)																
5/16" - 22	1065	1302	1504	1065	1208	1453	1660	1208	1774	2024	1300	1547	1753	1300	1884	2136
3/8" - 20	1420	1637	1964	1420	1609	1830	2167	1609	2233	2643	1727	1948	2287	1727	2378	2788
7/16" -18	1861	2165	2533	1861	2079	2389	2763	2079	2913	3371	2228	2536	2911	2228	3095	3549
1/2" -16	2135	2672	3753	2135	2359	2952	4007	2359	3602	4890	2507	3204	4155	2507	3909	5070
5/8" - 14	2864	3595	4169	2864	3179	3922	4507	3179	4787	5498	3389	4133	4717	3389	5043	5756
3/4" -12	6470	7437	8854	6470	7024	8002	9430	7024			7422	8402	9831	7422		
7/8" -11	7114	8183	10638	7114	7777	8854	11331	7777			8256	9332	11809	8256		
1" - 10	9853	12485	16278	9853	10537	13194	17021	10537			11019	13674	17500	11019		

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS PIPE TAPS

	BRIGHT				TiN-COATED				TiCN/TiAlN-COATED			
DIA & PITCH (mm)	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	BSP FLUTELESS OIL GROOVE	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	BSP FLUTELESS OIL GROOVE	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	

BSP/BSPT/BSP 6" LONG BS 949

1/8" - 28	974	1236	3003	2385	1453	1731	3579	2775	1881	2163	4014	
1/4" - 19	1543	2250	4663	3787	2198	2956	5465	4338	2777	3554	6046	
3/8" - 19	2462	3111	7438	5996	3471	4151	8686	6837	4362	5041	9577	
1/2" - 14	3606	4518	10954	9444	5256	6208	12951	10811	6732	7684	14424	
5/8" - 14	3806				6422				8857			
3/4" - 14	5369	7026	16272		7900	9629	19323		10174	11901	21594	
7/8"	6693				9618				12225			
1" - 11	8452	11029			11471	14170			14088	16786		

NPT/NPTF/NPSF/NPT LONG/NPSF LONG BS-949

DIA & PITCH (mm)	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL
1/16" - 27	1206		3360		1698		3927		2135		4331	
1/8" - 27	1383	1132	3973	2831	1888	1628	4572	3406	2327	2067	4980	3847
1/4" - 18	2410	1995	7056	4984	3117	2676	7941	5813	3708	3265	8484	6399
3/8" - 18	3321	2652	9742	6633	4389	3689	11051	7853	5298	4600	11898	8759
1/2" - 14	4774	4074	13969	10182	6480	5744	16004	12142	7962	7217	17372	
3/4" - 14	7146	5685	20679	14215	9761	8228	23775	17164	12038	10502	25890	19438
1" - 11.5	11341	9575			14494	12643			17102	15256		

BSP (ISO,DIN) NPT (BS 949 & DIN) BRIGHT

DIA & PITCH (mm)	BSP STRAIGHT FLUTE TAP (ISO)	BSP STRAIGHT FLUTE TAP (DIN)	BSP SPIRAL POINT TAP (ISO)	BSP SPIRAL POINT TAP (DIN)	BSP SPIRAL FLUTE TAP (ISO)	BSP SPIRAL FLUTE TAP (DIN)	NPT STRAIGHT FLUTE TAP (DIN)	NPT SPIRAL FLUTE TAP (ISO)	NPT SPIRAL FLUTE TAP (DIN)
1/8"	1186	1364	1484	1706	1660	1991	1793	2245	2580
1/4"	1861	2141	2327	2676	2606	3128	3098	3872	4454
3/8"	2940	3383	3674	4226	4115	4940	4227	5284	6078
1/2"	4378	5037	5475	6296	6129	7358	6299	7871	9053
3/4"	6516	7497	8146	9369	9125	10947	9430	11786	13555
1" -	10261	11799	12825	14748	14364	17238	14964	18707	21512

BSP (ISO,DIN) NPT (BS 949 & DIN) TiN-COATED

DIA & PITCH (mm)	BSP STRAIGHT FLUTE TAP (ISO)	BSP STRAIGHT FLUTE TAP (DIN)	BSP SPIRAL POINT TAP (ISO)	BSP SPIRAL POINT TAP (DIN)	BSP SPIRAL FLUTE TAP (ISO)	BSP SPIRAL FLUTE TAP (DIN)	NPT STRAIGHT FLUTE TAP (DIN)	NPT SPIRAL FLUTE TAP (BS-949)	NPT SPIRAL FLUTE TAP (DIN)
1/8"	1633	1817	1942	2176	2129	2475	2346	2817	3170
1/4"	2463	2754	2949	3316	3242	3789	3862	4673	5280
3/8"	3851	4313	4622	5198	5081	5945	5354	6459	7288
1/2"	5828	6510	6964	7815	7644	8916	8076	9709	10935
3/4"	8742	9757	10434	11702	11447	13342	12160	14606	16442
1"	12924	14521	15587	17584	17184	20165	18260	22142	25055

Prices for NPSI/NPSM : 35% extra.

Prices for NPT (Interrupted) : 35% extra.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS NIB TAPS

DIA & PITCH (mm)	BRIGHT	TiN-COATED	TiCN/TiALN-COATED
METRIC COARSE			
3 X 0.5	963	1102	1240
3.5 X 0.6	963	1102	1240
4 X 0.7	963	1102	1240
5 X 0.8	1004	1145	1282
6 X 1.0	1004	1145	1282
7 X 1.0	1136	1342	1546
8 X 1.25	1136	1342	1546
9 X 1.25	1406	1683	1960
10 X 1.50	1406	1683	1960
12 X 1.75	2153	2495	2839
14 X 2.00	3180	3644	4109
16 X 2.00	3180	3669	4156
METRIC FINE			
5 X 0.5	1206	1374	1537
7 X 0.75	1349	1593	1835
8 X 1.0	1349	1593	1835
10 X 1.0	1601	1920	2234
10 X 1.25	1601	1920	2234
11 X 1.50	2475	2869	3264
12 X 1.25	2475	2869	3264
12 X 1.50	2475	2869	3264
14 X 1.50	3658	4191	4722
16 X 1.50	3658	4217	4778
FRACTIONAL SIZES (UNC/UNF/BSW/BSF)			
1/4"	1206	1374	1537
5/16"	1352	1593	1835
3/8"	1687	2019	2354
7/16"	2585	2993	3407
1/2"	3868	4430	4993
9/16"	3817	4402	4987
5/8"	3977	4586	5193



1. SPECIAL TOLERANCE : 10% extra.


Notes : We can also give the above Sizes in 8% Cobalt at 20% extra.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

STI TAP (HSS-E)

DIA & PITCH (mm)	FLUTELESS TIN		FLUTELESS OIL GROOVE TIN	
3 X 0.5	2585	2691	2849	2955
4 X 0.7	2585	2691	2849	2955
5 X 0.8	2585	2691	2849	2955
6 X 1.0	2585	2691	2849	2955
8 X 1.25	3039	3230	3181	3373
10 X 1.50	3717	4044	3889	4214
12 X 1.75	6071	6560	6621	7110
14 X 2.00	8428	9090	9329	9994
16 X 2.00	8934	9710	10080	10857



NOTE :

- 1) TAPS TO JAPANESE STANDARD, DIN 352, AMERICAN STANDARD also available in some sizes. Prices on request.
- 2) Please refer to us for items/sizes not covered in this Price List.
- 3) For Left Hand taps 35% extra will be charged.

TERMS & CONDITIONS :

- 1) GST & OTHER GOVT. LEVIES WILL BE CHARGED EXTRA AS APPLICABLE.
- 2) PRICES ARE SUBJECT TO REVISION WITHOUT PRIOR NOTICE.
- 3) THIS PRICE LIST SUPERCEDES ALL OUR EARLIER PRICE LISTS.
- 4) THE PRICES QUOTED IN THIS PRICE LIST ARE THE MAXIMUM RETAIL PRICE AND THE DEALERS / STOCKISTS ARE FREE TO SELL THE GOODS AT PRICES LOWER THAN THE PRICES FIXED BY THE COMPANY.
- 5) ALL LEGAL PROCEEDINGS ARE SUBJECT TO NAGPUR JURISDICTION.



EMKAY TOOLS LTD

www.emkaytools.com