

EMKAY TOOLS

PRICE LIST

(Effective from 15th September 2026)

HIGH PERFORMANCE TAPS (HSS-E)
AND
HIGH SPEED STEEL GROUND THREAD TAPS



EMKAY TOOLS LTD

Factory : B-27 & B-27/1, M.I.D.C. Industrial Area, Hingna, Nagpur.
Telephone No. : 91-9226071464
E-mail : hq@emkaytools.com www.emkaytools.com

CONTENTS

PAGE NO.

BRIGHT, TiN and TiCN/TiALN

METRIC COARSE : SHORT AND LONG SHANK MACHINE TAPS

i) ISO 529, IS-6175-I, IS-6175-II,and IS-6175-III 1
ii) ISO 2283, IS-6175-IV (IS-7821) and DIN-371 2
iii) DIN 376 3

METRIC FINE : SHORT AND LONG SHANK MACHINE TAPS

i) IS-6175-II,and DIN-371 3
ii) IS-6175-III 4
iii) ISO 2283, IS-6175-IV (IS-7821) 5
iv) DIN-374 6

FRACTIONAL SIZES (UNC/UNF/BSW/BSF)

SHORT AND LONG SHANK MACHINE TAPS (UNC)

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821), DIN-371 7
ii) DIN-376, 8

SHORT AND LONG SHANK MACHINE TAPS (UNF)

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821) 8
ii) DIN-371, DIN-374, and DIN-376 9

SHORT AND LONG SHANK MACHINE TAPS (BSW)

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821) 9
ii) DIN-371, DIN-376 10

SHORT AND LONG SHANK MACHINE TAPS (BSF)

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821) 10
ii) DIN-371, DIN-376


PIPE TAPS

BS 949
I) BSP,BSPT, and BSP 6" LONG 11
ii) NPT, NPTF, NPSF, NPT 6", and NPSF 6" LONG
iii) BSP FLUTELESS OIL GROOVE.

NIB TAP **I) NIB TAP** **12**

HELICOIL STI TAPS

i) FLUTELESS and FLUTELESS OIL GROOVE. 13



EMKAY TOOLS

Effective from 15th September 2026

PRICE LIST

HSS-E HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE ISO-529, IS-6175-I																
1.6 X 0.35	1714	2029	1848	1714	1898	2231	2037	1898			1963	2295	2101	1963		
1.8 X 0.35	1622	2029	1701	1622	1797	2231	1881	1797			1862	2295	1945	1862		
2 X 0.4	951	1127	1213	951	1089	1274	1367	1089			1155	1339	1430	1155		
2.2 X 0.45	951	1127	1241	951	1089	1274	1394	1089			1155	1339	1458	1155		
2.3 X 0.4	951	1127	1241	951	1089	1274	1394	1089			1155	1339	1458	1155		
2.5 X 0.45	951	933	965	951	1089	1067	1103	1089			1155	1132	1166	1155		
2.6 X 0.45	951	933	965	951	1089	1067	1103	1089			1155	1132	1166	1155		
METRIC COARSE ISO-529, IS-6175-II																
3 X 0.5	603	687	790	603	720	810	917	720	989	1119	785	875	980	785	1066	1197
3.5 X 0.6	603	682	790	603	720	801	917	720	977	1119	785	866	980	785	1058	1197
4 X 0.7	603	682	790	603	720	801	917	720	977	1119	785	866	980	785	1058	1197
5 X 0.8	630	730	828	630	750	852	957	750	1039	1169	814	917	1023	814	1119	1245
6 X 1.0	630	742	828	630	750	866	957	750	1056	1169	814	930	1023	814	1135	1245
7 X 1.0	814	942	1066	814	973	1109	1241	973	1352	1513	1063	1197	1329	1063	1460	1623
8 X 1.25	703	828	924	703	856	989	1091	856	1205	1332	945	1078	1179	945	1312	1442
9 X 1.25	913	1070	1191	913	1110	1279	1406	1110	1560	1715	1225	1395	1523	1225	1702	1858
10 X 1.50	913	1070	1191	913	1110	1279	1406	1110	1560	1715	1225	1395	1523	1225	1702	1858
METRIC COARSE ISO-529, IS-6175-III																
3 X 0.5	655	780	896	655	775	905	1028	775			837	967	1092	837		
3.5 X 0.6	679	828	916	679	800	958	1051	800			863	1022	1114	863		
4 X 0.7	655	780	896	655	775	905	1028	775	1106	1255	837	967	1092	837	1182	1332
5 X 0.8	697	800	880	697	819	927	1012	819	1131	1233	882	991	1074	882	1209	1313
6 X 1.0	697	800	882	697	819	927	1014	819	1131	1238	882	991	1077	882	1209	1316
7 X 1.0	887	1073	1216	887	1051	1245	1398	1051	1522	1705	1140	1333	1485	1140	1627	1812
8 X 1.25	829	969	1041	829	989	1137	1211	989	1387	1480	1077	1225	1300	1077	1494	1588
9 X 1.25	960	1206	1411	960	1161	1422	1638	1161	1734	2000	1274	1537	1754	1274	1875	2140
10 X 1.50	960	1206	1411	960	1161	1422	1638	1161	1734	2000	1274	1537	1754	1274	1875	2140
11 X 1.5	1562	1959	2135	1562	1833	2251	2437	1833	2747	2975	1975	2393	2580	1975	2919	3147
12 X 1.75	1379	1659	1870	1379	1636	1933	2157	1636	2358	2632	1778	2075	2299	1778	2531	2804
14 X 2.00	2009	2409	2889	2009	2370	2793	3303	2370	3408	4030	2565	2986	3498	2565	3644	4267
16 X 2.00	2024	2476	2889	2024	2397	2877	3314	2397	3510	4044	2600	3082	3519	2600	3759	4291
18 X 2.5	3158	4051	4693	3158	3709	4656	5334	3709			4001	4946	5626	4001		
20 X 2.5	4059	5160	5742	4059	4787	5953	6571	4787			5180	6343	6964	5180		
22 X 2.5	5815	6409	7249	5815	6734	7359	8251	6734			7194	7820	8711	7194		
24 X 3.0	6241	7106	8861	6241	7183	8100	9957	7183			7642	8558	10418	7642		
25 X 3.0	6272	7762	9776	6272	7215	8796	10926	7215			7676	9254	11386	7676		
27 X 3.0	9928	11356	12195	9928	11087	12601	13489	11087			11549	13060	13949	11549		
30 X 3.5	10546	12118	14176	10546	11970	13634	15815	11970			12614	14276	16458	12614		
33 X 3.5	11236	16560	19045	11236	12702	18340	20972	12702			13344	18984	21612	13344		
36 X 4.0	15635	21888	24844	15635	17758	24379	27509	17758			18716	25341	28472	18716		

1. SPECIAL TOLERANCE : 10% extra.

2. MACHINE TAPS : TYPE "A" - 5 Deg. Taper angle with Longer taper lead.
TYPE "B" - 10 Deg. Taper angle with Spiral point.
TYPE "C" - 20 Deg. Taper angle with Shorter taper lead.
TYPE "D" - 10 Deg. Taper angle without Spiral point.

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series)) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE ISO-2283, IS-6175-IV (IS-7821)																
4 X 0.7	1321	1458	1627	1321	1482	1626	1807	1482	1985	2203	1551	1693	1874	1551	2067	2286
5 X 0.8	871	988	1170	871	1007	1129	1323	1007	1378	1611	1072	1196	1389	1072	1460	1695
6 X 1.0	953	1242	1274	953	1093	1395	1433	1093	1706	1747	1160	1466	1501	1160	1786	1827
7 X 1.0	1153	1350	1673	1153	1335	1545	1887	1335	1885	2303	1429	1637	1982	1429	1996	2417
8 X 1.25	1097	1295	1387	1097	1278	1485	1583	1278	1813	1932	1369	1579	1675	1369	1926	2044
9 X 1.25	1395	1650	1764	1395	1626	1898	2016	1626	2316	2460	1747	2016	2138	1747	2460	2607
10 X 1.50	1395	1650	1764	1395	1626	1898	2016	1626	2316	2460	1747	2016	2138	1747	2460	2607
12 X 1.75	1875	2306	2602	1875	2170	2627	2941	2170	3203	3587	2318	2773	3087	2318	3384	3767
14 X 2.00	3006	3470	3971	3006	3437	3929	4456	3437	4791	5437	3639	4130	4660	3639	5037	5685
16 X 2.00	2968	3470	3971	2968	3408	3940	4469	3408	4807	5454	3621	4153	4681	3621	5066	5711
18 X 2.5	4708	5366	7322	4708	5322	6012	8063	5322			5630	6320	8371	5630		
20 X 2.5	6416	6999	8792	6416	7244	7857	9737	7244			7656	8271	10150	7656		
22 X 2.5	7503	8266	9331	7503	8473	9274	10392	8473			8959	9760	10877	8959		
24 X 3.0	8051	9447	11710	8051	9048	10515	12890	9048			9533	11001	13373	9533		
25 X 3.0	8928	10593	13699	8928	9967	11716	14973	9967			10452	12200	15460	10452		
27 X 3.0	12806	14648	16633	12806	14035	15969	18051	14035			14522	16452	18534	14522		
30 X 3.5	14195	15629	19398	14195	15735	17238	21191	15735			16411	17918	21870	16411		
33 X 3.5	14278	25980	31561	14278	15822	28091	33944	15822			16496	28768	34624	16496		
36 X 4.0	20211	26121	32615	20211	22464	28660	35473	22464			23479	29675	36485	23479		
METRIC COARSE DIN-371																
1.6 X 0.35	1980	2344	2070	1980	2181	2567	2278	2181			2256	2639	2351	2256		
1.8 X 0.35	1873	2344	2007	1873	2069	2567	2212	2069			2141	2639	2281	2141		
2 X 0.4	1099	1301	1432	1099	1252	1465	1604	1252			1324	1536	1678	1324		
2.2 X 0.45	1099	1301	1463	1099	1252	1465	1637	1252			1324	1536	1708	1324		
2.3 X 0.4	1099	1301	1463	1099	1252	1465	1637	1252			1324	1536	1708	1324		
2.5 X 0.45	1099	1077	1218	1099	1252	1227	1378	1252			1324	1300	1452	1324		
2.6 X 0.45	1099	1077	1139	1099	1252	1227	1294	1252			1324	1300	1365	1324		
3 X 0.5	698	795	910	698	827	930	1054	827	1134	1285	898	1001	1125	898	1223	1374
3.5 X 0.6	698	788	910	698	827	923	1054	827	1125	1285	898	994	1125	898	1212	1374
4 X 0.7	698	788	910	698	827	923	1054	827	1125	1285	898	994	1125	898	1212	1374
5 X 0.8	729	842	954	729	861	980	1100	861	1192	1341	933	1052	1171	933	1282	1430
6 X 1.0	729	856	954	729	861	995	1100	861	1214	1341	933	1066	1171	933	1303	1430
7 X 1.0	967	1119	1266	967	1128	1286	1439	1128	1569	1754	1228	1385	1538	1228	1691	1878
8 X 1.25	835	983	1099	835	991	1143	1265	991	1395	1546	1092	1245	1366	1092	1517	1667
9 X 1.25	1047	1258	1402	1047	1248	1467	1615	1248	1791	1967	1377	1597	1742	1377	1946	2127
10 X 1.50	1047	1258	1402	1047	1248	1467	1615	1248	1791	1967	1377	1597	1742	1377	1946	2127

1. **SPECIAL TOLERANCE : 10% extra.**

2. **MACHINE TAPS : TYPE "A" - 5 Deg. Taper angle with Longer taper lead.**
   TYPE "B" - 10 Deg. Taper angle with Spiral point.
   TYPE "C" - 20 Deg. Taper angle with Shorter taper lead.
   TYPE "D" - 10 Deg. Taper angle without Spiral point.

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC COARSE DIN-376																
4 X 0.7	831	987	1137	831	967	1134	1292	967	1382	1530	1040	1207	1363	1040	1472	1661
5 X 0.8	882	1012	1115	882	1024	1161	1269	1024	1417	1548	1097	1234	1341	1097	1505	1636
6 X 1.0	882	1012	1117	882	1024	1161	1271	1024	1417	1552	1097	1234	1343	1097	1505	1639
7 X 1.0	1157	1399	1582	1157	1327	1576	1768	1327	1923	2158	1426	1676	1869	1426	2046	2281
8 X 1.25	1157	1263	1356	1157	1327	1437	1534	1327	1752	1870	1426	1536	1634	1426	1875	1991
9 X 1.25	1240	1557	1822	1240	1451	1777	2054	1451	2167	2504	1579	1906	2181	1579	2324	2662
10 X 1.50	1240	1557	1822	1240	1451	1777	2054	1451	2167	2504	1579	1906	2181	1579	2324	2662
12 X 1.75	1861	2178	2457	1861	2114	2441	2726	2114	2978	3327	2276	2601	2889	2276	3174	3523
14 X 2.00	2616	3137	3766	2616	2962	3497	4142	2962	4266	5053	3181	3715	4362	3181	4534	5320
16 X 2.00	2634	3227	3766	2634	2993	3602	4153	2993	4395	5070	3224	3829	4383	3224	4674	5350
18 X 2.5	4185	5368	6218	4185	4676	5879	6746	4676			5006	6211	7076	5006		
20 X 2.5	5706	6834	7608	5706	6367	7516	8304	6367			6814	7961	8749	6814		
22 X 2.5	7706	8492	9604	7706	8500	9296	10435	8500			9023	9819	10955	9023		
24 X 3.0	8270	9415	11742	8270	9073	10238	12608	9073			9594	10762	13130	9594		
27 X 3.0	13153	15047	16160	13153	14046	15972	17106	14046			14568	16497	17630	14568		
30 X 3.5	13974	16056	18783	13974	15141	17261	20037	15141			15869	17989	20768	15869		
33 X 3.5	14889	21941	25234	14889	16070	23254	26605	16070			16802	23983	27336	16802		
36 X 4.0	20713	29002	32919	20713	22455	30894	34880	22455			23548	31986	35974	23548		
METRIC FINE DIN-371																
3 X 0.35	971	1199	1350	971	1119	1357	1518	1119			1194	1432	1594	1194		
4 X 0.5	971	1199	1225	971	1119	1357	1388	1119	1657	1696	1194	1432	1465	1194	1749	1787
4 X .75	1074	1403	1642	1074	1228	1576	1830	1228	1923	2232	1303	1651	1903	1303	2013	2323
5 X .5/.75	1096	1331	1561	1096	1251	1500	1743	1251	1830	2128	1323	1575	1819	1323	1922	2218
6 X .5	1071	1358	1565	1071	1225	1528	1744	1225	1862	2128	1301	1601	1819	1301	1955	2218
6 X .75	1071	1358	1565	1071	1225	1528	1744	1225	1862	2128	1301	1601	1819	1301	1955	2218
7 X .75	1171	1570	1673	1171	1331	1743	1848	1331	2127	2251	1432	1848	1949	1432	2251	2377
8 X .5/.75	1196	1649	1786	1196	1356	1821	1964	1356	2220	2397	1461	1924	2069	1461	2347	2523
8 X 1.0	1047	1192	1392	1047	1203	1354	1559	1203	1652	1901	1306	1456	1661	1306	1777	2026
9 X 1.0	1311	1671	1771	1311	1513	1880	1983	1513	2293	2421	1645	2013	2116	1645	2458	2583
10 X 1.0	1280	1543	1766	1280	1481	1749	1979	1481	2134	2418	1613	1882	2110	1613	2297	2576
10 X 1.25	1219	1458	1696	1219	1417	1664	1905	1417	2031	2327	1548	1796	2037	1548	2190	2485
METRIC FINE ISO-529, IS-6175-II																
3 X 0.35	834	1028	1159	834	963	1167	1305	963			1027	1232	1371	1027		
4 X 0.5	834	1028	1052	834	963	1167	1195	963	1425	1458	1027	1232	1260	1027	1503	1535
4 X .75	922	1203	1409	922	1056	1356	1573	1056	1653	1921	1120	1419	1636	1120	1732	1997
5 X .5/.75	940	1142	1341	940	1075	1289	1499	1075	1573	1830	1140	1355	1564	1140	1652	1906
6 X .5	919	1165	1342	919	1054	1315	1500	1054	1602	1830	1118	1377	1564	1118	1681	1907
6 X .75	919	1165	1342	919	1054	1315	1500	1054	1602	1830	1118	1377	1564	1118	1681	1907
7 X .75	975	1310	1396	975	1144	1499	1588	1144	1829	1936	1232	1588	1677	1232	1936	2045
8 X .5/.75	996	1375	1491	996	1166	1566	1690	1166	1910	2062	1255	1655	1778	1255	2018	2170
8 X 1.0	873	994	1162	873	1035	1164	1341	1035	1420	1635	1122	1252	1430	1122	1528	1743
9 X 1.0	1106	1407	1491	1106	1313	1633	1722	1313	1992	2103	1428	1748	1837	1428	2135	2243
10 X 1.0	1078	1299	1487	1078	1286	1518	1718	1286	1853	2098	1401	1634	1834	1401	1993	2237
10 X 1.25	1027	1229	1428	1027	1229	1445	1655	1229	1762	2020	1344	1559	1769	1344	1902	2158

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE ISO-529, IS-6175-III																
3 X 0.35	994	1181	1401	994	1133	1331	1564	1133			1197	1396	1626	1197		
4 X 0.5	1061	1384	1867	1061	1204	1548	2057	1204			1269	1611	2121	1269		
4 X .75	879	1181	1400	879	1010	1331	1562	1010			1073	1396	1624	1073		
5 X .5/.75	1010	1227	1439	1010	1150	1380	1604	1150	1684	1958	1211	1443	1669	1211	1763	2036
6 X .5	1057	1341	1541	1057	1201	1499	1711	1201	1829	2091	1266	1562	1775	1266	1906	2168
6 X .75	1057	1341	1608	1057	1201	1499	1783	1201	1829	2175	1266	1562	1846	1266	1906	2253
7 X .75	1127	1508	1593	1127	1303	1707	1798	1303	2082	2194	1392	1795	1886	1392	2191	2302
8 X .5/.75	1196	1582	1716	1196	1376	1786	1927	1376	2180	2352	1464	1874	2016	1464	2286	2459
8 X 1.0	975	1205	1375	975	1144	1388	1566	1144	1695	1910	1232	1478	1655	1232	1802	2018
9 X 1.0	1193	1503	1711	1193	1405	1736	1958	1405	2118	2386	1518	1850	2069	1518	2257	2526
10 X 1.0	1193	1503	1711	1193	1405	1736	1958	1405	2118	2386	1518	1850	2069	1518	2257	2526
10 X 1.25	1103	1411	1640	1103	1312	1638	1879	1312	2000	2294	1426	1754	1993	1426	2140	2432
11 X 1.0	1840	2338	2689	1840	2127	2655	3027	2127	3238	3693	2269	2796	3166	2269	3410	3865
12 X 1.50	1628	1886	2227	1628	1902	2175	2536	1902	2653	3094	2046	2314	2677	2046	2826	3267
12 X 1.0/1.25	1628	1886	2311	1628	1902	2175	2627	1902	2653	3205	2046	2314	2769	2046	2826	3377
14 X 1.0	2221	2664	3237	2221	2594	3061	3671	2594	3735	4479	2788	3258	3866	2788	3973	4714
14 X 1.25	2264	2520	2960	2264	2642	2911	3377	2642	3551	4118	2834	3103	3570	2834	3786	4356
14 X 1.50	2036	2476	2923	2036	2399	2865	3339	2399	3498	4075	2594	3059	3533	2594	3732	4310
16 X 1.0	2278	2714	3293	2278	2666	3125	3742	2666	3816	4566	2869	3329	3944	2869	4062	4811
16 X 1.50	2036	2476	2923	2036	2412	2877	3351	2412	3510	4088	2615	3082	3555	2615	3759	4337
18 X 1.0/2.0	3845	5552	5864	3845	4436	6245	6576	4436			4726	6537	6868	4726		
18 X 1.5	3987	4586	5237	3987	4586	5222	5910	4586			4879	5512	6202	4879		
20 X 1.0/2.0	4842	6858	8344	4842	5619	7754	9326	5619			6011	8145	9719	6011		
20 X 1.5	5122	6261	6773	5122	5915	7120	7663	5915			6306	7512	8054	6306		
22 X 1.0/2.0	5854	7825	9134	5854	6772	8861	10250	6772			7233	9322	10709	7233		
22 X 1.5	5422	7106	8706	5422	6317	8100	9793	6317			6775	8558	10254	6775		
24 X 1.0/2.0	6026	7752	10044	6026	6956	8783	11208	6956			7417	9243	11668	7417		
24 X 1.5	6026	7752	9257	6026	6956	8783	10377	6956			7417	9243	10837	7417		
25 X 1.0/2.0	6507	9434	11650	6507	7464	10566	12912	7464			7925	11026	13370	7925		
25 X 1.5	6396	9434	11650	6396	7348	10566	12912	7348			7808	11026	13370	7808		
26 X 1.0	8284	10526	13690	8284	9346	11721	15073	9346			9807	12179	15531	9807		
27 X 1.0/2.0	9145	11182	14225	9145	10258	12415	15640	10258			10717	12875	16099	10717		
27 X 1.5	9028	11182	14080	9028	10134	12415	15484	10134			10594	12875	15944	10594		
30 X 1.0/2.0	9993	14496	15583	9993	11384	16155	17305	11384			12027	16796	17948	12027		
30 X 1.5	9993	12756	15583	9993	11384	14312	17305	11384			12027	14955	17948	12027		
33 X 1.0/2.0	13474	15495	18227	13474	15070	17210	20104	15070			15712	17853	20748	15712		
33 X 1.5	13448	15464	19027	13448	15043	17180	20952	15043			15684	17819	21595	15684		
36 X 1.5	17354	18975	26393	17354	19578	21295	29151	19578			20539	22256	30112	20539		
36 X 1.0/2.0	17354	18975	26393	17354	19578	21295	29151	19578			20539	22256	30112	20539		

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE ISO-2283, IS-6175-IV (IS-7821)																
4 X .75	1801	2012	2628	1801	1989	2212	2864	1989	2699	3496	2056	2279	2933	2056	2779	3578
5 X .5/.75	1310	1595	1911	1310	1470	1770	2108	1470	2160	2573	1536	1837	2174	1536	2242	2652
6 X .5	1373	1738	2084	1373	1538	1923	2290	1538	2345	2794	1604	1988	2358	1604	2427	2876
6 X .75	1373	1738	2261	1373	1538	1923	2476	1538	2345	3022	1604	1988	2543	1604	2427	3105
7 X .75	1464	1955	2055	1464	1665	2185	2291	1665	2664	2796	1757	2277	2385	1757	2776	2907
8 X .5/.75	1474	2050	2399	1474	1676	2286	2654	1676	2791	3238	1768	2378	2748	1768	2902	3352
8 X 1.0	1271	1694	1891	1271	1460	1908	2116	1460	2330	2583	1552	2000	2210	1552	2443	2695
9 X 1.0	1718	1908	2355	1718	1968	2168	2643	1968	2645	3224	2087	2289	2762	2087	2792	3371
10 X 1.0	1718	1908	2355	1718	1968	2168	2643	1968	2645	3224	2087	2289	2762	2087	2792	3371
10 X 1.25	1555	1761	2247	1555	1795	2014	2527	1795	2457	3083	1914	2133	2649	1914	2604	3229
11 X 1.0	2334	2745	3470	2334	2655	3089	3859	2655	3769	4708	2804	3238	4008	2804	3950	4889
12 X 1.50	2232	2625	2996	2232	2549	2964	3356	2549	3616	4095	2698	3113	3505	2698	3796	4275
12 X 1.0/1.25	2273	2802	3026	2273	2591	3151	3388	2591	3844	4133	2739	3297	3536	2739	4024	4315
14 X 1.0	2997	3566	4156	2997	3424	4029	4653	3424	4913	5676	3627	4230	4855	3627	5160	5924
14 X 1.25	3047	3597	4156	3047	3478	4062	4653	3478	4952	5676	3680	4264	4855	3680	5199	5924
14 X 1.50	2987	3381	3764	2987	3415	3833	4236	3415	4675	5170	3619	4035	4441	3619	4925	5417
16 X 1.0	3480	4001	4603	3480	3947	4499	5139	3947	5490	6268	4160	4710	5349	4160	5747	6529
16 X 1.50	2915	3532	4191	2915	3350	4002	4703	3350	4885	5737	3562	4215	4916	3562	5144	5997
18 X 1.0/2.0	5223	7163	7710	5223	5862	7896	8470	5862			6171	8205	8779	6171		
18 X 1.5	5277	6492	7183	5277	5919	7194	7919	5919			6226	7502	8229	6226		
20 X 1.0/2.0	7343	9304	10475	7343	8217	10274	11503	8217			8630	10688	11916	8630		
20 X 1.5	7343	9304	10418	7343	8217	10274	11439	8217			8630	10688	11851	8630		
22 X 1.0/2.0	7509	10094	11388	7509	8483	11191	12552	8483			8968	11677	13033	8968		
22 X 1.5	7509	9406	12968	7509	8483	10471	14206	8483			8968	10954	14691	8968		
24 X 1.0/2.0	8584	11264	12791	8584	9608	12421	14021	9608			10094	12905	14505	10094		
24 X 1.5	8112	10935	13025	8112	9114	12074	14267	9114			9597	12559	14753	9597		
25 X 1.0/2.0	9797	12169	15294	9797	10881	13367	16644	10881			11369	13854	17130	11369		
25 X 1.5	9846	12169	15294	9846	10931	13367	16644	10931			11418	13854	17130	11418		
26 X 1.0	11991	13575	17969	11991	13182	14844	19452	13182			13668	15328	19938	13668		
27 X 1.0/2.0	12616	14425	18675	12616	13837	15735	20192	13837			14323	16218	20677	14323		
27 X 1.5	12631	14425	18481	12631	13854	15735	19990	13854			14338	16218	20475	14338		
30 X 1.0/2.0	13629	18697	20456	13629	15142	20456	22301	15142			15817	21132	22977	15817		
30 X 1.5	13680	16453	20909	13680	15193	18103	22775	15193			15873	18781	23451	15873		
33 X 1.0/2.0	16551	19488	22837	16551	18202	21282	24796	18202			18879	21964	25475	18879		
33 X 1.5	18224	20957	25555	18224	19956	22826	27647	19956			20636	23502	28324	20636		
36 X 1.5	24089	27008	34646	24089	26530	29593	37601	26530			27545	30605	38616	27545		
36 X 1.0/2.0	24089	27008	34646	24089	26530	29593	37601	26530			27545	30605	38616	27545		

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)	STRAIGHT FLUTES (6H TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (6H TOL.)	SPIRAL POINT VX (Series) (6H TOL.)	SPIRAL FLUTE VX (Series) (6H TOL.)
METRIC FINE D-374																
4 X .75	1346	1756	2364	1346	1513	1946	2590	1513			1584	2019	2663	1584		
5 X .5/.75	1279	1556	1825	1279	1441	1733	2021	1441			1515	1807	2092	1515		
6 X .5	1341	1699	1953	1341	1506	1885	2154	1506	2300	2631	1578	1957	2228	1578	2389	2717
6 X .75	1341	1699	2036	1341	1506	1885	2242	1506	2300	2738	1578	1957	2316	1578	2389	2825
7 X .75	1469	1967	2077	1469	1664	2183	2302	1664	2663	2807	1766	2286	2402	1766	2787	2932
8 X .5/.75	1557	2062	2237	1557	1756	2286	2466	1756	2787	3012	1860	2387	2567	1860	2911	3134
8 X 1.0	1272	1571	1792	1272	1457	1773	2003	1457	2164	2443	1559	1875	2105	1559	2288	2566
9 X 1.0	1642	2087	2213	1642	1881	2346	2482	1881	2862	3028	2012	2476	2613	2012	3023	3187
10 X 1.0	1539	1941	2210	1539	1772	2195	2475	1772	2676	3019	1904	2327	2608	1904	2836	3177
10 X 1.25	1425	1822	2114	1425	1655	2072	2376	1655	2527	2899	1783	2201	2507	1783	2686	3061
11 X 1.0	2421	3076	3537	2421	2689	3360	3836	2689	4101	4679	2849	3522	3996	2849	4296	4874
12 X 1.50	2142	2480	2930	2142	2402	2748	3209	2402	3354	3916	2563	2910	3371	2563	3550	4113
12 X 1.0/1.25	2142	2480	3039	2142	2402	2748	3325	2402	3354	4057	2563	2910	3487	2563	3550	4254
14 X 1.0	2891	3468	4216	2891	3246	3838	4605	3246	4682	5618	3462	4056	4824	3462	4948	5886
14 X 1.25	2951	3282	3852	2951	3307	3644	4234	3307	4446	5164	3523	3860	4452	3523	4712	5429
14 X 1.50	2652	3282	3810	2652	3000	3644	4188	3000	4446	5108	3217	3860	4406	3217	4712	5374
16 X 1.0	2968	3532	4289	2968	3323	3904	4680	3323	4762	5712	3540	4120	4900	3540	5029	5978
16 X 1.50	2652	3227	3810	2652	3014	3602	4202	3014	4395	5125	3244	3829	4429	3244	4674	5404
18 X 1.0/2.0	5092	7358	7772	5092	5600	7905	8325	5600			5931	8237	8660	5931		
18 X 1.5	5280	6074	6937	5280	5791	6599	7478	5791			6125	6933	7813	6125		
20 X 1.0/2.0	6417	9086	11056	6417	7092	9809	11813	7092			7535	10255	12258	7535		
20 X 1.5	6787	8294	8974	6787	7464	9003	9694	7464			7912	9449	10139	7912		
22 X 1.0/2.0	7757	10368	12105	7757	8549	11208	12979	8549			9073	11733	13502	9073		
22 X 1.5	7183	9668	11535	7183	7967	10496	12400	7967			8490	11019	12921	8490		
24 X 1.0/2.0	7984	10271	13308	7984	8783	11111	14201	8783			9306	11632	14724	9306		
24 X 1.5	7984	10271	12266	7984	8783	11111	13139	8783			9306	11632	13663	9306		
25 X 1.0/2.0	9245	12502	15436	9245	10068	13384	16369	10068			10590	13905	16891	10590		
25 X 1.5	8475	12502	15436	8475	9284	13384	16369	9284			9803	13905	16891	9803		
26 X 1.0	10977	13945	18138	10977	11828	14851	19120	11828			12351	15373	19644	12351		
27 X 1.0/2.0	12115	14815	18851	12115	12986	15739	19846	12986			13511	16261	20370	13511		
27 X 1.5	11962	14815	18654	11962	12833	15739	19645	12833			13354	16261	20167	13354		
30 X 1.0/2.0	13238	19208	20649	13238	14390	20470	21935	14390			15124	21199	22663	15124		
30 X 1.5	13238	16902	20649	13238	14390	18120	21935	14390			15124	18853	22663	15124		
33 X 1.0/2.0	17850	20531	24151	17850	19087	21813	25499	19087			19819	22544	26232	19819		
33 X 1.5	17817	20491	25212	17817	19054	21775	26581	19054			19784	22503	27310	19784		
36 X 1.5	22993	25141	34969	22993	24776	26963	36971	24776			25869	28056	38062	25869		
36 X 1.0/2.0	22993	25141	34969	22993	24776	26963	36971	24776			25869	28056	38062	25869		

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (2B TOL..)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL..)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
IS-6175-I,II,III, BS-949 & ISO 529 UNIFIED COARSE (UNC)																
No. 2 - 56	862	1056	1213	862	995	1199	1367	995			1058	1263	1430	1058		
No. 4 - 40	724	920	1058	724	846	1055	1201	846	1286	1464	910	1120	1266	910	1366	1544
No. 6 - 32	625	788	863	625	744	914	996	744	1117	1215	807	977	1059	807	1193	1295
No. 8 - 32	627	763	863	627	746	888	996	746	1084	1215	810	951	1059	810	1163	1295
No. 10 - 24	625	771	863	625	744	900	996	744	1095	1215	807	963	1059	807	1175	1295
1/4" - 20	649	779	896	649	769	907	1031	769	1106	1256	833	971	1095	833	1185	1337
5/16" - 18	715	892	989	715	869	1056	1160	869	1290	1414	958	1147	1248	958	1399	1523
3/8" - 16	901	1086	1237	901	1098	1297	1456	1098	1580	1777	1215	1413	1571	1215	1724	1918
7/16" - 14	1209	1403	1595	1209	1460	1665	1868	1460	2031	2279	1604	1808	2011	1604	2205	2454
1/2" - 13	1466	1728	2022	1466	1731	2010	2321	1731	2453	2831	1873	2155	2461	1873	2628	3006
5/8" - 11	2112	2614	3210	2112	2493	3026	3656	2493	3722	4497	3021	3424	4090	3021	4212	5031
3/4" - 10	3354	4038	4246	3354	4036	4758	5593	4036			4422	5143	6030	4422		
7/8" - 9	4589	6016	7384	4589	5439	6951	8401	5439			5903	7413	8865	5903		
1" - 8	6376	7972	9269	6376	7331	9020	10395	7331			7795	9485	10859	7795		
1.1/8" - 7	10645	11983	15575	10645	12484	14231	18144	12484			13455	15774	19795	13455		
1.1/4" - 7	10182	14587	18960	10182	12618	17649	22436	12618			14454	19853	24795	14454		
1.3/8" - 6	13132	20294	26387	13132	16452	24545	31209	16452			18999	27604	34479	18999		
1.1/2" - 6	15772	23828	30981	15772	20336	29596	37471	20336			23973	33957	42138	23973		
1.5/8" -	18504	27778	36107	18504	24184	34920	44131	24184			28774	40430	50023	28774		
1.3/4" - 5	22330	37410	48636	22330	28237	45123	57394	28237			32827	50631	63288	32827		
2" - 4.5	31026			31026	37565			37565			42279			42279		
ISO 2283 IS-6175-IV (IS-7821) UNIFIED COARSE (UNC)																
No. 10 - 24	1043	1311	1563	1043	1189	1471	1738	1189	1794	2121	1256	1538	1806	1256	1876	2201
1/4" - 20	1126	1372	1492	1126	1277	1536	1662	1277	1875	2026	1342	1604	1727	1342	1955	2108
5/16" - 18	1217	1491	1526	1217	1403	1692	1730	1403	2066	2108	1496	1784	1822	1496	2177	2220
3/8" - 16	1589	1891	2064	1589	1834	2150	2335	1834	2623	2850	1953	2269	2457	1953	2770	2996
7/16" - 14	1917	2229	2813	1917	2215	2547	3164	2215	3106	3859	2363	2695	3312	2363	3288	4039
1/2" - 13	2249	2655	4201	2249	2566	2994	4633	2566	3653	5648	2714	3143	4781	2714	3832	5830
5/8" - 11	3278	4133	4672	3278	3736	4643	5211	3736			3947	4852	5424	3947		
3/4" - 10	6812	7831	9705	6812	7647	8717	10682	7647			8050	9122	11086	8050		
7/8" - 9	7845	9242	11086	7845	8835	10299	12235	8835			9320	10783	12720	9320		
1" - 8	11276	14288	17042	11276	12430	15591	18479	12430			12918	16075	18964	12918		
DIN-371 UNIFIED COARSE (UNC)																
No. 2 - 56	998	1218	1403	998	1142	1378	1574	1142			1214	1452	1645	1214		
No. 4 - 40	836	1062	1221	836	973	1212	1381	973	1482	1685	1045	1285	1454	1045	1567	1773
No. 6 - 32	721	907	999	721	853	1051	1146	853	1280	1397	927	1121	1216	927	1367	1485
No. 8 - 32	725	880	999	725	857	1019	1146	857	1245	1397	929	1094	1216	929	1333	1485
No. 10 - 24	721	891	999	721	853	1033	1146	853	1260	1397	927	1105	1216	927	1346	1485
1/4" - 20	751	902	1034	751	884	1042	1184	884	1271	1445	956	1115	1256	956	1360	1534
5/16" - 18	848	1058	1175	848	1006	1224	1344	1006	1494	1639	1106	1324	1444	1106	1618	1761
3/8" - 16	1059	1278	1457	1059	1261	1487	1672	1261	1814	2038	1390	1616	1802	1390	1972	2196

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (6H TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (6H TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-376 UNIFIED COARSE (UNC)																
No. 10 - 24	959	1204	1436	959	1102	1363	1609	1102	1660	1961	1177	1433	1680	1177	1749	2049
1/4" - 20	1032	1260	1369	1032	1183	1422	1536	1183	1733	1874	1255	1492	1609	1255	1824	1963
5/16" - 18	1150	1406	1441	1150	1317	1584	1619	1317	1934	1975	1417	1686	1720	1417	2054	2097
3/8" - 16	1487	1768	1932	1487	1705	1995	2165	1705	2434	2639	1833	2123	2293	1833	2592	2798
7/16" - 14	1828	2124	2681	1828	2079	2385	2954	2079	2910	3606	2240	2545	3116	2240	3104	3804
1/2" - 13	2143	2527	4001	2143	2403	2799	4313	2403	3416	5263	2565	2962	4474	2565	3610	5461
5/8" - 11	3093	3903	4409	3093	3465	4296	4816	3465			3694	4526	5046	3694		
3/4" - 10	6429	7390	9158	6429	7088	8069	9869	7088			7523	8502	10303	7523		
7/8" - 9	7406	8722	10464	7406	8192	9533	11307	8192			8716	10054	11828	8716		
1" - 8	10641	13484	16083	10641	11485	14381	17029	11485			12011	14905	17550	12011		
IS-6175-I,II,III, BS-949 & ISO 529 UNIFIED FINE (UNF)																
No. 2 - 64	862	1079	1239	862	995	1221	1393	995			1058	1285	1457	1058		
No. 4 - 48	724	920	1058	724	846	1055	1201	846	1286	1464	910	1120	1266	910	1366	1544
No. 6 - 40	625	788	863	625	744	914	996	744	1117	1215	807	977	1059	807	1193	1295
No. 8 - 36	627	763	863	627	746	888	996	746	1084	1215	810	951	1059	810	1163	1295
No. 10 - 32	625	771	863	625	744	900	996	744	1095	1215	807	963	1059	807	1175	1295
1/4" - 28	649	779	896	649	769	907	1031	769	1106	1256	833	971	1095	833	1185	1337
5/16" - 24	715	892	989	715	869	1056	1160	869	1290	1414	958	1147	1248	958	1399	1523
3/8" - 24	942	1086	1237	942	1142	1297	1456	1142	1580	1777	1257	1413	1571	1257	1724	1918
7/16" - 20	1209	1403	1595	1209	1460	1665	1868	1460	2031	2279	1604	1808	2011	1604	2205	2454
1/2" - 20	1466	1792	2022	1466	1731	2077	2321	1731	2535	2831	1873	2219	2461	1873	2709	3006
5/8" - 18	2112	2614	3210	2112	2493	3026	3656	2493	3722	4497	3021	3424	4090	3021	4212	5031
3/4" - 16	3354	4038	4246	3354	4036	4758	5593	4036			4422	5143	6030	4422		
7/8" - 14	4589	6016	7384	4589	5439	6951	8401	5439			5903	7413	8865	5903		
1" - 12	6376	7972	9269	6376	7331	9020	10395	7331			7795	9485	10859	7795		
1.1/8" - 12	10645	11983	15575	10645	12484	14231	18144	12484			13455	15774	19795	13455		
1.1/4" - 12	10182	14587	18960	10182	12618	17649	22436	12618			14454	19853	24795	14454		
1.3/8" - 12	13132	20294	26387	13132	16452	24545	31209	16452			18999	27604	34479	18999		
1.1/2" - 12	15772	23828	30981	15772	20336	29596	37471	20336			23973	33957	42138	23973		
1.5/8"	18504	27778	36107	18504	24184	34920	44131	24184			28774	40430	50023	28774		
1.3/4"	22330	37410	48636	22330	28237	45123	57394	28237			32827	50631	63288	32827		
2"	31026			31026	37565			37565			42279			42279		
ISO 2283 IS-6175-IV (IS-7821) UNIFIED FINE (UNF)																
No. 10 - 32	1043	1311	1563	1043	1189	1471	1738	1189	1794	2121	1256	1538	1806	1256	1876	2201
1/4" - 28	1126	1372	1492	1126	1277	1536	1662	1277	1875	2026	1342	1604	1727	1342	1955	2108
5/16" - 24	1217	1491	1526	1217	1403	1692	1730	1403	2066	2108	1496	1784	1822	1496	2177	2220
3/8" - 24	1589	1891	2064	1589	1834	2150	2335	1834	2623	2850	1953	2269	2457	1953	2770	2996
7/16" - 20	1917	2229	3121	1917	2215	2547	3489	2215	3106	4256	2363	2695	3639	2363	3288	4438
1/2" - 20	2249	2655	4201	2249	2566	2994	4633	2566	3653	5648	2714	3143	4781	2714	3832	5830
5/8" - 18	3278	4133	4672	3278	3736	4643	5211	3736	5664	6357	3947	4852	5424	3947	5923	6616
3/4" - 16	6812	7831	9705	6812	7647	8717	10682	7647			8050	9122	11086	8050		
7/8" - 14	7845	9242	11086	7845	8835	10299	12235	8835			9320	10783	12720	9320		
1" - 12	11276	14288	17042	11276	12430	15591	18479	12430			12918	16075	18964	12918		

Notes : We can also give the No. 2 - 64 to 3/8" - 24 sizes in DIN-371 blanks at 8% extra.

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-374/DIN-376 UNIFIED FINE (UNF)																
No. 10 - 32	959	1204	1436	959	1102	1363	1609	1102	1660	1961	1177	1433	1680	1177	1749	2049
1/4" - 28	1032	1260	1369	1032	1183	1422	1536	1183	1733	1874	1255	1492	1609	1255	1824	1963
5/16" - 24	1150	1406	1441	1150	1317	1584	1619	1317	1934	1975	1417	1686	1720	1417	2054	2097
3/8" - 24	1487	1768	1932	1487	1705	1995	2165	1705	2434	2639	1833	2123	2293	1833	2592	2798
7/16" - 20	1828	2124	2974	1828	2079	2385	3258	2079	2910	3975	2240	2545	3419	2240	3104	4169
1/2" - 20	2143	2527	4001	2143	2403	2799	4313	2403	3416	5263	2565	2962	4474	2565	3610	5461
5/8" - 18	3093	3903	4409	3093	3465	4296	4816	3465	5240	5877	3694	4526	5046	3694	5521	6154
3/4" - 16	6429	7390	9158	6429	7088	8069	9869	7088			7523	8502	10303	7523		
7/8" - 14	7406	8722	10464	7406	8192	9533	11307	8192			8716	10054	11828	8716		
1" - 12	10641	13484	16083	10641	11485	14381	17029	11485			12011	14905	17550	12011		
IS-6175-I,II,III, BS-949 & ISO 529 British Standard Whitworth (BSW)																
1/8" - 40	625	855	982	625	744	987	1122	744	1202	1368	807	1052	1187	807	1282	1448
5/32" - 32	627	817	915	627	746	947	1051	746	1156	1281	810	1010	1117	810	1234	1361
1/4" -20	657	777	896	657	777	905	1031	777	1103	1256	840	968	1095	840	1179	1337
5/16" - 18	795	928	1107	795	953	1094	1283	953	1335	1566	1043	1184	1372	1043	1445	1674
3/8" - 16	1023	1099	1357	1023	1229	1308	1580	1229	1595	1928	1345	1425	1695	1345	1737	2068
7/16" - 14	1304	1572	1889	1304	1561	1842	2178	1561	2249	2658	1704	1986	2322	1704	2425	2832
1/2" - 12	1618	1808	2053	1618	1893	2094	2352	1893	2554	2872	2035	2237	2496	2035	2727	3046
5/8" - 11	2194	2614	3210	2194	2580	3026	3656	2580	3689	4459	2784	3230	3859	2784	3940	4709
3/4" - 10	4115	4733	5415	4115	4842	5495	6216	4842			5227	5882	6604	5227		
7/8" - 9	5023	6469	8640	5023	5899	7428	9730	5899			6363	7892	10191	6363		
1" - 8	7334	10048	12583	7334	8344	11221	13904	8344			8811	11682	14367	8811		
ISO 2283 IS-6175-IV (IS-7821) British Standard Whitworth (BSW)																
1/4" - 20	1137	1433	1716	1137	1287	1599	1901	1287	1952	2319	1352	1668	1968	1352	2035	2401
5/16" - 18	1217	1491	1717	1217	1403	1692	1933	1403	2066	2361	1496	1784	2026	1496	2177	2473
3/8" - 16	1640	1891	2268	1640	1887	2150	2550	1887	2623	3113	2008	2269	2671	2008	2770	3259
7/16" - 14	2109	2452	2823	2109	2418	2782	3172	2418	3393	3870	2566	2931	3318	2566	3575	4051
1/2" - 12	2421	3028	4256	2421	2750	3390	4692	2750	4136	5723	2899	3538	4837	2899	4317	5903
5/8" - 11	3278	4070	4769	3278	3736	4575	5316	3736	5580	6483	3947	4788	5525	3947	5838	6742
3/4" - 10	7403	8513	10134	7403	8268	9433	11134	8268			8671	9837	11534	8671		
7/8" - 9	8141	9281	12174	8141	9144	10339	13374	9144			9629	10825	13860	9629		
1" - 8	11276	14288	18630	11276	12430	15591	20143	12430			12918	16075	20630	12918		

VX (Series) NEW

HIGH SPEED STEEL GROUND THREAD TAPS

HSS-E

DIA & PITCH (mm)	BRIGHT				TiN-COATED						TiCN/TiALN-COATED					
	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)	STRAIGHT FLUTES (2B TOL.)	SPIRAL POINT (2B TOL.)	SPIRAL FLUTE (2B TOL.)	CAST IRON (2B TOL.)	SPIRAL POINT VX (Series) (2B TOL.)	SPIRAL FLUTE VX (Series) (2B TOL.)
DIN-371 British Standard Whitworth (BSW)																
1/8" -40	721	987	1136	721	853	1134	1289	853	1382	1575	927	1207	1363	927	1469	1661
5/32" - 32	725	945	1056	725	857	1088	1208	857	1330	1473	929	1160	1279	929	1416	1559
3/16" - 24	794	947	1068	794	929	1090	1220	929	1331	1488	1000	1161	1293	1000	1417	1576
1/4" - 20	758	899	1034	758	892	1038	1184	892	1269	1445	964	1112	1256	964	1356	1534
5/16" - 18	945	1103	1314	945	1103	1269	1488	1103	1548	1817	1204	1369	1589	1204	1670	1940
3/8" -16	1203	1292	1594	1203	1412	1503	1814	1412	1832	2215	1540	1630	1943	1540	1991	2372
DIN-374/DIN-376 British Standard Whitworth (BSW)																
1/4" - 20	1072	1352	1622	1072	1203	1493	1771	1203	1821	2163	1275	1567	1845	1275	1912	2251
5/16" - 18	1150	1406	1624	1150	1317	1584	1809	1317	1934	2206	1417	1686	1911	1417	2054	2328
3/8" - 16	1564	1801	2159	1564	1770	2013	2384	1770	2458	2908	1900	2143	2515	1900	2615	3065
7/16" - 14	2010	2338	2687	2010	2266	2604	2964	2266	3175	3616	2429	2764	3126	2429	3374	3812
1/2" - 12	2306	2886	4053	2306	2571	3690	4368	2571	4500	5330	2733	3849	4529	2733	4698	5526
5/8" - 11	3093	3883	4503	3093	3465	4275	4913	3465	5218	5993	3694	4505	5142	3694	5497	6274
3/4" - 10	6988	8032	9562	6988	7656	8722	10279	7656			8090	9158	10716	8090		
7/8" - 9	7683	8838	11489	7683	8477	9651	12351	8477			8999	10172	12872	8999		
1" - 8	10641	13484	17580	10641	11485	14381	18553	11485			12011	14905	19075	12011		
IS-6175-I,II,III, BS-949 & ISO 529 British Standard Fine (BSF)																
1/4" - 26	657	777	896	657	777	905	1031	777	1103	1256	840	968	1095	840	1179	1337
5/16" - 22	795	928	1107	795	953	1094	1283	953	1335	1566	1043	1184	1372	1043	1445	1674
3/8" - 20	1023	1099	1357	1023	1229	1308	1580	1229	1595	1928	1345	1425	1695	1345	1737	2068
7/16" - 18	1304	1572	1889	1304	1561	1842	2178	1561	2249	2658	1704	1986	2322	1704	2425	2832
1/2" - 16	1618	1808	2053	1618	1893	2094	2352	1893	2554	2872	2035	2237	2496	2035	2727	3046
5/8" - 14	2194	2614	3210	2194	2580	3026	3656	2580	3689	4459	2784	3230	3859	2784	3940	4709
3/4" - 12	4115	4733	5415	4115	4842	5495	6216	4842			5227	5882	6604	5227		
7/8" - 11	5023	6469	8640	5023	5899	7428	9730	5899			6363	7892	10191	6363		
1" - 10	7334	10048	12583	7334	8344	11221	13904	8344			8811	11682	14367	8811		
Notes : We can also give the No. 3/16" - 32 to 3/8" - 20 sizes in DIN-371 blanks at 8% extra.																
ISO 2283 IS-6175-IV (IS-7821) British Standard Fine (BSF)																
1/4" - 26	1137	1433	1716	1137	1287	1599	1901	1287	1952	2319	1352	1668	1968	1352	2035	2401
5/16" - 22	1217	1491	1717	1217	1403	1692	1933	1403	2066	2361	1496	1784	2026	1496	2177	2473
3/8" - 20	1640	1891	2268	1640	1887	2150	2550	1887	2623	3113	2008	2269	2671	2008	2770	3259
7/16" - 18	2109	2452	2870	2109	2418	2782	3224	2418	3393	3932	2566	2931	3374	2566	3575	4112
1/2" - 16	2421	3028	4256	2421	2750	3390	4692	2750	4136	5723	2899	3538	4837	2899	4317	5903
5/8" - 14	3278	4070	4769	3278	3736	4575	5316	3736	5580	6483	3947	4788	5525	3947	5838	6742
3/4" - 12	7403	8513	10134	7403	8268	9433	11134	8268			8671	9837	11534	8671		
7/8" - 11	8141	9364	12174	8141	9144	10426	13374	9144			9629	10911	13860	9629		
1" - 10	11276	14288	18630	11276	12430	15591	20143	12430			12918	16075	20630	12918		
DIN-374/DIN - 376 British Standard Fine (BSF)																
5/16" - 22	1150	1406	1624	1150	1317	1584	1809	1317	1934	2206	1417	1686	1911	1417	2054	2328
3/8" - 20	1534	1768	2121	1534	1754	1995	2362	1754	2434	2881	1882	2123	2493	1882	2592	3039
7/16" -18	2010	2338	2736	2010	2266	2604	3012	2266	3175	3674	2429	2764	3173	2429	3374	3868
1/2" -16	2306	2886	4053	2306	2571	3218	4368	2571	3926	5330	2733	3492	4529	2733	4261	5526
5/8" - 14	3093	3883	4503	3093	3465	4275	4913	3465	5218	5993	3694	4505	5142	3694	5497	6274
3/4" -12	6988	8032	9562	6988	7656	8722	10279	7656			8090	9158	10716	8090		
7/8" -11	7683	8838	11489	7683	8477	9651	12351	8477			8999	10172	12872	8999		
1" - 10	10641	13484	17580	10641	11485	14381	18553	11485			12011	14905	19075	12011		

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

PIPE TAPS

	BRIGHT				TiN-COATED				TiCN/TiALN-COATED			
DIA & PITCH (mm)	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	BSP FLUTELESS OIL GROOVE	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	BSP FLUTELESS OIL GROOVE	BSP HAND TAP	BSPT HAND TAP	BSP 6" LONG	
BSP/BSPT/BSP 6" LONG BS 949												
1/8" - 28	1023	1298	3153	2647	1540	1835	3794	3108	1994	2293	4255	
1/4" - 19	1620	2363	4896	4125	2330	3133	5793	4767	2944	3767	6409	
3/8" - 19	2585	3267	7810	6642	3679	4400	9207	7573	4624	5343	10152	
1/2" - 14	3786	4744	11502	10267	5571	6580	13728	11754	7136	8145	15289	
5/8" - 14	3996				6807				9388			
3/4" - 14	5637	7377	17086		8374	10207	20482		10784	12615	22890	
7/8"	7028				10195				12959			
1" - 11	8875	11580			12159	15020			14933	17793		

NPT/NPTF/NPSF/NPT LONG/NPSF LONG BS-949

DIA & PITCH (mm)	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL	NPT/NPTF	NPSF	NPT 6" OAL	NPSF 6" OAL
1/16" - 27	1266		3528		1800		4163		2263		4591	
1/8" - 27	1452	1189	4172	2973	2001	1726	4846	3610	2467	2191	5279	4078
1/4" - 18	2531	2095	7409	5233	3304	2837	8417	6162	3930	3461	8993	6783
3/8" - 18	3487	2785	10229	6965	4652	3910	11714	8324	5616	4876	12612	9285
1/2" - 14	5013	4278	14667	10691	6869	6089	16964	12871	8440	7650	18414	
3/4" - 14	7503	5969	21713	14926	10347	8722	25202	18194	12760	11132	27443	20604
1" - 11.5	11908	10054			15364	13402			18128	16171		

BSP (ISO,DIN) NPT (BS 949 & DIN) BRIGHT

DIA & PITCH (mm)	BSP STRAIGHT FLUTE TAP (ISO)	BSP STRAIGHT FLUTE TAP (DIN)	BSP SPIRAL POINT TAP (ISO)	BSP SPIRAL POINT TAP (DIN)	BSP SPIRAL FLUTE TAP (ISO)	BSP SPIRAL FLUTE TAP (DIN)	NPT STRAIGHT FLUTE TAP (DIN)	NPT SPIRAL FLUTE TAP (ISO)	NPT SPIRAL FLUTE TAP (DIN)
1/8"	1245	1432	1558	1791	1743	2091	1883	2357	2709
1/4"	1954	2248	2443	2810	2736	3284	3253	4066	4677
3/8"	3087	3552	3858	4437	4321	5187	4438	5548	6382
1/2"	4597	5289	5749	6611	6435	7726	6614	8265	9506
3/4"	6842	7872	8553	9837	9581	11494	9902	12375	14233
1" -	10774	12389	13466	15485	15082	18100	15712	19642	22588

BSP (ISO,DIN) NPT (BS 949 & DIN) TiN-COATED

DIA & PITCH (mm)	BSP STRAIGHT FLUTE TAP (ISO)	BSP STRAIGHT FLUTE TAP (DIN)	BSP SPIRAL POINT TAP (ISO)	BSP SPIRAL POINT TAP (DIN)	BSP SPIRAL FLUTE TAP (ISO)	BSP SPIRAL FLUTE TAP (DIN)	NPT STRAIGHT FLUTE TAP (DIN)	NPT SPIRAL FLUTE TAP (BS-949)	NPT SPIRAL FLUTE TAP (DIN)
1/8"	1731	1926	2059	2307	2257	2624	2487	2986	3360
1/4"	2611	2919	3126	3515	3437	4016	4094	4953	5597
3/8"	4082	4572	4899	5510	5386	6302	5675	6847	7725
1/2"	6178	6901	7382	8284	8103	9451	8561	10292	11591
3/4"	9267	10342	11060	12404	12134	14143	12890	15482	17429
1" -	13699	15392	16522	18639	18215	21375	19356	23471	26558

Prices for NPSI/NPSM : 35% extra.

Prices for NPT (Interrupted) : 35% extra.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

NIB TAPS

DIA & PITCH (mm)	BRIGHT	TiN-COATED	TiCN/TiALN-COATED
METRIC COARSE			
3 X 0.5	1021	1168	1314
3.5 X 0.6	1021	1168	1314
4 X 0.7	1021	1168	1314
5 X 0.8	1064	1214	1359
6 X 1.0	1064	1214	1359
7 X 1.0	1204	1423	1639
8 X 1.25	1204	1423	1639
9 X 1.25	1490	1784	2078
10 X 1.50	1490	1784	2078
12 X 1.75	2282	2645	3009
14 X 2.00	3371	3863	4356
16 X 2.00	3371	3889	4405
METRIC FINE			
5 X 0.5	1278	1456	1629
7 X 0.75	1430	1689	1945
8 X 1.0	1430	1689	1945
10 X 1.0	1697	2035	2368
10 X 1.25	1697	2035	2368
11 X 1.50	2624	3041	3460
12 X 1.25	2624	3041	3460
12 X 1.50	2624	3041	3460
14 X 1.50	3877	4442	5005
16 X 1.50	3877	4470	5065
FRACTIONAL SIZES (UNC/UNF/BSW/BSF)			
1/4"	1278	1456	1629
5/16"	1433	1689	1945
3/8"	1788	2140	2495
7/16"	2740	3173	3611
1/2"	4100	4696	5293
9/16"	4046	4666	5286
5/8"	4216	4861	5505



1. SPECIAL TOLERANCE : 10% extra.

Notes : We can also give the above Sizes in 8% Cobalt at 20% extra.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

STI TAP (HSS-E)

DIA & PITCH (mm)	FLUTELESS		FLUTELESS OIL GROOVE	
		TIN		TIN
3 X 0.5	2688	2799	2963	3073
4 X 0.7	2688	2799	2963	3073
5 X 0.8	2688	2799	2963	3073
6 X 1.0	2688	2799	2963	3073
8 X 1.25	3161	3359	3308	3508
10 X 1.50	3866	4206	4045	4383
12 X 1.75	6314	6822	6886	7394
14 X 2.00	8765	9454	9702	10394
16 X 2.00	9291	10098	10483	11291



NOTE :

1) TAPS TO JAPANESE STANDARD, DIN 352, AMERICAN STANDARD also available in some sizes. Prices on request.
2) Please refer to us for items/sizes not covered in this Price List.
3) For Left Hand taps 35% extra will be charged.

TERMS & CONDITIONS :

1) GST & OTHER GOVT. LEVIES WILL BE CHARGED EXTRA AS APPLICABLE.
2) PRICES ARE SUBJECT TO REVISION WITHOUT PRIOR NOTICE.
3) THIS PRICE LIST SUPERCEDES ALL OUR EARLIER PRICE LISTS.
4) THE PRICES QUOTED IN THIS PRICE LIST ARE THE MAXIMUM RETAIL PRICE AND THE DEALERS / STOCKISTS ARE FREE TO SELL THE GOODS AT PRICES LOWER THAN THE PRICES FIXED BY THE COMPANY.
5) ALL LEGAL PROCEEDINGS ARE SUBJECT TO NAGPUR JURISDICTION.