

EMKAY TOOLS

Effective from 15th September 2026
PRICE LIST

PRICE LIST

(Effective from 15th September 2026)

HIGH PERFORMANCE TAPS (HSS-E)

FLUTELESS WITHOUT OIL GROOVE
and
FLUTELESS WITH OIL GROOVE





EMKAY TOOLS LTD

Factory : B-27 & B-27/1, M.I.D.C. Industrial Area, Hingna, Nagpur.
Telephone No. : 91-9226071464
E-mail : hq@emkaytools.com www.emkaytools.com

CONTENTS

PAGE NO.

BRIGHT, TiN and TiCN/TiALN

METRIC COARSE : SHORT AND LONG SHANK MACHINE TAPS

i) ISO 529, IS-6175-I, IS-6175-II,and IS-6175-III 1
ii) ISO 2283, IS-6175-IV (IS-7821) and DIN-371 2
iii) DIN 376 3

METRIC FINE : SHORT AND LONG SHANK MACHINE TAPS

i) IS-6175-II,and DIN-371 3
ii) IS-6175-III 4
iii) ISO 2283, IS-6175-IV (IS-7821) 5
iv) DIN-374 6

FRACTIONAL SIZES (UNC/UNF/BSW/BSF)

SHORT AND LONG SHANK MACHINE TAPS UNC and UNF

i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821), DIN-371 7
ii) DIN-376, 8

SHORT AND LONG SHANK MACHINE TAPS BSW and BSF


i) ISO 529, BS 949, ISO 2283, IS-6175-IV (IS-7821) 9
ii) DIN-371, DIN-376 10

PIPE TAPS

BS 949 i) BSP FLUTELESS OIL GROOVE. 10

HELICOIL STI TAPS

i) FLUTELESS and FLUTELESS OIL GROOVE. 11



EMKAY TOOLS

Effective from 15th September 2026

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-529, IS-6175-I						
1.6 X 0.35	2640	3036	2775	3176	2859	3263
1.8 X 0.35	2527	2902	2665	3063	2772	3151
2 X 0.4	1552	1786	1666	1904	1751	1990
2.2 X 0.45	1555	1635	1555	1751	1646	1834
2.3 X 0.4	1555	1635	1555	1751	1646	1834
2.5 X 0.45	1424	1635	1536	1751	1624	1834
2.6 X 0.45	1555	1635	1651	1751	1741	1834
METRIC COARSE ISO-529, IS-6175-II						
3 X 0.5	1071	1180	1175	1286	1265	1374
3.5 X 0.6	1071	1180	1175	1286	1265	1374
4 X 0.7	1071	1180	1175	1286	1265	1374
5 X 0.8	1071	1180	1175	1286	1265	1374
6 X 1	1071	1180	1175	1286	1265	1374
7 X 1	1236	1293	1358	1415	1456	1515
8 X 1.25	1236	1293	1358	1415	1456	1515
9 X 1.25	1513	1579	1659	1729	1777	1847
10 X 1.5	1513	1579	1659	1729	1777	1847
METRIC COARSE ISO-529, IS-6175-III						
3 X 0.5	1293	1423	1420	1555	1513	1645
3.5 X 0.6	1293	1423	1420	1555	1513	1645
4 X 0.7	1293	1423	1420	1555	1513	1645
5 X 0.8	1293	1423	1420	1555	1513	1645
6 X 1	1293	1423	1420	1555	1513	1645
7 X 1	1494	1561	1641	1713	1745	1816
8 X 1.25	1494	1561	1641	1713	1745	1816
9 X 1.25	1826	1908	2003	2088	2127	2213
10 X 1.5	1826	1908	2003	2088	2127	2213
11 X 1.5	3308	3613	3624	3851	3848	4077
12 X 1.75	2451	2674	2743	2890	2967	3113
14 X 2		3768		4132		4384
16 X 2		4035		4405		4662
18 X 2.5		6063		6437		6647
20 X 2.5		7983		8493		8779
22 X 2.5		10232		11279		12039
24 X 3		11421		12503		13262
25 X 3		13918		15071		15830
27 X 3		17291		18997		20216
30 X 3.5		19349		21116		22333
33 X 3.5		23557		25959		27701
36 X 4		32781		37148		40590

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE ISO-2283, IS-6175-IV (IS-7821)						
5 X 0.8	1655	1822	1889	2068	2028	2205
6 X 1	1655	1822	1889	2068	2028	2205
7 X 1	1906	1994	2179	2266	2338	2427
8 X 1.25	1906	1994	2179	2266	2338	2427
9 X 1.25	2334	2441	2663	2773	2850	2964
10 X 1.5	2334	2441	2663	2773	2850	2964
12 X 1.75	3605	3733	4156	4291	4494	4630
14 X 2		5222		5728		5926
16 X 2		5222		5728		5926
18 X 2.5		10095		10827		11062
20 X 2.5		12414		13342		13662
22 X 2.5		13893		15299		16026
24 X 3		15085		16679		17540
25 X 3		18918		20700		21558
27 X 3		21260		23675		25052
30 X 3.5		24955		27550		28928
33 X 3.5		41476		45470		47436
36 X 4		50969		57357		61248
METRIC COARSE DIN-371						
1.6 X 0.35	2930	3370	3166	3627	3264	3724
1.8 X 0.35	2805	3222	3042	3497	3164	3597
2 X 0.4	1723	1983	1903	2174	1999	2271
2.2 X 0.45	1726	1814	1775	1999	1878	2093
2.3 X 0.4	1726	1814	1775	1999	1878	2093
2.5 X 0.45	1580	1814	1753	1999	1855	2093
2.6 X 0.45	1726	1814	1775	1999	1878	2093
3 X 0.5	1247	1374	1423	1556	1532	1662
3.5 X 0.6	1247	1374	1423	1556	1532	1662
4 X 0.7	1247	1374	1423	1556	1532	1662
5 X 0.8	1247	1374	1423	1556	1532	1662
6 X 1	1247	1374	1423	1556	1532	1662
7 X 1	1496	1566	1690	1761	1812	1886
8 X 1.25	1496	1566	1690	1761	1812	1886
9 X 1.25	1831	1913	2065	2151	2210	2297
10 X 1.5	1831	1913	2065	2151	2210	2297

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS


PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC COARSE DIN-376						
5 X 0.8	1605	1767	1814	1986	1947	2117
6 X 1	1605	1767	1814	1986	1947	2117
7 X 1	1922	2009	2152	2239	2311	2399
8 X 1.25	1922	2009	2152	2239	2311	2399
9 X 1.25	2353	2463	2629	2740	2815	2928
10 X 1.5	2353	2463	2629	2740	2815	2928
12 X 1.75	3498	3622	3991	4119	4315	4446
14 X 2		5067		5499		5691
16 X 2		5067		5499		5691
18 X 2.5		9794		10396		10621
20 X 2.5		12045		12811		13119
22 X 2.5		13478		14691		15388
24 X 3		14635		16017		16843
25 X 3		18352		19875		20700
27 X 3		20626		22732		24053
30 X 3.5		24210		26455		27776
33 X 3.5		40239		43659		45548
36 X 4		49449		55072		58811
METRIC FINE DIN-371						
3 X .35	1810	1992	1997	2187	2098	2288
4 X .5	1810	1992	1997	2187	2098	2288
4 X .75	1747	1925	1930	2117	2035	2220
5 X .5/.75	1686	1856	1865	2045	1970	2147
6 X .5	1686	1856	1865	2045	1970	2147
6 X .75	1686	1856	1865	2045	1970	2147
7 X .75	1925	2015	2078	2168	2195	2287
8 X .5/.75	2077	2168	2232	2326	2349	2445
8 X 1.0	1780	1858	1929	2012	2046	2129
9 X 1.0	2355	2465	2541	2648	2685	2791
10 X 1.0	1813	1894	1987	2071	2129	2212
10 X 1.25	1813	1894	1942	2071	2130	2212
METRIC FINE ISO-529, IS-6175-II						
3 X .35	1552	1710	1666	1825	1751	1911
4 X .5	1552	1710	1666	1825	1751	1911
4 X .75	1498	1651	1610	1767	1698	1853
5 X .5/.75	1446	1592	1556	1707	1645	1793
6 X .5	1446	1592	1556	1707	1645	1793
6 X .75	1446	1592	1556	1707	1645	1793
7 X .75	1605	1681	1734	1810	1833	1909
8 X .5/.75	1732	1809	1863	1942	1961	2041
8 X 1.0	1485	1550	1609	1679	1709	1777
9 X 1.0	1964	2056	2122	2211	2241	2330
10 X 1.0	1513	1579	1659	1729	1777	1847
10 X 1.25	1513	1579	1622	1729	1778	1847

1. SPECIAL TOLERANCE : 10% extra.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-529, IS-6175-III						
3 X .35	1875	2063	2018	2210	2108	2303
4 X .5	1875	2063	2018	2210	2108	2303
4 X .75	1807	1992	1950	2141	2042	2231
5 X .5/.75	1746	1923	1886	2066	1977	2157
6 X .5	1746	1923	1886	2066	1977	2157
6 X .75	1746	1923	1886	2066	1977	2157
7 X .75	1939	2029	2100	2192	2204	2295
8 X .5/.75	2090	2186	2255	2352	2359	2458
8 X 1.0	1792	1872	1946	2031	2051	2136
9 X 1.0	2372	2480	2566	2677	2692	2803
10 X 1.0	1826	1908	2003	2088	2127	2213
10 X 1.25	1826	1908	1963	2088	2130	2213
11 X 1.0	3308	3613	3624	3851	3848	4078
12 X 1.0/1.25	2697	2942	2996	3163	3218	3388
12 X 1.50	2451	2539	2743	2833	2967	3057
14 X 1.0	3403	3768	3703	4132	3907	4384
14 X 1.25		3768		4132		4384
14 X 1.50		3768		4132		4384
16 X 1.0		4236		4614		4869
16 X 1.50		4035		4405		4662
18 X 1.0/2.0		9231		10199		10911
18 X 1.5		7863		8793		9502
20 X 1.0/2.0		12272		13591		14564
20 X 1.5		9919		11172		12148
22 X 1.0/2.0		13439		14966		16112
22 X 1.5		10823		12276		13423
24 X 1.0/2.0		12688		14193		15341
24 X 1.5		13632		15165		16312
25 X 1.0/2.0		15548		17135		18282
25 X 1.5		14510		16069		17217
26 X 1.0		20231		22644		24484
27 X 1.0/2.0		20379		22794		24634
27 X 1.5		19022		21397		23239
30 X 1.0/2.0		22922		25406		27246
30 X 1.5		21393		23836		25675
33 X 1.0/2.0		27987		31407		34036
33 X 1.5		26122		29488		32116
36 X 1.0/2.0		38824		45122		50327
36 X 1.5		36234		42463		47665

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE ISO-2283, IS-6175-IV (IS-7821)						
5 X .5/.75	1986	2184	2240	2451	2377	2586
6 X .5	1822	2001	2068	2256	2205	2353
6 X .75	1822	2001	2068	2256	2205	2353
7 X .75	2290	2395	2585	2695	2744	2854
8 X .5/.75	2100	2195	2383	2481	2541	2642
8 X 1.0	2100	2195	2383	2481	2541	2642
9 X 1.0	2570	2686	2909	3034	3097	3221
10 X 1.0	2570	2686	2911	3035	3099	3225
10 X 1.25	2570	2686	2911	3035	3099	3225
11 X 1.0	4686	4854	5301	5480	5639	5819
12 X 1.0/1.25	3605	3733	4156	4291	4494	4630
12 X 1.50	3605	3733	4156	4291	4494	4630
14 X 1.0		5222		6116		6400
14 X 1.25		5222		6116		6088
14 X 1.50		5543		6255		6640
16 X 1.0		5744		6564		6903
16 X 1.50		5744		6564		6903
18 X 1.0/2.0		11649		13022		13825
18 X 1.5		7568		8743		9543
20 X 1.0/2.0		14119		15912		17009
20 X 1.5		11783		13460		14560
22 X 1.0/2.0		14650		16664		17963
22 X 1.5		16712		18828		20124
24 X 1.0/2.0		16347		18446		19745
24 X 1.5		16954		19081		20382
25 X 1.0/2.0		18507		20709		22007
25 X 1.5		18507		20709		22007
26 X 1.0		19863		22914		24996
27 X 1.0/2.0		20026		23085		25168
27 X 1.5		20026		23085		25168
30 X 1.0/2.0		23881		27130		29213
30 X 1.5		23881		27130		29213
33 X 1.0/2.0		28876		33260		36232
33 X 1.5		28876		33260		36232
36 X 1.0/2.0		34942		42536		48421
36 X 1.5		34942		42536		48421

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)	FLUTELESS (6H TOL.)	FLUTELESS OIL GROOVE (6H TOL.)
METRIC FINE D-374						
5 X .5/.75	2022	2226	2279	2494	2420	2633
6 X .5	1855	2040	2105	2296	2244	2395
6 X .75	1855	2040	2105	2296	2244	2395
7 X .75	2448	2557	2732	2847	2899	3016
8 X .5/.75	2243	2345	2519	2622	2685	2790
8 X 1.0	2243	2345	2519	2622	2685	2790
9 X 1.0	2745	2869	3073	3204	3271	3403
10 X 1.0	2745	2869	3074	3205	3273	3409
10 X 1.25	2745	2869	3074	3205	3273	3409
11 X 1.0	4772	4944	5394	5577	5739	5925
12 X 1.0/1.25	3673	3803	4230	4366	4574	4713
12 X 1.50	3741	3872	4310	4449	4661	4804
14 X 1.0		5320		6225		6514
14 X 1.25		5320		6225		6197
14 X 1.50		5647		6367		6758
16 X 1.0		5852		6681		7025
16 X 1.50		5852		6681		7025
18 X 1.0/2.0		11867		13256		14070
18 X 1.5		7711		8899		9716
20 X 1.0/2.0		14383		16195		17310
20 X 1.5		12003		13698		14818
22 X 1.0/2.0		14922		16960		18282
22 X 1.5		17025		19162		20482
24 X 1.0/2.0		16652		18775		20095
24 X 1.5		17271		19422		20745
25 X 1.0/2.0		18854		21079		22399
25 X 1.5		18854		21079		22399
26 X 1.0		20236		23323		25441
27 X 1.0/2.0		20400		23496		25616
27 X 1.5		20400		23496		25616
30 X 1.0/2.0		24326		27614		29732
30 X 1.5		24326		27614		29732
33 X 1.0/2.0		29415		33852		36880
33 X 1.5		29415		33852		36880
36 X 1.0/2.0		35595		43294		49285
36 X 1.5		35595		43294		49285

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL..)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 UNIFIED COARSE (UNC)/UNIFIED FINE (UNF)						
No. 2	1552	1786	1666	1904	1751	1990
No. 4	1424	1635	1536	1751	1624	1834
No. 6	1071	1180	1175	1286	1265	1374
No. 8	1071	1180	1175	1286	1265	1374
No. 10	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1821	2002	1986	2180	2047	2244
1/4"	1821	2002	1986	2180	2047	2244
5/16"	2098	2195	2290	2395	2363	2466
3/8"	2566	2687	2807	2930	2895	3019
7/16"	3964	4104	4311	4458	4420	4571
1/2"	4561	4723	4964	5137	5102	5275
5/8"	5543	5744	6057	6269	6246	6459
3/4"	12414	13654	13313	14613	13603	14903
7/8"	13893	15280	15329	16787	16083	17542
1"	21260	23386	23056	25284	23812	26041
DIN-371 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 2	1809	2082	2017	2304	2119	2407
No. 4	1659	1905	1858	2119	1966	2219
No. 6	1247	1374	1423	1556	1532	1662
No. 8	1247	1374	1423	1556	1532	1662
No. 10	1247	1374	1423	1556	1532	1662
1/4"	1247	1374	1423	1556	1532	1662
5/16"	1496	1566	1690	1761	1812	1886
3/8"	1831	1913	2065	2151	2210	2297

1. SPECIAL TOLERANCE : 10% extra.

.




EMKAY TOOLS

PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL..)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
D-374/DIN-376 UNIFIED COARSE (UNC)/ UNIFIED FINE (UNF)						
No. 10	1854	2041	2021	2219	2085	2282
1/4"	1854	2041	2021	2219	2085	2282
5/16"	2241	2345	2420	2530	2494	2605
3/8"	2742	2871	2964	3096	3057	3190
7/16"	4038	4181	4388	4538	4500	4652
1/2"	4645	4809	5052	5230	5193	5369
5/8"	5647	5852	6165	6381	6358	6573
3/4"	12647	13910	13549	14875	13845	15170
7/8”	14152	15566	15601	17085	16372	17856
1”	21657	23822	23467	25735	24236	26507



EMKAY TOOLS

PRICE LIST


HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL..)	FLUTELESS OIL GROOVE (2B TOL..)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
BS-949 & ISO 529 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1071	1180	1175	1286	1265	1374
5/32"	1071	1180	1175	1286	1265	1374
3/16"	1071	1180	1175	1286	1265	1374
1/4"	1071	1180	1175	1286	1265	1374
5/16"	1236	1293	1358	1415	1456	1515
3/8"	1513	1579	1659	1729	1777	1847
7/16"	2334	2418	2588	2673	2799	2884
1/2"	2334	2418	2588	2673	2799	2884
5/8"	3435	3843	3742	4156	3984	4398
3/4"	5631	6625	6090	7167	6444	7582
7/8"	9019	9921	10170	11108	11155	12113
1"	11325	12460	12521	13694	13505	14698
1.1/8"	18428	20274	20351	22257	21927	23870
1.1/4"	22435	24679	25106	27434	27360	29734
1.3/8"	31220	34342	34922	38165	38049	41355
1.1/2"	36652	40317	41795	45617	46257	50169
1.5/8"	42720	46994	49147	53613	54786	59362
1.3/4"	57543	63298	64244	70219	69880	75967
ISO 2283 IS-6175-IV (IS-7821) British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1821	2002	1986	2180	2047	2244
5/16"	2098	2195	2290	2395	2363	2466
3/8"	2566	2687	2807	2930	2895	3019
7/16"	3964	4104	4311	4458	4420	4571
1/2"	4561	4723	4964	5137	5102	5275
5/8"	5543	5744	6057	6269	6246	6459
3/4"	12414	13654	13313	14613	13603	14903
7/8"	13893	15280	15329	16787	16083	17542
1"	21260	23386	23056	25284	23812	26041

1. SPECIAL TOLERANCE : 10% extra.

.



EMKAY TOOLS

PRICE LIST

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

DIA & PITCH (mm)	BRIGHT		TiN-COATED		TiCN/TiALN-COATED	
	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)	FLUTELESS (2B TOL.)	FLUTELESS OIL GROOVE (2B TOL.)
DIN-371 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/8"	1247	1374	1423	1556	1532	1662
5/32"	1247	1374	1423	1556	1532	1662
3/16"	1247	1374	1423	1556	1532	1662
1/4"	1247	1374	1423	1556	1532	1662
5/16"	1511	1580	1704	1778	1829	1903
3/8"	1849	1931	2084	2170	2230	2318
DIN-374/DIN-376 British Standard Whitworth (BSW)/British Standard Fine (BSF)						
1/4"	1854	2041	2021	2219	2085	2282
5/16"	2241	2345	2420	2530	2494	2605
3/8"	2742	2871	2964	3096	3057	3190
7/16"	4038	4181	4388	4538	4500	4652
1/2"	4645	4809	5052	5230	5193	5369
5/8"	5647	5852	6165	6381	6358	6573
3/4"	12647	13910	13549	14875	13845	15170
7/8"	14152	15566	15601	17085	16372	17856
1"	21657	23822	23467	25735	24236	26507
BSP (BS 949)						
1/8" - 28		2647		3108		
1/4" - 19		4125		4767		
3/8" - 19		6642		7573		
1/2" - 14		10267		11754		

1. SPECIAL TOLERANCE : 10% extra.

.

HSS-E

HIGH SPEED STEEL GROUND THREAD TAPS

STI TAP (HSS-E)

DIA & PITCH (mm)	FLUTELESS		FLUTELESS OIL GROOVE	
		TIN		TIN
3 X 0.5	2688	2799	2963	3073
4 X 0.7	2688	2799	2963	3073
5 X 0.8	2688	2799	2963	3073
6 X 1.0	2688	2799	2963	3073
8 X 1.25	3161	3359	3308	3508
10 X 1.50	3866	4206	4045	4383
12 X 1.75	6314	6822	6886	7394
14 X 2.00	8765	9454	9702	10394
16 X 2.00	9291	10098	10483	11291



NOTE :

1) TAPS TO JAPANESE STANDARD, DIN 352, AMERICAN STANDARD also available in some sizes. Prices on request.
2) Please refer to us for items/sizes not covered in this Price List.
3) For Left Hand taps 35% extra will be charged.
4) **CX Series 20% extra will be charged.**

TERMS & CONDITIONS :

1) **GST & OTHER GOVT. LEVIES WILL BE CHARGED EXTRA AS APPLICABLE.**
2) **PRICES ARE SUBJECT TO REVISION WITHOUT PRIOR NOTICE.**
3) **THIS PRICE LIST SUPERCEDES ALL OUR EARLIER PRICE LISTS.**
4) **THE PRICES QUOTED IN THIS PRICE LIST ARE THE MAXIMUM RETAIL PRICE AND THE DEALERS / STOCKISTS ARE FREE TO SELL THE GOODS AT PRICES LOWER THAN THE PRICES FIXED BY THE COMPANY.**
5) **ALL LEGAL PROCEEDINGS ARE SUBJECT TO NAGPUR JURISDICTION.**