

## DAY 2

08/07/2025

[GitHub](#)

### Task:

**1. Create table Customer with columns CUSTOMER\_ID VARCHAR(20), FIRSTNAME VARCHAR(10), MIDDLE\_NAME VARCHAR(20) , CUSTOMER\_CITY VARCHAR(15), CUSTOMER\_CONTACT\_NO VARCHAR(10), OCCUPATION VARCHAR(10), CUSTOMER\_DATE\_OF\_BIRTH DATE**

```
create table customer (  
    CUSTOMER_ID VARCHAR(20),  
    FIRSTNAME VARCHAR(10),  
    MIDDLE_NAME VARCHAR(20),  
    CUSTOMER_CITY VARCHAR(15),  
    CUSTOMER_CONTACT_NO VARCHAR(10),  
    OCCUPATION VARCHAR(10),  
    CUSTOMER_DATE_OF_BIRTH DATE  
);
```

**2. Add column lastname varchar(20).**

```
alter table customer add column LASTNAME VARCHAR(20);
```

**3. Modify the column size of firstname to 30.**

```
alter table customer modify column FIRSTNAME VARCHAR(30);
```

**4. Drop the column middle\_name.**

```
alter table customer drop column MIDDLE_NAME;
```

**5. Insert some rows into customer table.**

```
insert into customer (CUSTOMER_ID, FIRSTNAME, LASTNAME, CUSTOMER_CITY,  
CUSTOMER_CONTACT_NO, OCCUPATION, CUSTOMER_DATE_OF_BIRTH) values  
( 'C001', 'John', 'Doe', 'Chennai', '9876543210', 'Engineer', '1990-05-12'),  
( 'C002', 'Jane', 'Smith', 'Mumbai', '9123456780', 'Doctor', '1985-11-23'),  
( 'C003', 'Arun', 'Kumar', 'Chennai', '9988776655', 'Teacher', '1992-07-30'),  
( 'C004', 'Priya', 'Sharma', 'Delhi', '9012345678', 'Designer', '1988-03-15');
```

CUSTOMER_ID	FIRSTNAME	CUSTOMER_CITY	CUSTOMER_CONTACT_NO	OCCUPATION	CUSTOMER_DATE_OF_BIRTH	LASTNAME
C001	John	Chennai	9876543210	Engineer	1990-05-12	Doe
C002	Jane	Mumbai	9123456780	Doctor	1985-11-23	Smith
C003	Arun	Chennai	9988776655	Teacher	1992-07-30	Kumar
C004	Priya	Delhi	9012345678	Designer	1988-03-15	Sharma

**6. Create table account with columns account\_number VARCHAR(20), customer\_number VARCHAR(20), branch\_id VARCHAR(10), opening\_balance double, account\_opening\_date DATE, account\_type VARCHAR(10), account\_status VARCHAR(10)**

```
create table account (
  ACCOUNT_NUMBER VARCHAR(20),
  CUSTOMER_NUMBER VARCHAR(20),
  BRANCH_ID VARCHAR(10),
  OPENING_BALANCE DOUBLE,
  ACCOUNT_OPENING_DATE DATE,
  ACCOUNT_TYPE VARCHAR(10),
  ACCOUNT_STATUS VARCHAR(10)
);
```

**7. Insert some rows in account table.**

```
insert into account (ACCOUNT_NUMBER, CUSTOMER_NUMBER, BRANCH_ID,
  OPENING_BALANCE, ACCOUNT_OPENING_DATE, ACCOUNT_TYPE, ACCOUNT_STATUS)
values
('A1001', 'C001', 'B001', 8000.00, '2021-01-10', 'Savings', 'Active'),
('A1002', 'C002', 'B002', 12000.00, '2020-03-15', 'Current', 'Active'),
('A1003', 'C003', 'B001', 6000.00, '2022-06-01', 'Savings', 'Inactive'),
('A1004', 'C004', 'B003', 4500.00, '2021-09-20', 'Savings', 'Active');
```

ACCOUNT_NUMBER	CUSTOMER_NUMBER	BRANCH_ID	OPENING_BALANCE	ACCOUNT_OPENING_DATE	ACCOUNT_TYPE	ACCOUNT_STATUS
A1001	C001	B001	8000	2021-01-10	Savings	Active
A1002	C002	B002	12000	2020-03-15	Current	Active
A1003	C003	B001	6000	2022-06-01	Savings	Inactive
A1004	C004	B003	4500	2021-09-20	Savings	Active

**8. Write a query to display customer's number, customer's firstname, lastname and date of birth.**

```
select CUSTOMER_ID, FIRSTNAME, LASTNAME, CUSTOMER_DATE_OF_BIRTH from
customer;
```

CUSTOMER_ID	FIRSTNAME	LASTNAME	CUSTOMER_DATE_OF_BIRTH
C001	John	Doe	1990-05-12
C002	Jane	Smith	1985-11-23
C003	Arun	Kumar	1992-07-30
C004	Priya	Sharma	1988-03-15

**9. Write a query to display customers from city Chennai.**

select \* from customer where CUSTOMER\_CITY = 'Chennai';

CUSTOMER_ID	FIRSTNAME	CUSTOMER_CITY	CUSTOMER_CONTACT_NO	OCCUPATION	CUSTOMER_DATE_OF_BIRTH	LASTNAME
C001	John	Chennai	9876543210	Engineer	1990-05-12	Doe
C003	Arun	Chennai	9988776655	Teacher	1992-07-30	Kumar

**10. Write a query to display customer id whose opening balance is in the range 5000 to 10000.**

select CUSTOMER\_NUMBER from account where OPENING\_BALANCE between 5000 and 10000;

CUSTOMER_NUMBER
C001
C003