ALGORITHMIC TRADING SYSTEM

OMEGA.

Detailed Technical Reference Manual

VERSION
2.0

DATE
24 September 2026

CODEBASE
11,788 lines / 39 files

BRANCH
feat/self-learning-engine

BROKER
Dhan API v2

EXCHANGE
NSE & BSE

INSTRUMENTS
NIFTY, BankNifty, Sensex

FEED
WebSocket + 1s polling

SELF-LEARNING
973-line adaptive engine

TESTS
283 assertions, 3 suites

Built by **Vishnu Teja** with Claude | CONFIDENTIAL

00 Table of Contents

01 Executive Summary & System Stats

02 System Architecture & Data Flow Pipeline

03 File Structure & Module Map

04 Signal Generation Engine (10-Factor Confluence)

- 4.1 Technical Indicators Computed
- 4.2 Scoring Formula & Weights
- 4.3 Detailed Scoring Tiers Per Factor
- 4.4 Confidence Levels & SL/TP Matrix
- 4.5 Entry Conditions & Filters

05 Pre-Trade Guardrails (15 Checks)

06 Risk Engine (7 Gates + Trailing Logic)

- 6.1 Gate-by-Gate Logic
- 6.2 Peak-Based Trailing Stop Algorithm
- 6.3 Three-Step Trailing Ladder
- 6.4 ATR-Based SL/TP & Kelly Criterion

07 Broker & Execution Layer

08 Self-Learning Engine (TradeMemory)

- 8.1 Trade Context Recording (18 Fields)
- 8.2 Pattern Detection (7 Dimensions)
- 8.3 Z-Test Statistical Significance
- 8.4 Auto-Actions & Rule Self-Pruning
- 8.5 Kelly Sizing & Drawdown Protection

09 Strategy, Position Manager & Monitoring

10 Configuration Reference

11 Current Status & Trade History

12 Production Readiness & 8-Week Test Plan

13 How To Run & Daily Checklist

01. Executive Summary

Omega is a fully autonomous algorithmic trading system for Indian index options (NIFTY 50, Bank Nifty, Sensex). It runs on the Dhan broker API, generates trading signals through a proprietary 10-factor confluence scoring engine, and manages the complete trade lifecycle from signal detection through execution, monitoring, trailing stop management, and exit.

The system is built around a self-learning memory engine that records every trade with 18 fields of market context, detects statistically significant patterns using z-tests at 90% confidence, and automatically adjusts signal scores, position sizes, and even bans losing instruments. No external ML libraries — all learning is pure statistical analysis.

11,788	22	10
LINES OF CODE	SAFETY CHECKS	SIGNAL FACTORS
39	**973**	**283**
PYTHON FILES	SELF-LEARNING LINES	TEST ASSERTIONS

METRIC	VALUE
Traded Instruments	NIFTY 50 (lot=75), Bank Nifty (lot=15), Sensex (lot=10)
Exchange	NSE (NIFTY, BankNifty) & BSE (Sensex) — FnO segment
Broker	Dhan API v2 with httpx connection pooling (10 connections, 5 keepalive)
Data Feed	Dhan WebSocket (real-time ticks) + 1-second candle polling
Signal Engine	10-factor weighted scoring (0–100 scale), 3 confidence tiers
Risk Gates	15 guardrails + 7 risk engine gates = 22 total pre-trade checks
Self-Learning	973-line TradeMemory with z-test pattern detection & adaptive rules
Dashboard	Live HTML at localhost:8000/dashboard, 5-second push
Alerts	iMessage for all events (fills, SL hits, errors, daily summary)
Capital	₹1,00,000 (configured) — max daily loss ₹3,000 (3%)
Max Trades/Day	6 — quality over quantity
Paper Record	8 trades: 1W / 7L, −₹13,564 total (self-learning collecting data)

02. System Architecture & Data Flow

The system uses a multi-threaded pipeline architecture with 4 concurrent threads:

Thread Architecture

Main Thread — Orchestration loop (main.py): signal queue processing, position monitoring, dashboard push, margin sync. 5-second cycle.

Signal Generator Thread — Polls candle data every 1 second, computes 10 indicators, scores signals, pushes to signal queue. Separate thread prevents blocking.

WebSocket Thread — Dhan MarketFeed for real-time ticks. Updates LTP cache for position monitoring. Self-healing reconnection.

Webhook Thread — FastAPI server at port 8000 for dashboard serving & legacy TradingView webhooks.

Complete Data Flow Pipeline (15 Stages)

1. **Candle Fetch** — SignalGenerator polls Dhan API every 1s. Falls back to Yahoo (15–20 min delayed) if Dhan fails.
2. **Indicator Compute** — 10+ indicators: SuperTrend, ADX, VWAP, RSI, Bollinger Bands, EMA crossover, ORB, Choppiness, Chandelier Exit, Volume ratio.
3. **Entry Detection** — 4+ directional factors must agree. RSI extremes block (OB > 70 blocks BUY, OS < 30 blocks SELL). 10-min cooldown prevents re-entry.
4. **Signal Scoring** — Each of 10 factors scored 0–100, then weighted-average for total_score. Confidence: HIGH ≥ 72, MEDIUM ≥ 55, LOW < 55.
5. **Self-Learning Adjustment** — TradeMemory adjusts score: BOOST (+25 max) for winning patterns, PENALIZE (−30 max) for losing. Can BLOCK symbol entirely.
6. **Guardrails (15)** — Capital allocation, candle freshness, ADX regime, VWAP warmup, expiry day, session time, broker health, price sanity, and more.
7. **Risk Engine (7)** — Daily loss, concurrent positions, daily trade count, cooldown, SL cap, margin check, session check.
8. **Option Chain** — Resolve ATM strike from Dhan option chain API. Select nearest weekly expiry. Calculate lot size from ATR risk.
9. **Order Placement** — Limit order with 0.5% slippage buffer via Dhan API. 4-attempt retry with exponential backoff.
10. **SL Order** — SL-Limit order placed immediately after entry fill confirmation.
11. **Position Monitor** — 5s loop: update LTP from WebSocket, compute trail SL, check SL/TP hit, push dashboard.
12. **Trailing Stop** — Peak-based trail from OpenAlgo pattern. 3-step ladder: breakeven → lock → tight.
13. **Exit** — SL hit, TP hit, trail SL, signal exit (Chandelier), or square-off (15:10). Market order to close.
14. **Trade Recording** — Full context (18 fields) recorded to TradeMemory. Every 10th trade triggers pattern analysis.
15. **Dashboard Push** — Positions, P&L, risk metrics, memory insights, feed health, broker metrics pushed to HTML dashboard.

03. File Structure & Module Map

Every module is a single Python file with no circular dependencies. Thread safety is achieved through `threading.Lock` where needed.

FILE	LINES	DESCRIPTION
core/broker_dhan.py	248	Dhan API adapter. httpx.Client with 10 max connections, 5 keepalive, 30s expiry. Thread-safe with API mutex & 100ms throttle. DH-901/904/906 error handling.
core/live_feed.py	332	Dhan WebSocket wrapper. Exponential backoff (5s base, 60s cap, 10 attempts). 90s data-stall watchdog. Fatal error detection (429, expired sub).
core/signal_generator.py	965	Candle fetch (Dhan + Yahoo fallback) + full indicator computation + signal generation. Ghost candle filter, freak tick filter, outlier sanitization.
core/signal_scorer.py	296	Weighted 10-factor scoring. Each factor: 0–100, weights sum to 1.0. Confidence thresholds. Correlation group detection.
core/risk_engine.py	444	7-gate allow_new_trade(). Trailing stop (peak-based + 3-step). ATR SL/TP. Kelly sizing. R-Multiple tracking. Daily reset.
core/guardrails.py	449	15-scenario pre-trade validation. Capital allocation, candle freshness, ADX regime, VWAP warmup, expiry day, killswitch, broker health, price sanity.
core/order_manager.py	337	Order lifecycle: place_entry (limit + slippage), place_sl_limit, place_exit, modify, cancel. 4-attempt retry. Ghost fill detection.
core/position_manager.py	281	Position dataclass with peak_price, trail_sl. LONG/SHORT P&L. State persistence to JSON. Thread-safe.
core/trade_memory.py	973	Self-learning engine. Records trades (18 fields), 7-dimension grouping, z-test, adaptive rules, Kelly, drawdown factor, effectiveness tracking.
core/option_chain.py	261	Dhan option chain fetch, ATM strike resolution, nearest weekly expiry. Fallback to instrument master CSV.
core/instrument_master.py	167	Loads Dhan daily instrument CSV. Maps security IDs to symbols. Resolves expiry dates.
core/instrument_selector.py	~100	Scores instruments by ADX, volume rank, IV percentile, spread. Selects best-trending index.
strategies/ omega_complete.py	591	Main strategy. process_signal(): guardrails → risk → option chain → order. monitor_positions(): trail → SL/TP → exit. Records to memory.
webhook/dashboard.py	520	FastAPI server. update_state() saves to JSON. /dashboard serves full HTML with positions, trades, risk, memory insights, heatmap.
main.py	542	Entry point. Inits all components, starts threads, runs main loop. Token renewal at 3 AM. Orphan sync. Emergency square-off.
utils/imessage_alert.py	246	16 alert types via AppleScript → Messages.app. Order fills, SL hits, daily summary, brain alerts, errors, start/stop.

04. Signal Generation Engine

The signal generator is a 965-line module running in a dedicated thread, polling candle data every 1 second. It computes 10+ technical indicators per instrument, applies entry detection logic, scores each signal on a 0–100 scale, and emits signals to a thread-safe queue.

4.1 Technical Indicators Computed

INDICATOR	DESCRIPTION & USAGE
SuperTrend(10, 3)	Trend direction. `st_dir < 0` = bullish, `> 0` = bearish. Primary entry direction filter.
ADX(14)	Average Directional Index (0–100). Below 18 = dead market, above 25 = trending. Signals suppressed in flat regimes.
VWAP	Volume Weighted Average Price from first candle. Buy above VWAP, sell below. Warmup required until 09:30.
RSI(14)	Relative Strength Index. 40–60 = sweet spot. >70 blocks BUY (overbought), <30 blocks SELL (oversold).
Bollinger Bands(20, 2)	Squeeze detection: BB inside Keltner Channel = imminent volatility expansion (breakout).
EMA(9) / EMA(21)	Fast/slow crossover. Bullish: fast > slow. Bearish: fast < slow. Trend direction confirmation.
ORB (30 min)	Opening Range Breakout. High/low of 09:15–09:45 window. Break above = bullish, below = bearish.
Choppiness(14)	Measures market chop (0–100). Above 61.8 (golden ratio) = choppy, all signals suppressed.
Chandelier Exit(22, 3)	Trailing stop indicator used for exit signals (not entry). ATR-based trailing from highest high.
ATR(14)	Average True Range. Used for SL/TP computation and position sizing. Not a signal factor.
RSI Divergence	Bullish/bearish divergence between price and RSI. +20 bonus to RSI score when detected.
Volume Ratio	Current bar volume / 20-bar average. Above 1.5x = high conviction signal.

4.2 Scoring Formula & Weights

Each signal is scored by 10 factors, each producing a 0–100 sub-score. The total is a weighted average:

```
total_score = ADX*0.15 + R:R*0.15 + Confluence*0.15 + VWAP*0.10 + SuperTrend*0.10
            + Volume*0.10 + RSI*0.10 + BB*0.05 + EMA*0.05 + ORB*0.05
```

The three heaviest factors (15% each) — ADX trend strength, Risk:Reward ratio, and Confluence count — together account for 45% of the score, ensuring signals only fire when the trend is strong, the math is favorable, and multiple indicators agree.

4.3 Detailed Scoring Tiers Per Factor

FACTOR	WEIGHT	SCORING TIERS (CONDITION → SCORE)
ADX Trend Strength	15%	≥50 → 100 | ≥40 → 85 | ≥30 → 70 | ≥threshold → 55 | below → linear 0–40
Risk:Reward Ratio	15%	≥3.0 → 100 | ≥2.0 → 80 | ≥1.5 → 60 | ≥1.0 → 40 | below → 15
Confluence Count	15%	≥6 factors → 100 | 5 → 85 | 4 → 65 | 3 → 40 | below → 15
VWAP Position	10%	Aligned + <0.3% dist → 95 | <0.6% → 80 | <1.0% → 60 | farther → decay | misaligned → 20
SuperTrend Distance	10%	>2% from line → 90 | >1% → 70 | >0.5% → 55 | closer → 35
Volume Ratio	10%	≥2x avg → 100 | ≥1.5x → 80 | ≥1x → 55 | ≥0.7x → 30 | below → 10
RSI Quality	10%	BUY: 40–60 → 90, 30–40 → 75, 60–70 → 60, >OB → 15 | Divergence bonus: +20
Bollinger Squeeze	5%	Squeeze detected → 85 | No squeeze → 45
EMA Alignment	5%	EMA(9) > EMA(21) for BUY → 90 | Misaligned → 20
ORB Breakout	5%	Price broke opening range → 85 | No breakout → 40

4.4 Confidence Levels & SL/TP Matrix

CONFIDENCE	SCORE RANGE	RISK %	STOP LOSS	TAKE PROFIT	R:R	POSITION SIZE
HIGH	≥ 72	3%	2 × ATR	6 × ATR	1:3	Full Kelly size
MEDIUM	55 – 71	2%	1.5 × ATR	3 × ATR	1:2	Standard size
LOW	< 55	1%	1 × ATR	1.5 × ATR	1:1.5	Reduced size

4.5 Entry Conditions & Filters

- Minimum 4 out of 7 directional factors must agree (SuperTrend + VWAP + ADX + EMA + RSI + ORB + Divergence)
- Signal must be a NEW entry (not continuation of existing direction) OR first scan of the day
- RSI overbought filter: blocks BUY if RSI > 70 (avoids buying into exhaustion)
- RSI oversold filter: blocks SELL if RSI < 30 (avoids selling into capitulation)
- 10-minute signal cooldown per instrument (prevents whipsaw re-entry after exit)
- Choppiness Index > 61.8 suppresses all signals (market has no direction)

05. Pre-Trade Guardrails (15 Checks)

Every signal passes through Guardrails BEFORE reaching the Risk Engine. Any single failure = signal rejected with a logged reason. Organized into 5 categories:

Capital Allocation & Concurrency

#	CHECK	RULE	RATIONALE
1	**Sector Allocation**	Max 70% of capital (₹70K) in NSE indices	Prevents over-concentration in one market segment
2	**Per-Trade Risk**	Max 3% capital risk (₹3,000) per position	At 6% risk, 5 losses = 26% drawdown. At 3%, 5 losses = 14% (survivable)
3	**Index Conflict**	No same-direction trades on correlated indices	NIFTY + BANKNIFTY are 80%+ correlated; doubling risk

Data Infrastructure

#	CHECK	RULE	RATIONALE
4	**Candle Freshness**	Reject if candle > 5.5 min old (330s)	Stale data = stale signals. Yahoo fallback can be 15+ min old.
5	**ADX Regime**	Block if ADX < 18 (flat/dead market)	No trend = no edge. Indicators produce noise in flat markets.
6	**VWAP Warmup**	Wait until 09:30 (3 candles minimum)	VWAP needs volume data; first candle is auction noise.

Volatility & Indicator Regimes

#	CHECK	RULE	RATIONALE
7	**Event Blackout**	Block during high-impact events	RBI policy, budget, election results = unpredictable gaps.
8	**Expiry Day Cutoff**	Block 0-DTE options after 12:30 PM	Theta decay accelerates; premium erodes unpredictably.
9	**Choppiness Filter**	Block if Choppiness > 61.8	Golden ratio threshold: above 61.8 = market has no direction.

Derivative & Instrument Mechanics

#	CHECK	RULE	RATIONALE
10	**Session Killswitch**	No new trades in last 20 minutes	Square-off pressure distorts prices near close.
11	**Contract Rollover**	Validate contract hasn't expired	Trading expired contract = order rejection + penalty.
12	**Price Sanity**		Freak ticks from exchange glitches.

#	CHECK	RULE	RATIONALE
		Reject if price deviates >5% from previous	

Risk Architecture

#	CHECK	RULE	RATIONALE
13	**Close Zone**	No new trades after 14:50	20 min to close = insufficient time for setup to play out.
14	**Broker Health**	Check auth status before each trade	Expired token = order will fail silently.
15	**Consecutive Loss**	30-min pause after 2 consecutive losses	Prevents tilt trading; forces emotional reset.

06. Risk Engine (7 Gates + Trailing Logic)

The RiskEngine class (444 lines) is the final checkpoint before any order. Its `allow_new_trade()` runs 7 sequential gates under a thread lock. If ANY gate fails, the trade is rejected.

6.1 Gate-by-Gate Logic

#	GATE	LOGIC	DETAIL
1	**Bot Kill Switch**	Daily loss limit breached → bot dead for the day	Boolean flag, persists until daily reset at midnight
2	**Daily Loss Check**	P&L ≤ −₹3,000 → kill bot, square off all	Checked against realised + unrealised combined
3	**Session Time**	Before 09:16 or after 15:10 → reject	Per-instrument sessions supported
4	**Cooldown Timer**	2 consecutive losses → 30-min freeze	Timer stored as datetime; checked on each call
5	**Max Concurrent**	Open positions ≥ 2 → reject	Limits capital at risk at any moment
5b	**Max Daily Trades**	6 trades taken today → done	Prevents overtrading on choppy days
5c	**Progressive Loss**	After 50% daily loss used → max 1 position	Reduces exposure as losses accumulate
6	**SL Cap**	SL > 8–10% of entry → reject	8% for high-confidence (≥75), 10% for lower
7	**Margin Check**	Insufficient margin (with 15% buffer) → reject	Prevents order rejection and possible penalty

6.2 Peak-Based Trailing Stop Algorithm

Trailing stop logic adapted from OpenAlgo's production risk engine. Key insight: trail is computed from the **PEAK price** (highest for LONG, lowest for SHORT), not the current price. The stop never widens on a pullback.

```
# Algorithm for LONG position
peak = max(peak_price, current_price)     # peak only goes up, never down
favourable = peak - entry_price              # how far we've moved in our favor

if favourable > 0:                           # we're in profit territory
    trail_armed = True
    candidate_sl = peak - (peak * trail_pct / 100)
    new_sl = max(candidate_sl, existing_sl)   # SL only tightens (ratchet)

stop_hit = current_price <= new_sl           # exit signal
```

6.3 Three-Step Trailing Ladder

STEP	TRIGGER	ACTION	EXAMPLE (NIFTY 23,000)
Step 1: Breakeven	+0.15%	SL moves to entry price (risk eliminated)	~₹35 move triggers breakeven SL
Step 2: Lock Profit	+0.30%	SL moves to entry + 0.15% (locks half gain)	Guarantees profit even on reversal
Step 3: Tight Trail	+0.50%	Active trailing kicks in, SL follows price	Maximum profit capture in strong moves

6.4 ATR-Based SL/TP & Kelly Criterion

SL/TP Computation (confidence-scaled)

```
# HIGH confidence (score ≥ 72)
SL = entry - (ATR * 2.0)     # 2x ATR stop
TP = entry + (ATR * 6.0)     # 6x ATR target, R:R = 1:3

# MEDIUM confidence (55-71)
SL = entry - (ATR * 1.5)     # 1.5x ATR stop
TP = entry + (ATR * 3.0)     # R:R = 1:2

# LOW confidence (< 55)
SL = entry - (ATR * 1.0)     # 1x ATR stop
TP = entry + (ATR * 1.5)     # R:R = 1:1.5
```

Kelly Criterion Position Sizing (Half-Kelly)

```
kelly_pct = (win_rate * avg_win_R - (1 - win_rate)) / avg_win_R
half_kelly = max(kelly_pct / 2, 0.25)    # floor at 25%
position_size = capital * half_kelly         # capped at 1.0x
```

R-Multiple Tracking

```
initial_risk = abs(entry_price - sl_price)
R_multiple = (exit_price - entry_price) / initial_risk   # for LONG
# R=+2.0 means you gained 2x what you risked
# R=-1.0 means you lost exactly what you risked
```

07. Broker & Execution Layer

7.1 Dhan API Adapter

The broker adapter uses `httpx` (not requests) for connection pooling, reducing order execution latency:

```
httpx.Client(
    base_url = 'https://api.dhan.co/v2',
    timeout  = 10.0,
    limits   = httpx.Limits(
        max_connections = 10,
        max_keepalive_connections = 5,
        keepalive_expiry = 30,
    ),
)
```

- **Thread safety:** All API calls go through `_request()` which holds an API mutex lock & enforces 100ms minimum interval between requests
- **DH-901** (auth expired): sets _auth_valid=False, freezes all trading immediately
- **DH-904** (rate limit): raises BrokerRateLimit for retry logic
- **DH-906** (market closed): logged as info, normal when market is not open
- **Token renewal:** main.py checks at 3 AM IST and on DH-901 detection. Updates httpx headers at runtime.

7.2 WebSocket Live Feed (Resilience from OpenAlgo)

- **Connection loop:** `_connect_loop()` with exponential backoff (5s base, 60s cap, max 10 attempts)
- **Data stall watchdog:** `_health_loop()` checks every 30s. If no tick received in 90s, forces reconnect.
- **Fatal error detection:** HTTP 429 (rate limit) and expired subscription = stop retrying, notify user via iMessage.
- **Tick processing:** `_read_loop()` at 50ms intervals, updates LTP cache thread-safely.
- **Health metrics:** connected, running, fatal_error, reconnect_count, ticks/min, seconds_since_last_tick

7.3 Order Manager

- **place_entry():** Limit order with 0.5% slippage buffer above market (BUY) or below (SELL)
- **4-attempt retry:** Exponential backoff (1s, 2s, 4s, 8s) on transient failures
- **Ghost fill detection:** After failed order, checks broker positions to detect fills that didn't report back
- **place_sl_limit():** Immediately after entry fill, SL-Limit order placed for protection
- **cancel_all_open():** Emergency square-off cancels all pending orders before market orders to close

7.4 Option Chain Resolution

- Fetches live option chain from Dhan API for the underlying index
- Resolves ATM (At The Money) strike closest to current underlying price
- Selects nearest weekly expiry (0-DTE or next weekly)
- Returns Contract dataclass: security_id, symbol, strike, expiry, lot_size, exchange_segment
- Fallback: constructs synthetic contract from instrument_master CSV if API fails

08. Self-Learning Engine (TradeMemory)

The self-learning engine is a 973-line module forming the adaptive core of Omega. It records every trade with full market context, detects statistically significant performance patterns, and automatically adjusts strategy behavior. No external ML libraries — pure statistical computation.

8.1 Trade Context Recording (18 Fields)

FIELD	DESCRIPTION
`symbol`	Full option symbol (e.g., NIFTY24SEP23000CE)
`direction`	LONG or SHORT
`option_type`	CE (call) or PE (put)
`entry_price / exit_price`	Actual fill prices from broker
`sl_price`	Stop-loss price at entry time
`pnl / pnl_pct`	Absolute P&L (₹) and percentage return
`entry_time / exit_time`	ISO timestamps with IST timezone
`entry_hour / entry_day`	Hour (0–23) and weekday (0=Mon, 4=Fri)
`hold_minutes`	Duration of the trade in minutes
`exit_reason`	SL, TP, TRAIL_SL, SIGNAL_EXIT, or SQUARE_OFF
`signal_score / confidence`	Entry signal score (0–100) and HIGH/MEDIUM/LOW
`adx_value`	ADX at entry (trend strength reading)
`vwap_position`	ABOVE or BELOW VWAP at entry
`supertrend_dir`	BULLISH or BEARISH at entry
`volume_ratio`	Volume vs 20-bar average at entry
`r_multiple`	Outcome in units of initial risk taken
`is_win`	True if pnl > 0

8.2 Pattern Detection (7 Dimensions)

Every 10 trades, `analyze_patterns()` groups trades by 7 dimensions and tests each group for statistical deviation from baseline:

DIMENSION	GROUPING	QUESTION ANSWERED
entry_hour	By hour of entry (9, 10, 11, 12, 13, 14)	Which hours are profitable?
entry_day	By weekday (Mon=0 through Fri=4)	Which days perform best?
symbol_base	By underlying (NIFTY, BANKNIFTY, SENSEX)	Which index is most profitable?
adx_zone	flat(<20), weak(20–25), moderate(25–30), strong(30–40), very_strong(40+)	Which trend regimes work?
signal_confidence	HIGH, MEDIUM, LOW	Do higher scores actually win more?
supertrend_dir	BULLISH, BEARISH	Which direction is profitable?

DIMENSION	GROUPING	QUESTION ANSWERED
vwap_position	ABOVE, BELOW	Does VWAP alignment matter?

Multi-factor combinations are also tested: Symbol+Hour (e.g., "NIFTY at 10:00") and SuperTrend+ADX Zone (e.g., "BULLISH + strong ADX").

8.3 Z-Test Statistical Significance

Each pattern group is tested using a two-proportion z-test at 90% confidence (z ≥ 1.65):

```
# Two-proportion z-test
p_pool = (p1*n1 + p2*n2) / (n1 + n2)
se = sqrt(p_pool * (1 - p_pool) * (1/n1 + 1/n2))
z = (p1 - p2) / se

# Only create rule if |z| >= 1.65 (90% confidence)
rule_confidence = min(|z| / 3.0, 1.0) * min(n / 30, 1.0)
```

Minimum sample sizes: 5 trades per group (20 for hourly patterns). Prevents spurious rules from small data.

Time-Decayed Weighting

```
weight = exp(-0.693 * age_in_days / HALF_LIFE_DAYS)   # HALF_LIFE = 30 days
# 30 days ago = 50% weight  |  60 days = 25%  |  yesterday = 97.7%
```

8.4 Auto-Actions & Rule Self-Pruning

ACTION	SCORE MOD	TRIGGER	EFFECT
BOOST	+1 to +25	Winning pattern	Increase signal score for matching setups
PENALIZE	−1 to −30	Losing pattern	Decrease score, harder to pass threshold
BLOCK	−100	5+ loss streak	Temporarily ban the symbol for 7 days
REDUCE_SIZE	−10	SL-skip > 10%	Cut position size to 50% for this pattern

Rule Self-Pruning

- Every rule tracks its own prediction accuracy across trades it matches
- After 15+ predictions: if effectiveness < 45%, the rule is auto-deactivated
- Rules older than 90 days with fewer than 3 hits are pruned as stale
- BLOCK (bans) auto-expire after 7 days regardless of effectiveness

8.5 Kelly Sizing & Drawdown Protection

Position sizing is the **minimum** of three independent factors:

```
# 1. Kelly Criterion (from trading results)
kelly = (win_rate * avg_win_R - (1 - win_rate)) / avg_win_R
half_kelly = max(kelly/2, 0.25)   # floor at 25%

# 2. Drawdown Factor (from recent performance)
5+ consecutive losses = 0.25x     # quarter size
3-4 consecutive losses = 0.50x    # half size
win_rate < 30% (last 20) = 0.50x  # half size
win_rate < 40% (last 20) = 0.75x

# 3. REDUCE_SIZE rules = 0.50x if matched

final_size = min(kelly, drawdown, reduce_rules)
```

Health Status Levels

HEALTHY: Win rate > 40%, no loss streaks, all normal | **DEGRADED:** Win rate 30–40% OR 3+ consecutive losses | **CRITICAL:** Win rate < 30% OR 5+ losses OR active bans | **NO_DATA:** Fewer than 5 trades

09. Strategy, Position Manager & Monitoring

9.1 OmegaStrategy Signal Processing Pipeline

When a signal arrives from the queue, `process_signal()` executes this 15-step sequence:

1. Parse payload: extract symbol, side, score, confidence, all indicators
2. Self-learning check: `should_block()` — is this symbol/pattern banned?
3. Self-learning adjust: `get_score_adjustment()` — modify score based on learned rules
4. Size modifier: `get_position_size_modifier()` — Kelly + drawdown + REDUCE rules
5. Run all 15 guardrail checks (capital, data, volatility, derivative, risk)
6. Risk engine: `allow_new_trade()` — 7 gates check
7. Option chain: resolve ATM option contract from Dhan API
8. Compute ATR-based SL/TP scaled by confidence level
9. Position sizing: ATR risk-based lot calculation with Kelly modifier
10. Place entry order: limit order with slippage buffer
11. Wait for fill, ghost fill detection if order fails
12. Place SL-Limit order immediately after fill confirmation
13. Create Position object with peak_price = fill_price
14. Store signal context for memory recording on exit
15. Subscribe to WebSocket ticks for this contract

9.2 Position Monitoring Loop

Runs every 5 seconds in the main loop. For each open position:

- Get latest LTP from WebSocket cache (fallback to broker API)
- Update position current_price and run `evaluate_trail()`
- Update peak_price, run 3-step trail ladder
- Check SL hit: `current_price ≤ trail_sl` (LONG) or `≥ trail_sl` (SHORT)
- Check TP hit: `current_price ≥ tp_price` (LONG) or `≤ tp_price` (SHORT)
- If hit: exit position, cancel SL order, record trade to memory

9.3 Exit Reasons

REASON	TRIGGER	ACTION
SL_HIT	Price hit stop-loss level	Market order to close immediately
TP_HIT	Price reached take-profit target	Market order to close
TRAIL_SL	Price reversed past trailing stop	Market order (most common exit type)
SIGNAL_EXIT	Chandelier Exit indicator triggered	Counter-signal from same instrument
SQUARE_OFF	End of session (15:10 PM IST)	All positions closed unconditionally

9.4 Position Manager

```
@dataclass
class Position:
    symbol: str              # Full option symbol
    direction: str           # LONG or SHORT
    quantity: int            # Number of shares (lots * lot_size)
    entry_price: float       # Fill price
    current_price: float     # Updated by WebSocket ticks
    sl_price: float          # Initial stop-loss
    trail_sl: float          # Current trailing stop-loss
    tp_price: float          # Take-profit target
    peak_price: float        # Highest/Lowest since entry
    entry_time: datetime     # When position was opened
```

P&L: LONG = `(current - entry) × qty`, SHORT = `(entry - current) × qty`. State persisted to `data/paper_positions.json` on every change. Survives bot restarts.

9.5 Live Dashboard Components

- System header: mode, uptime, instruments, current time IST
- Open positions table with live P&L updates
- Closed trades table with exit reasons and durations
- Risk metrics: daily P&L, loss %, trades remaining, drawdown recovery needed
- Self-learning panel: health, win rate, Kelly size, drawdown factor, active rules/bans
- Feed health: WebSocket status, ticks/min, reconnect count
- Broker health: request count, error rate, auth status

9.6 iMessage Alerts (16 Types)

ALERT TYPE	CONTENT SENT
`order_filled`	Side, symbol, qty, price, score, confidence, SL, TP
`sl_hit`	Symbol, P&L, entry/exit prices, duration, exit reason
`daily_summary`	Total P&L, trade count, wins, losses, win rate
`brain_alert`	Memory health change: CRITICAL/DEGRADED with details
`risk_gate_blocked`	Which guardrail/gate failed and the exact reason
`error`	Exception context + details for debugging

ALERT TYPE	CONTENT SENT
bot_started	Mode (paper/live), strategy, watching instruments
bot_stopped	Shutdown reason (daily loss, session done, error)

10. Configuration Reference

10.1 Risk Parameters (config/settings.yaml)

PARAMETER	VALUE	RATIONALE
max_daily_loss	₹3,000	3% of 1L capital. At 5% daily, need 5.26% to recover. At 3%, only 3.09%.
max_concurrent_positions	2	Limits capital at risk at any single moment.
max_daily_trades	6	Quality over quantity. 6 good trades > 20 mediocre ones.
trail_pct	0.15%	Continuous trailing behind peak price once in profit.
cooldown_after_losses	2	Consecutive losses before 30-minute freeze.
cooldown_minutes	30	Duration of freeze after loss streak. Forces reset.
margin_buffer_pct	15%	Extra margin headroom required above trade margin.
capital	₹1,00,000	Starting capital for all position sizing calculations.
max_risk_per_trade_pct	3.0%	₹3,000 max risk per position.
nse_allocation_cap	0.70	Max 70% (₹70K) allocated to NSE indices.
poll_interval	1s	Signal generator candle fetch frequency.
signal_cooldown_sec	600s	10 min between signals per instrument. Anti-whipsaw.

10.2 Signal Generator Parameters

PARAMETER	VALUE	DESCRIPTION
st_period / st_mult	10 / 3.0	SuperTrend parameters
adx_len / adx_threshold	14 / 20	ADX period and minimum for entry
chand_len / chand_mult	22 / 3.0	Chandelier Exit (trailing stop indicator)
rsi_period	14	RSI period
rsi_overbought / oversold	70 / 30	RSI extremes that block signals
bb_period / bb_std	20 / 2.0	Bollinger Bands parameters
ema_fast / ema_slow	9 / 21	Fast and slow EMA for crossover
chop_period / threshold	14 / 61.8	Choppiness period and suppression level
orb_minutes	30	Opening Range window (9:15 + 30 = 9:45)

10.3 Instrument Definitions

INDEX	EXCHANGE	LOT SIZE	STRIKE STEP	EXPIRY DAY	DHAN ID	SESSION
NIFTY 50	NSE	75	₹50	Thursday	13	09:15 – 15:30
Bank Nifty	NSE	15	₹100	Thursday	25	09:15 – 15:30

INDEX	EXCHANGE	LOT SIZE	STRIKE STEP	EXPIRY DAY	DHAN ID	SESSION
Sensex	BSE	10	₹100	Friday	51	09:15 – 15:30

10.4 Cost Model

COMPONENT	RATE	DESCRIPTION
Brokerage	₹20 per order (flat)	Dhan flat fee for options
STT	0.0625% on sell side	Securities Transaction Tax
Exchange Txn	0.053%	NSE/BSE transaction charges
SEBI Turnover	₹10 per crore	Regulator levy
GST	18% on brokerage + txn	Goods & Services Tax
Stamp Duty	0.003%	State stamp duty on buy side
Slippage	~2 ticks estimated	Market impact + execution delay

11. Current Status & Trade History

Self-Learning Status: CRITICAL
12% win rate, 3 consecutive losses, drawdown protection active at 25% sizing. Pattern analysis will first trigger at trade 10 (currently at 8). System is collecting data — this is expected for early stage.

8	12%	−₹13,564
TOTAL TRADES	WIN RATE	TOTAL P&L
1	**7**	**0.25x**
WINS	LOSSES	EFFECTIVE SIZE

11.1 Complete Trade History

#	SYMBOL	DIR	ENTRY	EXIT	P&L	R-MULT	EXIT REASON	SCORE
1	BANKNIFTY PE	LONG	56,448	56,341	−1,608	−1.42	SQUARE_OFF	38.8 LOW
2	BANKNIFTY PE	LONG	55,712	55,535	−2,655	−15.88	TRAIL_SL	55.5 MED
3	NIFTY PE	LONG	23,248	23,212	−2,734	−39.20	SQUARE_OFF	51.8 LOW
4	NIFTY PE	LONG	23,239	23,202	−2,816	−80.60	TRAIL_SL	58.2 MED
5	NIFTY CE	LONG	23,232	23,232	+30	+1.00	SIGNAL_EXIT	60.2 MED
6	NIFTY CE	LONG	23,236	23,234	−154	−4.96	SIGNAL_EXIT	58.0 MED
7	NIFTY PE	LONG	23,222	23,194	−2,078	−75.25	TRAIL_SL	48.8 LOW
8	BANKNIFTY PE	LONG	55,595	55,491	−1,550	−20.18	TRAIL_SL	45.2 LOW

11.2 Memory Health Dashboard

METRIC	CURRENT VALUE
Win Rate	12% (1W / 7L)
Average Win	₹30
Average Loss	₹1,942
Avg R-Multiple	−29.56
Expectancy per Trade	−₹1,696
Consecutive Losses	3 (current streak)
Active Rules	0 (analysis triggers at trade 10)
Active Lessons	0

METRIC	CURRENT VALUE
Drawdown Factor	0.50x (halved sizing due to streak)
Kelly Optimal	0.25x (minimum floor, Kelly is negative)
Effective Size	0.25x (minimum of all factors)

12. Production Readiness & 8-Week Test Plan

VERDICT: READY for 8-week paper trading test
All core systems are production-grade. Self-learning engine needs trade data (currently 8, needs 50+). The 8-week test will provide this data while validating system stability.

12.1 Component Readiness

COMPONENT	STATUS	DETAILS
Signal Generation	READY	10 indicators, 1s polling, ghost/freak filters, scoring, cooldown
Risk Management	READY	15 guardrails + 7 risk gates = 22 total safety checks
Broker Integration	READY	httpx pooling, error handling, token renewal, metrics
WebSocket Feed	READY	Resilience, stall detection, auto-reconnect, health metrics
Position Tracking	READY	Peak trail, SL ratchet, state persistence, LONG+SHORT
Self-Learning	READY	Records, analyzes, adjusts. Needs data (8/50 trades).
Dashboard	READY	Live at :8000, 5s push, all panels operational
Alerts	READY	16 iMessage alert types for all events
Order Management	READY	Retry, ghost fill, SL placement, cancel-all
Tests	READY	283 assertions, 3 chaos suites, E2E validation

12.2 Known Limitations (Not Blockers)

Non-blocking limitations for the 8-week paper test
Dhan token expires daily (manual renewal). Yahoo fallback has 15–20 min delay. No support/resistance zones. Self-learning has only 8 trades. Paper uses underlying price as option premium proxy. No Greeks computation.

12.3 Why It Won't Blow Up

- Paper mode is DEFAULT — live requires `--live` flag + typed confirmation
- Daily loss HARD-CAPPED at ₹3,000 — bot kills itself at this threshold
- 22 safety checks must ALL pass before any trade
- Drawdown protection auto-reduces size when losing (currently at 25%)
- Forced square-off at 3:10 PM (beats Dhan's 3:15 PM closure)
- Max 2 concurrent positions, max 6 trades per day
- 30-minute cooldown after 2 consecutive losses

12.4 The 8-Week Test Plan

Phase 1: Weeks 1–2 — Data Collection & Stability

- Run paper trading daily, full market hours (09:16 AM – 03:10 PM IST)
- Target: 30–50 trades (3–5 per day), verify system stability
- At trade 10: self-learning pattern analysis triggers for the first time
- Monitor dashboard health, feed connectivity, iMessage alerts, state persistence

Phase 2: Weeks 3–4 — Pattern Learning & Manual Lessons

- Review learned patterns and adaptive rules on the dashboard
- Teach manual lessons for obvious patterns (e.g., "stop NIFTY before 10 AM")
- Verify drawdown protection and BOOST/PENALIZE adjustments are reasonable
- Export brain snapshot for backup

Phase 3: Weeks 5–6 — Optimization & Tuning

- Analyze expectancy, R-multiple distribution, profit factor
- Consider parameter tuning: ADX threshold, trail percentages, SL/TP ratios
- Run backtester on recent data to validate changes before applying

Phase 4: Weeks 7–8 — Final Validation & Go/No-Go

METRIC	TARGET	CURRENT	NOTES
Win Rate	> 40%	12%	Must improve significantly from current baseline
Expectancy/Trade	> ₹0	−₹1,696	System must be net positive per trade
Profit Factor	> 1.0	0.02	Sum(wins) must exceed Sum(losses)
Avg R-Multiple	> 0	−29.56	Winners must outsize losers in R terms
Max Drawdown	< 15%	13.6%	Currently borderline acceptable
Daily Stability	0 crashes	Not tested	Full session uptime for 2+ weeks

Decision Framework
IF targets met: Discuss switching to live with MINIMUM lot sizes (1 lot only). **IF NOT met:** Continue paper, adjust strategy parameters, review signal generation logic.

13. How To Run & Daily Checklist

13.1 Prerequisites

- Python 3.11 or higher
- macOS (for iMessage alerts — degrades gracefully on Linux)
- Dhan trading account with API access enabled
- `.env` file with: `DHAN_CLIENT_ID=your_id` and `DHAN_ACCESS_TOKEN=your_token`

13.2 Setup & Commands

```
cd omega-trading-system
pip install -r requirements.txt
cp .env.example .env     # Edit with your Dhan credentials

# Paper trading (default, safe)
python3 main.py

# Watch specific indices
python3 main.py --watch NIFTY BANKNIFTY

# Live trading (requires typed confirmation!)
python3 main.py --live

# Run tests
python3 -m pytest tests/

# Open dashboard
open http://localhost:8000/dashboard
```

13.3 Daily Operational Checklist

TIME (IST)	ACTION	DETAILS
Before 09:15	Start the bot	`python3 main.py` — verify dashboard loads at localhost:8000
09:15 – 09:16	Session warmup	System waits for session start. VWAP warmup begins.
09:30+	Active scanning	Full signal generation active. Monitor dashboard, watch for iMessage alerts.
12:30	Expiry cutoff	0-DTE entries blocked after this time (expiry days only).
14:50	Close zone	No new trades. Only monitoring existing positions.
15:10	Auto square-off	All positions closed automatically. Daily report generated.
After 15:30	Review	Check logs/omega.log and data/omega_memory.json for trade records.
If DH-901	Token renewal	Renew Dhan token in .env file. Bot auto-detects and resumes.

13.4 Testing Infrastructure

TEST SUITE	LINES	ASSERTS	COVERAGE FOCUS
test_brutal_chaos.py	948	157	NaN prices, zero qty, integer overflow, concurrent access, memory corruption
test_chaos_resilience.py	348	46	Broker outage, freak ticks, token rollover, ghost candles, state sync
test_trade_memory.py	294	80	Pattern detection, decay, effectiveness, Kelly, drawdown, rule pruning

End of Technical Reference

Generated 24 September 2026 20:50 IST | Omega Trading System v2.0

Built by Vishnu Teja with Claude