#### **04 - Iteration Control Structures**

Ex. No. : 4.1 Date:17.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

#### For example:

Inpu t	Result	
20	1 2 4 5 10 20	

## Program:

k=int(input())

l=[]

for i in range(1,k+1):

if(k%i==0):

l.append(i)

for j in l:

print(j,end=' ')

	Input	Expected	Got	
~	20	1 2 4 5 10 20	1 2 4 5 10 20	~
~	5	1 5	1 5	~
~	13	1 13	1 13	~

Passed all tests! ✓



Marks for this submission: 1.00/1.00.

Ex. No. : 4.2 Date:17.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Non Repeated Digit Count**

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

#### For example:

Input	Resul t
292	1
1015	2
108	3
22	0

## Program:

```
n=int(input())
l=[]
k=[]
while n>0:
    a=n%10
    n=n//10
    l.append(a)
for i in range(len(l)): if
    l.count(l[i])==1:
        k.append(l[i])
print(len(k))
```

	Input	Expected	Got	
~	292	1	1	~
<b>~</b>	1015	2	2	~
~	108	3	3	~
~	22	0	0	~
Passed all tests! ✔				
prrect arks for this submission: 1.00/1.00.				

Ex. No. : 4.3 Date:17.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Prime Checking**

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption:  $2 \le N \le 5000$ , where N is the given number. Example 1: if the given number N is 7, the method must return 2 Example 2: if the given number N is 10, the method must return 1

#### For example:

Input	Result
7	2
10	1

## Program:

```
a=int(input())
for i in range(2,a):
    if(a%2==0):
        flag=0
    elif(a%i!=0):
        flag=1
    else:
        flag=0
if(flag==1):
    print("2")
elif(flag==0):
    print("1")
```

	Input	Expected	Got	
~	7	2	2	~
~	10	1	1	~

Passed all tests! ✓

#### Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 4.4 Date:24.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Next Perfect Square**

Given a number N, find the next perfect square greater than N. Input

Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

## Program:

```
a=int(input())
c=[]
for i in range(0,a):
    b=i**2
    if(b>a):
        c.append(b)
print(c[0])
```

	Input	Expected	Got		
~	10	16	16	<b>~</b>	
Passed all tests! ✓					
Correct Marks for this submission: 1.00/1.00.					

Ex. No. : 4.5 Date:24.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Nth Fibonacci**

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like – 0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.



Ex. No. : 4.6 Date:24.4.24

Register No.:231501186 Name:VISHNU SELVAM

### **Disarium Number**

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

**Output Format:** 

Yes or No.

Example Input:

175

Output:

Yes

Explanation

 $1^1 + 7^2 + 5^3 = 175$ 

Example Input:

123

Output:

No

For example:

Inp Res ut ult 175 Yes 123 No

import math

### Program:

```
n=int(input())
a=len(str(n))
sum=0
x=n
while(x!=0):
    r=x%10
    sum=int(sum+math.pow(r,a))
a-=1
    x=x//10
if(sum==n):
    print("Yes")
else:
    print("No")
```



Ex. No. : 4.7

Date:24.4.24

Register No.:231501186

Name: VISHNU SELVAM

#### **Sum of Series**

Write a program to find the sum of the series 1+11+111+1111+...+n terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms. 1 +

11 + 111 + 1111

Test Case 2

Input

6

Output

123456

#### For example:

Input	Result
3	123

## Program:


n=int(input())

b=1

sum=0

for i in range(1,n+1):

```
sum+=b
b=(b*10)+1
print(sum)
```



Ex. No. : 4.8 Date:24.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Unique Digit Count**

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

#### For example:

Input	Result
292	2
1015	3

### Program:

a=int(input())

b=[]

while a>0:

c=a%10

a=a//10

b.append(c)

b=list(set(b))

print(len(b))

	Input	Expected	Got	
~	292	2	2	~
~	1015	3	3	~
~	123	3	3	~
Passed all tests! ✔				
Correct Marks for this submission: 1.00/1.00.				

Ex. No. : 4.9 Date:24.4.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Product of single digit**

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

**Input Format:** 

Single Integer input.

Output Format:

Output displays Yes if condition satisfies else prints No.

Example Input:

14

Output:

Yes

Example Input:

13

Output:

No

#### Program:

```
a=int(input())
flag=0
for i in range(10): for
    j in range(10):
        if(i*j==a):
            flag=1
            break
if(flag==1):
        print("Yes")
else:
    print("No")
```



Ex. No. : 4.10 Date: 1.5.24

Register No.:231501186 Name:VISHNU SELVAM

#### **Perfect Square After adding One**

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format: Single

integer input. Output

Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

For example:

Input	Resul t
24	Yes

## Program:

import math

n=int(input()) a=n+1

sr=int(math.sqrt(a))

```
if(sr*sr==a):
    print("Yes")
else:
    print("No")
```

