

Case Study 2: E-Learning Platform (Course Enrollment)

Scenario:

A student logs into an e-learning site, views available courses, and enrolls in some.

Elearning.js

```
import React, { useState } from "react";

function CourseCard(props) {

  return (

    <div style={{ border: "1px solid gray", padding: "10px", margin: "10px" }}>

      <h3>{props.course.title}</h3>

      <p>Author: {props.course.author}</p>

      <p>Duration: {props.course.duration}</p>

      <button onClick={() => props.enrollCourse(props.course)}>

        {props.enrolled ? "Already Enrolled" : "Enroll"}

      </button>

    </div>

  );

}

const ELearning = () => {

  const [enrolledCourses, setEnrolledCourses] = useState([]);

  const courses = [

    { id: 1, title: "React Basics", author: "John Doe", duration: "3h" },

    { id: 2, title: "Advanced JavaScript", author: "Jane Smith", duration: "4h" },

    { id: 3, title: "SQL for Beginners", author: "Vishnu Babu", duration: "2h" },

  ];

  const enrollCourse = (course) => {

    if (!enrolledCourses.find((c) => c.id === course.id)) {

      setEnrolledCourses([...enrolledCourses, course]);

    }

  };

  return (

    <div style={{ padding: "20px" }}>
```

```

<h2>E-Learning Platform</h2>

<div style={{ display: "flex" }}>

  <div style={{ flex: 1 }}>

    <h3>Available Courses</h3>

    {courses.map((course) => (

      <CourseCard

        key={course.id}

        course={course}

        enrollCourse={enrollCourse}

        enrolled={enrolledCourses.some((c) => c.id === course.id)}

      />

    ))}

  </div>

  <div style={{ flex: 1, marginLeft: "20px" }}>

    <h3>Enrolled Courses</h3>

    {enrolledCourses.length === 0 ? (

      <p>No courses enrolled</p>

    ) : (

      enrolledCourses.map((c) => <p key={c.id}>{c.title}</p>)

    )}

  </div>

</div>

</div>

);

};

export default ELearning;

```

App.js

```

import ELearning from "./components/ELearning";

function App() {

  return (

    <div className="App">

```

```
<ELearning />

  </div>

);
}

export default App;
```