

Case Study 4: Fitness Tracker Dashboard

Scenario:

A fitness app tracks user workouts (steps, calories burned, water intake).

FitnessTracker.js

```
import React, { useState } from "react";

function StepsTracker(props) {
  return (
    <div style={{ border: "1px solid blue", padding: "10px", margin: "10px" }}>
      <h3>Steps Tracker</h3>
      <p>Steps: {props.steps}</p>
      <button onClick={props.addSteps}>Add 1000 Steps</button>
    </div>
  );
}

function CaloriesTracker(props) {
  return (
    <div style={{ border: "1px solid red", padding: "10px", margin: "10px" }}>
      <h3>Calories Tracker</h3>
      <p>Calories Burned: {props.calories}</p>
      <button onClick={props.burnCalories}>Burn 50 Calories</button>
    </div>
  );
}

function WaterTracker(props) {
  return (
    <div style={{ border: "1px solid green", padding: "10px", margin: "10px" }}>
      <h3>Water Tracker</h3>
      <p>Glasses of Water: {props.water}</p>
      <button onClick={props.addWater}>Add 1 Glass</button>
    </div>
  );
}
```

```

    );
  }

const FitnessTracker = () => {
  const [steps, setSteps] = useState(0);
  const [calories, setCalories] = useState(0);
  const [water, setWater] = useState(0);
  const addSteps = () => setSteps(steps + 1000);
  const burnCalories = () => setCalories(calories + 50);
  const addWater = () => setWater(water + 1);

  return (
    <div style={{ padding: "20px" }}>
      <h2> Fitness Tracker Dashboard</h2>
      <div style={{ display: "flex" }}>
        <StepsTracker steps={steps} addSteps={addSteps} />
        <CaloriesTracker calories={calories} burnCalories={burnCalories} />
        <WaterTracker water={water} addWater={addWater} />
      </div>
      <div style={{ marginTop: "20px", borderTop: "2px solid black", paddingTop: "10px" }}>
        <h3>Summary</h3>
        <p>Total Steps: {steps}</p>
        <p>Total Calories Burned: {calories}</p>
        <p>Total Water Intake: {water} Glasses</p>
      </div>
    </div>
  );
};

export default FitnessTracker;

```

App.js

```

import FitnessTracker from "../components/FitnessTracker";

function App() {
  return (
    <div className="App">

```

```
<FitnessTracker />

  </div>

);
}

export default App;
```