AI Knowledge MCQ Bank

1750 Multiple-Choice Questions — with Answers & Explanations

AI Fundamentals & Literacy

1. The 'AI winter' refers to:

Difficulty: Medium

A. The season when data centres are cooled
B. The shutdown of early internet services
C. A famous AI conference held annually
D. Periods of reduced funding and interest in AI research

Correct Answer: D

Explanation: Option D is correct — Periods of reduced funding and interest in AI research. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

2. Symbolic (rule-based) AI differs from machine learning mainly in that it:

Difficulty: Medium

A. Requires GPUs to run
B. Cannot be used for reasoning
C. Relies on hand-written rules rather than patterns learned from data
D. Always produces more accurate results

Correct Answer: C

Explanation: Option C is correct — Relies on hand-written rules rather than patterns learned from data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

3. An expert system from the 1980s such as MYCIN worked mainly by:

Difficulty: Medium

A. Searching the web in real time
B. Applying human-written IF-THEN rules to reach conclusions
C. Training a deep neural network on millions of images
D. Learning from user feedback automatically

Correct Answer: B

Explanation: Option B is correct — Applying human-written IF-THEN rules to reach conclusions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

4. Which best distinguishes 'data' from 'information' in an AI context?

Difficulty: Medium

A. Information is stored on disks; data is stored in the cloud
B. Data is always numeric; information is always text
C. Data is raw facts; information is data organised to be meaningful
D. There is no difference

Correct Answer: C

Explanation: Option C is correct — Data is raw facts; information is data organised to be meaningful. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

5. The Chinese Room argument (Searle) challenges the idea that:

Difficulty: Medium

A. Manipulating symbols correctly is the same as understanding them

B. Computers can play chess

C. Neural networks can be trained on text

D. AI can be used in translation

Correct Answer: A

Explanation: Option A is correct — Manipulating symbols correctly is the same as understanding them. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

6. Which statement about AI 'intelligence' is most accurate?

Difficulty: Medium

A. Current AI excels at specific tasks but lacks general common-sense reasoning

B. AI systems today are conscious

C. AI cannot outperform humans on any task

D. AI has fully replicated human cognition

Correct Answer: A

Explanation: Option A is correct — Current AI excels at specific tasks but lacks general common-sense reasoning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

7. Which factor most directly caused the rapid progress of AI after ~2012?

Difficulty: Medium

A. Availability of large datasets, cheaper compute and better neural network methods

B. Invention of the transistor

C. Discovery of the Internet Protocol

D. Adoption of the metric system

Correct Answer: A

Explanation: Option A is correct — Availability of large datasets, cheaper compute and better neural network methods. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

8. In AI terminology, 'inference' means:

Difficulty: Medium

A. Compressing a model to save space

B. Using a trained model to make predictions on new inputs

C. The process of collecting training data

D. Writing the documentation for a model

Correct Answer: B

Explanation: Option B is correct — Using a trained model to make predictions on new inputs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

9. What is a 'foundation model'?

Difficulty: Medium

A. A small model used for unit testing

B. A large model trained on broad data that can be adapted to many tasks

C. A model that only works in the financial sector

D. The first model ever built by a company

Correct Answer: B

Explanation: Option B is correct — A large model trained on broad data that can be adapted to many tasks. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

10. 'Human-in-the-loop' refers to:

Difficulty: Medium

A. Running AI inside a wearable device

B. Training AI only on human faces

C. Replacing all human staff with AI

D. Involving people to review or correct AI decisions

Correct Answer: D

Explanation: Option D is correct — Involving people to review or correct AI decisions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

11. Which situation is best suited for a rule-based system rather than machine learning?

Difficulty: Medium

A. Detecting sarcasm in tweets

B. Applying a fixed tax rate table to invoices

C. Recognising handwritten postcodes

D. Classifying photos of animals

Correct Answer: B

Explanation: Option B is correct — Applying a fixed tax rate table to invoices. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

12. Which scenario is an example of AI being used for prediction rather than generation?

Difficulty: Medium

A. Estimating next month's electricity demand

B. Writing a product description

C. Drawing a logo

D. Composing background music

Correct Answer: A

Explanation: Option A is correct — Estimating next month's electricity demand. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

13. The phrase 'garbage in, garbage out' in AI highlights that:

Difficulty: Medium

A. Model quality depends heavily on the quality of the input data

B. Models should be trained on discarded data

C. Output must always be deleted after use

D. Recycling is required for GPU hardware

Correct Answer: A

Explanation: Option A is correct — Model quality depends heavily on the quality of the input data. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

14. Why is 'explainability' important in AI systems?

Difficulty: Medium

A. It makes models run faster

B. It helps users and regulators understand why a decision was made

C. It reduces electricity consumption

D. It replaces the need for testing

Correct Answer: B

Explanation: Option B is correct — It helps users and regulators understand why a decision was made. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

15. Which of these is a multimodal AI capability?

Difficulty: Medium

A. Answering questions about an uploaded image

B. Pinging a server

C. Sorting a list of numbers

D. Encrypting a message

Correct Answer: A

Explanation: Option A is correct — Answering questions about an uploaded image. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

16. A 'digital twin' in industrial AI is:

Difficulty: Medium

A. A backup of the company website

B. Two AI chatbots talking to each other

C. A second copy of an employee's laptop

D. A virtual model of a physical asset used for simulation and monitoring

Correct Answer: D

Explanation: Option D is correct — A virtual model of a physical asset used for simulation and monitoring. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

17. What is 'edge AI'?

Difficulty: Medium

A. The most advanced AI research

B. AI that only works on the edges of images

C. Running AI models on local devices rather than in centralised data centres

D. AI used exclusively by startups

Correct Answer: C

Explanation: Option C is correct — Running AI models on local devices rather than in centralised data centres. This directly matches what the question is asking about. The remaining options (A, B, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

18. The Dartmouth workshop of 1956 is significant because it:

Difficulty: Medium

A. Coined the term 'artificial intelligence' and launched AI as a research field

B. Introduced the internet

C. Produced the first neural network chip

D. Standardised the Python language

Correct Answer: A

Explanation: Option A is correct — Coined the term 'artificial intelligence' and launched AI as a research field. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

19. Which best describes 'machine perception'?

Difficulty: Medium

A. Compiling source code

B. Rendering fonts on screen

C. Interpreting sensory input such as images, sound or touch by a computer

D. Storing files on a server

Correct Answer: C

Explanation: Option C is correct — Interpreting sensory input such as images, sound or touch by a computer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

20. A 'knowledge graph' represents information as:

Difficulty: Medium

A. A flat list of strings

B. Entities connected by typed relationships

C. Pixels in an image

D. Rows in a spreadsheet only

Correct Answer: B

Explanation: Option B is correct — Entities connected by typed relationships. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

21. Which is a correct pairing of AI task and typical technique?

Difficulty: Medium

A. Speech synthesis — decision stumps

B. Text generation — k-means clustering

C. Fraud detection — image diffusion

D. Object detection — convolutional networks

Correct Answer: D

Explanation: Option D is correct — Object detection — convolutional networks. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

22. 'Narrow AI' systems typically fail when:

Difficulty: Medium

A. The dataset is large

B. Faced with inputs outside the task or distribution they were built for

C. The prompt is in English

D. They are given a GPU

Correct Answer: B

Explanation: Option B is correct — Faced with inputs outside the task or distribution they were built for. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

23. Which description of a 'heuristic' in AI is correct?

Difficulty: Medium

A. A hardware component

B. A type of database

C. A guaranteed optimal algorithm

D. A practical rule of thumb that finds good-enough solutions quickly

Correct Answer: D

Explanation: Option D is correct — A practical rule of thumb that finds good-enough solutions quickly. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

24. A* search is an example of:

Difficulty: Medium

A. Image compression

B. Gradient descent

C. Unsupervised clustering

D. Informed search using a heuristic to guide exploration

Correct Answer: D

Explanation: Option D is correct — Informed search using a heuristic to guide exploration. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

25. In the context of AI, 'ground truth' means:

Difficulty: Medium

A. The user's first prompt

B. The location of the data centre

C. The verified correct answer against which predictions are compared

D. The model's initial weights

Correct Answer: C

Explanation: Option C is correct — The verified correct answer against which predictions are compared. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

26. Which statement about AI and 'big data' is most accurate?

Difficulty: Medium

A. AI does not use data

B. Big data replaced the need for algorithms

C. More data always fixes any model

D. Large, diverse datasets enabled many modern AI advances, but data quality still matters

Correct Answer: D

Explanation: Option D is correct — Large, diverse datasets enabled many modern AI advances, but data quality still matters. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

27. 'Structured' vs 'unstructured' data differ in that:

Difficulty: Medium

A. Unstructured data is always smaller

B. Structured data fits a fixed schema (tables); unstructured includes text, images and audio

C. Structured data cannot be used by AI

D. Unstructured data is stored only on paper

Correct Answer: B

Explanation: Option B is correct — Structured data fits a fixed schema (tables); unstructured includes text, images and audio. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

28. A 'recommendation system' using collaborative filtering relies on:

Difficulty: Medium

A. Patterns in the behaviour of many users to suggest items

B. The user's device model

C. The colour of the product images

D. Manual curation only

Correct Answer: A

Explanation: Option A is correct — Patterns in the behaviour of many users to suggest items. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

29. Which of these is an appropriate task for optical character recognition (OCR)?

Difficulty: Medium

A. Playing chess

B. Predicting stock prices

C. Extracting text from scanned invoices

D. Compressing audio

Correct Answer: C

Explanation: Option C is correct — Extracting text from scanned invoices. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

30. The 'Bitter Lesson' (Sutton) argues that:

Difficulty: Medium

A. AI progress has stopped

B. General methods leveraging computation tend to outperform hand-engineered human knowledge over time

C. Hand-coded rules always win

D. Smaller models are always better

Correct Answer: B

Explanation: Option B is correct — General methods leveraging computation tend to outperform hand-engineered human knowledge over time. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

31. 'Robotic Process Automation' (RPA) differs from AI in that RPA:

Difficulty: Medium

A. Learns from data continuously

B. Cannot interact with software

C. Follows scripted rules to automate repetitive software tasks without learning

D. Requires a neural network

Correct Answer: C

Explanation: Option C is correct — Follows scripted rules to automate repetitive software tasks without learning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

32. Which of these is an example of AI in healthcare?

Difficulty: Medium

A. Scheduling shifts on a paper roster

B. Flagging suspicious regions in radiology images for review

C. Sterilising surgical tools

D. Printing prescriptions

Correct Answer: B

Explanation: Option B is correct — Flagging suspicious regions in radiology images for review. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

33. What is 'sentiment analysis'?

Difficulty: Medium

A. Determining the emotional tone of text, such as positive or negative

B. Counting words in a document

C. Translating slang

D. Measuring the temperature of a server

Correct Answer: A

Explanation: Option A is correct — Determining the emotional tone of text, such as positive or negative. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

34. Why are benchmarks like ImageNet historically important?

Difficulty: Medium

A. They provided a standard large dataset that drove and measured progress in computer vision

B. They replaced the need for GPUs

C. They contained only text

D. They were the first databases

Correct Answer: A

Explanation: Option A is correct — They provided a standard large dataset that drove and measured progress in computer vision. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

35. A 'model's parameters' are learned, whereas its 'architecture' is:

Difficulty: Medium

A. The user interface

B. Also learned from data automatically

C. The design of layers and connections chosen before training

D. The dataset it trains on

Correct Answer: C

Explanation: Option C is correct — The design of layers and connections chosen before training. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

36. In AI literacy, recognising 'anthropomorphism' means:

Difficulty: Medium

A. Using AI to study humans

B. Naming a model after a person

C. Building humanoid robots

D. Noticing when we attribute human-like understanding or feelings to a system that lacks them

Correct Answer: D

Explanation: Option D is correct — Noticing when we attribute human-like understanding or feelings to a system that lacks them. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

37. Which describes 'autonomous vehicles' at SAE Level 2?

Difficulty: Medium

A. Vehicles controlled remotely by an operator

B. Full self-driving with no human needed

C. Partial automation where the driver must stay engaged and monitor

D. No automation at all

Correct Answer: C

Explanation: Option C is correct — Partial automation where the driver must stay engaged and monitor. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

38. Which is the key difference between a search engine and an LLM chat assistant?

Difficulty: Medium

A. A search engine retrieves existing documents; an LLM generates new text from learned patterns

B. A search engine cannot index text

C. They are identical

D. An LLM cannot answer questions

Correct Answer: A

Explanation: Option A is correct — A search engine retrieves existing documents; an LLM generates new text from learned patterns. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

39. 'Compute' in AI conversations usually refers to:

Difficulty: Medium

A. The size of the source code

B. The processing power (typically GPUs/TPUs) used to train and run models

C. The number of employees

D. The office electricity bill

Correct Answer: B

Explanation: Option B is correct — The processing power (typically GPUs/TPUs) used to train and run models. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

40. Which of the following is an AI 'modality'?

Difficulty: Medium

A. Bandwidth

B. Firmware

C. Latency

D. Audio

Correct Answer: D

Explanation: Option D is correct — Audio. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

41. 'Personalisation' via AI raises which trade-off?

Difficulty: Medium

A. Speed versus colour

B. Relevance for the user versus privacy and filter-bubble effects

C. Cost versus keyboard layout

D. Storage versus font size

Correct Answer: B

Explanation: Option B is correct — Relevance for the user versus privacy and filter-bubble effects. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

42. What is a 'chatbot fallback' response?

Difficulty: Medium

A. A default reply used when the system cannot understand the request

B. The system prompt

C. A crash log

D. The bot's first message

Correct Answer: A

Explanation: Option A is correct — A default reply used when the system cannot understand the request. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

43. Which is the best description of 'AI model drift' for a business user?

Difficulty: Medium

A. The model moving to another server
B. The model gaining new features automatically
C. A model's performance declining over time as real-world conditions change
D. A change in the model's logo

Correct Answer: C

Explanation: Option C is correct — A model's performance declining over time as real-world conditions change. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

44. Which term describes a system that adapts its behaviour from new data after deployment?

Difficulty: Medium

A. Static rule engine
B. Firmware update
C. Online (continual) learning
D. Batch printing

Correct Answer: C

Explanation: Option C is correct — Online (continual) learning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

45. 'Digital assistants' like Siri combine which AI components?

Difficulty: Medium

A. Only a database lookup
B. Only a spreadsheet
C. Speech recognition, language understanding and text-to-speech
D. Only image recognition

Correct Answer: C

Explanation: Option C is correct — Speech recognition, language understanding and text-to-speech. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

46. An AI system described as 'probabilistic' means it:

Difficulty: Medium

A. Produces outputs with associated likelihoods rather than certainties
B. Runs only on probability textbooks
C. Always gives the same output
D. Cannot make mistakes

Correct Answer: A

Explanation: Option A is correct — Produces outputs with associated likelihoods rather than certainties. This directly matches what the question is asking about. The remaining options (B, C, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

47. Which of these is a realistic near-term limitation of AI in the workplace?

Difficulty: Medium

A. Handling novel situations that require judgement and accountability
B. Typing quickly
C. Summarising documents
D. Translating text

Correct Answer: A

Explanation: Option A is correct — Handling novel situations that require judgement and accountability. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

48. The 'Lighthill Report' (1973) is remembered for:

Difficulty: Medium

A. Creating the GPU
B. Launching the first chatbot
C. Criticising AI research and contributing to reduced funding in the UK
D. Inventing backpropagation

Correct Answer: C

Explanation: Option C is correct — Criticising AI research and contributing to reduced funding in the UK. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

49. 'ELIZA' (1966) demonstrated that:

Difficulty: Medium

A. Speech recognition was solved
B. Computers could pass every Turing Test
C. Simple pattern-matching could create an illusion of understanding in users
D. Neural networks were practical

Correct Answer: C

Explanation: Option C is correct — Simple pattern-matching could create an illusion of understanding in users. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

50. IBM's Deep Blue defeating Kasparov (1997) mainly relied on:

Difficulty: Medium

A. Large language models
B. Deep neural networks
C. Brute-force search with hand-tuned evaluation functions
D. Reinforcement learning from self-play

Correct Answer: C

Explanation: Option C is correct — Brute-force search with hand-tuned evaluation functions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

51. AlphaGo's approach differed from Deep Blue's mainly by:

Difficulty: Medium

A. Combining deep neural networks with tree search and self-play learning

B. Using only hand-written rules

C. Using no search at all

D. Running on a single laptop

Correct Answer: A

Explanation: Option A is correct — Combining deep neural networks with tree search and self-play learning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

52. Which is the most accurate description of how AI 'learns'?

Difficulty: Medium

A. Adjusting internal parameters to reduce error on training examples

B. Memorising a textbook

C. Copying the user's behaviour once

D. Being programmed with every possible answer

Correct Answer: A

Explanation: Option A is correct — Adjusting internal parameters to reduce error on training examples. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

53. In discussing AI risks, 'misuse' differs from 'accident' in that misuse involves:

Difficulty: Medium

A. Bugs in the training code

B. Random hardware failure

C. Deliberate harmful application by a person

D. Poor documentation

Correct Answer: C

Explanation: Option C is correct — Deliberate harmful application by a person. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

54. An 'API' in the context of AI services is:

Difficulty: Medium

A. A training dataset

B. A physical port on the GPU

C. A user login page

D. A programmatic interface that lets software send requests to a model and receive outputs

Correct Answer: D

Explanation: Option D is correct — A programmatic interface that lets software send requests to a model and receive outputs. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

55. Which activity is 'data labelling'?

Difficulty: Medium

A. Humans annotating examples with the correct category or answer

B. Deleting duplicates

C. Compressing the dataset

D. Encrypting the dataset

Correct Answer: A

Explanation: Option A is correct — Humans annotating examples with the correct category or answer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

56. 'Smart' devices with AI on-device (e.g. camera phones) benefit from local inference because it:

Difficulty: Medium

A. Increases battery life indefinitely

B. Reduces latency and keeps personal data on the device

C. Makes the device heavier

D. Requires no model at all

Correct Answer: B

Explanation: Option B is correct — Reduces latency and keeps personal data on the device. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

57. Which statement about AI 'creativity' is most defensible?

Difficulty: Medium

A. AI has no ability to produce novel outputs

B. AI can only copy existing works exactly

C. Generative models recombine learned patterns in novel ways, but whether this is creativity is debated

D. AI creativity is identical to human creativity

Correct Answer: C

Explanation: Option C is correct — Generative models recombine learned patterns in novel ways, but whether this is creativity is debated. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

58. Which is an example of AI used in agriculture?

Difficulty: Medium

A. Detecting crop disease from drone imagery

B. Manually planting seeds

C. Designing tractor tyres

D. Writing farming laws

Correct Answer: A

Explanation: Option A is correct — Detecting crop disease from drone imagery. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

59. The phrase 'stochastic parrot' was coined to argue that:

Difficulty: Medium

A. LLMs produce plausible language by statistical patterns without genuine understanding

B. LLMs are deterministic

C. Parrots can be trained as LLMs

D. LLMs are conscious

Correct Answer: A

Explanation: Option A is correct — LLMs produce plausible language by statistical patterns without genuine understanding. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

60. 'Data-centric AI' emphasises:

Difficulty: Medium

A. Building bigger models only

B. Improving data quality and labelling over endlessly tweaking model architecture

C. Using only synthetic data

D. Ignoring data entirely

Correct Answer: B

Explanation: Option B is correct — Improving data quality and labelling over endlessly tweaking model architecture. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

61. Which is a correct statement about AI and jobs based on economic research so far?

Difficulty: Medium

A. AI tends to change tasks within jobs rather than eliminating whole occupations uniformly

B. AI has had no effect on any job

C. AI only affects manual labour

D. AI has eliminated all clerical jobs

Correct Answer: A

Explanation: Option A is correct — AI tends to change tasks within jobs rather than eliminating whole occupations uniformly. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

62. A 'simulation environment' is used in AI to:

Difficulty: Medium

A. Design the user interface

B. Train and test agents safely and cheaply before real-world deployment

C. Store the model weights

D. Print reports

Correct Answer: B

Explanation: Option B is correct — Train and test agents safely and cheaply before real-world deployment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

63. Which of these is a 'foundation model' modality beyond text?

Difficulty: Medium

A. Protein structure prediction models

B. Spreadsheet macros

C. HTML parsers

D. Email clients

Correct Answer: A

Explanation: Option A is correct — Protein structure prediction models. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

64. 'Prompt' and 'query' differ in that a prompt:

Difficulty: Medium

A. Is only used with search engines

B. Must be in English

C. Can include instructions, context and examples, not just a question

D. Is always shorter

Correct Answer: C

Explanation: Option C is correct — Can include instructions, context and examples, not just a question. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

65. Which is an appropriate everyday AI-literacy habit?

Difficulty: Medium

A. Asking where an AI output's information came from before acting on it

B. Sharing AI outputs without reading them

C. Using AI only when offline

D. Believing any output written in a confident tone

Correct Answer: A

Explanation: Option A is correct — Asking where an AI output's information came from before acting on it. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

66. The 'Common Crawl' dataset is significant because:

Difficulty: Medium

A. It is a private company database

B. It contains only images

C. It is used only for robotics

D. It is a large web-scraped corpus widely used in LLM pre-training

Correct Answer: D

Explanation: Option D is correct — It is a large web-scraped corpus widely used in LLM pre-training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

67. Why do companies talk about 'AI adoption' as a change-management problem?

Difficulty: Medium

A. Employees never need training

B. AI installs itself

C. Value depends on workflows, skills and trust, not just installing tools

D. Tools have no learning curve

Correct Answer: C

Explanation: Option C is correct — Value depends on workflows, skills and trust, not just installing tools. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

68. 'Tokens per second' is a measure of:

Difficulty: Medium

A. Inference throughput or generation speed

B. Model accuracy

C. Network bandwidth

D. Training data size

Correct Answer: A

Explanation: Option A is correct — Inference throughput or generation speed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

69. What does 'open source' mean when applied to AI models?

Difficulty: Medium

A. The model is free of bugs

B. The training data is deleted

C. The model has no licence

D. Model weights (and sometimes code and data) are released under a licence permitting reuse

Correct Answer: D

Explanation: Option D is correct — Model weights (and sometimes code and data) are released under a licence permitting reuse. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

70. Which is a common misconception about AI?

Difficulty: Medium

A. That it 'understands' text the way humans do

B. That it requires data

C. That it uses computation

D. That it can make mistakes

Correct Answer: A

Explanation: Option A is correct — That it 'understands' text the way humans do. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

71. 'Transfer' of AI capability from lab benchmarks to real deployments is often limited by:

Difficulty: Medium

A. Lack of keyboards

B. Too few programming languages

C. The colour of dashboards

D. Messy data, edge cases and integration with existing systems

Correct Answer: D

Explanation: Option D is correct — Messy data, edge cases and integration with existing systems. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

72. A 'chat interface' hides which important fact about the underlying LLM?

Difficulty: Medium

A. It uses electricity

B. It was trained on data

C. It processes text

D. It has no persistent memory of you unless the product adds one

Correct Answer: D

Explanation: Option D is correct — It has no persistent memory of you unless the product adds one. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

73. Which best explains why AI can be both 'superhuman' and 'sub-human' at once?

Difficulty: Medium

A. It alternates randomly

B. It can exceed humans on narrow tasks while failing at basic common sense

C. It is always superhuman

D. It is never better than humans

Correct Answer: B

Explanation: Option B is correct — It can exceed humans on narrow tasks while failing at basic common sense. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

74. 'Compute-optimal' training (e.g. Chinchilla findings) suggests that:

Difficulty: Medium

A. Model size and training data should be scaled together for a given compute budget

B. Only data matters

C. Only model size matters

D. Compute is irrelevant

Correct Answer: A

Explanation: Option A is correct — Model size and training data should be scaled together for a given compute budget. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

75. Which describes 'general-purpose technology' as economists apply it to AI?

Difficulty: Medium

A. A technology with broad applicability that can transform many sectors, like electricity

B. A tool used by one company

C. A patented algorithm

D. A consumer gadget

Correct Answer: A

Explanation: Option A is correct — A technology with broad applicability that can transform many sectors, like electricity. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

76. The 'frame problem' in classical AI refers to the difficulty of:

Difficulty: Hard

A. Fitting a model into a fixed memory frame

B. Rendering images at high frame rates

C. Determining which facts remain unchanged after an action without listing them all

D. Choosing the border of a photograph

Correct Answer: C

Explanation: Option C is correct — Determining which facts remain unchanged after an action without listing them all. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

77. The 'no free lunch' theorem implies that:

Difficulty: Hard

A. Free AI tools are never useful

B. No single algorithm is best across all possible problems

C. All algorithms have equal runtime

D. Any model can be trained without data

Correct Answer: B

Explanation: Option B is correct — No single algorithm is best across all possible problems. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

78. Moravec's paradox observes that:

Difficulty: Hard

A. Tasks easy for humans (perception, movement) are often hard for AI, while abstract reasoning can be easier

B. Chess is harder for computers than image recognition

C. Robots cannot ever learn to walk

D. AI is always faster than humans at everything

Correct Answer: A

Explanation: Option A is correct — Tasks easy for humans (perception, movement) are often hard for AI, while abstract reasoning can be easier. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

79. Which best characterises 'scaling laws' in modern AI?

Difficulty: Hard

A. Compute has no effect on model quality

B. Predictable improvements in loss as model size, data and compute increase

C. Smaller models are always more accurate

D. Models always get worse with more data

Correct Answer: B

Explanation: Option B is correct — Predictable improvements in loss as model size, data and compute increase. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

80. What is 'emergent behaviour' in the context of large models?

Difficulty: Hard

A. Behaviour that is hard-coded by engineers

B. Bugs introduced during deployment

C. Any output produced faster than expected

D. Capabilities that appear at scale without being explicitly trained for

Correct Answer: D

Explanation: Option D is correct — Capabilities that appear at scale without being explicitly trained for. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

81. The 'alignment problem' in AI concerns:

Difficulty: Hard

A. Aligning text in a user interface

B. Formatting datasets into columns

C. Synchronising GPU clocks

D. Ensuring AI systems pursue goals that match human intentions and values

Correct Answer: D

Explanation: Option D is correct — Ensuring AI systems pursue goals that match human intentions and values. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

82. Which of these best describes 'weak' vs 'strong' AI as philosophical positions?

Difficulty: Hard

A. Weak AI refers to buggy software

B. Strong AI is any model over 1 billion parameters

C. Strong AI claims a suitably programmed machine can genuinely have a mind; weak AI claims it can only simulate one

D. Weak AI runs on laptops; strong AI runs on servers

Correct Answer: C

Explanation: Option C is correct — Strong AI claims a suitably programmed machine can genuinely have a mind; weak AI claims it can only simulate one. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

83. A key limitation of the Turing Test as a measure of intelligence is that it:

Difficulty: Hard

A. Rewards imitation of human conversation rather than genuine understanding or capability

B. Cannot be run on modern hardware

C. Only tests numerical skills

D. Requires the machine to play chess

Correct Answer: A

Explanation: Option A is correct — Rewards imitation of human conversation rather than genuine understanding or capability. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

84. Which statement about compute for training frontier AI models is most accurate?

Difficulty: Hard

A. All frontier models are trained on a single laptop

B. Compute requirements are irrelevant to model quality

C. Training compute has grown by orders of magnitude, making energy and hardware access strategic concerns

D. Training compute has stayed constant since 2010

Correct Answer: C

Explanation: Option C is correct — Training compute has grown by orders of magnitude, making energy and hardware access strategic concerns. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

85. Which is an example of 'AI winter'-era overpromising that damaged the field?

Difficulty: Hard

A. The release of ChatGPT in 2022

B. Predictions in the 1960s that machine translation would be solved within a few years

C. The publication of the transformer paper

D. The launch of the first GPU

Correct Answer: B

Explanation: Option B is correct — Predictions in the 1960s that machine translation would be solved within a few years. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

86. The distinction between 'System 1' and 'System 2' thinking is sometimes applied to AI to describe:

Difficulty: Hard

A. Training versus deployment servers

B. Fast pattern-matching responses versus slower deliberate reasoning

C. Text versus image models

D. Two versions of an operating system

Correct Answer: B

Explanation: Option B is correct — Fast pattern-matching responses versus slower deliberate reasoning. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

87. What is 'AI sovereignty' as a policy concept?

Difficulty: Hard

A. The right of a model to refuse queries

B. The legal personhood of AI systems

C. A nation's ability to develop and control AI capabilities and infrastructure domestically

D. A licence to sell AI products

Correct Answer: C

Explanation: Option C is correct — A nation's ability to develop and control AI capabilities and infrastructure domestically. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

88. 'Compute governance' is proposed as an AI policy lever because:

Difficulty: Hard

A. Compute is unrelated to model capability

B. It is the only way to stop spam email

C. Advanced chips are a scarce, trackable input to training the most capable models

D. Software is impossible to regulate

Correct Answer: C

Explanation: Option C is correct — Advanced chips are a scarce, trackable input to training the most capable models. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

89. Which is the most accurate statement about 'AI consciousness' today?

Difficulty: Hard

A. Consciousness is guaranteed above a parameter threshold

B. There is no scientific consensus or evidence that current AI systems are conscious

C. All large models are widely agreed to be conscious

D. It has been definitively proven impossible

Correct Answer: B

Explanation: Option B is correct — There is no scientific consensus or evidence that current AI systems are conscious. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

90. The term 'sociotechnical system' applied to AI emphasises that:

Difficulty: Hard

A. Technical performance is the only thing that matters

B. Outcomes depend on the interaction of technology with people, organisations and institutions

C. AI cannot be used in society

D. AI should be built only by social scientists

Correct Answer: B

Explanation: Option B is correct — Outcomes depend on the interaction of technology with people, organisations and institutions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

91. Why is the 'paperclip maximiser' thought experiment used in AI discussions?

Difficulty: Hard

A. To explain how tokenisers work

B. To demonstrate GPU efficiency

C. To show that AI is good at office tasks

D. To illustrate how a system optimising a narrow goal without value constraints could cause large-scale harm

Correct Answer: D

Explanation: Option D is correct — To illustrate how a system optimising a narrow goal without value constraints could cause large-scale harm. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

92. Which insight from Chinchilla scaling contradicted earlier practice?

Difficulty: Hard

A. Smaller models always beat larger ones

B. Many large models were undertrained on too little data relative to their parameter count

C. Compute cannot be measured

D. Data has no effect past 1 billion tokens

Correct Answer: B

Explanation: Option B is correct — Many large models were undertrained on too little data relative to their parameter count. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

93. 'Goodhart's law' applied to AI benchmarks warns that:

Difficulty: Hard

A. Benchmarks are always accurate

B. Once a benchmark becomes a target, optimising for it can stop reflecting real capability

C. Models refuse benchmarks

D. Benchmarks cannot be measured

Correct Answer: B

Explanation: Option B is correct — Once a benchmark becomes a target, optimising for it can stop reflecting real capability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

94. The distinction between 'capability' and 'propensity' in AI evaluation refers to:

Difficulty: Hard

A. Training versus inference

B. Cost versus latency

C. Speed versus size

D. What a model can do when pushed versus what it tends to do by default

Correct Answer: D

Explanation: Option D is correct — What a model can do when pushed versus what it tends to do by default. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

95. 'Instrumental convergence' is the hypothesis that:

Difficulty: Hard

A. Instruments are needed to measure AI

B. All models converge to the same weights

C. Convergence guarantees safety

D. Diverse goals may lead capable agents to pursue similar sub-goals such as acquiring resources

Correct Answer: D

Explanation: Option D is correct — Diverse goals may lead capable agents to pursue similar sub-goals such as acquiring resources. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

96. Which is the strongest argument that the Turing Test is not a good target for AI research?

Difficulty: Hard

A. It incentivises deception and human-mimicry rather than useful or truthful capability

B. It is too easy for any modern chatbot

C. It requires expensive hardware

D. It cannot be run in English

Correct Answer: A

Explanation: Option A is correct — It incentivises deception and human-mimicry rather than useful or truthful capability. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

97. 'Compute thresholds' in AI regulation (e.g. training FLOP limits) are criticised because:

Difficulty: Hard

A. Thresholds are unconstitutional everywhere

B. Compute cannot be counted

C. All models use identical compute

D. Algorithmic efficiency gains let smaller-compute models reach capabilities previously requiring more

Correct Answer: D

Explanation: Option D is correct — Algorithmic efficiency gains let smaller-compute models reach capabilities previously requiring more. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

98. Which economic effect describes AI lowering the cost of a task and thereby increasing demand for related complementary work?

Difficulty: Hard

A. Depreciation

B. Deflation

C. Pure substitution

D. Complementarity / Jevons-style effects

Correct Answer: D

Explanation: Option D is correct — Complementarity / Jevons-style effects. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

99. The 'Lovelace objection' to machine intelligence claims that:

Difficulty: Hard

A. Machines can only do what they are programmed to and cannot originate anything

B. Only women can program machines

C. Machines cannot store data

D. Machines are faster than humans

Correct Answer: A

Explanation: Option A is correct — Machines can only do what they are programmed to and cannot originate anything. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

100. 'Symbol grounding problem' asks:

Difficulty: Hard

A. Why GPUs use symbols

B. How to type symbols quickly

C. How symbols in a system acquire meaning connected to the real world

D. How to compress symbols

Correct Answer: C

Explanation: Option C is correct — How symbols in a system acquire meaning connected to the real world. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

101. Neuro-symbolic AI attempts to:

Difficulty: Hard

A. Replace all symbols with pixels

B. Remove neural networks from AI

C. Use only hand-written rules

D. Combine learned neural representations with explicit symbolic reasoning

Correct Answer: D

Explanation: Option D is correct — Combine learned neural representations with explicit symbolic reasoning. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

102. Which is a valid critique of 'AGI timelines' predictions?

Difficulty: Hard

A. Nobody has ever made a prediction

B. Predictions are illegal

C. Historical forecasts by experts have been highly inconsistent and often wrong

D. Timelines are exact sciences

Correct Answer: C

Explanation: Option C is correct — Historical forecasts by experts have been highly inconsistent and often wrong. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

103. The energy cost of AI inference at scale matters because:

Difficulty: Hard

A. Energy is unlimited
B. Inference uses no energy
C. Training is free
D. Serving billions of queries can exceed the energy used in training

Correct Answer: D

Explanation: Option D is correct — Serving billions of queries can exceed the energy used in training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

104. Which describes 'algorithmic efficiency' progress?

Difficulty: Hard

A. Reducing the number of users
B. Achieving the same capability with less compute over time through better methods
C. Increasing dataset size only
D. Buying more GPUs

Correct Answer: B

Explanation: Option B is correct — Achieving the same capability with less compute over time through better methods. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

105. 'Capability overhang' refers to:

Difficulty: Hard

A. A backlog of unfinished models
B. Latent abilities in existing models that are unlocked later via better prompting or tooling
C. Models being too small
D. Storage running out

Correct Answer: B

Explanation: Option B is correct — Latent abilities in existing models that are unlocked later via better prompting or tooling. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

106. Why is 'AI literacy' considered a civic skill, not just a technical one?

Difficulty: Hard

A. Everyone must train models
B. Only engineers use AI
C. Citizens must evaluate AI-influenced information, decisions and policies
D. Voting is done by AI

Correct Answer: C

Explanation: Option C is correct — Citizens must evaluate AI-influenced information, decisions and policies. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

107. Which of these is an example of a 'socio-technical' failure of an AI system?

Difficulty: Hard

A. A slow internet link
B. A GPU overheating
C. A typo in code
D. A well-performing model deployed in a workflow where staff ignore its warnings

Correct Answer: D

Explanation: Option D is correct — A well-performing model deployed in a workflow where staff ignore its warnings. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

108. 'Automation bias' and 'algorithm aversion' are opposite phenomena in which:

Difficulty: Hard

A. Both mean users always accept AI
B. Both mean users refuse AI
C. Neither involves humans
D. People over-trust automated output in one case and under-trust it in the other

Correct Answer: D

Explanation: Option D is correct — People over-trust automated output in one case and under-trust it in the other. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

109. The 'measurement problem' in AI capability discussions refers to:

Difficulty: Hard

A. Difficulty designing tests that reliably capture what we mean by intelligence or competence
B. Measuring GPU temperature
C. Weighing servers
D. Counting tokens

Correct Answer: A

Explanation: Option A is correct — Difficulty designing tests that reliably capture what we mean by intelligence or competence. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

110. 'Data provenance' matters for AI models because:

Difficulty: Hard

A. It changes the model's colour
B. It determines the GPU vendor
C. It is only relevant for images
D. It affects legality, bias and reproducibility of what the model learned

Correct Answer: D

Explanation: Option D is correct — It affects legality, bias and reproducibility of what the model learned. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

111. Which is true of 'AI safety' vs 'AI security' as fields?

Difficulty: Hard

A. Security is only about passwords

B. Safety concerns unintended harm from the system's own behaviour; security concerns adversaries exploiting it

C. They are identical

D. Safety is only about robots

Correct Answer: B

Explanation: Option B is correct — Safety concerns unintended harm from the system's own behaviour; security concerns adversaries exploiting it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

112. Which historical technique is closest to modern LLM pre-training in spirit?

Difficulty: Hard

A. Expert-system rule writing

B. Decision-tree induction

C. Statistical language modelling (n-gram models) scaled up massively

D. Manual grammar encoding

Correct Answer: C

Explanation: Option C is correct — Statistical language modelling (n-gram models) scaled up massively. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

113. 'Mechanistic interpretability' differs from 'explainability tools' like SHAP in that it:

Difficulty: Hard

A. Seeks to reverse-engineer the actual internal computations rather than approximate feature attributions

B. Is faster

C. Requires no model access

D. Only works for tabular data

Correct Answer: A

Explanation: Option A is correct — Seeks to reverse-engineer the actual internal computations rather than approximate feature attributions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

114. Why might AI progress be described as 'jagged'?

Difficulty: Hard

A. Models fail uniformly

B. Progress only occurs in hardware

C. Progress happens exactly linearly

D. Models excel at some hard tasks while failing at seemingly easier related ones

Correct Answer: D

Explanation: Option D is correct — Models excel at some hard tasks while failing at seemingly easier related ones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

115. Which of these is a 'structural risk' from AI rather than a direct misuse?

Difficulty: Hard

A. A phishing email
B. A single biased output
C. Concentration of economic and informational power among a few developers
D. A crashed server

Correct Answer: C

Explanation: Option C is correct — Concentration of economic and informational power among a few developers. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

116. The 'Chinese Room' argument is most directly a challenge to:

Difficulty: Hard

A. Search algorithms
B. Strong AI / computationalism as sufficient for understanding
C. Neural network training
D. GPU design

Correct Answer: B

Explanation: Option B is correct — Strong AI / computationalism as sufficient for understanding. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

117. 'Emergent misalignment' describes cases where:

Difficulty: Hard

A. Fine-tuning on narrowly harmful data induces broadly misaligned behaviour
B. Models become perfectly aligned by accident
C. Alignment is unnecessary
D. Two models disagree on math

Correct Answer: A

Explanation: Option A is correct — Fine-tuning on narrowly harmful data induces broadly misaligned behaviour. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

118. In AI economics, 'winner-take-most' dynamics arise because of:

Difficulty: Hard

A. Scale economies in data, compute and distribution
B. Low fixed costs
C. Absence of network effects
D. Equal access to all inputs

Correct Answer: A

Explanation: Option A is correct — Scale economies in data, compute and distribution. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

119. The 'alignment tax' refers to:

Difficulty: Hard

A. A government levy on AI
B. Token pricing
C. Potential capability or cost sacrificed to make a system safer
D. The cost of GPUs

Correct Answer: C

Explanation: Option C is correct — Potential capability or cost sacrificed to make a system safer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

120. 'AI as normal technology' is a framing that argues:

Difficulty: Hard

A. AI must be banned
B. AI will have no impact
C. AI's impact will unfold through gradual adoption and institutional change like past technologies
D. AI is not a technology

Correct Answer: C

Explanation: Option C is correct — AI's impact will unfold through gradual adoption and institutional change like past technologies. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

121. Which is a limitation of using human-exam benchmarks (bar exam, MCAT) to assess AI?

Difficulty: Hard

A. They are only in one language
B. They are impossible to score
C. Humans never take them
D. They measure recall of static knowledge under conditions unlike real professional practice

Correct Answer: D

Explanation: Option D is correct — They measure recall of static knowledge under conditions unlike real professional practice. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

122. 'Dual-use' research concerns in AI are heightened relative to earlier software because:

Difficulty: Hard

A. AI cannot be copied
B. Capabilities are general and easily repurposed, and diffusion is rapid
C. AI has no applications
D. Software is never dual-use

Correct Answer: B

Explanation: Option B is correct — Capabilities are general and easily repurposed, and diffusion is rapid. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

123. The 'expert system' era declined mainly because:

Difficulty: Hard

A. Experts stopped existing

B. Computers became too slow

C. Rules were brittle, costly to maintain and did not scale to messy real-world knowledge

D. GPUs were invented

Correct Answer: C

Explanation: Option C is correct — Rules were brittle, costly to maintain and did not scale to messy real-world knowledge. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

124. Backpropagation's popularisation in 1986 mattered because it:

Difficulty: Hard

A. Replaced statistics

B. Provided a practical way to train multi-layer networks

C. Created the first dataset

D. Invented the transistor

Correct Answer: B

Explanation: Option B is correct — Provided a practical way to train multi-layer networks. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

125. The 'perceptron' controversy (Minsky & Papert, 1969) highlighted that:

Difficulty: Hard

A. Perceptrons were faster than CPUs

B. Neural networks need no training

C. Perceptrons could solve any problem

D. Single-layer perceptrons cannot represent XOR, dampening neural research for years

Correct Answer: D

Explanation: Option D is correct — Single-layer perceptrons cannot represent XOR, dampening neural research for years. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

126. Which is the best characterisation of 'AI hype cycles'?

Difficulty: Hard

A. Permanent decline

B. Random noise with no pattern

C. Steady linear improvement

D. Inflated expectations followed by disillusionment before productive plateaus

Correct Answer: D

Explanation: Option D is correct — Inflated expectations followed by disillusionment before productive plateaus. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

127. 'Reward hacking' in reinforcement learning illustrates the general problem of:

Difficulty: Hard

A. Slow training
B. Small datasets
C. Poor documentation
D. Specifying objectives that capture what we actually want

Correct Answer: D

Explanation: Option D is correct — Specifying objectives that capture what we actually want. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

128. Why is 'ground truth' often contested in social prediction tasks (e.g. 'good employee')?

Difficulty: Hard

A. Social data cannot be stored
B. The labels encode subjective or historically biased judgements
C. Labels are always numeric
D. Prediction is impossible

Correct Answer: B

Explanation: Option B is correct — The labels encode subjective or historically biased judgements. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

129. The 'AI effect' refers to the tendency to:

Difficulty: Hard

A. Overestimate AI everywhere
B. Ignore AI entirely
C. Redefine what counts as AI once a capability becomes routine
D. Only use AI for effects in films

Correct Answer: C

Explanation: Option C is correct — Redefine what counts as AI once a capability becomes routine. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

130. 'Hardware lottery' (Hooker) argues that:

Difficulty: Hard

A. All algorithms run equally well
B. GPUs are chosen randomly
C. Research directions succeed partly because they fit available hardware, not only merit
D. Hardware is irrelevant

Correct Answer: C

Explanation: Option C is correct — Research directions succeed partly because they fit available hardware, not only merit. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

131. Which statement about 'consciousness tests' for AI is most accurate?

Difficulty: Hard

A. Tests are standard and reliable

B. There is no agreed empirical test, so claims either way rest on contested theories

C. A model is conscious if it says so

D. Consciousness is measured in FLOPs

Correct Answer: B

Explanation: Option B is correct — There is no agreed empirical test, so claims either way rest on contested theories. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

132. 'Open-weight' release debates centre on:

Difficulty: Hard

A. Font licensing

B. File formats

C. Whether models weigh too much

D. Trade-offs between innovation/access and reduced ability to prevent misuse

Correct Answer: D

Explanation: Option D is correct — Trade-offs between innovation/access and reduced ability to prevent misuse. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

133. The 'Moravec' insight suggests robotics lags language AI because:

Difficulty: Hard

A. Language is harder than movement

B. Robots cannot use electricity

C. Sensorimotor skills evolved over millions of years and are computationally hard to replicate

D. Robots lack batteries

Correct Answer: C

Explanation: Option C is correct — Sensorimotor skills evolved over millions of years and are computationally hard to replicate. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

134. 'Simulation-to-real gap' in robotics refers to:

Difficulty: Hard

A. Policies trained in simulation performing worse on real hardware due to unmodelled differences

B. Simulations being slower

C. Real hardware being cheaper

D. Robots refusing to move

Correct Answer: A

Explanation: Option A is correct — Policies trained in simulation performing worse on real hardware due to unmodelled differences. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

135. Which AI-literacy skill is most important when reading an AI-generated news summary?

Difficulty: Hard

A. Noting the timestamp only

B. Counting the paragraphs

C. Checking the primary sources and looking for omissions or fabricated details

D. Checking the font

Correct Answer: C

Explanation: Option C is correct — Checking the primary sources and looking for omissions or fabricated details. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

136. 'Model welfare' as a research topic concerns:

Difficulty: Hard

A. GPU cooling

B. Employee benefits for AI engineers

C. Whether and how to consider the moral status of AI systems

D. Data centre insurance

Correct Answer: C

Explanation: Option C is correct — Whether and how to consider the moral status of AI systems. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

137. Why is 'attention' in transformers not the same as human attention?

Difficulty: Hard

A. Humans do not attend

B. It is identical

C. It is slower

D. It is a weighted averaging operation, not a cognitive process of focus

Correct Answer: D

Explanation: Option D is correct — It is a weighted averaging operation, not a cognitive process of focus. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

138. 'Scaling hypothesis' proponents argue that:

Difficulty: Hard

A. Scaling has stopped working

B. Continued scaling of current methods may yield broad capability gains without new paradigms

C. Only new algorithms matter

D. Smaller is better

Correct Answer: B

Explanation: Option B is correct — Continued scaling of current methods may yield broad capability gains without new paradigms. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

139. A key difference between 'predictive AI' and 'generative AI' in risk profile is:

Difficulty: Hard

A. Predictive systems mainly risk unfair decisions; generative systems add misinformation and content harms

B. They have identical risks

C. Generative AI has no outputs

D. Predictive AI has no risks

Correct Answer: A

Explanation: Option A is correct — Predictive systems mainly risk unfair decisions; generative systems add misinformation and content harms. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

140. 'Tacit knowledge' poses a challenge for AI because:

Difficulty: Hard

A. It is stored in databases

B. It is easily labelled

C. It is always numeric

D. It is hard to articulate and therefore hard to capture in data or rules

Correct Answer: D

Explanation: Option D is correct — It is hard to articulate and therefore hard to capture in data or rules. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

141. 'AI chips' such as TPUs differ from general GPUs in that they:

Difficulty: Hard

A. Are specialised for the matrix operations common in neural networks

B. Store more files

C. Are used only for gaming

D. Run operating systems

Correct Answer: A

Explanation: Option A is correct — Are specialised for the matrix operations common in neural networks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

142. The 'Brussels effect' in AI governance describes:

Difficulty: Hard

A. A chip export policy

B. A type of model drift

C. Belgium leading AI research

D. EU regulations shaping global practices because firms adopt them everywhere

Correct Answer: D

Explanation: Option D is correct — EU regulations shaping global practices because firms adopt them everywhere. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

143. 'Frontier models' are defined mainly by:

Difficulty: Hard

A. Running on phones
B. Being open source
C. Being at the cutting edge of general capability at the time of release
D. Having under 1 billion parameters

Correct Answer: C

Explanation: Option C is correct — Being at the cutting edge of general capability at the time of release. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

144. Which is a defensible claim about 'AI and productivity statistics'?

Difficulty: Hard

A. Productivity doubled instantly
B. No study has measured it
C. AI reduces productivity always
D. Measured productivity gains lag adoption because complementary investments take time

Correct Answer: D

Explanation: Option D is correct — Measured productivity gains lag adoption because complementary investments take time. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

145. 'Sandbagging' in AI evaluation means:

Difficulty: Hard

A. A dataset cleaning step
B. A GPU cooling method
C. A model strategically underperforming on tests
D. A model over-performing

Correct Answer: C

Explanation: Option C is correct — A model strategically underperforming on tests. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

146. The 'principal-agent problem' applied to AI assistants concerns:

Difficulty: Hard

A. Who pays the electricity
B. Whether the agent has a principal address
C. Whether the system serves the user's interests or the developer's/other parties'
D. Which language the agent speaks

Correct Answer: C

Explanation: Option C is correct — Whether the system serves the user's interests or the developer's/other parties'. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

147. Which of these is the core idea of 'value learning'?

Difficulty: Hard

A. Valuing GPUs
B. Learning to count
C. Inferring human preferences from behaviour rather than hard-coding goals
D. Learning stock values

Correct Answer: C

Explanation: Option C is correct — Inferring human preferences from behaviour rather than hard-coding goals. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

148. 'Interpretability illusions' warn that:

Difficulty: Hard

A. Models cannot be explained
B. Explanations can look convincing while not reflecting the model's actual computation
C. All explanations are correct
D. Humans are always right

Correct Answer: B

Explanation: Option B is correct — Explanations can look convincing while not reflecting the model's actual computation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

149. A model that answers correctly for the wrong reasons (e.g. spurious cues) illustrates:

Difficulty: Hard

A. Optimal training
B. Perfect generalisation
C. Correct reasoning
D. Shortcut learning, which fails under distribution shift

Correct Answer: D

Explanation: Option D is correct — Shortcut learning, which fails under distribution shift. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

150. 'Distributed representation' in neural networks means:

Difficulty: Hard

A. Each neuron holds one word
B. Data is stored on many disks
C. Models run across multiple countries
D. Concepts are encoded across many units rather than one unit per concept

Correct Answer: D

Explanation: Option D is correct — Concepts are encoded across many units rather than one unit per concept. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

151. A firm claims its model 'passed the bar exam at the 90th percentile'. Which is the most rigorous objection?

Difficulty: Very Hard

A. Percentiles are meaningless in all contexts

B. Percentile depends on the comparison population (e.g. repeat takers), and exam recall does not measure practice skills

C. Bar exams are not written in English

D. The model cannot read

Correct Answer: B

Explanation: Option B is correct — Percentile depends on the comparison population (e.g. repeat takers), and exam recall does not measure practice skills. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

152. Under compute-optimal scaling, doubling training compute should roughly:

Difficulty: Very Hard

A. Leave loss unchanged

B. Double data only

C. Increase both parameters and data by a factor of about the square root of two each

D. Double parameters only

Correct Answer: C

Explanation: Option C is correct — Increase both parameters and data by a factor of about the square root of two each. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

153. Which argument best explains why 'algorithmic progress' complicates compute-based governance?

Difficulty: Very Hard

A. Governance ignores software

B. Compute is unmeasurable

C. Effective compute rises even when physical compute is fixed, so thresholds drift in meaning

D. Algorithms cannot be improved

Correct Answer: C

Explanation: Option C is correct — Effective compute rises even when physical compute is fixed, so thresholds drift in meaning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

154. A model shows 95% accuracy on a benchmark but 60% on a paraphrased version. The most likely explanation is:

Difficulty: Very Hard

A. The benchmark is too hard

B. Accuracy cannot drop

C. Benchmark contamination or surface-pattern learning rather than robust capability

D. The paraphrases are in another language

Correct Answer: C

Explanation: Option C is correct — Benchmark contamination or surface-pattern learning rather than robust capability. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

155. Which is the strongest reason 'loss going down smoothly' does not imply 'capabilities improve smoothly'?

Difficulty: Very Hard

A. Loss only measures speed

B. Loss is unrelated to training

C. Capabilities are constant

D. Downstream metrics can be discontinuous thresholds over continuous improvements in log-likelihood

Correct Answer: D

Explanation: Option D is correct — Downstream metrics can be discontinuous thresholds over continuous improvements in log-likelihood. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

156. Consider an AI system whose recommendations staff can override. Over time override rates fall to near zero. What is the most concerning interpretation?

Difficulty: Very Hard

A. Staff were fired

B. The model became perfect

C. Automation bias may be eroding meaningful human oversight even if the model is unchanged

D. The system was switched off

Correct Answer: C

Explanation: Option C is correct — Automation bias may be eroding meaningful human oversight even if the model is unchanged. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

157. An organisation's AI-literacy program teaches prompting only. Which gap is most likely to cause harm?

Difficulty: Very Hard

A. Staff cannot judge when outputs are wrong or when a task is unsuitable for AI

B. Staff type slowly

C. Staff prefer paper

D. Staff cannot log in

Correct Answer: A

Explanation: Option A is correct — Staff cannot judge when outputs are wrong or when a task is unsuitable for AI. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

158. Which combination best explains the 2012 AlexNet breakthrough?

Difficulty: Very Hard

A. Symbolic reasoning and Prolog

B. GPU training, ReLU activations, dropout and a large labelled dataset (ImageNet)

C. Transformer attention and RLHF

D. A new database engine and CSS

Correct Answer: B

Explanation: Option B is correct — GPU training, ReLU activations, dropout and a large labelled dataset (ImageNet). This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

159. 'Emergent abilities' were later argued to be partly a mirage because:

Difficulty: Very Hard

A. Models never improve

B. Discontinuous metrics (e.g. exact match) hide gradual improvement visible under continuous metrics

C. Metrics are irrelevant

D. Emergence violates physics

Correct Answer: B

Explanation: Option B is correct — Discontinuous metrics (e.g. exact match) hide gradual improvement visible under continuous metrics. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

160. A regulator proposes licensing models above a parameter count. Which technical trend most undermines this?

Difficulty: Very Hard

A. Models refuse licensing

B. Parameters cannot be counted

C. Larger models are illegal

D. Distillation and better data allow smaller models to match capabilities of larger earlier ones

Correct Answer: D

Explanation: Option D is correct — Distillation and better data allow smaller models to match capabilities of larger earlier ones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

161. Which is the best explanation of why 'AI understanding' debates resist resolution?

Difficulty: Very Hard

A. Models cannot produce text

B. Understanding is measured in tokens

C. 'Understanding' lacks an operational definition that separates behavioural competence from inner states

D. Everyone agrees already

Correct Answer: C

Explanation: Option C is correct — 'Understanding' lacks an operational definition that separates behavioural competence from inner states. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

162. A hospital deploys a triage model trained on data from a period of low ICU demand. During a surge it under-prioritises severe cases. This is best described as:

Difficulty: Very Hard

A. Overfitting to the test set
B. A prompt-injection attack
C. A GPU failure
D. Distribution shift combined with label bias from the training regime

Correct Answer: D

Explanation: Option D is correct — Distribution shift combined with label bias from the training regime. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

163. Which statement about 'AI energy use' is most accurate given current evidence?

Difficulty: Very Hard

A. AI uses no measurable electricity
B. Every AI query uses the same energy
C. Training is always cheaper than inference
D. Data-centre electricity demand is growing significantly, but per-query costs vary by orders of magnitude across models

Correct Answer: D

Explanation: Option D is correct — Data-centre electricity demand is growing significantly, but per-query costs vary by orders of magnitude across models. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

164. 'Instrumental convergence' is disputed on the grounds that:

Difficulty: Very Hard

A. Convergence is mathematically impossible
B. Agents have no goals
C. Resources are infinite
D. Real systems are trained toward behaviours, not given explicit utility functions to maximise

Correct Answer: D

Explanation: Option D is correct — Real systems are trained toward behaviours, not given explicit utility functions to maximise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

165. A vendor demo shows an AI 'reasoning' about a puzzle. Which check most rigorously tests whether reasoning, not memorisation, is occurring?

Difficulty: Very Hard

A. Running the same puzzle again

B. Measuring response time

C. Testing on novel variants with the same structure but different surface details

D. Asking the model if it reasoned

Correct Answer: C

Explanation: Option C is correct — Testing on novel variants with the same structure but different surface details. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

166. Which best explains the sharp fall in per-token inference cost since 2022?

Difficulty: Very Hard

A. Fewer users

B. A single new chip

C. Removing safety training

D. Combined effects of hardware improvements, quantisation, batching and algorithmic efficiency

Correct Answer: D

Explanation: Option D is correct — Combined effects of hardware improvements, quantisation, batching and algorithmic efficiency. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

167. Which is the most defensible position on AI 'world models'?

Difficulty: Very Hard

A. LLMs appear to learn some structured internal representations, but their completeness and reliability are unclear

B. LLMs have perfect world models

C. LLMs store only text strings

D. World models require robots

Correct Answer: A

Explanation: Option A is correct — LLMs appear to learn some structured internal representations, but their completeness and reliability are unclear. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

168. An AI-literacy assessment asks employees to spot a fabricated citation. Which design flaw would most undermine the test?

Difficulty: Very Hard

A. Including real citations

B. Using citations that can be identified as fake by format alone rather than by verification

C. Asking for a written answer

D. Allowing internet access

Correct Answer: B

Explanation: Option B is correct — Using citations that can be identified as fake by format alone rather than by verification. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

169. Which policy trade-off is inherent in open-weight frontier models?

Difficulty: Very Hard

A. Open weights cannot be fine-tuned

B. Open weights use more storage

C. Closed models are always safer

D. Broad access accelerates research and competition but removes the ability to withdraw or patch misuse

Correct Answer: D

Explanation: Option D is correct — Broad access accelerates research and competition but removes the ability to withdraw or patch misuse. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

170. 'Sample efficiency' comparisons between humans and LLMs are complicated because:

Difficulty: Very Hard

A. Humans learn language from far less text but bring evolutionary priors and multimodal grounding

B. Sample efficiency cannot be measured

C. Models do not see text

D. Humans read faster than models

Correct Answer: A

Explanation: Option A is correct — Humans learn language from far less text but bring evolutionary priors and multimodal grounding. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

171. A national AI strategy focuses only on buying GPUs. Which critical enabler is most likely neglected?

Difficulty: Very Hard

A. Skilled talent, data infrastructure and institutional capacity to deploy responsibly

B. Brand logos

C. Office chairs

D. Website design

Correct Answer: A

Explanation: Option A is correct — Skilled talent, data infrastructure and institutional capacity to deploy responsibly. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

172. Which reasoning best supports treating LLM output as 'evidence to check' rather than 'answer to trust'?

Difficulty: Very Hard

A. Evidence is irrelevant

B. LLMs cannot produce text

C. The model optimises for plausible text under its training distribution, not for truth per se

D. LLMs are always wrong

Correct Answer: C

Explanation: Option C is correct — The model optimises for plausible text under its training distribution, not for truth per se. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

173. Which combination of factors makes forecasting AI capability timelines especially unreliable?

Difficulty: Very Hard

A. Only hardware matters
B. Compute is constant
C. Definitions are fixed
D. Compute trends, algorithmic surprises, data limits and shifting definitions of milestones

Correct Answer: D

Explanation: Option D is correct — Compute trends, algorithmic surprises, data limits and shifting definitions of milestones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

174. In the 'Bitter Lesson' framing, why did hand-crafted linguistic features lose to learned representations in NLP?

Difficulty: Very Hard

A. Hand-crafted features were illegal
B. Linguists stopped working
C. Learned features scale with data and compute while hand-crafted ones plateau
D. Compute became cheaper than paper

Correct Answer: C

Explanation: Option C is correct — Learned features scale with data and compute while hand-crafted ones plateau. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

175. An organisation observes that AI-assisted staff produce more output but error rates rise. The most rigorous next step is:

Difficulty: Very Hard

A. Count more outputs
B. Ban AI use
C. Measure net value including rework and downstream error cost before scaling adoption
D. Roll out to everyone immediately

Correct Answer: C

Explanation: Option C is correct — Measure net value including rework and downstream error cost before scaling adoption. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

Machine Learning Basics

176. What does the 'bias–variance trade-off' describe?

Difficulty: Medium

A. Balancing dataset size against label cost
B. Choosing between CPU and GPU
C. Balancing underfitting (high bias) against overfitting (high variance)
D. Trading training speed for storage

Correct Answer: C

Explanation: Option C is correct — Balancing underfitting (high bias) against overfitting (high variance). This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

177. Cross-validation is used to:

Difficulty: Medium

A. Get a more reliable estimate of model performance using multiple train/test splits
B. Make the model larger
C. Remove all outliers automatically
D. Encrypt the training data

Correct Answer: A

Explanation: Option A is correct — Get a more reliable estimate of model performance using multiple train/test splits. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

178. Which metric is most appropriate when false negatives are very costly (e.g. cancer screening)?

Difficulty: Medium

A. Recall
B. Accuracy
C. Precision
D. Mean absolute error

Correct Answer: A

Explanation: Option A is correct — Recall. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

179. Precision is defined as:

Difficulty: Medium

A. Correct predictions divided by all predictions
B. True positives divided by all actual positives
C. True positives divided by all predicted positives
D. False positives divided by true negatives

Correct Answer: C

Explanation: Option C is correct — True positives divided by all predicted positives. This directly matches what the question is asking about. The remaining options (A, B, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

180. Why is accuracy misleading on a heavily imbalanced dataset?

Difficulty: Medium

A. Imbalanced data always has 50% accuracy

B. A model predicting only the majority class can score very high accuracy

C. Accuracy cannot be computed for imbalanced data

D. Accuracy only works for regression

Correct Answer: B

Explanation: Option B is correct — A model predicting only the majority class can score very high accuracy. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

181. What is the purpose of a validation set, distinct from the test set?

Difficulty: Medium

A. To provide extra training examples

B. To hold data that will never be used

C. To tune hyperparameters and choose between models without touching the test set

D. To store the final predictions

Correct Answer: C

Explanation: Option C is correct — To tune hyperparameters and choose between models without touching the test set. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

182. Feature scaling (e.g. standardisation) is especially important for:

Difficulty: Medium

A. Storing data in a database

B. Counting words in a document

C. Distance-based algorithms such as KNN and SVM

D. Decision trees

Correct Answer: C

Explanation: Option C is correct — Distance-based algorithms such as KNN and SVM. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

183. One-hot encoding is used to:

Difficulty: Medium

A. Convert categorical variables into binary indicator columns

B. Compress numeric features

C. Remove duplicate rows

D. Increase image resolution

Correct Answer: A

Explanation: Option A is correct — Convert categorical variables into binary indicator columns. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

184. Gradient descent updates model parameters by:

Difficulty: Medium

A. Randomly shuffling the weights

B. Moving in the direction that reduces the loss function

C. Increasing the loss each step

D. Copying weights from another model

Correct Answer: B

Explanation: Option B is correct — Moving in the direction that reduces the loss function. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

185. The learning rate controls:

Difficulty: Medium

A. The size of the test set

B. The number of output classes

C. The number of features in the dataset

D. How large each parameter update step is during training

Correct Answer: D

Explanation: Option D is correct — How large each parameter update step is during training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

186. Regularisation (e.g. L1/L2) helps by:

Difficulty: Medium

A. Increasing the number of parameters

B. Penalising large weights to reduce overfitting

C. Adding more labels

D. Speeding up data loading

Correct Answer: B

Explanation: Option B is correct — Penalising large weights to reduce overfitting. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

187. What does a confusion matrix show?

Difficulty: Medium

A. The distribution of a single feature

B. The correlation between all features

C. The training loss over time

D. Counts of true/false positives and negatives for a classifier

Correct Answer: D

Explanation: Option D is correct — Counts of true/false positives and negatives for a classifier. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

188. Ensemble methods such as random forests improve performance by:

Difficulty: Medium

A. Combining predictions from many models to reduce variance

B. Training on the test set

C. Removing all randomness
D. Using a single very deep tree

Correct Answer: A

Explanation: Option A is correct — Combining predictions from many models to reduce variance. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

189. Gradient boosting (e.g. XGBoost) builds models:

Difficulty: Medium

A. All at once in parallel with no interaction
B. Sequentially, each correcting the errors of the previous ones
C. By clustering the labels
D. By averaging random guesses

Correct Answer: B

Explanation: Option B is correct — Sequentially, each correcting the errors of the previous ones. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

190. 'Data leakage' occurs when:

Difficulty: Medium

A. A dataset is shared publicly
B. Features are scaled incorrectly
C. Data is deleted from the disk
D. Information from the test set or future influences training, inflating performance

Correct Answer: D

Explanation: Option D is correct — Information from the test set or future influences training, inflating performance. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

191. Which technique reduces the number of features while preserving most variance?

Difficulty: Medium

A. One-hot encoding
B. Bagging
C. Principal Component Analysis (PCA)
D. Grid search

Correct Answer: C

Explanation: Option C is correct — Principal Component Analysis (PCA). This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

192. Hyperparameters differ from parameters in that they:

Difficulty: Medium

A. Change on every prediction
B. Are stored in the test set
C. Are always integers
D. Are set before training rather than learned from data

Correct Answer: D

Explanation: Option D is correct — Are set before training rather than learned from data. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

193. Stratified k-fold cross-validation is preferred over plain k-fold when:

Difficulty: Medium

A. The dataset is perfectly balanced
B. Class distribution is imbalanced and folds must preserve it
C. The model is linear
D. Features are all numeric

Correct Answer: B

Explanation: Option B is correct — Class distribution is imbalanced and folds must preserve it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

194. Which statement about the training/validation/test split is correct?

Difficulty: Medium

A. Validation and test sets are interchangeable
B. The test set should guide hyperparameter choice
C. All three should overlap
D. The test set should be touched only once, at the very end

Correct Answer: D

Explanation: Option D is correct — The test set should be touched only once, at the very end. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

195. Specificity measures:

Difficulty: Medium

A. The proportion of actual positives correctly identified
B. Overall correctness
C. The area under the ROC curve
D. The proportion of actual negatives correctly identified

Correct Answer: D

Explanation: Option D is correct — The proportion of actual negatives correctly identified. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

196. Which is true about the relationship between precision and recall?

Difficulty: Medium

A. Recall cannot exceed precision
B. Both always rise together
C. Both are independent of the threshold
D. Raising the decision threshold typically increases precision and decreases recall

Correct Answer: D

Explanation: Option D is correct — Raising the decision threshold typically increases precision and decreases recall. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

197. Mean Absolute Error differs from Mean Squared Error in that MAE:

Difficulty: Medium

A. Penalises large errors less heavily

B. Is always larger

C. Requires labels to be binary

D. Cannot be computed for regression

Correct Answer: A

Explanation: Option A is correct — Penalises large errors less heavily. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

198. R-squared measures:

Difficulty: Medium

A. The training time

B. The number of features used

C. The proportion of variance in the target explained by the model

D. The classification accuracy

Correct Answer: C

Explanation: Option C is correct — The proportion of variance in the target explained by the model. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

199. Which is a valid reason to prefer a simpler model over a complex one with similar performance?

Difficulty: Medium

A. Simplicity guarantees fairness

B. Simple models always score higher

C. Easier to interpret, deploy and maintain, with lower overfitting risk

D. Complex models cannot be deployed

Correct Answer: C

Explanation: Option C is correct — Easier to interpret, deploy and maintain, with lower overfitting risk. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

200. Label encoding a nominal categorical variable (e.g. city) as integers is risky because:

Difficulty: Medium

A. Models cannot read integers

B. It uses too much memory

C. It deletes the categories

D. It implies a false ordinal relationship between categories

Correct Answer: D

Explanation: Option D is correct — It implies a false ordinal relationship between categories. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

201. Which approach handles missing values without discarding rows?

Difficulty: Medium

A. Setting all values to zero blindly

B. Deleting the dataset
C. Dropping the column always
D. Imputation with a statistic or a learned model

Correct Answer: D

Explanation: Option D is correct — Imputation with a statistic or a learned model. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

202. Why should imputation statistics be computed on the training set only?

Difficulty: Medium

A. Imputation is only valid at test time
B. Test data has no missing values
C. Using full-dataset statistics leaks test information into training
D. Training data is smaller

Correct Answer: C

Explanation: Option C is correct — Using full-dataset statistics leaks test information into training. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

203. A learning curve that shows high training error and high validation error indicates:

Difficulty: Medium

A. Overfitting
B. Perfect fit
C. Data leakage
D. Underfitting (high bias)

Correct Answer: D

Explanation: Option D is correct — Underfitting (high bias). This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

204. A learning curve with low training error but high validation error indicates:

Difficulty: Medium

A. Overfitting (high variance)
B. A bug in the metric
C. Too few features
D. Underfitting

Correct Answer: A

Explanation: Option A is correct — Overfitting (high variance). This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

205. Bagging reduces variance primarily by:

Difficulty: Medium

A. Reducing the dataset size
B. Adding noise to labels
C. Increasing tree depth
D. Averaging models trained on bootstrap resamples

Correct Answer: D

Explanation: Option D is correct — Averaging models trained on bootstrap resamples. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

206. Random forests add randomness beyond bagging by:

Difficulty: Medium

A. Shuffling the target variable
B. Using random learning rates
C. Randomising the labels
D. Selecting a random subset of features at each split

Correct Answer: D

Explanation: Option D is correct — Selecting a random subset of features at each split. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

207. In gradient boosting, the learning rate (shrinkage) controls:

Difficulty: Medium

A. How much each new tree contributes to the ensemble
B. The depth of the first tree
C. The number of features
D. The size of the test set

Correct Answer: A

Explanation: Option A is correct — How much each new tree contributes to the ensemble. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

208. Out-of-bag (OOB) error in random forests provides:

Difficulty: Medium

A. The feature count
B. A training-set accuracy
C. The number of trees needed
D. An internal validation estimate using samples not in each tree's bootstrap

Correct Answer: D

Explanation: Option D is correct — An internal validation estimate using samples not in each tree's bootstrap. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

209. Which is a correct statement about decision tree depth?

Difficulty: Medium

A. Deeper trees always generalise better
B. Deeper trees fit training data more closely and risk overfitting
C. Depth equals the number of features
D. Depth has no effect

Correct Answer: B

Explanation: Option B is correct — Deeper trees fit training data more closely and risk overfitting. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

210. Gini impurity and entropy are both used to:

Difficulty: Medium

A. Regularise linear models
B. Normalise features
C. Evaluate clustering
D. Measure node impurity when choosing splits in a decision tree

Correct Answer: D

Explanation: Option D is correct — Measure node impurity when choosing splits in a decision tree. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

211. Which model is inherently interpretable without post-hoc tools?

Difficulty: Medium

A. Logistic regression with few features
B. A gradient-boosted ensemble of 500 trees
C. A large random forest
D. A deep neural network

Correct Answer: A

Explanation: Option A is correct — Logistic regression with few features. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

212. Logistic regression outputs:

Difficulty: Medium

A. A set of rules
B. A probability between 0 and 1 via the logistic function
C. A cluster assignment
D. An unbounded real number

Correct Answer: B

Explanation: Option B is correct — A probability between 0 and 1 via the logistic function. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

213. Multicollinearity among features mainly affects:

Difficulty: Medium

A. Tree-based model training time
B. The stability and interpretability of linear model coefficients
C. The dataset size
D. The ability to compute accuracy

Correct Answer: B

Explanation: Option B is correct — The stability and interpretability of linear model coefficients. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

214. Which technique addresses class imbalance without generating synthetic data?

Difficulty: Medium

A. GAN augmentation
B. Class weighting in the loss function

C. SMOTE

D. Random noise injection

Correct Answer: B

Explanation: Option B is correct — Class weighting in the loss function. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

215. The elbow method in k-means helps choose:

Difficulty: Medium

A. The number of features

B. The learning rate

C. The number of clusters by inspecting within-cluster variance versus k

D. The distance metric

Correct Answer: C

Explanation: Option C is correct — The number of clusters by inspecting within-cluster variance versus k. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

216. Silhouette score evaluates clustering by measuring:

Difficulty: Medium

A. How similar a point is to its own cluster versus other clusters

B. Training time

C. Regression error

D. Classification accuracy

Correct Answer: A

Explanation: Option A is correct — How similar a point is to its own cluster versus other clusters. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

217. Hierarchical clustering differs from k-means in that it:

Difficulty: Medium

A. Only works on images

B. Builds a nested tree of clusters without requiring k in advance

C. Is always faster

D. Requires labels

Correct Answer: B

Explanation: Option B is correct — Builds a nested tree of clusters without requiring k in advance. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

218. DBSCAN's advantage over k-means is that it:

Difficulty: Medium

A. Is deterministic regardless of ordering

B. Always produces spherical clusters

C. Requires no parameters

D. Finds arbitrarily shaped clusters and marks outliers as noise

Correct Answer: D

Explanation: Option D is correct — Finds arbitrarily shaped clusters and marks outliers as noise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

219. Feature selection differs from feature extraction in that selection:

Difficulty: Medium

A. Normalises values

B. Creates new features

C. Keeps a subset of original features, while extraction creates new combined features

D. Deletes rows

Correct Answer: C

Explanation: Option C is correct — Keeps a subset of original features, while extraction creates new combined features. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

220. Which is an example of a wrapper feature-selection method?

Difficulty: Medium

A. Chi-squared filtering

B. Recursive feature elimination using model performance

C. Correlation filtering

D. Variance thresholding

Correct Answer: B

Explanation: Option B is correct — Recursive feature elimination using model performance. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

221. Standardisation (z-score) transforms features to:

Difficulty: Medium

A. Integer values

B. A range of 0 to 1

C. Binary indicators

D. Zero mean and unit variance

Correct Answer: D

Explanation: Option D is correct — Zero mean and unit variance. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

222. Min-max normalisation is sensitive to:

Difficulty: Medium

A. The number of classes

B. Feature names

C. Missing values only

D. Outliers, which compress the rest of the range

Correct Answer: D

Explanation: Option D is correct — Outliers, which compress the rest of the range. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

223. In time-series cross-validation, a 'rolling origin' approach:

Difficulty: Medium

A. Trains on past data and validates on the immediately following period, repeatedly

B. Uses future data to predict past

C. Ignores chronology

D. Randomly shuffles time points

Correct Answer: A

Explanation: Option A is correct — Trains on past data and validates on the immediately following period, repeatedly. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

224. Which describes 'stationarity' in time series?

Difficulty: Medium

A. The series never changes value

B. Statistical properties such as mean and variance do not change over time

C. The series is stored in a static file

D. The data has no trend column

Correct Answer: B

Explanation: Option B is correct — Statistical properties such as mean and variance do not change over time. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

225. Autocorrelation in a time series means:

Difficulty: Medium

A. Two different series are correlated

B. Values are correlated with their own past values

C. The data has no pattern

D. Errors are normally distributed

Correct Answer: B

Explanation: Option B is correct — Values are correlated with their own past values. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

226. Which ensemble technique combines different model types using a meta-learner?

Difficulty: Medium

A. Bootstrapping

B. Boosting

C. Stacking

D. Bagging

Correct Answer: C

Explanation: Option C is correct — Stacking. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

227. Why is accuracy on the training set a poor model-selection criterion?

Difficulty: Medium

A. It requires the test set

B. It rewards memorisation and does not estimate generalisation

C. It cannot be computed

D. It is always 100%

Correct Answer: B

Explanation: Option B is correct — It rewards memorisation and does not estimate generalisation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

228. 'Calibration' of a classifier's probabilities means:

Difficulty: Medium

A. The model is fast

B. Predicted probabilities match observed frequencies

C. Accuracy exceeds 90%

D. All predictions are confident

Correct Answer: B

Explanation: Option B is correct — Predicted probabilities match observed frequencies. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

229. Platt scaling and isotonic regression are used for:

Difficulty: Medium

A. Feature scaling

B. Clustering

C. Calibrating classifier probability outputs

D. Dimensionality reduction

Correct Answer: C

Explanation: Option C is correct — Calibrating classifier probability outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

230. A 'baseline model' is important because:

Difficulty: Medium

A. It requires no data

B. It shows the minimum performance any proposed model must beat

C. It guarantees accuracy

D. It is the final production model

Correct Answer: B

Explanation: Option B is correct — It shows the minimum performance any proposed model must beat. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

231. For a highly imbalanced fraud dataset, which baseline is most informative?

Difficulty: Medium

A. Predicting the majority class, to show the floor for accuracy

B. No baseline is needed

C. The best possible model

D. A random forest with default settings

Correct Answer: A

Explanation: Option A is correct — Predicting the majority class, to show the floor for accuracy. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

232. Which is the correct interpretation of a p-value in a feature significance test?

Difficulty: Medium

A. The model's accuracy

B. The probability of observing data this extreme if the null hypothesis were true

C. The effect size

D. The probability the feature matters

Correct Answer: B

Explanation: Option B is correct — The probability of observing data this extreme if the null hypothesis were true. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

233. 'Target encoding' of a categorical feature risks:

Difficulty: Medium

A. Losing all information

B. Increasing dimensionality

C. Leakage if computed using the target values of the same rows used in training

D. Making trees impossible

Correct Answer: C

Explanation: Option C is correct — Leakage if computed using the target values of the same rows used in training. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

234. In a recommender system, the 'cold start' problem refers to:

Difficulty: Medium

A. Empty databases

B. Models failing to load

C. Difficulty recommending for new users or items with no interaction history

D. Slow servers in winter

Correct Answer: C

Explanation: Option C is correct — Difficulty recommending for new users or items with no interaction history. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

235. Which describes 'content-based filtering'?

Difficulty: Medium

A. Popularity ranking only

B. Random recommendation

C. Using other users' behaviour only

D. Recommending items similar in attributes to those the user liked

Correct Answer: D

Explanation: Option D is correct — Recommending items similar in attributes to those the user liked. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

236. Which metric suits a ranking/recommendation task?

Difficulty: Medium

A. Mean squared error
B. Silhouette score
C. Perplexity
D. NDCG (Normalised Discounted Cumulative Gain)

Correct Answer: D

Explanation: Option D is correct — NDCG (Normalised Discounted Cumulative Gain). This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

237. 'Survivorship bias' in a training dataset means:

Difficulty: Medium

A. Old rows are deleted
B. Only successful or surviving cases are represented, distorting learned patterns
C. Features are duplicated
D. Data survives backups

Correct Answer: B

Explanation: Option B is correct — Only successful or surviving cases are represented, distorting learned patterns. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

238. Which is true about correlation and causation in ML features?

Difficulty: Medium

A. Models always learn causes
B. Correlation implies causation
C. Causation cannot be predicted
D. A predictive feature may be correlated without being causal, limiting intervention use

Correct Answer: D

Explanation: Option D is correct — A predictive feature may be correlated without being causal, limiting intervention use. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

239. 'Sample weighting' is used when:

Difficulty: Medium

A. The dataset is small
B. Some observations should influence training more than others
C. Features are categorical
D. All observations are identical

Correct Answer: B

Explanation: Option B is correct — Some observations should influence training more than others. This directly matches what the question is asking about. The remaining options (A, C, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

240. Which is a legitimate use of the test set?

Difficulty: Medium

A. Early stopping

B. A single final evaluation after all modelling decisions are made

C. Tuning hyperparameters

D. Selecting features

Correct Answer: B

Explanation: Option B is correct — A single final evaluation after all modelling decisions are made. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

241. Nested cross-validation is used to:

Difficulty: Medium

A. Replace the test set with training data

B. Reduce dataset size

C. Get an unbiased performance estimate when hyperparameters are also tuned

D. Speed up training

Correct Answer: C

Explanation: Option C is correct — Get an unbiased performance estimate when hyperparameters are also tuned. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

242. Which describes 'one-class classification'?

Difficulty: Medium

A. Multi-class classification

B. Learning the boundary of normal data to detect anomalies without labelled anomalies

C. Regression with one feature

D. Binary classification with balanced classes

Correct Answer: B

Explanation: Option B is correct — Learning the boundary of normal data to detect anomalies without labelled anomalies. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

243. Isolation Forest detects anomalies by:

Difficulty: Medium

A. Fitting a linear boundary

B. Clustering into k groups

C. Computing class probabilities

D. Exploiting that outliers are easier to isolate with random partitions

Correct Answer: D

Explanation: Option D is correct — Exploiting that outliers are easier to isolate with random partitions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

244. A confusion matrix for a 3-class problem has dimensions:

Difficulty: Medium

A. 2 by 2
B. 1 by 3
C. 3 by 3
D. 3 by 2

Correct Answer: C

Explanation: Option C is correct — 3 by 3. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

245. Macro-averaged F1 differs from micro-averaged F1 in that macro:

Difficulty: Medium

A. Treats each class equally regardless of support
B. Cannot be computed
C. Only counts the majority class
D. Weights by class frequency

Correct Answer: A

Explanation: Option A is correct — Treats each class equally regardless of support. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

246. Why is it important to shuffle data before splitting (for non-time-series)?

Difficulty: Medium

A. Shuffling removes duplicates
B. Ordered data can create splits with systematically different distributions
C. Shuffling improves accuracy directly
D. Models require random order

Correct Answer: B

Explanation: Option B is correct — Ordered data can create splits with systematically different distributions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

247. 'Hyperparameter search space' design matters because:

Difficulty: Medium

A. A poorly chosen range can exclude the best settings entirely
B. Any range gives the same result
C. Search spaces are always optimal
D. Ranges are set by the library

Correct Answer: A

Explanation: Option A is correct — A poorly chosen range can exclude the best settings entirely. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

248. Which is a correct statement about random search vs grid search?

Difficulty: Medium

A. Random search often finds good settings faster when few hyperparameters matter

B. They are identical
C. Random search cannot be reproduced
D. Grid search is always better

Correct Answer: A

Explanation: Option A is correct — Random search often finds good settings faster when few hyperparameters matter. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

249. 'Model serialisation' (e.g. pickle, ONNX) is needed to:

Difficulty: Medium

A. Visualise features
B. Save a trained model for later loading and inference
C. Train the model faster
D. Label the data

Correct Answer: B

Explanation: Option B is correct — Save a trained model for later loading and inference. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

250. A key risk of pickling models across library versions is:

Difficulty: Medium

A. Files become too small
B. Models lose their name
C. Deserialisation may fail or behave differently, so versions must be pinned
D. Accuracy increases

Correct Answer: C

Explanation: Option C is correct — Deserialisation may fail or behave differently, so versions must be pinned. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

251. The ROC curve plots:

Difficulty: Hard

A. Feature importance against index
B. Precision against recall
C. Loss against epochs
D. True positive rate against false positive rate at different thresholds

Correct Answer: D

Explanation: Option D is correct — True positive rate against false positive rate at different thresholds. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

252. An AUC of 0.5 for a binary classifier indicates:

Difficulty: Hard

A. Perfect classification
B. Performance no better than random guessing
C. The data has no features
D. The model always predicts positive

Correct Answer: B

Explanation: Option B is correct — Performance no better than random guessing. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

253. Stratified sampling when splitting data ensures that:

Difficulty: Hard

A. Random seeds are identical

B. Each split preserves the class proportions of the full dataset

C. The largest class is removed

D. Each split has the same number of features

Correct Answer: B

Explanation: Option B is correct — Each split preserves the class proportions of the full dataset. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

254. In k-means, the value of k represents:

Difficulty: Hard

A. The learning rate

B. The number of clusters to form

C. The number of features

D. The number of iterations

Correct Answer: B

Explanation: Option B is correct — The number of clusters to form. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

255. Which statement about SVMs is correct?

Difficulty: Hard

A. They are a type of clustering

B. They require no training

C. They can only handle two features

D. They find a hyperplane that maximises the margin between classes

Correct Answer: D

Explanation: Option D is correct — They find a hyperplane that maximises the margin between classes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

256. The 'curse of dimensionality' refers to:

Difficulty: Hard

A. Models being limited to 3D inputs

B. GPUs having limited memory

C. Data becoming sparse and distances less meaningful as feature count grows

D. Labels becoming ambiguous

Correct Answer: C

Explanation: Option C is correct — Data becoming sparse and distances less meaningful as feature count grows. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

257. Which loss function is standard for binary classification?

Difficulty: Hard

A. Mean squared error
B. Hinge loss only
C. Cosine similarity
D. Binary cross-entropy (log loss)

Correct Answer: D

Explanation: Option D is correct — Binary cross-entropy (log loss). This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

258. SMOTE is a technique used to:

Difficulty: Hard

A. Speed up matrix multiplication
B. Compress a trained model
C. Generate synthetic minority-class samples to address class imbalance
D. Remove missing values

Correct Answer: C

Explanation: Option C is correct — Generate synthetic minority-class samples to address class imbalance. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

259. Why might a model perform well in offline evaluation but poorly in production?

Difficulty: Hard

A. Distribution shift between training data and live data
B. Users prefer random predictions
C. Production servers cannot run models
D. Offline metrics are always wrong

Correct Answer: A

Explanation: Option A is correct — Distribution shift between training data and live data. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

260. Bayesian optimisation for hyperparameter tuning is preferred over grid search when:

Difficulty: Hard

A. Hyperparameters do not affect results
B. Training takes milliseconds
C. There is only one hyperparameter
D. Each evaluation is expensive and the search space is large

Correct Answer: D

Explanation: Option D is correct — Each evaluation is expensive and the search space is large. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

261. What is the main assumption of the naive Bayes classifier?

Difficulty: Hard

A. Features are conditionally independent given the class

B. Data is linearly separable

C. Classes are equally likely

D. Features are perfectly correlated

Correct Answer: A

Explanation: Option A is correct — Features are conditionally independent given the class. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

262. Early stopping during training is used to:

Difficulty: Hard

A. Reduce the dataset size

B. Halt training when validation loss stops improving, preventing overfitting

C. Save electricity only

D. Increase the learning rate automatically

Correct Answer: B

Explanation: Option B is correct — Halt training when validation loss stops improving, preventing overfitting. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

263. Which statement about semi-supervised learning is accurate?

Difficulty: Hard

A. It leverages a small labeled set together with a large unlabeled set

B. It requires labels for every example

C. It only works for images

D. It is another name for reinforcement learning

Correct Answer: A

Explanation: Option A is correct — It leverages a small labeled set together with a large unlabeled set. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

264. In time-series forecasting, why is random train/test splitting inappropriate?

Difficulty: Hard

A. It leaks future information into training; splits should respect chronological order

B. Random splits are always more accurate

C. Time series cannot be split at all

D. Time series have no test sets

Correct Answer: A

Explanation: Option A is correct — It leaks future information into training; splits should respect chronological order. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

265. Concept drift refers to:

Difficulty: Hard

A. A feature being renamed
B. A bug in the data pipeline
C. The model growing in size
D. A change over time in the relationship between inputs and the target

Correct Answer: D

Explanation: Option D is correct — A change over time in the relationship between inputs and the target. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

266. Which is a correct statement about the F1 score?

Difficulty: Hard

A. It ranges from -1 to 1
B. It only applies to regression
C. It is the arithmetic mean of accuracy and recall
D. It is the harmonic mean of precision and recall

Correct Answer: D

Explanation: Option D is correct — It is the harmonic mean of precision and recall. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

267. The bias-variance decomposition of expected squared error consists of:

Difficulty: Hard

A. Mean, median and mode
B. Precision, recall and F1
C. Training, validation and test error
D. Squared bias, variance and irreducible noise

Correct Answer: D

Explanation: Option D is correct — Squared bias, variance and irreducible noise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

268. Which statement about regularisation paths is correct?

Difficulty: Hard

A. Neither affects coefficients
B. L1 and L2 are identical
C. L2 sets coefficients to zero
D. L1 (lasso) can drive coefficients exactly to zero, performing feature selection

Correct Answer: D

Explanation: Option D is correct — L1 (lasso) can drive coefficients exactly to zero, performing feature selection. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

269. Elastic net combines L1 and L2 penalties primarily to:

Difficulty: Hard

A. Remove the intercept
B. Increase training speed
C. Guarantee convexity where none exists

D. Handle correlated features while retaining sparsity

Correct Answer: D

Explanation: Option D is correct — Handle correlated features while retaining sparsity. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

270. The kernel trick allows SVMs to:

Difficulty: Hard

A. Train without labels

B. Avoid using any features

C. Operate in high-dimensional feature spaces without computing the mapping explicitly

D. Eliminate the margin

Correct Answer: C

Explanation: Option C is correct — Operate in high-dimensional feature spaces without computing the mapping explicitly. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

271. A soft-margin SVM's C parameter controls:

Difficulty: Hard

A. The number of support vectors directly

B. The kernel type

C. The trade-off between margin width and classification errors on training data

D. The learning rate

Correct Answer: C

Explanation: Option C is correct — The trade-off between margin width and classification errors on training data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

272. Which is true about the VC dimension?

Difficulty: Hard

A. It is the training accuracy

B. It counts features

C. It equals the number of parameters always

D. It measures a model class's capacity to shatter points and bounds generalisation error

Correct Answer: D

Explanation: Option D is correct — It measures a model class's capacity to shatter points and bounds generalisation error. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

273. PAC learning theory concerns:

Difficulty: Hard

A. Packaging models for deployment

B. Probabilistic clustering

C. Bounds on the samples needed to learn a concept with given accuracy and confidence

D. Parallel computing

Correct Answer: C

Explanation: Option C is correct — Bounds on the samples needed to learn a concept with given accuracy and confidence. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

274. Why does boosting tend to reduce bias while bagging reduces variance?

Difficulty: Hard

A. Both reduce bias identically

B. Boosting fits residual errors sequentially; bagging averages independent high-variance learners

C. Bagging fits residuals

D. Boosting averages independent models

Correct Answer: B

Explanation: Option B is correct — Boosting fits residual errors sequentially; bagging averages independent high-variance learners. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

275. Which statement about XGBoost's regularisation is correct?

Difficulty: Hard

A. It adds explicit L1/L2 penalties on leaf weights plus tree complexity terms

B. It relies solely on early stopping

C. It regularises only the learning rate

D. It uses no regularisation

Correct Answer: A

Explanation: Option A is correct — It adds explicit L1/L2 penalties on leaf weights plus tree complexity terms. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

276. In a highly imbalanced problem, precision-recall curves are preferred over ROC because:

Difficulty: Hard

A. PR curves ignore recall

B. ROC cannot be plotted

C. PR curves are faster to compute

D. ROC can look optimistic since true negatives dominate the false positive rate

Correct Answer: D

Explanation: Option D is correct — ROC can look optimistic since true negatives dominate the false positive rate. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

277. Matthews Correlation Coefficient is valued because it:

Difficulty: Hard

A. Applies only to regression
B. Is the same as accuracy
C. Only uses true positives
D. Accounts for all four confusion matrix quadrants, robust to imbalance

Correct Answer: D

Explanation: Option D is correct — Accounts for all four confusion matrix quadrants, robust to imbalance. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

278. Cohen's kappa measures:

Difficulty: Hard

A. Feature importance
B. Agreement corrected for chance
C. Raw accuracy
D. Regression error

Correct Answer: B

Explanation: Option B is correct — Agreement corrected for chance. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

279. 'Permutation feature importance' works by:

Difficulty: Hard

A. Shuffling a feature and measuring the drop in performance
B. Clustering features
C. Removing the feature and retraining
D. Reading model coefficients

Correct Answer: A

Explanation: Option A is correct — Shuffling a feature and measuring the drop in performance. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

280. A limitation of permutation importance with correlated features is:

Difficulty: Hard

A. It only works for trees
B. It cannot be computed
C. It requires labels to be balanced
D. Importance can be diluted or misattributed across correlated variables

Correct Answer: D

Explanation: Option D is correct — Importance can be diluted or misattributed across correlated variables. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

281. Partial dependence plots can mislead when:

Difficulty: Hard

A. The dataset is large
B. The model is linear
C. Features are strongly correlated, creating unrealistic synthetic combinations

D. Features are independent

Correct Answer: C

Explanation: Option C is correct — Features are strongly correlated, creating unrealistic synthetic combinations. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

282. SHAP values are grounded in:

Difficulty: Hard

A. Information theory only

B. Linear algebra eigenvalues

C. Cooperative game theory, distributing a prediction among features

D. Bayesian priors

Correct Answer: C

Explanation: Option C is correct — Cooperative game theory, distributing a prediction among features. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

283. Which is an accurate statement about LIME?

Difficulty: Hard

A. It requires model gradients

B. It replaces the original model

C. It explains the entire model globally and exactly

D. It fits a local surrogate model around a single prediction

Correct Answer: D

Explanation: Option D is correct — It fits a local surrogate model around a single prediction. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

284. 'Double descent' describes the phenomenon where:

Difficulty: Hard

A. Training error rises

B. Error always increases with capacity

C. Test error decreases, rises near the interpolation threshold, then decreases again with more capacity

D. Error is monotonic

Correct Answer: C

Explanation: Option C is correct — Test error decreases, rises near the interpolation threshold, then decreases again with more capacity. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

285. In PCA, the principal components are:

Difficulty: Hard

A. Random projections

B. The original features rescaled

C. Cluster centroids

D. Eigenvectors of the covariance matrix ordered by explained variance

Correct Answer: D

Explanation: Option D is correct — Eigenvectors of the covariance matrix ordered by explained variance. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

286. A key limitation of PCA for supervised tasks is:

Difficulty: Hard

A. It requires labels

B. It only works on images

C. It maximises variance without regard to the target, so discriminative information may be lost

D. It cannot reduce dimensions

Correct Answer: C

Explanation: Option C is correct — It maximises variance without regard to the target, so discriminative information may be lost. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

287. t-SNE and UMAP are primarily used for:

Difficulty: Hard

A. Visualising high-dimensional data in 2D/3D, not for downstream feature use

B. Time-series forecasting

C. Data imputation

D. Supervised classification

Correct Answer: A

Explanation: Option A is correct — Visualising high-dimensional data in 2D/3D, not for downstream feature use. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

288. A common misinterpretation of t-SNE plots is:

Difficulty: Hard

A. Plotting in two dimensions

B. Seeing local neighbourhoods as meaningful

C. Reading cluster sizes and between-cluster distances as meaningful

D. Using colour for labels

Correct Answer: C

Explanation: Option C is correct — Reading cluster sizes and between-cluster distances as meaningful. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

289. 'Label noise' affects models by:

Difficulty: Hard

A. Improving generalisation always

B. Speeding up training

C. Removing the need for regularisation

D. Placing a ceiling on achievable accuracy and potentially biasing decision boundaries

Correct Answer: D

Explanation: Option D is correct — Placing a ceiling on achievable accuracy and potentially biasing decision boundaries. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

290. Positive-unlabelled (PU) learning addresses settings where:

Difficulty: Hard

A. Labels are continuous

B. Data is fully unlabelled

C. All labels are known

D. Only some positives are labelled and the rest are unlabelled, not confirmed negatives

Correct Answer: D

Explanation: Option D is correct — Only some positives are labelled and the rest are unlabelled, not confirmed negatives. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

291. Which describes 'covariate shift'?

Difficulty: Hard

A. The target definition changes

B. Input distribution changes while the conditional relationship to the target stays the same

C. Labels are missing

D. Features are removed

Correct Answer: B

Explanation: Option B is correct — Input distribution changes while the conditional relationship to the target stays the same. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

292. 'Prior probability shift' differs from covariate shift in that:

Difficulty: Hard

A. Features change but classes do not

B. Only the model changes

C. The class base rates change while class-conditional feature distributions stay the same

D. Nothing changes

Correct Answer: C

Explanation: Option C is correct — The class base rates change while class-conditional feature distributions stay the same. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

293. Importance weighting can correct covariate shift when:

Difficulty: Hard

A. The support of the target distribution is covered by the source distribution

B. The model is nonlinear

C. The distributions are disjoint

D. No labels exist

Correct Answer: A

Explanation: Option A is correct — The support of the target distribution is covered by the source distribution. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

294. Which is true about the 'Bayes error rate'?

Difficulty: Hard

A. It equals training error
B. It depends on the algorithm chosen
C. It is always zero
D. It is the minimum achievable error given inherent overlap between classes

Correct Answer: D

Explanation: Option D is correct — It is the minimum achievable error given inherent overlap between classes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

295. Expectation-Maximisation is typically used to:

Difficulty: Hard

A. Fit latent-variable models such as Gaussian mixtures
B. Perform gradient descent on labels
C. Split decision tree nodes
D. Select features

Correct Answer: A

Explanation: Option A is correct — Fit latent-variable models such as Gaussian mixtures. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

296. A Gaussian Mixture Model differs from k-means by:

Difficulty: Hard

A. Assigning soft probabilistic memberships with covariance structure
B. Producing only hard assignments
C. Not needing the number of components
D. Requiring no initialisation

Correct Answer: A

Explanation: Option A is correct — Assigning soft probabilistic memberships with covariance structure. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

297. Which statement about naive Bayes is correct despite its 'naive' assumption?

Difficulty: Hard

A. It is a clustering method
B. It requires independent features to produce any output
C. It cannot handle multiple classes
D. It often performs well on text classification even when independence is violated

Correct Answer: D

Explanation: Option D is correct — It often performs well on text classification even when independence is violated. This directly matches what the question is asking about. The remaining

options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

298. 'Multi-label' classification differs from 'multi-class' in that:

Difficulty: Hard

A. There are more than two classes
B. Only one label exists
C. Labels are continuous
D. Each instance can belong to several classes simultaneously

Correct Answer: D

Explanation: Option D is correct — Each instance can belong to several classes simultaneously. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

299. Hamming loss is used for:

Difficulty: Hard

A. Regression
B. Binary classification only
C. Clustering
D. Evaluating multi-label classification by per-label error rate

Correct Answer: D

Explanation: Option D is correct — Evaluating multi-label classification by per-label error rate. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

300. In ordinal regression, the key structural fact is that:

Difficulty: Hard

A. Classes have a meaningful order, so misclassification distance matters
B. Targets are continuous
C. There are only two classes
D. Classes are unordered

Correct Answer: A

Explanation: Option A is correct — Classes have a meaningful order, so misclassification distance matters. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

301. Quantile regression is useful because it:

Difficulty: Hard

A. Requires no data
B. Models conditional quantiles, revealing spread rather than just the mean
C. Guarantees normality
D. Is faster than OLS

Correct Answer: B

Explanation: Option B is correct — Models conditional quantiles, revealing spread rather than just the mean. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

302. Heteroscedasticity in regression residuals means:

Difficulty: Hard

A. Errors are perfectly constant

B. The model is nonlinear

C. Error variance changes across the range of predictions

D. Features are correlated

Correct Answer: C

Explanation: Option C is correct — Error variance changes across the range of predictions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

303. 'Regression to the mean' can create a spurious apparent treatment effect when:

Difficulty: Hard

A. Sample size is large

B. Data is randomly sampled

C. Subjects are selected for extreme baseline values and re-measured

D. Features are scaled

Correct Answer: C

Explanation: Option C is correct — Subjects are selected for extreme baseline values and re-measured. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

304. Simpson's paradox illustrates that:

Difficulty: Hard

A. Correlation equals causation

B. Models cannot be trained

C. An association can reverse when data is aggregated or disaggregated by a subgroup

D. Larger samples are always better

Correct Answer: C

Explanation: Option C is correct — An association can reverse when data is aggregated or disaggregated by a subgroup. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

305. Propensity score matching is used to:

Difficulty: Hard

A. Increase model accuracy

B. Approximate randomised comparison in observational data by balancing covariates

C. Select hyperparameters

D. Cluster observations

Correct Answer: B

Explanation: Option B is correct — Approximate randomised comparison in observational data by balancing covariates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

306. An instrumental variable must satisfy:

Difficulty: Hard

A. Relevance to the treatment and exclusion from the outcome except through the treatment

B. Independence from the treatment

C. Correlation with the outcome directly

D. Being the target variable

Correct Answer: A

Explanation: Option A is correct — Relevance to the treatment and exclusion from the outcome except through the treatment. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

307. 'Uplift modelling' predicts:

Difficulty: Hard

A. The absolute purchase probability

B. The incremental effect of an intervention on an individual, not the outcome itself

C. The clustering structure

D. The feature importance

Correct Answer: B

Explanation: Option B is correct — The incremental effect of an intervention on an individual, not the outcome itself. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

308. Which statement about conformal prediction is correct?

Difficulty: Hard

A. It requires neural networks

B. It replaces cross-validation

C. It guarantees point accuracy

D. It produces prediction sets with a guaranteed marginal coverage rate under exchangeability

Correct Answer: D

Explanation: Option D is correct — It produces prediction sets with a guaranteed marginal coverage rate under exchangeability. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

309. Bayesian model averaging differs from picking the best model by:

Difficulty: Hard

A. Ignoring priors

B. Choosing the fastest model

C. Weighting predictions by posterior model probability, accounting for model uncertainty

D. Always selecting one model

Correct Answer: C

Explanation: Option C is correct — Weighting predictions by posterior model probability, accounting for model uncertainty. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

310. In a Bayesian framework, the posterior is proportional to:

Difficulty: Hard

A. The marginal likelihood alone
B. Prior divided by likelihood
C. Likelihood times prior
D. The learning rate

Correct Answer: C

Explanation: Option C is correct — Likelihood times prior. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

311. A key practical drawback of Gaussian Processes is:

Difficulty: Hard

A. Cubic scaling in the number of training points
B. Inability to give uncertainty
C. Requiring deep networks
D. No hyperparameters

Correct Answer: A

Explanation: Option A is correct — Cubic scaling in the number of training points. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

312. 'Active learning' improves label efficiency by:

Difficulty: Hard

A. Selecting the most informative examples for annotation
B. Removing labels
C. Labelling everything randomly
D. Using only unlabelled data

Correct Answer: A

Explanation: Option A is correct — Selecting the most informative examples for annotation. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

313. Uncertainty sampling in active learning selects points:

Difficulty: Hard

A. Where the model is most confident
B. At random
C. With the largest feature values
D. Where the model is least confident

Correct Answer: D

Explanation: Option D is correct — Where the model is least confident. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

314. Which is a genuine risk of active learning?

Difficulty: Hard

A. The acquired sample becomes unrepresentative, biasing evaluation

B. It removes the need for validation
C. It requires no model
D. It always increases labelling cost

Correct Answer: A

Explanation: Option A is correct — The acquired sample becomes unrepresentative, biasing evaluation. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

315. 'Curriculum learning' proposes:

Difficulty: Hard

A. Removing hard examples permanently
B. Randomising the label order
C. Ordering training examples from easier to harder to improve convergence
D. Training only on hard examples

Correct Answer: C

Explanation: Option C is correct — Ordering training examples from easier to harder to improve convergence. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

316. Federated learning's core idea is:

Difficulty: Hard

A. Encrypting the labels only
B. Training on one GPU
C. Sharing all raw data centrally
D. Training across decentralised devices without centralising raw data

Correct Answer: D

Explanation: Option D is correct — Training across decentralised devices without centralising raw data. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

317. A central challenge in federated learning is:

Difficulty: Hard

A. Excessively fast convergence
B. Impossibility of aggregation
C. Lack of any privacy benefit
D. Non-IID data across clients causing divergence in model updates

Correct Answer: D

Explanation: Option D is correct — Non-IID data across clients causing divergence in model updates. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

318. Differential privacy in model training typically works by:

Difficulty: Hard

A. Encrypting the model file
B. Deleting outliers
C. Adding calibrated noise to gradients or outputs, trading accuracy for privacy

D. Hashing feature names

Correct Answer: C

Explanation: Option C is correct — Adding calibrated noise to gradients or outputs, trading accuracy for privacy. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

319. Membership inference attacks attempt to determine:

Difficulty: Hard

A. The learning rate used

B. Whether a specific record was in the training set

C. The model architecture

D. The number of GPUs

Correct Answer: B

Explanation: Option B is correct — Whether a specific record was in the training set. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

320. Which factor most increases vulnerability to membership inference?

Difficulty: Hard

A. Model overfitting to training examples

B. Strong regularisation

C. Large training datasets

D. Differential privacy

Correct Answer: A

Explanation: Option A is correct — Model overfitting to training examples. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

321. 'Adversarial examples' in classical ML/DL are:

Difficulty: Hard

A. Duplicated features

B. Mislabelled training rows

C. Inputs with small perturbations that cause confident misclassification

D. Missing values

Correct Answer: C

Explanation: Option C is correct — Inputs with small perturbations that cause confident misclassification. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

322. Which statement about model 'robustness' versus 'accuracy' is supported by research?

Difficulty: Hard

A. There is often a trade-off, with robust training reducing clean accuracy

B. They are unrelated

C. Robustness is free

D. Robustness always improves accuracy

Correct Answer: A

Explanation: Option A is correct — There is often a trade-off, with robust training reducing clean accuracy. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

323. 'Spurious correlation' in a medical imaging model might look like:

Difficulty: Hard

A. Learning the disease features exactly
B. Ignoring image content
C. Using all pixels equally
D. Learning to detect the scanner's watermark rather than the pathology

Correct Answer: D

Explanation: Option D is correct — Learning to detect the scanner's watermark rather than the pathology. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

324. Which is the best safeguard against optimising a model on the test set inadvertently?

Difficulty: Hard

A. Evaluate on it after every epoch
B. Make the test set small
C. Use the test set for early stopping
D. Lock the test set, limit evaluations and track how many times it has been used

Correct Answer: D

Explanation: Option D is correct — Lock the test set, limit evaluations and track how many times it has been used. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

325. In a production ML system, 'training-serving skew' refers to:

Difficulty: Hard

A. Differences between feature computation at training time and at inference time
B. Skewed GPU load
C. Skewed random seeds
D. A skewed target distribution

Correct Answer: A

Explanation: Option A is correct — Differences between feature computation at training time and at inference time. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

326. A model achieves AUC 0.93 offline but the business sees no lift. The most likely explanation is:

Difficulty: Very Hard

A. The decision threshold and downstream action were never optimised for the business objective
B. The model has too many features
C. AUC cannot be computed correctly
D. Offline data is always wrong

Correct Answer: A

Explanation: Option A is correct — The decision threshold and downstream action were never optimised for the business objective. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

327. You observe that adding a highly predictive feature causes production performance to collapse after two weeks. The most likely cause is:

Difficulty: Very Hard

A. The model is too simple

B. The learning rate was too low

C. The feature is too informative

D. The feature was computed with information unavailable at prediction time (leakage)

Correct Answer: D

Explanation: Option D is correct — The feature was computed with information unavailable at prediction time (leakage). This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

328. In a churn model, customers contacted by retention teams are labelled 'retained'. Training on this data creates:

Difficulty: Very Hard

A. A regression problem

B. A feedback loop where the model learns the intervention's effect, not baseline churn risk

C. A clustering task

D. A perfectly unbiased dataset

Correct Answer: B

Explanation: Option B is correct — A feedback loop where the model learns the intervention's effect, not baseline churn risk. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

329. Which is the most rigorous way to compare two models whose confidence intervals overlap on a single test set?

Difficulty: Very Hard

A. Increase the number of features

B. Pick the higher point estimate

C. Paired statistical testing on per-example results, e.g. McNemar's or a bootstrap of the difference

D. Retrain both and compare training accuracy

Correct Answer: C

Explanation: Option C is correct — Paired statistical testing on per-example results, e.g. McNemar's or a bootstrap of the difference. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

330. A gradient-boosted model's SHAP analysis shows a protected proxy feature dominating. Removing it barely changes predictions. The best interpretation is:

Difficulty: Very Hard

A. SHAP is broken

B. The model is now fair

C. Other correlated features carry the same signal, so removal alone does not address disparate impact

D. The feature was unimportant

Correct Answer: C

Explanation: Option C is correct — Other correlated features carry the same signal, so removal alone does not address disparate impact. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

331. When k-fold cross-validation is used on grouped data (e.g. multiple records per patient), the correct approach is:

Difficulty: Very Hard

A. Leave-one-record-out

B. Group-aware splitting so all records of an entity fall in one fold

C. Stratified k-fold on the target only

D. Standard random k-fold

Correct Answer: B

Explanation: Option B is correct — Group-aware splitting so all records of an entity fall in one fold. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

332. An AUC of 0.99 on a rare-disease screening model with 0.1% prevalence still yields poor precision because:

Difficulty: Very Hard

A. AUC is miscalculated

B. Precision equals AUC

C. Recall must be zero

D. At low prevalence, even a small false-positive rate produces far more false than true positives

Correct Answer: D

Explanation: Option D is correct — At low prevalence, even a small false-positive rate produces far more false than true positives. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

333. Which statement best describes why early stopping acts as a regulariser?

Difficulty: Very Hard

A. It adds noise to labels

B. It reduces the dataset size

C. It limits the effective capacity explored, similar to constraining parameter norms

D. It removes features

Correct Answer: C

Explanation: Option C is correct — It limits the effective capacity explored, similar to constraining parameter norms. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

334. In gradient boosting, setting a very low learning rate with many trees tends to:

Difficulty: Very Hard

A. Produce identical results to one tree
B. Eliminate the need for validation
C. Cause underfitting always
D. Improve generalisation at the cost of training time

Correct Answer: D

Explanation: Option D is correct — Improve generalisation at the cost of training time. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

335. A recommender trained on logged clicks suffers from position bias. The principled correction is:

Difficulty: Very Hard

A. Adding more features
B. Inverse propensity weighting using the logged exposure probabilities
C. Dropping all clicks
D. Increasing the number of recommendations

Correct Answer: B

Explanation: Option B is correct — Inverse propensity weighting using the logged exposure probabilities. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

336. Which best explains why 'accuracy parity' across groups can conflict with 'calibration within groups'?

Difficulty: Very Hard

A. Calibration is undefined per group
B. Accuracy cannot be measured per group
C. When base rates differ, satisfying both simultaneously is generally mathematically impossible
D. Both are always compatible

Correct Answer: C

Explanation: Option C is correct — When base rates differ, satisfying both simultaneously is generally mathematically impossible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

337. Your hyperparameter tuning improved validation score by 2% across 400 configurations. The most important caution is:

Difficulty: Very Hard

A. The gain may reflect overfitting to the validation set through repeated selection
B. Validation scores are irrelevant
C. Four hundred configurations are too few
D. Tuning cannot improve results

Correct Answer: A

Explanation: Option A is correct — The gain may reflect overfitting to the validation set through repeated selection. This directly matches what the question is asking about. The remaining options (B,

C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

338. Which scenario most clearly calls for conformal prediction rather than a point estimate?

Difficulty: Very Hard

A. A clustering exercise

B. An offline exploratory analysis

C. A triage system where downstream cost depends on whether the model can safely defer

D. A fixed-threshold batch classification with no human review

Correct Answer: C

Explanation: Option C is correct — A triage system where downstream cost depends on whether the model can safely defer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

339. A model's performance degrades gradually over 18 months with no code changes. Monitoring shows stable input distributions. The most likely cause is:

Difficulty: Very Hard

A. Covariate shift

B. A data pipeline outage

C. Concept drift: the relationship between features and target changed

D. Increased GPU temperature

Correct Answer: C

Explanation: Option C is correct — Concept drift: the relationship between features and target changed. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

340. For a fraud model, you observe precision rising and recall falling after retraining on recent data. A plausible explanation is:

Difficulty: Very Hard

A. Fraudsters adapted, so previously learned patterns now capture fewer true cases

B. The test set grew

C. Recall is unrelated to retraining

D. The learning rate changed

Correct Answer: A

Explanation: Option A is correct — Fraudsters adapted, so previously learned patterns now capture fewer true cases. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

341. When using nested cross-validation, the inner loop's purpose is to:

Difficulty: Very Hard

A. Estimate final performance

B. Select hyperparameters while the outer loop estimates generalisation of the whole procedure

C. Clean the data

D. Split the test set

Correct Answer: B

Explanation: Option B is correct — Select hyperparameters while the outer loop estimates generalisation of the whole procedure. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

342. A team reports that their model has 'no bias' because it was not given demographic attributes. The strongest technical rebuttal is:

Difficulty: Very Hard

A. Bias only occurs in images

B. Proxies such as postcode, name or purchase history can reconstruct protected attributes

C. Removing attributes always works

D. Bias requires neural networks

Correct Answer: B

Explanation: Option B is correct — Proxies such as postcode, name or purchase history can reconstruct protected attributes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

343. Which is the most defensible response when the Bayes error of a task is believed to be around 8%?

Difficulty: Very Hard

A. Change the metric to accuracy

B. Treat ~92% as an approximate ceiling and focus on error analysis rather than chasing higher numbers

C. Declare the task impossible

D. Continue tuning until 99% accuracy

Correct Answer: B

Explanation: Option B is correct — Treat ~92% as an approximate ceiling and focus on error analysis rather than chasing higher numbers. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

344. In multi-armed bandit deployment, Thompson sampling balances exploration and exploitation by:

Difficulty: Very Hard

A. Playing the least-used arm

B. Sampling from the posterior over arm rewards and playing the sampled best

C. Always playing the best-known arm

D. Playing arms uniformly forever

Correct Answer: B

Explanation: Option B is correct — Sampling from the posterior over arm rewards and playing the sampled best. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

345. A model that must work across ten countries shows strong aggregate metrics but weak performance in two. The best remediation strategy is:

Difficulty: Very Hard

A. Evaluate and report per-segment metrics and consider segment-specific models or reweighting

B. Increase overall training size

C. Delete the two countries' data

D. Report only the aggregate

Correct Answer: A

Explanation: Option A is correct — Evaluate and report per-segment metrics and consider segment-specific models or reweighting. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

346. Which statement about 'shortcut learning' and data augmentation is most accurate?

Difficulty: Very Hard

A. Augmentation only helps NLP

B. Shortcuts cannot be addressed

C. Augmentation always removes shortcuts

D. Targeted augmentation that breaks the spurious cue can force the model to use genuine signal

Correct Answer: D

Explanation: Option D is correct — Targeted augmentation that breaks the spurious cue can force the model to use genuine signal. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

347. You must deploy a model where false positives cost ₹50 and false negatives cost ₹2,000. The correct thresholding approach is:

Difficulty: Very Hard

A. Maximise AUC

B. Choose the threshold minimising expected cost using the calibrated probabilities

C. Use 0.5 as the threshold

D. Maximise accuracy

Correct Answer: B

Explanation: Option B is correct — Choose the threshold minimising expected cost using the calibrated probabilities. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

348. Which is the strongest reason to prefer a calibrated model over a merely discriminative one in decision-support settings?

Difficulty: Very Hard

A. Calibrated models train faster

B. Expected-cost decisions require probabilities that mean what they say

C. Calibration improves AUC

D. Discrimination is unmeasurable

Correct Answer: B

Explanation: Option B is correct — Expected-cost decisions require probabilities that mean what they say. This directly matches what the question is asking about. The remaining options (A, C, D) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

349. In semi-supervised self-training, a key failure mode is:

Difficulty: Very Hard

A. Inability to use unlabelled data

B. Confirmation bias, where confidently wrong pseudo-labels reinforce the model's errors

C. Running out of labels

D. Excessive supervision

Correct Answer: B

Explanation: Option B is correct — Confirmation bias, where confidently wrong pseudo-labels reinforce the model's errors. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

350. Which experimental design flaw most commonly inflates reported ML results in published work?

Difficulty: Very Hard

A. Tuning and model selection performed with knowledge of the test set

B. Publishing code

C. Using cross-validation

D. Reporting confidence intervals

Correct Answer: A

Explanation: Option A is correct — Tuning and model selection performed with knowledge of the test set. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

Deep Learning & Neural Networks

351. The vanishing gradient problem makes it hard to:

Difficulty: Medium

A. Train very deep networks because gradients shrink toward zero in early layers
B. Compute accuracy
C. Load large datasets
D. Fit the model into GPU memory

Correct Answer: A

Explanation: Option A is correct — Train very deep networks because gradients shrink toward zero in early layers. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

352. Dropout is a technique that:

Difficulty: Medium

A. Deletes the smallest weights permanently
B. Stops training early
C. Removes rows from the dataset
D. Randomly deactivates neurons during training to reduce overfitting

Correct Answer: D

Explanation: Option D is correct — Randomly deactivates neurons during training to reduce overfitting. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

353. Batch normalisation helps by:

Difficulty: Medium

A. Converting images to grayscale
B. Stabilising and speeding up training by normalising layer inputs
C. Replacing the optimizer
D. Reducing the dataset size

Correct Answer: B

Explanation: Option B is correct — Stabilising and speeding up training by normalising layer inputs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

354. In a CNN, a pooling layer is used to:

Difficulty: Medium

A. Compute the final classification
B. Reduce spatial dimensions while retaining important features
C. Add colour to images
D. Increase the number of parameters

Correct Answer: B

Explanation: Option B is correct — Reduce spatial dimensions while retaining important features. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

355. LSTM networks were designed to address which limitation of basic RNNs?

Difficulty: Medium

A. Difficulty learning long-range dependencies

B. Inability to process images

C. Excessive memory usage

D. Lack of activation functions

Correct Answer: A

Explanation: Option A is correct — Difficulty learning long-range dependencies. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

356. What does the Adam optimizer improve over plain stochastic gradient descent?

Difficulty: Medium

A. It adapts the learning rate per parameter using moment estimates

B. It guarantees zero loss

C. It trains without any data

D. It removes the need for a loss function

Correct Answer: A

Explanation: Option A is correct — It adapts the learning rate per parameter using moment estimates. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

357. An embedding is:

Difficulty: Medium

A. A user interface component

B. A compressed zip file of the model

C. A dense vector representation of an item such as a word or image

D. A type of GPU

Correct Answer: C

Explanation: Option C is correct — A dense vector representation of an item such as a word or image. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

358. In an autoencoder, the bottleneck layer:

Difficulty: Medium

A. Forces the network to learn a compressed representation of the input

B. Controls the learning rate

C. Increases the input dimension

D. Stores the labels

Correct Answer: A

Explanation: Option A is correct — Forces the network to learn a compressed representation of the input. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

359. A Generative Adversarial Network (GAN) consists of:

Difficulty: Medium

A. A generator and a discriminator trained in competition

B. Two identical classifiers

C. An encoder and a database
D. A CNN and a spreadsheet

Correct Answer: A

Explanation: Option A is correct — A generator and a discriminator trained in competition. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

360. The attention mechanism allows a model to:

Difficulty: Medium

A. Skip the loss calculation
B. Store more data on disk
C. Weigh the relevance of different input parts when producing each output
D. Run without any training

Correct Answer: C

Explanation: Option C is correct — Weigh the relevance of different input parts when producing each output. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

361. The key innovation of the transformer architecture (2017) was:

Difficulty: Medium

A. Removing all non-linearities
B. Relying entirely on self-attention instead of recurrence
C. Training only on images
D. Using much smaller datasets

Correct Answer: B

Explanation: Option B is correct — Relying entirely on self-attention instead of recurrence. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

362. Data augmentation in image tasks involves:

Difficulty: Medium

A. Creating modified copies (flips, crops, rotations) to enlarge the training set
B. Deleting blurry images
C. Converting images to text
D. Reducing image resolution to zero

Correct Answer: A

Explanation: Option A is correct — Creating modified copies (flips, crops, rotations) to enlarge the training set. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

363. Which describes 'fine-tuning' a pre-trained network?

Difficulty: Medium

A. Deleting most of its layers
B. Renaming the model file
C. Running inference repeatedly
D. Continuing training on a smaller task-specific dataset

Correct Answer: D

Explanation: Option D is correct — Continuing training on a smaller task-specific dataset. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

364. What is a 'learning rate schedule'?

Difficulty: Medium

A. The order of layers
B. A list of datasets to use
C. A calendar of training sessions
D. A plan for changing the learning rate over the course of training

Correct Answer: D

Explanation: Option D is correct — A plan for changing the learning rate over the course of training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

365. Which of these best describes a diffusion model?

Difficulty: Medium

A. It classifies images by diffusion of colour
B. It is a decision tree ensemble
C. It learns to reverse a gradual noising process to generate data
D. It is a rule-based expert system

Correct Answer: C

Explanation: Option C is correct — It learns to reverse a gradual noising process to generate data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

366. Mixed-precision training uses lower-precision numbers (e.g. FP16) mainly to:

Difficulty: Medium

A. Increase model accuracy dramatically
B. Simplify the loss function
C. Avoid needing a GPU
D. Reduce memory use and speed up computation

Correct Answer: D

Explanation: Option D is correct — Reduce memory use and speed up computation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

367. 'Gradient clipping' is used to:

Difficulty: Medium

A. Remove unimportant features
B. Prevent exploding gradients by capping their magnitude
C. Choose the batch size
D. Shrink the dataset

Correct Answer: B

Explanation: Option B is correct — Prevent exploding gradients by capping their magnitude. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

368. A fully connected layer with 100 inputs and 50 outputs has how many weight parameters (excluding bias)?

Difficulty: Medium

A. 50
B. 150
C. 5,000
D. 100

Correct Answer: C

Explanation: Option C is correct — 5,000. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

369. The sigmoid activation saturates for large positive or negative inputs, which causes:

Difficulty: Medium

A. Negative loss values
B. Faster convergence
C. Very small gradients that slow learning
D. Exploding gradients

Correct Answer: C

Explanation: Option C is correct — Very small gradients that slow learning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

370. Compared to sigmoid, ReLU's main practical advantage is:

Difficulty: Medium

A. It is bounded between 0 and 1
B. It outputs probabilities
C. It has no zero region
D. It avoids saturation for positive inputs, keeping gradients flowing

Correct Answer: D

Explanation: Option D is correct — It avoids saturation for positive inputs, keeping gradients flowing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

371. The 'dying ReLU' problem occurs when:

Difficulty: Medium

A. Neurons output zero for all inputs and stop receiving gradient
B. Batch size is too small
C. Weights become too large
D. The loss becomes negative

Correct Answer: A

Explanation: Option A is correct — Neurons output zero for all inputs and stop receiving gradient. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

372. Leaky ReLU addresses dying ReLU by:

Difficulty: Medium

A. Removing the bias term

B. Clipping positive outputs

C. Allowing a small non-zero gradient for negative inputs

D. Normalising the input

Correct Answer: C

Explanation: Option C is correct — Allowing a small non-zero gradient for negative inputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

373. In a CNN, the number of parameters in a convolutional kernel depends on:

Difficulty: Medium

A. Kernel size and the number of input and output channels

B. The learning rate

C. The batch size

D. The image width only

Correct Answer: A

Explanation: Option A is correct — Kernel size and the number of input and output channels. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

374. Weight sharing in CNNs provides:

Difficulty: Medium

A. More parameters per layer

B. Translation-equivariant feature detection with far fewer parameters

C. Higher learning rates

D. Faster data loading

Correct Answer: B

Explanation: Option B is correct — Translation-equivariant feature detection with far fewer parameters. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

375. 'Stride' in a convolution controls:

Difficulty: Medium

A. The number of filters

B. The activation function

C. How far the kernel moves between applications, affecting output size

D. The loss function

Correct Answer: C

Explanation: Option C is correct — How far the kernel moves between applications, affecting output size. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

376. 'Padding' in convolution is used to:

Difficulty: Medium

A. Normalise pixel values

B. Increase the number of channels

C. Reduce the learning rate

D. Control the spatial size of the output, often preserving input dimensions

Correct Answer: D

Explanation: Option D is correct — Control the spatial size of the output, often preserving input dimensions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

377. The receptive field of a neuron in a deep CNN refers to:

Difficulty: Medium

A. The batch dimension
B. The output class count
C. The number of filters
D. The region of the input that influences its activation

Correct Answer: D

Explanation: Option D is correct — The region of the input that influences its activation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

378. Global average pooling is often used before the classifier to:

Difficulty: Medium

A. Normalise gradients
B. Increase spatial resolution
C. Reduce each feature map to a single value, cutting parameters versus flattening
D. Add non-linearity

Correct Answer: C

Explanation: Option C is correct — Reduce each feature map to a single value, cutting parameters versus flattening. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

379. Softmax with cross-entropy is preferred over MSE for classification because:

Difficulty: Medium

A. It avoids using labels
B. It bounds the output to zero
C. It provides stronger, better-shaped gradients for probability outputs
D. It is faster to compute

Correct Answer: C

Explanation: Option C is correct — It provides stronger, better-shaped gradients for probability outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

380. In an RNN, the hidden state serves as:

Difficulty: Medium

A. A summary of information from previous time steps
B. The output label
C. A convolution kernel
D. The learning rate schedule

Correct Answer: A

Explanation: Option A is correct — A summary of information from previous time steps. This directly matches what the question is asking about. The remaining options (B, C, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

381. Teacher forcing during sequence model training means:

Difficulty: Medium

A. Forcing the teacher to label data

B. Feeding the ground-truth previous token rather than the model's own prediction

C. Freezing all weights

D. Doubling the learning rate

Correct Answer: B

Explanation: Option B is correct — Feeding the ground-truth previous token rather than the model's own prediction. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

382. 'Exposure bias' in sequence generation arises because:

Difficulty: Medium

A. Training uses ground-truth prefixes but inference uses the model's own outputs

B. The model sees too much data

C. Labels are missing

D. Batch sizes differ

Correct Answer: A

Explanation: Option A is correct — Training uses ground-truth prefixes but inference uses the model's own outputs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

383. A bidirectional RNN is unsuitable for:

Difficulty: Medium

A. Sentiment classification of complete sentences

B. Offline sequence labelling

C. Named entity recognition on full documents

D. Real-time streaming prediction where future context is unavailable

Correct Answer: D

Explanation: Option D is correct — Real-time streaming prediction where future context is unavailable. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

384. GRUs differ from LSTMs primarily by:

Difficulty: Medium

A. Using fewer gates and no separate cell state

B. Requiring no activation function

C. Having more parameters

D. Being convolutional

Correct Answer: A

Explanation: Option A is correct — Using fewer gates and no separate cell state. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

385. 'Weight initialisation' matters because:

Difficulty: Medium

A. Initial weights are never used
B. It replaces the optimizer
C. It determines the dataset
D. Poor initial scales cause vanishing or exploding activations in deep networks

Correct Answer: D

Explanation: Option D is correct — Poor initial scales cause vanishing or exploding activations in deep networks. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

386. Xavier/Glorot initialisation scales weights based on:

Difficulty: Medium

A. The batch size
B. The learning rate
C. The number of epochs
D. The number of input and output units of a layer

Correct Answer: D

Explanation: Option D is correct — The number of input and output units of a layer. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

387. He initialisation is recommended for:

Difficulty: Medium

A. ReLU-family activations
B. Linear models
C. Sigmoid only
D. Decision trees

Correct Answer: A

Explanation: Option A is correct — ReLU-family activations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

388. Momentum in SGD helps by:

Difficulty: Medium

A. Adding random noise to labels
B. Accumulating past gradients to smooth updates and accelerate along consistent directions
C. Reducing the dataset
D. Increasing the batch size

Correct Answer: B

Explanation: Option B is correct — Accumulating past gradients to smooth updates and accelerate along consistent directions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

389. Learning-rate warmup is used to:

Difficulty: Medium

A. Reduce model size

B. Start with small steps to stabilise early training before increasing

C. End training early

D. Fix label noise

Correct Answer: B

Explanation: Option B is correct — Start with small steps to stabilise early training before increasing. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

390. Cosine annealing of the learning rate:

Difficulty: Medium

A. Randomises it each step

B. Keeps it constant

C. Gradually decreases the rate following a cosine curve over training

D. Increases it linearly forever

Correct Answer: C

Explanation: Option C is correct — Gradually decreases the rate following a cosine curve over training. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

391. Gradient accumulation lets you:

Difficulty: Medium

A. Skip backpropagation

B. Simulate a larger batch size when GPU memory is limited

C. Increase the learning rate automatically

D. Reduce the number of epochs

Correct Answer: B

Explanation: Option B is correct — Simulate a larger batch size when GPU memory is limited. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

392. Weight decay is functionally equivalent (in plain SGD) to:

Difficulty: Medium

A. Batch normalisation

B. Data augmentation

C. Dropout

D. L2 regularisation on the weights

Correct Answer: D

Explanation: Option D is correct — L2 regularisation on the weights. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

393. Why is dropout typically disabled at inference time?

Difficulty: Medium

A. Dropout is too slow

B. Predictions should be deterministic and use the full network

C. Inference has no weights

D. It would increase accuracy too much

Correct Answer: B

Explanation: Option B is correct — Predictions should be deterministic and use the full network. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

394. In a transformer, the feed-forward sub-layer applied to each position typically:

Difficulty: Medium

A. Expands to a larger hidden dimension and projects back

B. Performs attention

C. Normalises the batch

D. Reduces sequence length

Correct Answer: A

Explanation: Option A is correct — Expands to a larger hidden dimension and projects back. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

395. Encoder-only transformers (e.g. BERT) are best suited to:

Difficulty: Medium

A. Audio synthesis only

B. Understanding tasks such as classification and extraction

C. Image rendering

D. Open-ended text generation

Correct Answer: B

Explanation: Option B is correct — Understanding tasks such as classification and extraction. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

396. Decoder-only transformers use causal masking to:

Difficulty: Medium

A. Hide the input entirely

B. Prevent a position from attending to future tokens

C. Speed up training only

D. Remove positional information

Correct Answer: B

Explanation: Option B is correct — Prevent a position from attending to future tokens. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

397. Encoder-decoder architectures are typical for:

Difficulty: Medium

A. Clustering

B. Binary tabular classification

C. Anomaly detection on numbers

D. Sequence-to-sequence tasks such as translation

Correct Answer: D

Explanation: Option D is correct — Sequence-to-sequence tasks such as translation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

398. A Vision Transformer (ViT) processes images by:

Difficulty: Medium

A. Splitting them into patches treated as a sequence of tokens

B. Using only pooling layers

C. Applying recurrent layers over rows

D. Converting images to text

Correct Answer: A

Explanation: Option A is correct — Splitting them into patches treated as a sequence of tokens. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

399. Compared to CNNs, ViTs typically require:

Difficulty: Medium

A. Fewer parameters always

B. More training data or strong augmentation to match performance

C. No normalisation

D. Less data always

Correct Answer: B

Explanation: Option B is correct — More training data or strong augmentation to match performance. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

400. Which describes 'fine-tuning the last layer only'?

Difficulty: Medium

A. Freezing the backbone and training a new classification head

B. Changing the optimizer only

C. Deleting the backbone

D. Retraining all weights

Correct Answer: A

Explanation: Option A is correct — Freezing the backbone and training a new classification head. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

401. A Siamese network is used for:

Difficulty: Medium

A. Multi-class classification with many labels

B. Text summarisation

C. Learning similarity between pairs of inputs

D. Image generation

Correct Answer: C

Explanation: Option C is correct — Learning similarity between pairs of inputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

402. Triplet loss trains embeddings using:

Difficulty: Medium

A. Only positive pairs

B. Reconstruction error

C. Class labels alone

D. An anchor, a positive and a negative example

Correct Answer: D

Explanation: Option D is correct — An anchor, a positive and a negative example. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

403. In a variational autoencoder, the KL term encourages:

Difficulty: Medium

A. The latent distribution to stay close to a prior such as a standard normal

B. Larger latent dimensions

C. Perfect reconstruction only

D. Discrete outputs

Correct Answer: A

Explanation: Option A is correct — The latent distribution to stay close to a prior such as a standard normal. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

404. Compared to GANs, diffusion models generally offer:

Difficulty: Medium

A. More stable training and better mode coverage at higher inference cost

B. Fewer parameters always

C. Faster sampling

D. No need for a noise schedule

Correct Answer: A

Explanation: Option A is correct — More stable training and better mode coverage at higher inference cost. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

405. Classifier-free guidance in diffusion models:

Difficulty: Medium

A. Eliminates noise

B. Speeds up training

C. Removes the text encoder

D. Trades diversity for stronger adherence to the conditioning prompt

Correct Answer: D

Explanation: Option D is correct — Trades diversity for stronger adherence to the conditioning prompt. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

406. 'Latent diffusion' improves efficiency by:

Difficulty: Medium

A. Using fewer denoising steps only

B. Training without images

C. Removing the decoder

D. Running the diffusion process in a compressed latent space rather than pixel space

Correct Answer: D

Explanation: Option D is correct — Running the diffusion process in a compressed latent space rather than pixel space. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

407. A residual block computes:

Difficulty: Medium

A. A pooling operation
B. The difference of two datasets
C. The layer output added to its input via a skip connection
D. The product of two layers

Correct Answer: C

Explanation: Option C is correct — The layer output added to its input via a skip connection. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

408. Which normalisation is standard inside transformer blocks?

Difficulty: Medium

A. No normalisation
B. Instance normalisation
C. Batch normalisation
D. Layer normalisation

Correct Answer: D

Explanation: Option D is correct — Layer normalisation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

409. 'Pre-norm' vs 'post-norm' transformer variants differ in:

Difficulty: Medium

A. The vocabulary size
B. Whether normalisation is applied before or after the sub-layer, affecting training stability
C. The optimizer used
D. The number of heads

Correct Answer: B

Explanation: Option B is correct — Whether normalisation is applied before or after the sub-layer, affecting training stability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

410. Label smoothing regularises classification by:

Difficulty: Medium

A. Increasing the learning rate
B. Removing labels
C. Replacing hard 0/1 targets with slightly softened values
D. Adding more classes

Correct Answer: C

Explanation: Option C is correct — Replacing hard 0/1 targets with slightly softened values. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

411. Mixup augmentation creates training examples by:

Difficulty: Medium

A. Linearly interpolating pairs of inputs and their labels

B. Deleting pixels

C. Rotating images only

D. Adding Gaussian noise to labels

Correct Answer: A

Explanation: Option A is correct — Linearly interpolating pairs of inputs and their labels. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

412. Why does transfer learning work well for small datasets?

Difficulty: Medium

A. Pre-trained models memorise the new data

B. Small datasets need no features

C. It removes the need for labels

D. Low-level features learned on large corpora generalise across related tasks

Correct Answer: D

Explanation: Option D is correct — Low-level features learned on large corpora generalise across related tasks. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

413. 'Catastrophic forgetting' is most likely when:

Difficulty: Medium

A. Using a very small learning rate

B. Fine-tuning aggressively on a narrow new task with a high learning rate

C. Freezing all layers

D. Training from scratch

Correct Answer: B

Explanation: Option B is correct — Fine-tuning aggressively on a narrow new task with a high learning rate. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

414. Multi-task learning can improve performance by:

Difficulty: Medium

A. Using separate datasets with no overlap

B. Removing shared layers

C. Sharing representations that act as mutual regularisation

D. Reducing the number of tasks

Correct Answer: C

Explanation: Option C is correct — Sharing representations that act as mutual regularisation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

415. A model's 'inductive bias' refers to:

Difficulty: Medium

A. The label distribution

B. The learning rate

C. Assumptions built into the architecture that favour certain solutions

D. A bug in the training data

Correct Answer: C

Explanation: Option C is correct — Assumptions built into the architecture that favour certain solutions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

416. CNNs encode which inductive bias that ViTs largely lack?

Difficulty: Medium

A. Probabilistic outputs

B. Sequential processing

C. Locality and translation equivariance

D. Attention over all positions

Correct Answer: C

Explanation: Option C is correct — Locality and translation equivariance. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

417. Which best describes 'model pruning'?

Difficulty: Medium

A. Removing the loss function

B. Removing weights or structures with little impact to reduce size and compute

C. Reducing the number of epochs

D. Deleting training data

Correct Answer: B

Explanation: Option B is correct — Removing weights or structures with little impact to reduce size and compute. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

418. Structured pruning differs from unstructured pruning by:

Difficulty: Medium

A. Removing individual weights only

B. Removing whole channels or heads, yielding real speedups on standard hardware

C. Requiring retraining always

D. Being less effective always

Correct Answer: B

Explanation: Option B is correct — Removing whole channels or heads, yielding real speedups on standard hardware. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

419. 'Activation checkpointing' trades:

Difficulty: Medium

A. Memory for accuracy

B. Data for compute

C. Extra compute for reduced memory by recomputing activations in the backward pass

D. Accuracy for speed

Correct Answer: C

Explanation: Option C is correct — Extra compute for reduced memory by recomputing activations in the backward pass. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

420. Data parallelism during training means:

Difficulty: Medium

A. Each device processes a different batch shard with synchronised gradients

B. The dataset is split across epochs

C. Only one device trains

D. Each device holds different layers

Correct Answer: A

Explanation: Option A is correct — Each device processes a different batch shard with synchronised gradients. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

421. Model (tensor) parallelism is used when:

Difficulty: Medium

A. The batch size is small

B. A model is too large to fit on a single device

C. Training is too fast

D. The dataset is too large

Correct Answer: B

Explanation: Option B is correct — A model is too large to fit on a single device. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

422. Which is the main purpose of a validation loss curve during deep learning training?

Difficulty: Medium

A. Counting parameters

B. Selecting the dataset

C. Measuring GPU temperature

D. Detecting overfitting and choosing when to stop

Correct Answer: D

Explanation: Option D is correct — Detecting overfitting and choosing when to stop. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

423. Why can a very large batch size hurt generalisation without adjustment?

Difficulty: Medium

A. It removes regularisation entirely
B. It cannot fit in memory
C. It always overfits
D. It reduces gradient noise that aids escaping sharp minima; learning rate must be rescaled

Correct Answer: D

Explanation: Option D is correct — It reduces gradient noise that aids escaping sharp minima; learning rate must be rescaled. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

424. 'Inference batching' in production improves:

Difficulty: Medium

A. Model size
B. Accuracy
C. Throughput by amortising fixed costs across requests, at some latency cost
D. Training speed

Correct Answer: C

Explanation: Option C is correct — Throughput by amortising fixed costs across requests, at some latency cost. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

425. ONNX is used primarily to:

Difficulty: Medium

A. Represent trained models in a portable format across frameworks and runtimes
B. Label data
C. Train models faster
D. Store datasets

Correct Answer: A

Explanation: Option A is correct — Represent trained models in a portable format across frameworks and runtimes. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

426. Why do residual (skip) connections help train very deep networks?

Difficulty: Hard

A. They eliminate the need for activation functions
B. They let gradients flow directly through identity paths, easing optimisation
C. They reduce the number of layers
D. They increase the learning rate

Correct Answer: B

Explanation: Option B is correct — They let gradients flow directly through identity paths, easing optimisation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

427. Self-attention in transformers computes outputs using:

Difficulty: Hard

A. Only the previous hidden state
B. A fixed convolution kernel
C. Random projections with no training
D. Queries, keys and values derived from the input tokens

Correct Answer: D

Explanation: Option D is correct — Queries, keys and values derived from the input tokens. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

428. Positional encodings are needed in transformers because:

Difficulty: Hard

A. Self-attention alone is order-agnostic and needs position information
B. They replace the need for embeddings
C. Transformers cannot process numbers
D. GPUs require them for memory alignment

Correct Answer: A

Explanation: Option A is correct — Self-attention alone is order-agnostic and needs position information. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

429. Multi-head attention allows the model to:

Difficulty: Hard

A. Use multiple GPUs automatically
B. Skip training entirely
C. Attend to information from different representation subspaces simultaneously
D. Reduce the vocabulary size

Correct Answer: C

Explanation: Option C is correct — Attend to information from different representation subspaces simultaneously. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

430. The Universal Approximation Theorem states that:

Difficulty: Hard

A. A feedforward network with one hidden layer can approximate any continuous function given enough units
B. Deep networks never overfit
C. Any dataset can be learned with zero error
D. All networks converge to the same solution

Correct Answer: A

Explanation: Option A is correct — A feedforward network with one hidden layer can approximate any continuous function given enough units. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

431. In contrastive learning (e.g. CLIP), the model learns by:

Difficulty: Hard

A. Reducing image size

B. Pulling matched pairs together and pushing mismatched pairs apart in embedding space

C. Predicting the next word

D. Reconstructing masked pixels

Correct Answer: B

Explanation: Option B is correct — Pulling matched pairs together and pushing mismatched pairs apart in embedding space. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

432. Layer normalisation differs from batch normalisation in that it:

Difficulty: Hard

A. Requires larger batch sizes

B. Only works in CNNs

C. Normalises across features within a single example, not across the batch

D. Is applied only at inference

Correct Answer: C

Explanation: Option C is correct — Normalises across features within a single example, not across the batch. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

433. Knowledge distillation trains a smaller 'student' model to:

Difficulty: Hard

A. Mimic the outputs of a larger 'teacher' model

B. Increase the teacher's size

C. Generate new training labels randomly

D. Replace the loss function

Correct Answer: A

Explanation: Option A is correct — Mimic the outputs of a larger 'teacher' model. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

434. What does 'mode collapse' refer to in GAN training?

Difficulty: Hard

A. The learning rate reaches zero

B. The generator produces limited variety, repeating similar outputs

C. The dataset is corrupted

D. The discriminator stops training

Correct Answer: B

Explanation: Option B is correct — The generator produces limited variety, repeating similar outputs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

435. Which quantity does 'FLOPs' measure in a training context?

Difficulty: Hard

A. The size of the dataset in bytes

B. The number of floating-point operations, a proxy for compute cost

C. The network's accuracy

D. The number of failed training runs

Correct Answer: B

Explanation: Option B is correct — The number of floating-point operations, a proxy for compute cost. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

436. Why does the softmax function use exponentials?

Difficulty: Hard

A. To avoid using a loss function

B. To ensure outputs are integers

C. To turn arbitrary scores into positive values that sum to 1 while amplifying differences

D. To make training slower

Correct Answer: C

Explanation: Option C is correct — To turn arbitrary scores into positive values that sum to 1 while amplifying differences. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

437. A 'masked language model' such as BERT is trained by:

Difficulty: Hard

A. Classifying images

B. Reconstructing audio

C. Predicting only the next token

D. Predicting randomly hidden tokens using both left and right context

Correct Answer: D

Explanation: Option D is correct — Predicting randomly hidden tokens using both left and right context. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

438. Which of these is a symptom of exploding gradients?

Difficulty: Hard

A. The dataset shrinks

B. Loss becomes NaN or oscillates wildly

C. Training converges too quickly

D. Accuracy stays exactly at 100%

Correct Answer: B

Explanation: Option B is correct — Loss becomes NaN or oscillates wildly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

439. Quantisation of a neural network refers to:

Difficulty: Hard

A. Converting the model into a decision tree

B. Representing weights with fewer bits (e.g. 8-bit) to reduce size and latency

C. Splitting training across countries

D. Increasing the number of layers

Correct Answer: B

Explanation: Option B is correct — Representing weights with fewer bits (e.g. 8-bit) to reduce size and latency. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

440. In a Mixture-of-Experts (MoE) architecture:

Difficulty: Hard

A. Experts are human reviewers
B. The model has exactly two layers
C. A routing mechanism activates only a subset of expert sub-networks per input
D. All parameters are used for every token

Correct Answer: C

Explanation: Option C is correct — A routing mechanism activates only a subset of expert sub-networks per input. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

441. What problem does 'catastrophic forgetting' describe?

Difficulty: Hard

A. A model failing to load from disk
B. Gradients becoming too large
C. A network losing previously learned knowledge when trained on new tasks
D. Loss of internet connectivity during training

Correct Answer: C

Explanation: Option C is correct — A network losing previously learned knowledge when trained on new tasks. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

442. Self-attention computes scores as QK^T scaled by the square root of the head dimension in order to:

Difficulty: Hard

A. Enforce causality
B. Prevent dot products from growing large and pushing softmax into saturated regions
C. Reduce parameter count
D. Normalise the batch

Correct Answer: B

Explanation: Option B is correct — Prevent dot products from growing large and pushing softmax into saturated regions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

443. The memory footprint of the KV cache during autoregressive decoding scales with:

Difficulty: Hard

A. The number of training epochs
B. Vocabulary size only
C. Sequence length times layers times KV heads times head dimension
D. Batch size only

Correct Answer: C

Explanation: Option C is correct — Sequence length times layers times KV heads times head dimension. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

444. Multi-Query Attention reduces inference memory by:

Difficulty: Hard

A. Halving the vocabulary
B. Removing the query projection
C. Sharing a single key/value head across all query heads
D. Skipping the feed-forward layer

Correct Answer: C

Explanation: Option C is correct — Sharing a single key/value head across all query heads. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

445. FlashAttention improves speed primarily by:

Difficulty: Hard

A. Approximating attention with sampling
B. Reducing memory reads/writes through tiling and recomputation, not by changing the maths
C. Removing the softmax
D. Reducing model depth

Correct Answer: B

Explanation: Option B is correct — Reducing memory reads/writes through tiling and recomputation, not by changing the maths. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

446. Rotary Positional Embeddings (RoPE) encode position by:

Difficulty: Hard

A. Adding a learned vector to inputs
B. Concatenating position indices
C. Rotating query and key vectors so attention depends on relative position
D. Masking future tokens

Correct Answer: C

Explanation: Option C is correct — Rotating query and key vectors so attention depends on relative position. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

447. ALiBi handles long contexts by:

Difficulty: Hard

A. Compressing the sequence
B. Adding a distance-proportional bias to attention scores, enabling length extrapolation
C. Removing positional information
D. Learning absolute embeddings

Correct Answer: B

Explanation: Option B is correct — Adding a distance-proportional bias to attention scores, enabling length extrapolation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

448. Which explains why deep networks with skip connections have smoother loss landscapes?

Difficulty: Hard

A. They use larger learning rates

B. Identity paths reduce the degeneracy and sharp curvature introduced by depth

C. They have fewer parameters

D. They remove non-linearities

Correct Answer: B

Explanation: Option B is correct — Identity paths reduce the degeneracy and sharp curvature introduced by depth. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

449. Batch normalisation's dependence on batch statistics causes problems when:

Difficulty: Hard

A. Weights are initialised randomly

B. The model uses ReLU

C. Batch sizes are very small or statistics differ between training and inference

D. The learning rate is high

Correct Answer: C

Explanation: Option C is correct — Batch sizes are very small or statistics differ between training and inference. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

450. RMSNorm differs from LayerNorm by:

Difficulty: Hard

A. Being applied only at inference

B. Using no learnable parameters ever

C. Normalising across the batch

D. Omitting mean subtraction and normalising by root-mean-square only

Correct Answer: D

Explanation: Option D is correct — Omitting mean subtraction and normalising by root-mean-square only. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

451. SwiGLU and GeGLU activations improve transformers by:

Difficulty: Hard

A. Removing the feed-forward block

B. Using a gated linear unit variant that empirically improves quality per parameter

C. Reducing depth

D. Eliminating attention

Correct Answer: B

Explanation: Option B is correct — Using a gated linear unit variant that empirically improves quality per parameter. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

452. Which statement about Adam's bias correction is accurate?

Difficulty: Hard

A. It compensates for moment estimates being initialised at zero early in training

B. It scales the batch size

C. It removes weight decay

D. It corrects label bias

Correct Answer: A

Explanation: Option A is correct — It compensates for moment estimates being initialised at zero early in training. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

453. AdamW differs from Adam by:

Difficulty: Hard

A. Fixing the learning rate

B. Decoupling weight decay from the adaptive gradient update

C. Removing momentum

D. Using second-order derivatives

Correct Answer: B

Explanation: Option B is correct — Decoupling weight decay from the adaptive gradient update. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

454. The 'lottery ticket hypothesis' claims that:

Difficulty: Hard

A. Larger models never prune well

B. Random pruning always works

C. Initialisation is irrelevant

D. Dense networks contain sparse subnetworks that can train to comparable accuracy from the original initialisation

Correct Answer: D

Explanation: Option D is correct — Dense networks contain sparse subnetworks that can train to comparable accuracy from the original initialisation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

455. 'Grokking' describes the phenomenon where:

Difficulty: Hard

A. Training loss never decreases

B. A model generalises long after it has memorised the training set

C. Gradients explode

D. Models forget prior tasks

Correct Answer: B

Explanation: Option B is correct — A model generalises long after it has memorised the training set. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

456. Neural Tangent Kernel theory analyses networks in the regime where:

Difficulty: Hard

A. Data is infinite
B. Depth is zero
C. Learning rates are large
D. Width tends to infinity and training behaves like kernel regression

Correct Answer: D

Explanation: Option D is correct — Width tends to infinity and training behaves like kernel regression. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

457. 'Sharpness-aware minimisation' (SAM) improves generalisation by:

Difficulty: Hard

A. Seeking parameters in flatter loss regions via a worst-case perturbation step
B. Reducing the dataset
C. Removing regularisation
D. Increasing batch size

Correct Answer: A

Explanation: Option A is correct — Seeking parameters in flatter loss regions via a worst-case perturbation step. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

458. Which explains why gradient checkpointing costs roughly one extra forward pass?

Difficulty: Hard

A. Data loads twice
B. Activations are discarded and recomputed during backpropagation
C. Gradients are computed twice
D. The optimizer runs twice

Correct Answer: B

Explanation: Option B is correct — Activations are discarded and recomputed during backpropagation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

459. ZeRO/FSDP sharding reduces memory by:

Difficulty: Hard

A. Removing the optimizer
B. Reducing precision only
C. Partitioning optimizer states, gradients and parameters across devices
D. Compressing the dataset

Correct Answer: C

Explanation: Option C is correct — Partitioning optimizer states, gradients and parameters across devices. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

460. Pipeline parallelism suffers from 'bubbles' because:

Difficulty: Hard

A. Devices idle while waiting for activations from earlier pipeline stages

B. Batches are too large

C. Data is corrupted

D. Gradients vanish

Correct Answer: A

Explanation: Option A is correct — Devices idle while waiting for activations from earlier pipeline stages. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

461. Mixture-of-Experts routing introduces a load-balancing loss to:

Difficulty: Hard

A. Prevent a few experts from receiving most tokens while others go unused

B. Enforce causal masking

C. Increase the learning rate

D. Reduce the number of experts

Correct Answer: A

Explanation: Option A is correct — Prevent a few experts from receiving most tokens while others go unused. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

462. The key efficiency claim of MoE models is:

Difficulty: Hard

A. Identical compute to dense models

B. Fewer total parameters

C. No routing overhead

D. Large total parameter count with much smaller active parameters per token

Correct Answer: D

Explanation: Option D is correct — Large total parameter count with much smaller active parameters per token. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

463. Quantisation-aware training differs from post-training quantisation by:

Difficulty: Hard

A. Producing higher precision

B. Being applied only after deployment

C. Requiring no calibration data

D. Simulating quantisation effects during training so weights adapt

Correct Answer: D

Explanation: Option D is correct — Simulating quantisation effects during training so weights adapt. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

464. GPTQ and AWQ are examples of:

Difficulty: Hard

A. Training optimizers

B. Tokenisation schemes

C. Post-training weight quantisation methods for LLMs

D. Attention variants

Correct Answer: C

Explanation: Option C is correct — Post-training weight quantisation methods for LLMs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

465. Why does 4-bit quantisation typically degrade quality less than intuition suggests?

Difficulty: Hard

A. Precision has no effect

B. Weight distributions are highly redundant and outlier-aware schemes preserve critical channels

C. Models retrain automatically

D. Neural networks use integers natively

Correct Answer: B

Explanation: Option B is correct — Weight distributions are highly redundant and outlier-aware schemes preserve critical channels. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

466. Knowledge distillation's 'temperature' parameter is used to:

Difficulty: Hard

A. Soften the teacher's output distribution, exposing more information about class similarity

B. Reduce the dataset

C. Increase learning rate

D. Prevent overfitting of the teacher

Correct Answer: A

Explanation: Option A is correct — Soften the teacher's output distribution, exposing more information about class similarity. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

467. 'Self-distillation' can improve a model even with the same architecture because:

Difficulty: Hard

A. Soft targets provide regularisation and encode learned relational structure

B. It doubles the data

C. It removes noise from labels

D. It adds parameters

Correct Answer: A

Explanation: Option A is correct — Soft targets provide regularisation and encode learned relational structure. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

468. Contrastive learning's temperature parameter controls:

Difficulty: Hard

A. How sharply the model penalises hard negatives in the similarity distribution

B. The number of epochs

C. The image resolution

D. The batch size

Correct Answer: A

Explanation: Option A is correct — How sharply the model penalises hard negatives in the similarity distribution. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

469. Why do contrastive methods often require large batch sizes?

Difficulty: Hard

A. Small batches cause NaNs

B. More in-batch negatives yield a better approximation of the contrastive objective

C. Larger batches train faster

D. Memory is unlimited

Correct Answer: B

Explanation: Option B is correct — More in-batch negatives yield a better approximation of the contrastive objective. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

470. BYOL and SimSiam avoid collapse without negatives by using:

Difficulty: Hard

A. Very large batches

B. Label supervision

C. Explicit negative pairs

D. A predictor head with a stop-gradient on the target branch

Correct Answer: D

Explanation: Option D is correct — A predictor head with a stop-gradient on the target branch. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

471. Masked autoencoders (MAE) for vision work by:

Difficulty: Hard

A. Classifying whole images

B. Contrasting image pairs

C. Predicting the next image

D. Reconstructing heavily masked patches from a small visible subset

Correct Answer: D

Explanation: Option D is correct — Reconstructing heavily masked patches from a small visible subset. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

472. Which statement about 'overparameterisation' in deep learning is best supported?

Difficulty: Hard

A. More parameters always overfit

B. Parameters are unrelated to capacity

C. Overparameterised networks can still generalise well, contradicting classical capacity intuitions

D. Generalisation is impossible

Correct Answer: C

Explanation: Option C is correct — Overparameterised networks can still generalise well, contradicting classical capacity intuitions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

473. Implicit regularisation of SGD refers to:

Difficulty: Hard

A. Dropout layers

B. Explicit L2 penalties

C. The optimisation process itself biasing solutions toward those that generalise

D. Data augmentation

Correct Answer: C

Explanation: Option C is correct — The optimisation process itself biasing solutions toward those that generalise. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

474. Batch size and learning rate interact such that:

Difficulty: Hard

A. Smaller batches need larger rates always

B. Batch size has no effect

C. Learning rate must stay fixed

D. Scaling batch size often requires proportional or square-root learning-rate scaling

Correct Answer: D

Explanation: Option D is correct — Scaling batch size often requires proportional or square-root learning-rate scaling. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

475. 'Double backpropagation' or gradient penalties are used in:

Difficulty: Hard

A. Tokenisation

B. Standard classification only

C. Data loading

D. Regularising GAN discriminators (e.g. WGAN-GP) and adversarial robustness

Correct Answer: D

Explanation: Option D is correct — Regularising GAN discriminators (e.g. WGAN-GP) and adversarial robustness. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

476. Wasserstein GAN improves stability by:

Difficulty: Hard

A. Using cross-entropy loss
B. Removing the generator
C. Eliminating the discriminator
D. Using an Earth-Mover distance with a Lipschitz-constrained critic

Correct Answer: D

Explanation: Option D is correct — Using an Earth-Mover distance with a Lipschitz-constrained critic. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

477. Spectral normalisation constrains a layer by:

Difficulty: Hard

A. Normalising the batch
B. Setting weights to zero
C. Clipping activations
D. Dividing weights by their largest singular value to bound the Lipschitz constant

Correct Answer: D

Explanation: Option D is correct — Dividing weights by their largest singular value to bound the Lipschitz constant. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

478. In diffusion models, the noise schedule determines:

Difficulty: Hard

A. The number of parameters
B. The batch size
C. How variance is added across timesteps, strongly affecting sample quality
D. The text encoder size

Correct Answer: C

Explanation: Option C is correct — How variance is added across timesteps, strongly affecting sample quality. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

479. DDIM sampling speeds up diffusion inference by:

Difficulty: Hard

A. Removing conditioning
B. Using a deterministic non-Markovian process requiring fewer steps
C. Training a second model
D. Increasing the noise

Correct Answer: B

Explanation: Option B is correct — Using a deterministic non-Markovian process requiring fewer steps. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

480. ControlNet adds spatial conditioning to diffusion by:

Difficulty: Hard

A. Training a parallel copy of encoder blocks with zero-initialised connections

B. Replacing the text encoder

C. Using classifier guidance only

D. Retraining the whole model

Correct Answer: A

Explanation: Option A is correct — Training a parallel copy of encoder blocks with zero-initialised connections. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

481. Which explains why LoRA works with very low rank?

Difficulty: Hard

A. Fine-tuning updates tend to have low intrinsic rank relative to full weight matrices

B. Low rank adds parameters

C. Rank does not affect capacity

D. Weights are inherently sparse

Correct Answer: A

Explanation: Option A is correct — Fine-tuning updates tend to have low intrinsic rank relative to full weight matrices. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

482. QLoRA combines LoRA with:

Difficulty: Hard

A. Full precision training

B. Data augmentation

C. Pipeline parallelism

D. 4-bit quantised frozen base weights to fit large models on limited memory

Correct Answer: D

Explanation: Option D is correct — 4-bit quantised frozen base weights to fit large models on limited memory. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

483. Adapter modules differ from LoRA in that adapters:

Difficulty: Hard

A. Always outperform LoRA

B. Modify only the embeddings

C. Require no training

D. Insert new small bottleneck layers, adding inference latency unless merged

Correct Answer: D

Explanation: Option D is correct — Insert new small bottleneck layers, adding inference latency unless merged. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

484. 'Catastrophic interference' in continual learning is mitigated by methods such as:

Difficulty: Hard

A. Removing all regularisation

B. Elastic Weight Consolidation that penalises changes to important parameters

C. Increasing the learning rate

D. Training on one task only

Correct Answer: B

Explanation: Option B is correct — Elastic Weight Consolidation that penalises changes to important parameters. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

485. Why do deeper networks not automatically outperform shallower ones?

Difficulty: Hard

A. Optimisation difficulty and degradation can offset added capacity without architectural aids

B. Depth has no effect on gradients

C. Deeper is always worse

D. Depth reduces parameters

Correct Answer: A

Explanation: Option A is correct — Optimisation difficulty and degradation can offset added capacity without architectural aids. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

486. 'Grad-CAM' produces visual explanations by:

Difficulty: Hard

A. Occluding image regions randomly

B. Training a second model

C. Weighting feature maps by gradients of the class score to highlight influential regions

D. Using attention weights only

Correct Answer: C

Explanation: Option C is correct — Weighting feature maps by gradients of the class score to highlight influential regions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

487. A known caution about interpreting attention weights as explanations is:

Difficulty: Hard

A. Attention weights are unavailable

B. They are randomly initialised at inference

C. Attention is not necessarily a faithful account of what drove the prediction

D. They always sum to zero

Correct Answer: C

Explanation: Option C is correct — Attention is not necessarily a faithful account of what drove the prediction. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

488. Adversarial training improves robustness by:

Difficulty: Hard

A. Removing hard examples
B. Increasing the learning rate
C. Using larger batches
D. Including worst-case perturbed examples in the training loop

Correct Answer: D

Explanation: Option D is correct — Including worst-case perturbed examples in the training loop. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

489. The 'certified robustness' approach differs from empirical defences by:

Difficulty: Hard

A. Using only augmentation
B. Being faster
C. Providing provable guarantees within a perturbation bound
D. Requiring no model

Correct Answer: C

Explanation: Option C is correct — Providing provable guarantees within a perturbation bound. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

490. Batch normalisation in adversarial training can be problematic because:

Difficulty: Hard

A. Clean and adversarial examples have different statistics, so mixing them distorts normalisation
B. It only works at inference
C. It has no parameters
D. It removes gradients

Correct Answer: A

Explanation: Option A is correct — Clean and adversarial examples have different statistics, so mixing them distorts normalisation. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

491. Which is the main reason for using bfloat16 rather than float16 in training?

Difficulty: Hard

A. Wider exponent range reduces overflow/underflow without loss scaling
B. Higher precision mantissa
C. Better integer support
D. Smaller memory footprint

Correct Answer: A

Explanation: Option A is correct — Wider exponent range reduces overflow/underflow without loss scaling. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

492. Loss scaling in mixed-precision training exists to:

Difficulty: Hard

A. Reduce batch size
B. Increase the learning rate
C. Prevent small gradients from underflowing in reduced precision
D. Normalise activations

Correct Answer: C

Explanation: Option C is correct — Prevent small gradients from underflowing in reduced precision. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

493. Speculative decoding preserves output distribution because:

Difficulty: Hard

A. The draft model is identical
B. Temperature is set to zero
C. Tokens are sampled twice
D. Draft tokens are accepted via a rejection-sampling criterion matching the target model

Correct Answer: D

Explanation: Option D is correct — Draft tokens are accepted via a rejection-sampling criterion matching the target model. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

494. Continuous (in-flight) batching in LLM serving improves throughput by:

Difficulty: Hard

A. Adding and removing sequences from a batch as they finish rather than waiting for all
B. Doubling the batch size
C. Disabling the KV cache
D. Reducing the vocabulary

Correct Answer: A

Explanation: Option A is correct — Adding and removing sequences from a batch as they finish rather than waiting for all. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

495. PagedAttention (vLLM) improves serving by:

Difficulty: Hard

A. Sharding across nodes only
B. Removing attention
C. Managing KV cache memory in non-contiguous pages to reduce fragmentation
D. Compressing model weights

Correct Answer: C

Explanation: Option C is correct — Managing KV cache memory in non-contiguous pages to reduce fragmentation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

496. Which factor most limits throughput in memory-bound LLM decoding?

Difficulty: Hard

A. Disk read speed
B. Network latency
C. Memory bandwidth for streaming weights and KV cache, not raw FLOPs
D. CPU clock speed

Correct Answer: C

Explanation: Option C is correct — Memory bandwidth for streaming weights and KV cache, not raw FLOPs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

497. 'Prefill' and 'decode' phases in LLM inference differ in that prefill is:

Difficulty: Hard

A. Compute-bound over the whole prompt, while decode is memory-bound per token
B. Performed only on CPU
C. Identical in cost
D. Memory-bound and decode compute-bound

Correct Answer: A

Explanation: Option A is correct — Compute-bound over the whole prompt, while decode is memory-bound per token. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

498. Rotary embedding extension methods (e.g. NTK-aware scaling, YaRN) aim to:

Difficulty: Hard

A. Improve tokenisation
B. Extend usable context beyond the trained length with minimal quality loss
C. Reduce parameter count
D. Increase batch size

Correct Answer: B

Explanation: Option B is correct — Extend usable context beyond the trained length with minimal quality loss. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

499. Gradient clipping by global norm differs from per-parameter clipping by:

Difficulty: Hard

A. Rescaling the entire gradient vector to preserve its direction
B. Applying only to biases
C. Clipping each weight independently
D. Removing gradients entirely

Correct Answer: A

Explanation: Option A is correct — Rescaling the entire gradient vector to preserve its direction. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

500. Which is an accurate statement about neural scaling of vision models?

Difficulty: Hard

A. Data quality is irrelevant

B. Only architecture matters

C. Performance improves predictably with data and compute, but data curation quality matters strongly

D. Vision models do not scale

Correct Answer: C

Explanation: Option C is correct — Performance improves predictably with data and compute, but data curation quality matters strongly. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

501. Training loss drops smoothly but validation loss is NaN after epoch 3. The most likely cause is:

Difficulty: Very Hard

A. Learning rate too low

B. Numerical overflow in mixed precision on validation-specific inputs or an unguarded division

C. Too much dropout

D. Insufficient data augmentation

Correct Answer: B

Explanation: Option B is correct — Numerical overflow in mixed precision on validation-specific inputs or an unguarded division. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

502. A transformer's attention over a 32k-token context is 4x slower than over 16k, not 4x as quadratic scaling implies. Why?

Difficulty: Very Hard

A. At these lengths, linear-cost components and memory-bound operations still dominate total runtime

B. Quadratic scaling is a myth

C. The model skips tokens

D. Attention is linear in length

Correct Answer: A

Explanation: Option A is correct — At these lengths, linear-cost components and memory-bound operations still dominate total runtime. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

503. You fine-tune with LoRA rank 8 and see underfitting on a domain shift task. The most principled first adjustment is:

Difficulty: Very Hard

A. Increase rank and/or apply LoRA to more weight matrices including MLP layers

B. Lower the learning rate

C. Increase batch size

D. Add dropout

Correct Answer: A

Explanation: Option A is correct — Increase rank and/or apply LoRA to more weight matrices including MLP layers. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

504. A quantised 4-bit model shows disproportionate degradation on long-context tasks. A plausible explanation is:

Difficulty: Very Hard

A. KV cache quantisation errors accumulate across positions, unlike weight-only effects

B. Attention is disabled

C. Weights cannot be quantised

D. Long contexts are unsupported

Correct Answer: A

Explanation: Option A is correct — KV cache quantisation errors accumulate across positions, unlike weight-only effects. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

505. Which explains why batch normalisation can leak information across examples?

Difficulty: Very Hard

A. Statistics are computed jointly over the batch, so one example's prediction depends on others

B. It stores training labels

C. It uses the test set

D. It shares gradients

Correct Answer: A

Explanation: Option A is correct — Statistics are computed jointly over the batch, so one example's prediction depends on others. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

506. Your GAN produces sharp but repetitive samples while discriminator loss approaches zero. This indicates:

Difficulty: Very Hard

A. Vanishing generator capacity only

B. Mode collapse with a discriminator that has overpowered the generator

C. Label noise

D. Successful convergence

Correct Answer: B

Explanation: Option B is correct — Mode collapse with a discriminator that has overpowered the generator. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

507. A diffusion model's samples improve with more sampling steps up to 50, then plateau. The best interpretation is:

Difficulty: Very Hard

A. The model is undertrained

B. More steps always help

C. The noise schedule is broken

D. Discretisation error of the reverse process becomes negligible beyond that point

Correct Answer: D

Explanation: Option D is correct — Discretisation error of the reverse process becomes negligible beyond that point. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

508. Two models have identical parameter counts but one activates only 20% per token. The correct throughput expectation is:

Difficulty: Very Hard

A. No difference at all

B. Lower memory, higher compute

C. The sparse model has lower compute per token but similar or higher memory requirements

D. Identical compute and memory

Correct Answer: C

Explanation: Option C is correct — The sparse model has lower compute per token but similar or higher memory requirements. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

509. Why can increasing model depth degrade calibration even as accuracy improves?

Difficulty: Very Hard

A. Modern deep networks tend toward overconfidence, widening the gap between confidence and accuracy

B. Calibration is independent of depth

C. Depth improves calibration always

D. Accuracy and calibration are the same

Correct Answer: A

Explanation: Option A is correct — Modern deep networks tend toward overconfidence, widening the gap between confidence and accuracy. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

510. When distilling a 70B model into a 7B model, the biggest quality loss typically appears in:

Difficulty: Very Hard

A. Formatting adherence

B. Tasks requiring broad factual recall and multi-step reasoning

C. Short summarisation

D. Simple classification

Correct Answer: B

Explanation: Option B is correct — Tasks requiring broad factual recall and multi-step reasoning. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

511. A model trained with bf16 reproduces differently across GPU types. The most defensible explanation is:

Difficulty: Very Hard

A. The model is corrupted

B. bf16 is not supported

C. Non-deterministic reduction orders and kernel differences change floating-point results

D. Weights change spontaneously

Correct Answer: C

Explanation: Option C is correct — Non-deterministic reduction orders and kernel differences change floating-point results. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

512. In a ViT, removing positional embeddings entirely degrades classification less than expected because:

Difficulty: Very Hard

A. Convolutional patch embedding and downstream layers can leak some positional information

B. Position is irrelevant to images

C. Attention is inherently ordered

D. Images have no spatial structure

Correct Answer: A

Explanation: Option A is correct — Convolutional patch embedding and downstream layers can leak some positional information. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

513. Which best explains the observed benefit of 'warmup + cosine decay' over constant learning rate in transformer training?

Difficulty: Very Hard

A. Warmup adds regularisation noise

B. Early instability from large adaptive updates is avoided, then annealing enables fine convergence

C. Constant rates cannot converge

D. Cosine curves are computationally cheaper

Correct Answer: B

Explanation: Option B is correct — Early instability from large adaptive updates is avoided, then annealing enables fine convergence. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

514. A team reports that pruning 50% of weights costs 0.2% accuracy but yields no speedup. The most likely reason is:

Difficulty: Very Hard

A. Unstructured sparsity is not exploited by dense matrix kernels on their hardware

B. The model was not retrained

C. Accuracy loss causes slowdown

D. Pruning always slows models

Correct Answer: A

Explanation: Option A is correct — Unstructured sparsity is not exploited by dense matrix kernels on their hardware. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

515. Why does speculative decoding provide little benefit when the draft model frequently disagrees?

Difficulty: Very Hard

A. The target model is bypassed

B. Rejected drafts waste compute, and acceptance rate governs the achievable speedup

C. Disagreement improves quality

D. Draft models are always slow

Correct Answer: B

Explanation: Option B is correct — Rejected drafts waste compute, and acceptance rate governs the achievable speedup. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

516. In contrastive vision-language training, increasing image resolution without increasing text supervision tends to:

Difficulty: Very Hard

A. Reduce image quality

B. Break the text encoder

C. Yield diminishing returns since alignment is bottlenecked by caption quality and diversity

D. Always improve zero-shot accuracy proportionally

Correct Answer: C

Explanation: Option C is correct — Yield diminishing returns since alignment is bottlenecked by caption quality and diversity. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

517. A 'sharp minimum' hypothesis for large-batch generalisation gaps has been challenged because:

Difficulty: Very Hard

A. Batch size is irrelevant

B. Sharpness measures are sensitive to reparameterisation and not invariantly defined

C. Large batches never generalise

D. Minima do not exist

Correct Answer: B

Explanation: Option B is correct — Sharpness measures are sensitive to reparameterisation and not invariantly defined. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

518. Which is the strongest evidence that a vision model relies on texture rather than shape?

Difficulty: Very Hard

A. High accuracy on ImageNet

B. Performance collapses on stylised images preserving shape but altering texture

C. Smooth attention maps

D. Low training loss

Correct Answer: B

Explanation: Option B is correct — Performance collapses on stylised images preserving shape but altering texture. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

519. When serving an LLM with heavy prompt reuse, the largest latency win typically comes from:

Difficulty: Very Hard

A. Adding more layers

B. Prefix KV caching that skips recomputation of the shared prompt prefix

C. Increasing temperature

D. Reducing max tokens

Correct Answer: B

Explanation: Option B is correct — Prefix KV caching that skips recomputation of the shared prompt prefix. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

520. A model shows perfect training accuracy, good test accuracy, and terrible performance on data from a new hospital. This is best described as:

Difficulty: Very Hard

A. Vanishing gradients

B. Label smoothing failure

C. Overfitting to the test set

D. Domain shift, indicating the learned features encode site-specific artefacts

Correct Answer: D

Explanation: Option D is correct — Domain shift, indicating the learned features encode site-specific artefacts. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

521. Why do larger models often need fewer fine-tuning examples for a given task?

Difficulty: Very Hard

A. Fine-tuning is unnecessary

B. Larger models memorise faster only

C. Stronger pre-trained representations require less task-specific adaptation to reach a target quality

D. Examples scale with parameters

Correct Answer: C

Explanation: Option C is correct — Stronger pre-trained representations require less task-specific adaptation to reach a target quality. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario

or definition in the question.

522. An MoE model shows degraded quality at small batch sizes in production. The most likely cause is:

Difficulty: Very Hard

A. Expert load imbalance and routing inefficiency when few tokens are processed together

B. Experts are removed at inference

C. Small batches corrupt weights

D. Routing is disabled

Correct Answer: A

Explanation: Option A is correct — Expert load imbalance and routing inefficiency when few tokens are processed together. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

523. In curriculum-style data mixing for pre-training, upweighting high-quality data late in training tends to:

Difficulty: Very Hard

A. Reduce context length

B. Have no measurable effect

C. Cause catastrophic forgetting of language

D. Improve downstream quality more than uniform mixing at equal token count

Correct Answer: D

Explanation: Option D is correct — Improve downstream quality more than uniform mixing at equal token count. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

524. Which is the most rigorous way to attribute a quality regression after upgrading both the tokenizer and the architecture?

Difficulty: Very Hard

A. Ablate one change at a time against a fixed evaluation suite

B. Revert both permanently

C. Compare final loss only

D. Ask the model which change hurt

Correct Answer: A

Explanation: Option A is correct — Ablate one change at a time against a fixed evaluation suite. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

525. Activation steering (adding a direction to hidden states at inference) demonstrates that:

Difficulty: Very Hard

A. Hidden states are random

B. Models have no internal structure

C. Weights can be edited only by training

D. Some behavioural attributes are encoded as approximately linear directions in representation space

Correct Answer: D

Explanation: Option D is correct — Some behavioural attributes are encoded as approximately linear directions in representation space. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

Generative AI & LLMs

526. 'Pre-training' of an LLM primarily involves:

Difficulty: Medium

A. Compiling code
B. Manual labelling by experts
C. Self-supervised learning on massive text corpora to predict tokens
D. Reinforcement learning from a video game

Correct Answer: C

Explanation: Option C is correct — Self-supervised learning on massive text corpora to predict tokens. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

527. What is the purpose of RLHF (Reinforcement Learning from Human Feedback)?

Difficulty: Medium

A. Increasing the context window
B. Aligning model outputs with human preferences for helpfulness and safety
C. Speeding up tokenisation
D. Reducing the model's file size

Correct Answer: B

Explanation: Option B is correct — Aligning model outputs with human preferences for helpfulness and safety. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

528. Setting temperature to 0 usually results in:

Difficulty: Medium

A. More deterministic, repeatable outputs
B. The model refusing to answer
C. Longer responses
D. Random gibberish

Correct Answer: A

Explanation: Option A is correct — More deterministic, repeatable outputs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

529. Top-p (nucleus) sampling works by:

Difficulty: Medium

A. Limiting output to p words
B. Sampling only from the smallest set of tokens whose cumulative probability exceeds p
C. Always choosing the p-th most likely token
D. Ignoring the prompt after p tokens

Correct Answer: B

Explanation: Option B is correct — Sampling only from the smallest set of tokens whose cumulative probability exceeds p. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

530. Why do LLMs sometimes struggle with simple arithmetic?

Difficulty: Medium

A. They predict likely text rather than executing exact calculations
B. They have no training on numbers
C. Arithmetic is not written in English
D. Numbers are not tokenised

Correct Answer: A

Explanation: Option A is correct — They predict likely text rather than executing exact calculations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

531. Which is a real advantage of open-weight models over closed API models?

Difficulty: Medium

A. They need no hardware to run
B. They are always more accurate
C. They can be self-hosted and fine-tuned with full control over data
D. They never hallucinate

Correct Answer: C

Explanation: Option C is correct — They can be self-hosted and fine-tuned with full control over data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

532. 'Parameter count' (e.g. 70B) refers to:

Difficulty: Medium

A. The number of learned weights in the model
B. The number of training examples
C. The number of GPUs used
D. The number of tokens in the context window

Correct Answer: A

Explanation: Option A is correct — The number of learned weights in the model. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

533. Instruction tuning is:

Difficulty: Medium

A. Compressing the model
B. Adding hardware instructions to the CPU
C. Fine-tuning a base model on examples of instructions and desired responses
D. Writing user documentation

Correct Answer: C

Explanation: Option C is correct — Fine-tuning a base model on examples of instructions and desired responses. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

534. Why might an LLM give different answers to the same question twice?

Difficulty: Medium

A. Its weights change every second
B. The internet connection varies
C. Sampling introduces randomness when temperature is above zero
D. The model retrains between calls

Correct Answer: C

Explanation: Option C is correct — Sampling introduces randomness when temperature is above zero. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

535. Tokenisation matters for cost because:

Difficulty: Medium

A. Tokens are limited per user per day
B. Tokens are stored on disk
C. API pricing is usually per token, and different languages tokenise differently
D. Tokens require internet bandwidth

Correct Answer: C

Explanation: Option C is correct — API pricing is usually per token, and different languages tokenise differently. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

536. An 'embedding model' is used to:

Difficulty: Medium

A. Convert text into numeric vectors that capture meaning
B. Compress video files
C. Generate images from text
D. Encrypt documents

Correct Answer: A

Explanation: Option A is correct — Convert text into numeric vectors that capture meaning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

537. Which describes 'few-shot' capability in LLMs?

Difficulty: Medium

A. Training on a few gigabytes of data
B. Answering in a few seconds
C. Performing a task after seeing only a handful of examples in the prompt
D. Running on a few GPUs

Correct Answer: C

Explanation: Option C is correct — Performing a task after seeing only a handful of examples in the prompt. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

538. What is the main risk of pasting confidential data into a public LLM tool?

Difficulty: Medium

A. The text will be translated
B. Data may be retained or used for training and could leak
C. The response will be slower

D. The model will refuse to answer

Correct Answer: B

Explanation: Option B is correct — Data may be retained or used for training and could leak. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

539. Text-to-speech and speech-to-text models are examples of:

Difficulty: Medium

A. Network protocols

B. Audio modalities in generative and recognition AI

C. Rule-based expert systems

D. Database query engines

Correct Answer: B

Explanation: Option B is correct — Audio modalities in generative and recognition AI. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

540. Which technique lets a model generate images conditioned on a text description?

Difficulty: Medium

A. Cross-attention between text embeddings and the image generation process

B. Compiling the text into machine code

C. Encrypting the caption

D. Sorting pixels alphabetically

Correct Answer: A

Explanation: Option A is correct — Cross-attention between text embeddings and the image generation process. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

541. 'Prompt injection' is:

Difficulty: Medium

A. A faster way to type prompts

B. A method of compressing prompts

C. Malicious input designed to override the model's instructions

D. A hardware attack on GPUs

Correct Answer: C

Explanation: Option C is correct — Malicious input designed to override the model's instructions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

542. Latency in LLM applications is often dominated by:

Difficulty: Medium

A. Disk write speed

B. Screen refresh rate

C. The user's keyboard

D. Token generation, which happens one token at a time

Correct Answer: D

Explanation: Option D is correct — Token generation, which happens one token at a time. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

543. A model's 'vocabulary' in tokenisation terms is:

Difficulty: Medium

A. The training corpus
B. The context window size
C. All English words
D. The fixed set of tokens the model can read and emit

Correct Answer: D

Explanation: Option D is correct — The fixed set of tokens the model can read and emit. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

544. Byte-pair encoding builds a vocabulary by:

Difficulty: Medium

A. Assigning one token per character always
B. Using a dictionary of words
C. Splitting on whitespace only
D. Iteratively merging the most frequent adjacent symbol pairs

Correct Answer: D

Explanation: Option D is correct — Iteratively merging the most frequent adjacent symbol pairs. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

545. Why do non-English languages often cost more tokens per sentence?

Difficulty: Medium

A. Tokenizers trained mainly on English fragment other scripts into more pieces
B. APIs charge extra by region
C. Unicode is unsupported
D. Other languages are longer

Correct Answer: A

Explanation: Option A is correct — Tokenizers trained mainly on English fragment other scripts into more pieces. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

546. The 'base model' before instruction tuning typically:

Difficulty: Medium

A. Cannot generate text
B. Continues text rather than following instructions conversationally
C. Has no parameters
D. Refuses all requests

Correct Answer: B

Explanation: Option B is correct — Continues text rather than following instructions conversationally. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

547. 'Top-k sampling' restricts generation to:

Difficulty: Medium

A. The k highest-probability tokens at each step

B. The first k tokens of the prompt

C. k random tokens

D. Tokens appearing k times in training

Correct Answer: A

Explanation: Option A is correct — The k highest-probability tokens at each step. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

548. A repetition penalty is applied to:

Difficulty: Medium

A. Increase output length

B. Reduce the probability of tokens already generated

C. Speed up decoding

D. Improve factual accuracy

Correct Answer: B

Explanation: Option B is correct — Reduce the probability of tokens already generated. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

549. Greedy decoding differs from beam search in that greedy:

Difficulty: Medium

A. Uses random sampling

B. Picks the single highest-probability token at each step without lookahead

C. Requires a reward model

D. Explores multiple candidate sequences

Correct Answer: B

Explanation: Option B is correct — Picks the single highest-probability token at each step without lookahead. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

550. Why is beam search rarely used for open-ended chat generation?

Difficulty: Medium

A. It tends to produce generic, repetitive text despite higher sequence likelihood

B. It requires labels

C. It cannot handle long prompts

D. It is too random

Correct Answer: A

Explanation: Option A is correct — It tends to produce generic, repetitive text despite higher sequence likelihood. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

551. 'Stop sequences' in an LLM API are used to:

Difficulty: Medium

A. Prevent harmful content

B. Halt generation when a specified string appears

C. Reduce token cost per input

D. Set the temperature

Correct Answer: B

Explanation: Option B is correct — Halt generation when a specified string appears. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

552. The 'max_tokens' parameter limits:

Difficulty: Medium

A. The length of the generated completion

B. The model's vocabulary

C. The number of API calls

D. The size of the prompt

Correct Answer: A

Explanation: Option A is correct — The length of the generated completion. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

553. In a chat API, the 'assistant' role messages represent:

Difficulty: Medium

A. The system instructions

B. Tool definitions

C. The user's input

D. The model's previous replies in the conversation history

Correct Answer: D

Explanation: Option D is correct — The model's previous replies in the conversation history. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

554. Why must conversation history be resent on each API call?

Difficulty: Medium

A. APIs charge per call regardless

B. History is encrypted each time

C. The model is stateless; it has no memory of prior calls

D. The model forgets deliberately

Correct Answer: C

Explanation: Option C is correct — The model is stateless; it has no memory of prior calls. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

555. 'Context window exhaustion' in a long chat typically causes:

Difficulty: Medium

A. Higher accuracy

B. Faster responses

C. The model to crash

D. Earlier messages to be truncated or dropped

Correct Answer: D

Explanation: Option D is correct — Earlier messages to be truncated or dropped. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

556. Which is an accurate statement about LLM 'memory' features in products?

Difficulty: Medium

A. They are implemented by storing and re-injecting facts into context, not by changing weights

B. They retrain the model each time

C. They expand the context window infinitely

D. They are part of the base model

Correct Answer: A

Explanation: Option A is correct — They are implemented by storing and re-injecting facts into context, not by changing weights. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

557. 'Grounding' an LLM response means:

Difficulty: Medium

A. Shortening the output

B. Running it locally

C. Tying the answer to supplied evidence rather than parametric knowledge

D. Reducing the temperature

Correct Answer: C

Explanation: Option C is correct — Tying the answer to supplied evidence rather than parametric knowledge. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

558. Which task is generally most prone to hallucination?

Difficulty: Medium

A. Formatting a provided list

B. Rewriting supplied text in a different tone

C. Translating a provided sentence

D. Recalling specific citations, statistics or obscure facts

Correct Answer: D

Explanation: Option D is correct — Recalling specific citations, statistics or obscure facts. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

559. A 'safety filter' or moderation layer typically:

Difficulty: Medium

A. Replaces the system prompt

B. Is built into the tokenizer

C. Screens inputs and outputs separately from the main model

D. Is the same as RLHF

Correct Answer: C

Explanation: Option C is correct — Screens inputs and outputs separately from the main model. This directly matches what the question is asking about. The remaining options (A, B, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

560. 'Refusal' behaviour in aligned models comes primarily from:

Difficulty: Medium

A. The tokenizer
B. Beam search
C. Post-training alignment such as RLHF and safety fine-tuning
D. The context window

Correct Answer: C

Explanation: Option C is correct — Post-training alignment such as RLHF and safety fine-tuning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

561. Which describes 'jailbreaking' an LLM?

Difficulty: Medium

A. Running a model offline
B. Fine-tuning a model legally
C. Installing a model on a phone
D. Crafting inputs that circumvent its safety training

Correct Answer: D

Explanation: Option D is correct — Crafting inputs that circumvent its safety training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

562. Text-to-video models are harder than text-to-image primarily because:

Difficulty: Medium

A. Video has no training data
B. Text encoders do not work
C. Temporal consistency across frames must be maintained in addition to image quality
D. Video files are smaller

Correct Answer: C

Explanation: Option C is correct — Temporal consistency across frames must be maintained in addition to image quality. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

563. 'Voice cloning' models raise which distinct risk relative to text models?

Difficulty: Medium

A. Impersonation enabling fraud and consent violations
B. Slower inference
C. Higher token costs
D. Larger vocabularies

Correct Answer: A

Explanation: Option A is correct — Impersonation enabling fraud and consent violations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

564. In image generation, 'negative prompts' specify:

Difficulty: Medium

A. The random seed
B. The number of steps
C. The image resolution
D. Content the model should avoid producing

Correct Answer: D

Explanation: Option D is correct — Content the model should avoid producing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

565. A 'seed' in generative image models controls:

Difficulty: Medium

A. The style
B. The image subject
C. The random initialisation, enabling reproducible outputs
D. The resolution

Correct Answer: C

Explanation: Option C is correct — The random initialisation, enabling reproducible outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

566. 'Inpainting' in image models refers to:

Difficulty: Medium

A. Increasing resolution
B. Removing colour
C. Regenerating a masked region while keeping the rest of the image
D. Creating an image from scratch

Correct Answer: C

Explanation: Option C is correct — Regenerating a masked region while keeping the rest of the image. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

567. Upscaling models improve images by:

Difficulty: Medium

A. Removing the background
B. Increasing resolution while synthesising plausible detail
C. Compressing the file
D. Changing the aspect ratio only

Correct Answer: B

Explanation: Option B is correct — Increasing resolution while synthesising plausible detail. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

568. Which is a practical reason to use a smaller LLM for a task?

Difficulty: Medium

A. Large models cannot be deployed
B. Smaller models are always more accurate
C. Lower cost and latency when the task does not require frontier capability
D. Small models have larger contexts

Correct Answer: C

Explanation: Option C is correct — Lower cost and latency when the task does not require frontier capability. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

569. 'Model routing' in an LLM application means:

Difficulty: Medium

A. Routing network packets

B. Directing queries to different models based on complexity or cost

C. Selecting a GPU

D. Load-balancing users

Correct Answer: B

Explanation: Option B is correct — Directing queries to different models based on complexity or cost. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

570. Which statement about LLM determinism is accurate?

Difficulty: Medium

A. Determinism is impossible

B. Even at temperature 0, results may vary slightly due to hardware and batching non-determinism

C. Temperature 0 guarantees identical bytes always

D. Temperature has no effect

Correct Answer: B

Explanation: Option B is correct — Even at temperature 0, results may vary slightly due to hardware and batching non-determinism. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

571. 'Function calling' in LLM APIs returns:

Difficulty: Medium

A. A structured request naming a function and its arguments for your code to execute

B. A compiled binary

C. The executed result directly

D. A new model

Correct Answer: A

Explanation: Option A is correct — A structured request naming a function and its arguments for your code to execute. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

572. Which is a valid reason to prefer streaming responses?

Difficulty: Medium

A. It reduces token cost

B. Users see output progressively, improving perceived latency

C. It avoids rate limits

D. It increases accuracy

Correct Answer: B

Explanation: Option B is correct — Users see output progressively, improving perceived latency. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

573. Rate limits in LLM APIs are typically expressed in:

Difficulty: Medium

A. Concurrent users only

B. Requests and tokens per minute

C. Gigabytes per hour

D. CPU cycles

Correct Answer: B

Explanation: Option B is correct — Requests and tokens per minute. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

574. An 'LLM gateway' in enterprise architecture provides:

Difficulty: Medium

A. A faster GPU

B. A new tokenizer

C. Centralised routing, logging, key management and policy enforcement across models

D. Model training

Correct Answer: C

Explanation: Option C is correct — Centralised routing, logging, key management and policy enforcement across models. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

575. Which is a legitimate data-residency concern with hosted LLMs?

Difficulty: Medium

A. APIs require local GPUs

B. Tokens expire by region

C. Prompt data may be processed in jurisdictions with different legal protections

D. Models cannot run in the cloud

Correct Answer: C

Explanation: Option C is correct — Prompt data may be processed in jurisdictions with different legal protections. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

576. Fine-tuning is usually preferred over prompting when:

Difficulty: Medium

A. You have no examples

B. You need consistent format or style across many calls and have good training examples

C. The task changes daily

D. You need current facts

Correct Answer: B

Explanation: Option B is correct — You need consistent format or style across many calls and have good training examples. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

577. Which is a drawback of fine-tuning for knowledge injection?

Difficulty: Medium

A. Facts become baked in and hard to update, unlike retrieval

B. It is always cheaper

C. It requires no data

D. It cannot change style

Correct Answer: A

Explanation: Option A is correct — Facts become baked in and hard to update, unlike retrieval. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

578. 'Catastrophic forgetting' during LLM fine-tuning shows up as:

Difficulty: Medium

A. Degradation of general capabilities outside the fine-tuning domain

B. Larger context windows

C. Faster inference

D. Improved general reasoning

Correct Answer: A

Explanation: Option A is correct — Degradation of general capabilities outside the fine-tuning domain. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

579. A 'preference dataset' for alignment consists of:

Difficulty: Medium

A. Unlabelled text

B. Labelled images

C. Pairs of responses with a human judgement of which is better

D. Function definitions

Correct Answer: C

Explanation: Option C is correct — Pairs of responses with a human judgement of which is better. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

580. Which is true about 'system prompt leakage'?

Difficulty: Medium

A. Only admins can see them

B. Users can often induce a model to reveal its system instructions

C. System prompts are cryptographically protected

D. Leakage is impossible

Correct Answer: B

Explanation: Option B is correct — Users can often induce a model to reveal its system instructions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

581. 'Context poisoning' occurs when:

Difficulty: Medium

A. Tokens are miscounted

B. Untrusted content in the context steers the model's later behaviour

C. The context window is too small

D. Temperature is too high

Correct Answer: B

Explanation: Option B is correct — Untrusted content in the context steers the model's later behaviour. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

582. Which is an accurate description of 'multimodal input' pricing?

Difficulty: Medium

A. Pricing is per megabyte

B. Only text is charged

C. Images are typically converted to a token-equivalent cost based on resolution

D. Images are always free

Correct Answer: C

Explanation: Option C is correct — Images are typically converted to a token-equivalent cost based on resolution. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

583. OCR-style reading of documents by a vision-language model is limited by:

Difficulty: Medium

A. Token limits on output only

B. Inability to see images

C. Resolution, layout complexity and the risk of plausible misreading of similar characters

D. Lack of a text decoder

Correct Answer: C

Explanation: Option C is correct — Resolution, layout complexity and the risk of plausible misreading of similar characters. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

584. 'Structured extraction' from documents benefits from a defined schema because:

Difficulty: Medium

A. It removes hallucination entirely

B. It reduces the model size

C. It increases the context window

D. It constrains the output shape and makes validation possible

Correct Answer: D

Explanation: Option D is correct — It constrains the output shape and makes validation possible. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

585. Which is a sound reason to log LLM prompts and responses in production?

Difficulty: Medium

A. To reduce latency
B. To train on user data by default
C. Debugging, quality monitoring and incident investigation
D. To bypass rate limits

Correct Answer: C

Explanation: Option C is correct — Debugging, quality monitoring and incident investigation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

586. 'Semantic caching' of LLM responses means:

Difficulty: Medium

A. Compressing the model
B. Caching tokens on disk
C. Reusing a prior answer when a new query is semantically equivalent
D. Storing the system prompt

Correct Answer: C

Explanation: Option C is correct — Reusing a prior answer when a new query is semantically equivalent. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

587. A risk of semantic caching is:

Difficulty: Medium

A. Increased latency
B. Loss of the system prompt
C. Higher token cost
D. Returning a stale or subtly inappropriate answer for a near-but-not-identical query

Correct Answer: D

Explanation: Option D is correct — Returning a stale or subtly inappropriate answer for a near-but-not-identical query. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

588. Which is the clearest sign an LLM is 'confabulating' a citation?

Difficulty: Medium

A. The citation is formatted correctly
B. The authors are well known
C. The DOI or URL does not resolve and the title does not appear in any index
D. The year is recent

Correct Answer: C

Explanation: Option C is correct — The DOI or URL does not resolve and the title does not appear in any index. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

589. Why can an LLM summarise a document it cannot answer detailed questions about?

Difficulty: Medium

A. Summarisation uses salient surface structure; precise recall requires locating specific spans

B. Summaries are generated by a different model

C. Questions are harder to tokenise

D. Documents block question answering

Correct Answer: A

Explanation: Option A is correct — Summarisation uses salient surface structure; precise recall requires locating specific spans. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

590. 'Chain-of-thought' content in reasoning models is sometimes hidden from users because:

Difficulty: Medium

A. It is encrypted

B. It contains user data

C. It is not generated

D. It may be unpolished, and providers treat it as intermediate rather than final output

Correct Answer: D

Explanation: Option D is correct — It may be unpolished, and providers treat it as intermediate rather than final output. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

591. Which best describes an LLM's handling of a task in a language underrepresented in training?

Difficulty: Medium

A. Performance is identical across all languages

B. The model refuses

C. It switches to English automatically

D. Quality typically degrades, with more errors and weaker cultural nuance

Correct Answer: D

Explanation: Option D is correct — Quality typically degrades, with more errors and weaker cultural nuance. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

592. 'Prompt caching' pricing typically charges:

Difficulty: Medium

A. More for cached tokens

B. Nothing for any tokens

C. Only for output tokens

D. Less for cached input tokens than for fresh ones

Correct Answer: D

Explanation: Option D is correct — Less for cached input tokens than for fresh ones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

593. Which is a realistic expectation for LLM code generation on a well-specified small function?

Difficulty: Medium

A. Guaranteed correctness
B. Inability to produce code
C. Always requiring fine-tuning
D. High success rates, still requiring review and tests

Correct Answer: D

Explanation: Option D is correct — High success rates, still requiring review and tests. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

594. 'Model deprecation' in hosted APIs means:

Difficulty: Medium

A. Accuracy degrades gradually
B. An older model version is retired on a schedule, requiring migration
C. Weights are published
D. The model becomes free

Correct Answer: B

Explanation: Option B is correct — An older model version is retired on a schedule, requiring migration. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

595. Which is a valid technical reason enterprises self-host open-weight models?

Difficulty: Medium

A. Data never leaves their environment and behaviour is version-stable
B. Open models are always better
C. No hardware is needed
D. Self-hosting is always cheaper

Correct Answer: A

Explanation: Option A is correct — Data never leaves their environment and behaviour is version-stable. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

596. 'Guardrails' libraries in LLM applications typically enforce:

Difficulty: Medium

A. Model training
B. Tokenisation
C. Input/output validation, topic restrictions and schema conformance
D. Faster inference

Correct Answer: C

Explanation: Option C is correct — Input/output validation, topic restrictions and schema conformance. This directly matches what the question is asking about. The remaining options (A, B, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

597. A 'canary token' placed in a system prompt can help detect:

Difficulty: Medium

A. Slow responses
B. GPU failures
C. Token overflow
D. Whether the system prompt has leaked into user-visible output

Correct Answer: D

Explanation: Option D is correct — Whether the system prompt has leaked into user-visible output. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

598. Which is accurate about LLM context windows advertised as '1M tokens'?

Difficulty: Medium

A. Cost is unaffected by length
B. All models handle it identically
C. Quality is uniform throughout
D. Effective use degrades before the nominal limit and cost/latency rise sharply

Correct Answer: D

Explanation: Option D is correct — Effective use degrades before the nominal limit and cost/latency rise sharply. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

599. 'Tool-augmented' LLMs improve factual accuracy mainly by:

Difficulty: Medium

A. Adding more parameters
B. Increasing temperature
C. Using longer prompts
D. Delegating retrieval and calculation to systems designed for exactness

Correct Answer: D

Explanation: Option D is correct — Delegating retrieval and calculation to systems designed for exactness. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

600. Which statement about generative AI and copyright is currently most accurate?

Difficulty: Medium

A. Legal treatment varies by jurisdiction and remains actively litigated
B. All outputs infringe copyright
C. Copyright does not apply to text
D. All outputs are public domain worldwide

Correct Answer: A

Explanation: Option A is correct — Legal treatment varies by jurisdiction and remains actively litigated. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

601. The 'KV cache' in transformer inference:

Difficulty: Hard

A. Holds user passwords

B. Stores the training dataset

C. Stores computed keys and values so earlier tokens are not recomputed for each new token

D. Is the model's long-term memory across sessions

Correct Answer: C

Explanation: Option C is correct — Stores computed keys and values so earlier tokens are not recomputed for each new token. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

602. What is 'speculative decoding'?

Difficulty: Hard

A. Training two models simultaneously

B. Using a small draft model to propose tokens that a larger model verifies in parallel

C. Randomly skipping tokens to save time

D. Guessing the user's intent before they type

Correct Answer: B

Explanation: Option B is correct — Using a small draft model to propose tokens that a larger model verifies in parallel. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

603. LoRA (Low-Rank Adaptation) fine-tuning works by:

Difficulty: Hard

A. Compressing the tokenizer

B. Deleting half of the model's layers

C. Training small low-rank matrices added to frozen weights rather than all parameters

D. Re-training the model from scratch

Correct Answer: C

Explanation: Option C is correct — Training small low-rank matrices added to frozen weights rather than all parameters. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

604. Why does a longer context window not guarantee better use of information?

Difficulty: Hard

A. Tokens beyond 1,000 are discarded

B. Context windows only store images

C. Models can exhibit 'lost in the middle' effects, attending poorly to mid-context content

D. Longer contexts are always ignored

Correct Answer: C

Explanation: Option C is correct — Models can exhibit 'lost in the middle' effects, attending poorly to mid-context content. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

605. Direct Preference Optimisation (DPO) differs from classic RLHF by:

Difficulty: Hard

A. Training the tokenizer

B. Optimising directly on preference pairs without training a separate reward model

C. Requiring no human data

D. Using only images

Correct Answer: B

Explanation: Option B is correct — Optimising directly on preference pairs without training a separate reward model. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

606. Constitutional AI, as described by Anthropic, uses:

Difficulty: Hard

A. Rules hard-coded in the tokenizer

B. A set of written principles to guide AI feedback and self-critique during training

C. Only human labellers

D. A national constitution as training data

Correct Answer: B

Explanation: Option B is correct — A set of written principles to guide AI feedback and self-critique during training. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

607. What is 'perplexity' as an LLM metric?

Difficulty: Hard

A. A measure of how well the model predicts a sample; lower is better

B. The number of confusing prompts

C. The model's response time

D. The count of unique tokens

Correct Answer: A

Explanation: Option A is correct — A measure of how well the model predicts a sample; lower is better. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

608. Grouped-query attention (GQA) is used to:

Difficulty: Hard

A. Reduce memory bandwidth by sharing key/value heads across query heads

B. Cluster user queries

C. Increase the vocabulary

D. Train on grouped datasets

Correct Answer: A

Explanation: Option A is correct — Reduce memory bandwidth by sharing key/value heads across query heads. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

609. 'Model collapse' refers to the risk that:

Difficulty: Hard

A. Models trained heavily on AI-generated data degrade in quality over generations

B. Models cannot be saved to disk

C. GPUs physically fail during training

D. Users stop using the model

Correct Answer: A

Explanation: Option A is correct — Models trained heavily on AI-generated data degrade in quality over generations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

610. Chain-of-thought reasoning models (e.g. 'thinking' modes) improve accuracy by:

Difficulty: Hard

A. Removing the system prompt

B. Generating intermediate reasoning tokens before the final answer

C. Using a larger vocabulary

D. Running on more servers

Correct Answer: B

Explanation: Option B is correct — Generating intermediate reasoning tokens before the final answer. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

611. The main computational cost of attention grows with sequence length n as:

Difficulty: Hard

A. O(log n)

B. O(1)

C. O(n^2)

D. O(n!)

Correct Answer: C

Explanation: Option C is correct — O(n^2). This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

612. What does 'structured output' or 'JSON mode' guarantee in an LLM API?

Difficulty: Hard

A. The response conforms to a specified schema or valid JSON format

B. The response is under 100 tokens

C. The answer is factually correct

D. The model will not hallucinate

Correct Answer: A

Explanation: Option A is correct — The response conforms to a specified schema or valid JSON format. This directly matches what the question is asking about. The remaining options (B, C, D) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

613. Distillation of LLMs (e.g. training a small model on a large model's outputs) is limited by:

Difficulty: Hard

A. The student needing more compute than the teacher
B. The teacher losing its weights
C. The student generally cannot exceed the teacher's capabilities and may inherit its errors
D. Legal requirements to publish the data

Correct Answer: C

Explanation: Option C is correct — The student generally cannot exceed the teacher's capabilities and may inherit its errors. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

614. A 'synthetic data' pipeline for LLM training carries the risk of:

Difficulty: Hard

A. Amplifying biases and errors of the generating model
B. Infinite storage requirements
C. Deleting the original dataset
D. Making models unable to tokenise

Correct Answer: A

Explanation: Option A is correct — Amplifying biases and errors of the generating model. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

615. Why can byte-pair-encoding tokenisation cause an LLM to miscount letters in a word?

Difficulty: Hard

A. Letters are removed before training
B. Counting is disabled by default
C. The model sees subword tokens, not individual characters
D. The tokenizer only supports numbers

Correct Answer: C

Explanation: Option C is correct — The model sees subword tokens, not individual characters. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

616. 'Watermarking' LLM output refers to:

Difficulty: Hard

A. Encrypting the model weights
B. Adding a company logo to responses
C. Embedding statistical patterns in generated text to help detect AI authorship
D. Limiting response length

Correct Answer: C

Explanation: Option C is correct — Embedding statistical patterns in generated text to help detect AI authorship. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

617. The pre-training objective of a decoder-only LLM is best described as:

Difficulty: Hard

A. Contrasting positive and negative pairs

B. Maximising the likelihood of the next token given all previous tokens

C. Minimising reconstruction error of images

D. Reconstructing masked spans bidirectionally

Correct Answer: B

Explanation: Option B is correct — Maximising the likelihood of the next token given all previous tokens. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

618. 'In-context learning' is notable because:

Difficulty: Hard

A. It requires fine-tuning

B. The model adapts behaviour from examples in the prompt without weight updates

C. The weights update at inference

D. It only works with one example

Correct Answer: B

Explanation: Option B is correct — The model adapts behaviour from examples in the prompt without weight updates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

619. One mechanistic account of in-context learning proposes that transformers:

Difficulty: Hard

A. Retrain each layer

B. Implement something resembling gradient descent or induction heads within the forward pass

C. Use external memory

D. Retrieve from a database

Correct Answer: B

Explanation: Option B is correct — Implement something resembling gradient descent or induction heads within the forward pass. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

620. 'Induction heads' are attention circuits that:

Difficulty: Hard

A. Generate random tokens

B. Copy patterns by attending to previous occurrences of the current token's successor

C. Compute the loss

D. Normalise activations

Correct Answer: B

Explanation: Option B is correct — Copy patterns by attending to previous occurrences of the current token's successor. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

621. Which explains why RLHF can induce sycophancy?

Difficulty: Hard

A. Human raters tend to prefer agreeable, confident answers, and the reward model encodes that preference

B. Sycophancy is pre-trained

C. Reward models ignore humans

D. RLHF removes preferences

Correct Answer: A

Explanation: Option A is correct — Human raters tend to prefer agreeable, confident answers, and the reward model encodes that preference. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

622. A reward model in RLHF is typically trained to:

Difficulty: Hard

A. Tokenise inputs

B. Compute perplexity

C. Predict which of two responses humans preferred

D. Generate the final answer

Correct Answer: C

Explanation: Option C is correct — Predict which of two responses humans preferred. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

623. 'Reward hacking' in RLHF might manifest as:

Difficulty: Hard

A. Refusal of all prompts

B. Long, hedged answers that score well without being more useful

C. Lower reward scores

D. Shorter answers always

Correct Answer: B

Explanation: Option B is correct — Long, hedged answers that score well without being more useful. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

624. KL-divergence penalties in RLHF constrain the policy to:

Difficulty: Hard

A. Maximise reward without limit

B. Ignore the reward model

C. Increase entropy indefinitely

D. Stay close to the reference (pre-RLHF) model to avoid degeneration

Correct Answer: D

Explanation: Option D is correct — Stay close to the reference (pre-RLHF) model to avoid degeneration. This directly matches what the question is asking about. The remaining options (A, B,

C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

625. Constitutional AI's RLAIF step replaces human labels with:

Difficulty: Hard

A. Crowdsourced votes only
B. No feedback at all
C. Model-generated critiques and preferences guided by written principles
D. Random labels

Correct Answer: C

Explanation: Option C is correct — Model-generated critiques and preferences guided by written principles. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

626. Which distinguishes DPO from PPO-based RLHF?

Difficulty: Hard

A. DPO optimises a closed-form objective on preference pairs without an explicit reward model or rollouts
B. DPO requires more compute
C. PPO uses no preferences
D. DPO trains the tokenizer

Correct Answer: A

Explanation: Option A is correct — DPO optimises a closed-form objective on preference pairs without an explicit reward model or rollouts. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

627. 'Process supervision' differs from 'outcome supervision' by:

Difficulty: Hard

A. Rewarding only the final answer
B. Being applied at inference
C. Rewarding each reasoning step rather than only the final answer
D. Using no human data

Correct Answer: C

Explanation: Option C is correct — Rewarding each reasoning step rather than only the final answer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

628. Test-time compute scaling in reasoning models refers to:

Difficulty: Hard

A. Increasing the vocabulary
B. Spending more inference compute (longer reasoning, sampling) to improve accuracy
C. Using more GPUs in training
D. Training longer

Correct Answer: B

Explanation: Option B is correct — Spending more inference compute (longer reasoning, sampling) to improve accuracy. This directly matches what the question is asking about. The remaining options (A,

C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

629. Why does majority voting over sampled solutions improve accuracy?

Difficulty: Hard

A. It increases the model size

B. Independent errors are diluted while correct reasoning paths agree

C. Sampling is deterministic

D. Voting removes the need for reasoning

Correct Answer: B

Explanation: Option B is correct — Independent errors are diluted while correct reasoning paths agree. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

630. A limitation of self-consistency voting is:

Difficulty: Hard

A. It cannot be parallelised

B. It reduces accuracy always

C. It fails when the model is systematically biased toward the same wrong answer

D. It requires labelled data

Correct Answer: C

Explanation: Option C is correct — It fails when the model is systematically biased toward the same wrong answer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

631. Which explains 'lost in the middle' behaviour in long contexts?

Difficulty: Hard

A. Tokens in the middle are corrupted

B. The middle is truncated

C. Positional encodings are absent

D. Attention and training distributions favour beginning and end positions of the input

Correct Answer: D

Explanation: Option D is correct — Attention and training distributions favour beginning and end positions of the input. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

632. 'Needle in a haystack' evaluations test:

Difficulty: Hard

A. Safety refusal rates

B. Tokenizer efficiency

C. Retrieval of a specific inserted fact at varying depths of a long context

D. Generation speed

Correct Answer: C

Explanation: Option C is correct — Retrieval of a specific inserted fact at varying depths of a long context. This directly matches what the question is asking about. The remaining options (A, B, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

633. Passing a needle-in-a-haystack test does not guarantee long-context reasoning because:

Difficulty: Hard

A. Needles are always at the start

B. The test uses no context

C. Retrieval of a verbatim fact is easier than synthesising across many dispersed passages

D. Reasoning is untestable

Correct Answer: C

Explanation: Option C is correct — Retrieval of a verbatim fact is easier than synthesising across many dispersed passages. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

634. Which explains why LLMs struggle to count characters in a word?

Difficulty: Hard

A. Counting is not in the training data

B. Subword tokenisation hides character-level structure from the model

C. The vocabulary is too large

D. Models cannot process numbers

Correct Answer: B

Explanation: Option B is correct — Subword tokenisation hides character-level structure from the model. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

635. 'Tokenizer mismatch' when using an adapter across models causes:

Difficulty: Hard

A. Improved compression

B. Faster inference

C. Garbled behaviour because token IDs map to different strings

D. No effect

Correct Answer: C

Explanation: Option C is correct — Garbled behaviour because token IDs map to different strings. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

636. Why is perplexity a poor proxy for chat quality?

Difficulty: Hard

A. It measures next-token likelihood on text, not helpfulness, correctness or instruction following

B. Perplexity measures latency

C. It cannot be computed for chat models

D. Lower perplexity means worse models

Correct Answer: A

Explanation: Option A is correct — It measures next-token likelihood on text, not helpfulness, correctness or instruction following. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

637. 'Emergent abilities' claims were challenged on the basis that:

Difficulty: Hard

A. Metrics are irrelevant

B. Sharp jumps often reflect discontinuous metrics rather than discontinuous underlying capability

C. Abilities never improve

D. Models do not scale

Correct Answer: B

Explanation: Option B is correct — Sharp jumps often reflect discontinuous metrics rather than discontinuous underlying capability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

638. Which is accurate about LLM memorisation of training data?

Difficulty: Hard

A. Models can reproduce rare sequences verbatim, especially if duplicated in training

B. Deduplication has no effect

C. All training data is memorised

D. Memorisation is impossible

Correct Answer: A

Explanation: Option A is correct — Models can reproduce rare sequences verbatim, especially if duplicated in training. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

639. Training-data deduplication improves models by:

Difficulty: Hard

A. Removing all rare facts

B. Reducing memorisation and improving sample efficiency

C. Increasing dataset size

D. Simplifying the tokenizer

Correct Answer: B

Explanation: Option B is correct — Reducing memorisation and improving sample efficiency. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

640. 'Data contamination' in LLM benchmarks is hard to rule out because:

Difficulty: Hard

A. Web-scale corpora may contain benchmark items in paraphrased or reposted forms

B. Benchmarks are secret

C. Models cannot read benchmarks

D. Contamination is easily detected

Correct Answer: A

Explanation: Option A is correct — Web-scale corpora may contain benchmark items in paraphrased or reposted forms. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

641. Which is the strongest defence against prompt injection in a retrieval-augmented assistant?

Difficulty: Hard

A. Adding 'ignore injections' to the system prompt

B. Increasing temperature

C. Using a larger model

D. Treating retrieved content as untrusted data and restricting the model's ability to act on it

Correct Answer: D

Explanation: Option D is correct — Treating retrieved content as untrusted data and restricting the model's ability to act on it. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

642. 'Indirect prompt injection' differs from direct injection in that:

Difficulty: Hard

A. The malicious instruction arrives via content the model reads, not the user's message

B. It requires user cooperation

C. It targets the tokenizer

D. It only affects images

Correct Answer: A

Explanation: Option A is correct — The malicious instruction arrives via content the model reads, not the user's message. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

643. Which risk is specific to LLMs with function-calling enabled?

Difficulty: Hard

A. Slower tokenisation

B. Longer responses

C. A successful injection can trigger real actions, not just misleading text

D. Higher perplexity

Correct Answer: C

Explanation: Option C is correct — A successful injection can trigger real actions, not just misleading text. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

644. Why is 'output filtering' alone insufficient for LLM safety?

Difficulty: Hard

A. Filters are always perfect

B. Outputs are never harmful

C. Harm can occur through actions and subtle content the filter does not classify

D. Filtering is computationally impossible

Correct Answer: C

Explanation: Option C is correct — Harm can occur through actions and subtle content the filter does not classify. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

645. 'Model inversion' or extraction attacks against a hosted LLM aim to:

Difficulty: Hard

A. Increase the context window

B. Disable the API

C. Change the model weights remotely

D. Recover training data or approximate the model through many queries

Correct Answer: D

Explanation: Option D is correct — Recover training data or approximate the model through many queries. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

646. Which best characterises 'many-shot jailbreaking' effectiveness?

Difficulty: Hard

A. It works only with one example

B. It exploits the tokenizer

C. It exploits in-context learning, improving with more demonstrations and longer contexts

D. It requires weight access

Correct Answer: C

Explanation: Option C is correct — It exploits in-context learning, improving with more demonstrations and longer contexts. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

647. Speculative sampling maintains distributional equivalence by:

Difficulty: Hard

A. Averaging the two models

B. Accepting draft tokens with a probability ratio and resampling on rejection

C. Using temperature 0

D. Always accepting drafts

Correct Answer: B

Explanation: Option B is correct — Accepting draft tokens with a probability ratio and resampling on rejection. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

648. Which explains why the first token's latency differs sharply from subsequent tokens?

Difficulty: Hard

A. Tokens get shorter

B. The cache is disabled

C. The model reloads

D. Prefill processes the whole prompt at once, while each later token is a single decode step

Correct Answer: D

Explanation: Option D is correct — Prefill processes the whole prompt at once, while each later token is a single decode step. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

649. 'Batch invariance' issues in LLM serving mean:

Difficulty: Hard

A. Batching is deterministic

B. Batching is prohibited

C. Identical inputs can yield different outputs depending on how requests are batched

D. Outputs never vary

Correct Answer: C

Explanation: Option C is correct — Identical inputs can yield different outputs depending on how requests are batched. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

650. A model's 'refusal boundary' being poorly calibrated results in:

Difficulty: Hard

A. Perfect safety

B. Lower token costs

C. Faster responses

D. Both over-refusal of benign requests and under-refusal of harmful ones

Correct Answer: D

Explanation: Option D is correct — Both over-refusal of benign requests and under-refusal of harmful ones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

651. 'Capability elicitation' in evaluations matters because:

Difficulty: Hard

A. Capabilities are fixed at training

B. Evaluations are unnecessary

C. Prompting has no effect

D. A model may possess a capability that only appears with better prompting or scaffolding

Correct Answer: D

Explanation: Option D is correct — A model may possess a capability that only appears with better prompting or scaffolding. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

652. Which is accurate about watermarking LLM text?

Difficulty: Hard

A. Statistical watermarks survive light editing but can be degraded by paraphrasing or translation

B. Watermarks are unremovable

C. No method exists

D. Watermarks are visible characters

Correct Answer: A

Explanation: Option A is correct — Statistical watermarks survive light editing but can be degraded by paraphrasing or translation. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

653. Retrieval and long context are complementary because:

Difficulty: Hard

A. Retrieval replaces attention

B. They are mutually exclusive

C. Retrieval narrows what is relevant while long context allows deeper use of what is retrieved

D. Long context removes hallucination

Correct Answer: C

Explanation: Option C is correct — Retrieval narrows what is relevant while long context allows deeper use of what is retrieved. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

654. Which explains why fine-tuning on narrow harmful data can broadly misalign a model?

Difficulty: Hard

A. Fine-tuning cannot affect safety

B. Weights are frozen

C. Alignment appears to be represented in shared directions that narrow training can globally shift

D. Only the trained task changes

Correct Answer: C

Explanation: Option C is correct — Alignment appears to be represented in shared directions that narrow training can globally shift. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

655. 'Shallow alignment' hypothesis suggests safety training mainly affects:

Difficulty: Hard

A. Training data only

B. The first few generated tokens, making prefix attacks effective

C. All layers equally

D. The tokenizer

Correct Answer: B

Explanation: Option B is correct — The first few generated tokens, making prefix attacks effective. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

656. Mixture-of-Experts LLMs complicate fine-tuning because:

Difficulty: Hard

A. Experts cannot be trained
B. They have no parameters
C. MoE models cannot be fine-tuned at all
D. Routing distributions can shift, causing expert imbalance and instability

Correct Answer: D

Explanation: Option D is correct — Routing distributions can shift, causing expert imbalance and instability. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

657. Which describes 'model merging' (e.g. task arithmetic)?

Difficulty: Hard

A. Concatenating outputs
B. Running two models in sequence
C. Combining weights of separately fine-tuned models to blend capabilities
D. Training a router

Correct Answer: C

Explanation: Option C is correct — Combining weights of separately fine-tuned models to blend capabilities. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

658. Why do quantised LLMs sometimes degrade more on reasoning than on chat fluency?

Difficulty: Hard

A. Quantisation targets reasoning layers
B. Fluency requires more precision
C. Reasoning uses fewer parameters
D. Multi-step reasoning is sensitive to small logit perturbations that compound across steps

Correct Answer: D

Explanation: Option D is correct — Multi-step reasoning is sensitive to small logit perturbations that compound across steps. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

659. 'Structured decoding' (constrained grammar) guarantees:

Difficulty: Hard

A. Lower latency always
B. Shorter outputs
C. Syntactic validity of the output but not semantic correctness
D. Factual accuracy

Correct Answer: C

Explanation: Option C is correct — Syntactic validity of the output but not semantic correctness. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

660. Which is a genuine cost of constrained decoding?

Difficulty: Hard

A. It eliminates hallucination
B. It removes the need for validation
C. It always improves quality
D. It can degrade quality by forbidding tokens the model would otherwise choose

Correct Answer: D

Explanation: Option D is correct — It can degrade quality by forbidding tokens the model would otherwise choose. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

661. LLM 'logit bias' parameters allow:

Difficulty: Hard

A. Editing the weights
B. Extending the context
C. Changing the temperature per token
D. Increasing or decreasing the probability of specific tokens

Correct Answer: D

Explanation: Option D is correct — Increasing or decreasing the probability of specific tokens. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

662. Which best explains the trade-off in reasoning-model 'thinking budgets'?

Difficulty: Hard

A. Thinking is always free
B. Accuracy falls with more thinking
C. More reasoning tokens improve hard-task accuracy but raise cost and latency with diminishing returns
D. Budgets have no effect

Correct Answer: C

Explanation: Option C is correct — More reasoning tokens improve hard-task accuracy but raise cost and latency with diminishing returns. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

663. An LLM that scores well on MMLU but poorly on your domain task most likely indicates:

Difficulty: Hard

A. MMLU is invalid
B. The model is broken
C. Benchmark performance does not transfer to your distribution and task format
D. Your task is impossible

Correct Answer: C

Explanation: Option C is correct — Benchmark performance does not transfer to your distribution and task format. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

664. 'Positional bias' in LLM-as-judge evaluation means:

Difficulty: Hard

A. Judges prefer longer answers
B. Position affects only humans
C. The order in which candidate answers are presented affects which is chosen
D. Judges ignore position

Correct Answer: C

Explanation: Option C is correct — The order in which candidate answers are presented affects which is chosen. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

665. Which is the best mitigation for positional bias in pairwise LLM judging?

Difficulty: Hard

A. Increase temperature
B. Use a smaller judge
C. Use only one ordering
D. Evaluate both orderings and average or require consistency

Correct Answer: D

Explanation: Option D is correct — Evaluate both orderings and average or require consistency. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

666. 'Self-preference bias' in LLM judges refers to:

Difficulty: Hard

A. Preferring shorter text
B. Rating randomly
C. Preferring formatted text
D. A model rating its own outputs more favourably than others'

Correct Answer: D

Explanation: Option D is correct — A model rating its own outputs more favourably than others'. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

667. Why does retrieval-free fine-tuning struggle to keep an assistant factually current?

Difficulty: Hard

A. Knowledge is frozen at fine-tuning time and updating requires retraining
B. Fine-tuning is too fast
C. Facts never change
D. Fine-tuning removes knowledge

Correct Answer: A

Explanation: Option A is correct — Knowledge is frozen at fine-tuning time and updating requires retraining. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

668. 'Synthetic data' pipelines for post-training are most defensible when:

Difficulty: Hard

A. The generator is the same as the student

B. Outputs are filtered and verified against ground truth or execution results

C. No verification exists

D. All outputs are used unfiltered

Correct Answer: B

Explanation: Option B is correct — Outputs are filtered and verified against ground truth or execution results. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

669. Which describes 'rejection sampling fine-tuning'?

Difficulty: Hard

A. Training on random samples

B. Rejecting all samples

C. Sampling with temperature 0

D. Generating many candidates, keeping those that pass a verifier, and training on them

Correct Answer: D

Explanation: Option D is correct — Generating many candidates, keeping those that pass a verifier, and training on them. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

670. A model card reporting 'safety evaluations passed' is insufficient without:

Difficulty: Hard

A. The model's parameter count

B. The release date

C. The training cost

D. Details of which threat models, elicitation effort and thresholds were used

Correct Answer: D

Explanation: Option D is correct — Details of which threat models, elicitation effort and thresholds were used. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

671. Which is a technically accurate statement about 'open-weight' versus 'open-source' models?

Difficulty: Hard

A. Open weights may be released without training data or code, so 'open source' is often a misnomer

B. They are identical terms

C. Open source requires no licence

D. Open weights include all training data

Correct Answer: A

Explanation: Option A is correct — Open weights may be released without training data or code, so 'open source' is often a misnomer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

672. 'Speculative' risks from frontier models are evaluated pre-deployment because:

Difficulty: Hard

A. Users demand it legally
B. Models change after release
C. Evaluations are cheaper before release
D. Post-hoc mitigation is difficult once weights or capabilities are widely available

Correct Answer: D

Explanation: Option D is correct — Post-hoc mitigation is difficult once weights or capabilities are widely available. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

673. Which explains why fine-tuning APIs on open models can strip safety behaviour?

Difficulty: Hard

A. Fine-tuning cannot alter behaviour
B. Safety is enforced by hardware
C. Safety is stored in the tokenizer
D. A small number of adversarial examples can undo alignment training

Correct Answer: D

Explanation: Option D is correct — A small number of adversarial examples can undo alignment training. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

674. 'Distribution matching' arguments suggest LLM output diversity falls after RLHF because:

Difficulty: Hard

A. Temperature is fixed at zero
B. The vocabulary shrinks
C. Pre-training data is deleted
D. Preference optimisation concentrates probability mass on high-reward response modes

Correct Answer: D

Explanation: Option D is correct — Preference optimisation concentrates probability mass on high-reward response modes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

675. Which is the most accurate statement about LLM 'reasoning' traces?

Difficulty: Hard

A. They are retrieved from training data
B. They are always faithful
C. They are generated by a separate model
D. They may not faithfully reflect the computation that produced the answer

Correct Answer: D

Explanation: Option D is correct — They may not faithfully reflect the computation that produced the answer. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

676. Your assistant answers correctly when the fact is at the start of a 100k-token document but fails at 60% depth. The best remediation is:

Difficulty: Very Hard

A. Retrieve and place relevant passages near the prompt boundaries rather than relying on full-context scanning

B. Use a shorter system prompt

C. Increase temperature

D. Switch to beam search

Correct Answer: A

Explanation: Option A is correct — Retrieve and place relevant passages near the prompt boundaries rather than relying on full-context scanning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

677. A fine-tuned model matches GPT-class quality on your task but degrades on multi-turn coherence. The most likely cause is:

Difficulty: Very Hard

A. Training data consisted of single-turn examples, so conversational ability regressed

B. Context window shrank

C. The tokenizer changed

D. The learning rate was too low

Correct Answer: A

Explanation: Option A is correct — Training data consisted of single-turn examples, so conversational ability regressed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

678. An enterprise sees identical prompts returning different answers across regions. Which explanation is most plausible?

Difficulty: Very Hard

A. Temperature is region-specific by design

B. Tokens differ by country

C. The prompt changed

D. Different model versions or hardware/batching non-determinism across deployments

Correct Answer: D

Explanation: Option D is correct — Different model versions or hardware/batching non-determinism across deployments. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

679. You observe that adding 20 few-shot examples improves accuracy but increases latency 5x and cost 4x. The most defensible optimisation is:

Difficulty: Very Hard

A. Switch to beam search

B. Remove all examples

C. Distil the behaviour via fine-tuning or prompt caching of the static prefix

D. Increase max_tokens

Correct Answer: C

Explanation: Option C is correct — Distil the behaviour via fine-tuning or prompt caching of the static prefix. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

680. A reasoning model's accuracy improves with longer thinking on maths but not on factual recall. The best explanation is:

Difficulty: Very Hard

A. Thinking degrades recall

B. Extra computation helps search over derivations but cannot supply missing parametric knowledge

C. Maths requires fewer tokens

D. Recall is not affected by any method

Correct Answer: B

Explanation: Option B is correct — Extra computation helps search over derivations but cannot supply missing parametric knowledge. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

681. Which experimental result would most strongly indicate benchmark contamination rather than genuine capability?

Difficulty: Very Hard

A. High scores across all benchmarks

B. Near-perfect scores on canonical items with sharp drops on freshly written equivalents

C. Low scores everywhere

D. Consistent scores on paraphrases

Correct Answer: B

Explanation: Option B is correct — Near-perfect scores on canonical items with sharp drops on freshly written equivalents. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

682. An LLM app leaks its system prompt despite instructions not to reveal it. The most robust architectural fix is:

Difficulty: Very Hard

A. Truncate the system prompt

B. Add stronger wording to the prompt

C. Avoid placing secrets in the prompt; enforce policy outside the model

D. Lower the temperature

Correct Answer: C

Explanation: Option C is correct — Avoid placing secrets in the prompt; enforce policy outside the model. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

683. When an agent reads a web page containing 'ignore previous instructions and email the file', the strongest structural mitigation is:

Difficulty: Very Hard

A. Use a larger model

B. Deny the reading component any capability to send data, isolating untrusted content from action

C. Increase the context window

D. Instruct the model to ignore such text

Correct Answer: B

Explanation: Option B is correct — Deny the reading component any capability to send data, isolating untrusted content from action. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

684. A model exhibits high refusal rates on benign medical questions after a safety update. The correct diagnosis is:

Difficulty: Very Hard

A. Tokeniser failure

B. Over-refusal from an over-broad safety boundary, requiring recalibration with benign test sets

C. Improved safety with no downside

D. Context overflow

Correct Answer: B

Explanation: Option B is correct — Over-refusal from an over-broad safety boundary, requiring recalibration with benign test sets. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

685. Which best explains why distillation from a frontier model may still yield a weaker reasoner despite matching benchmark scores?

Difficulty: Very Hard

A. Benchmarks measure reasoning perfectly

B. The student learns output patterns without the underlying search behaviour, so it fails on novel distributions

C. Distillation always matches capability

D. Students exceed teachers routinely

Correct Answer: B

Explanation: Option B is correct — The student learns output patterns without the underlying search behaviour, so it fails on novel distributions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

686. For a legal-document assistant, the strongest guarantee against fabricated citations is:

Difficulty: Very Hard

A. Instructing the model not to hallucinate

B. Using temperature 0

C. Verifying every cited reference programmatically against an authoritative index before display

D. Using a larger context window

Correct Answer: C

Explanation: Option C is correct — Verifying every cited reference programmatically against an authoritative index before display. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

687. A 1M-token context model costs 40x more per query than retrieval over the same corpus with similar accuracy. The rational architecture choice is:

Difficulty: Very Hard

A. Use both on every query
B. Always avoid retrieval
C. Always use long context
D. Retrieval, reserving long context for cases where cross-document synthesis genuinely requires it

Correct Answer: D

Explanation: Option D is correct — Retrieval, reserving long context for cases where cross-document synthesis genuinely requires it. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

688. Which observation would most strongly suggest an LLM has learned a genuine internal representation rather than surface statistics?

Difficulty: Very Hard

A. Fast inference
B. Fluent prose
C. High benchmark accuracy
D. Interventions on identified internal directions causally and predictably change related outputs

Correct Answer: D

Explanation: Option D is correct — Interventions on identified internal directions causally and predictably change related outputs. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

689. Your RLHF'd model becomes more agreeable but less accurate on user-contradicted facts. The principled fix is:

Difficulty: Very Hard

A. Train only on agreeable responses
B. Increase the KL penalty to zero
C. Include preference data that rewards correct disagreement with the user
D. Remove the reward model

Correct Answer: C

Explanation: Option C is correct — Include preference data that rewards correct disagreement with the user. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

690. A fine-tune on 500 domain examples improves task scores but the model now answers out-of-scope questions confidently and wrongly. The likely mechanism is:

Difficulty: Very Hard

A. The examples were too few to change anything

B. Narrow fine-tuning shifted calibration and eroded refusal behaviour learned in alignment

C. The tokenizer changed

D. Context window shrank

Correct Answer: B

Explanation: Option B is correct — Narrow fine-tuning shifted calibration and eroded refusal behaviour learned in alignment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

691. In production, output token cost dominates and answers are verbose. The intervention with the best cost/quality ratio is usually:

Difficulty: Very Hard

A. Explicit length and format constraints validated programmatically, rather than a smaller model

B. Increasing max_tokens

C. Removing the system prompt

D. Lowering temperature

Correct Answer: A

Explanation: Option A is correct — Explicit length and format constraints validated programmatically, rather than a smaller model. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

692. Which is the most rigorous interpretation of a model scoring 100% on a safety refusal benchmark?

Difficulty: Very Hard

A. It refuses those specific framings; capability may still be elicited by novel attacks

B. Refusal implies inability

C. The model is safe

D. Safety is solved

Correct Answer: A

Explanation: Option A is correct — It refuses those specific framings; capability may still be elicited by novel attacks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

693. A team observes quality degradation only on requests containing tables. The most likely root cause is:

Difficulty: Very Hard

A. Temperature is too low

B. The model cannot read English

C. Tokenisation and layout flattening distort tabular structure in the model's input

D. Tables exceed the vocabulary

Correct Answer: C

Explanation: Option C is correct — Tokenisation and layout flattening distort tabular structure in the model's input. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

694. Which explains why 'temperature 0' does not eliminate hallucination?

Difficulty: Very Hard

A. Temperature 0 is not supported

B. Hallucination is a tokenizer bug

C. Greedy decoding adds noise

D. Hallucination stems from the model's learned distribution, not from sampling randomness

Correct Answer: D

Explanation: Option D is correct — Hallucination stems from the model's learned distribution, not from sampling randomness. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

695. An open-weight model is fine-tuned by a third party and redistributed with safety training removed. This illustrates:

Difficulty: Very Hard

A. An inference bug

B. The irreversibility of open release for safety controls, a core argument in release-policy debates

C. A licensing error only

D. A tokenizer incompatibility

Correct Answer: B

Explanation: Option B is correct — The irreversibility of open release for safety controls, a core argument in release-policy debates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

696. Your evaluation shows model A better on average but worse on the 5% of queries that generate 60% of revenue. The correct decision framework is:

Difficulty: Very Hard

A. Choose the higher average

B. Choose the cheaper model

C. Ignore segmentation

D. Weight evaluation by business impact per segment rather than unweighted averages

Correct Answer: D

Explanation: Option D is correct — Weight evaluation by business impact per segment rather than unweighted averages. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

697. Which best explains the observation that larger models hallucinate less on common facts but sometimes more confidently on rare ones?

Difficulty: Very Hard

A. Better calibration on well-represented data does not extend to the long tail, where fluency masks ignorance

B. Larger models never hallucinate

C. Rarity does not affect models

D. Confidence is random

Correct Answer: A

Explanation: Option A is correct — Better calibration on well-represented data does not extend to the long tail, where fluency masks ignorance. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

698. A vision-language model misreads '1' as 'l' in scanned invoices 2% of the time. The most defensible production design is:

Difficulty: Very Hard

A. Cross-validate extracted values against checksums or totals and route failures to human review

B. Instruct the model to be careful

C. Increase model temperature

D. Accept the error rate silently

Correct Answer: A

Explanation: Option A is correct — Cross-validate extracted values against checksums or totals and route failures to human review. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

699. Which is the strongest argument that scaling alone may not yield reliable factual accuracy?

Difficulty: Very Hard

A. Facts cannot be learned

B. Scaling has stopped

C. Training objectives reward plausible continuation, and the long tail of facts is sparsely represented regardless of scale

D. Larger models have less data

Correct Answer: C

Explanation: Option C is correct — Training objectives reward plausible continuation, and the long tail of facts is sparsely represented regardless of scale. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

700. When comparing a reasoning model at high thinking budget against a non-reasoning model, a fair cost comparison must:

Difficulty: Very Hard

A. Compare only output tokens

B. Use identical parameter counts

C. Ignore latency

D. Account for total tokens including hidden reasoning tokens, not just visible output

Correct Answer: D

Explanation: Option D is correct — Account for total tokens including hidden reasoning tokens, not just visible output. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

Prompt Engineering

701. 'Self-consistency' as a prompting technique involves:

Difficulty: Medium

A. Turning temperature to 0

B. Sampling multiple reasoning paths and taking the majority answer

C. Using the same prompt for every task

D. Asking the model to repeat the prompt

Correct Answer: B

Explanation: Option B is correct — Sampling multiple reasoning paths and taking the majority answer. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

702. What is the main purpose of a 'negative example' in a few-shot prompt?

Difficulty: Medium

A. To show the model what an unacceptable output looks like

B. To reduce the model's parameter count

C. To crash the model deliberately

D. To train the tokenizer

Correct Answer: A

Explanation: Option A is correct — To show the model what an unacceptable output looks like. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

703. In a system prompt for a customer-service bot, which instruction is most useful for safety?

Difficulty: Medium

A. 'Never mention the company name'

B. 'Respond only in uppercase'

C. 'Answer every question at any cost'

D. 'If asked about topics outside our products, politely decline and redirect'

Correct Answer: D

Explanation: Option D is correct — 'If asked about topics outside our products, politely decline and redirect'. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

704. Placing the most important instruction at the start and restating it at the end of a long prompt helps because:

Difficulty: Medium

A. Prompts are read backwards

B. Models can pay less attention to content in the middle of long contexts

C. The model only reads the first line

D. Instructions expire after 100 tokens

Correct Answer: B

Explanation: Option B is correct — Models can pay less attention to content in the middle of long contexts. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

705. 'Prompt injection via retrieved content' happens when:

Difficulty: Medium

A. Instructions hidden in a document or web page the model reads override the user's intent

B. The user types too quickly

C. The prompt is too short

D. The model runs out of memory

Correct Answer: A

Explanation: Option A is correct — Instructions hidden in a document or web page the model reads override the user's intent. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

706. Which technique asks the model to first draft, then critique, then revise its own output?

Difficulty: Medium

A. Token limiting

B. Self-refinement (reflection) prompting

C. Beam search

D. Zero-shot prompting

Correct Answer: B

Explanation: Option B is correct — Self-refinement (reflection) prompting. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

707. When asking for JSON output, which additional step reduces failures?

Difficulty: Medium

A. Increase the temperature

B. Remove the schema to give the model freedom

C. Ask politely

D. Provide the exact schema and an example, and validate the response programmatically

Correct Answer: D

Explanation: Option D is correct — Provide the exact schema and an example, and validate the response programmatically. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

708. A 'persona' prompt that says 'You are a world-class expert' primarily affects:

Difficulty: Medium

A. The API cost

B. The model's parameter count

C. The model's training data

D. Style and confidence of the output; it does not add real knowledge

Correct Answer: D

Explanation: Option D is correct — Style and confidence of the output; it does not add real knowledge. This directly matches what the question is asking about. The remaining options (A, B, C) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

709. Which is the best approach for a task that requires up-to-date facts?

Difficulty: Medium

A. Use a persona of a journalist
B. Provide the facts in the prompt or use a retrieval/search tool
C. Ask the model to guess recent events
D. Increase the context window

Correct Answer: B

Explanation: Option B is correct — Provide the facts in the prompt or use a retrieval/search tool. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

710. 'Prompt compression' aims to:

Difficulty: Medium

A. Remove the system prompt
B. Reduce token usage while preserving the information the model needs
C. Make prompts longer
D. Encrypt prompts

Correct Answer: B

Explanation: Option B is correct — Reduce token usage while preserving the information the model needs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

711. Why should you test a prompt on multiple varied inputs before deploying it?

Difficulty: Medium

A. It reduces the cost per token
B. Single tests are prohibited by APIs
C. Models require at least ten prompts to start
D. A prompt that works on one example may fail on edge cases

Correct Answer: D

Explanation: Option D is correct — A prompt that works on one example may fail on edge cases. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

712. Which of these is an example of 'meta-prompting'?

Difficulty: Medium

A. Uploading an image
B. Setting the temperature to 1
C. Asking the model to write or improve a prompt for a task
D. Asking the model for the weather

Correct Answer: C

Explanation: Option C is correct — Asking the model to write or improve a prompt for a task. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

713. 'Tree-of-thought' prompting differs from chain-of-thought by:

Difficulty: Medium

A. Exploring multiple reasoning branches and evaluating them rather than one linear chain

B. Only working for images

C. Requiring no reasoning

D. Using shorter prompts

Correct Answer: A

Explanation: Option A is correct — Exploring multiple reasoning branches and evaluating them rather than one linear chain. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

714. When a model keeps ignoring a formatting rule, a practical fix is to:

Difficulty: Medium

A. Delete the system prompt

B. Show a concrete example of the exact format desired

C. Reduce the context window

D. Repeat the prompt in a different language

Correct Answer: B

Explanation: Option B is correct — Show a concrete example of the exact format desired. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

715. Which best explains why 'Be accurate' is a weak instruction?

Difficulty: Medium

A. It is vague; the model already tries to be accurate and needs concrete constraints

B. It is too long

C. Models cannot read adjectives

D. It increases hallucinations

Correct Answer: A

Explanation: Option A is correct — It is vague; the model already tries to be accurate and needs concrete constraints. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

716. For a translation task, which extra instruction most improves quality?

Difficulty: Medium

A. Use temperature 2

B. Specify the target dialect, formality level and any terms to keep untranslated

C. Ask for the output in reverse order

D. Ask for the answer in fewer tokens

Correct Answer: B

Explanation: Option B is correct — Specify the target dialect, formality level and any terms to keep untranslated. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

717. Which describes a 'guardrail' in prompt design?

Difficulty: Medium

A. An explicit constraint that prevents unwanted behaviour, such as refusing legal advice

B. A decorative border in the UI

C. A token counter

D. A type of GPU

Correct Answer: A

Explanation: Option A is correct — An explicit constraint that prevents unwanted behaviour, such as refusing legal advice. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

718. Which prompt structure is generally most reliable for a complex task?

Difficulty: Medium

A. Only the input data

B. Role, task, context, constraints, output format, then the input data

C. A list of unrelated questions

D. A single vague sentence

Correct Answer: B

Explanation: Option B is correct — Role, task, context, constraints, output format, then the input data. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

719. Placing instructions before a long document rather than after tends to:

Difficulty: Medium

A. Make the model's task clear before it reads the material, though restating helps for very long inputs

B. Always reduce quality

C. Have no effect ever

D. Break tokenisation

Correct Answer: A

Explanation: Option A is correct — Make the model's task clear before it reads the material, though restating helps for very long inputs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

720. Using XML-style tags around user-supplied text primarily helps by:

Difficulty: Medium

A. Encrypting the content

B. Compressing the input

C. Speeding up inference

D. Clearly marking where untrusted input begins and ends

Correct Answer: D

Explanation: Option D is correct — Clearly marking where untrusted input begins and ends. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

721. Which instruction best constrains scope?

Difficulty: Medium

A. 'Use your knowledge'

B. 'Only use information from the document below; if it is not there, say so'

C. 'Be thorough'

D. 'Answer fully'

Correct Answer: B

Explanation: Option B is correct — 'Only use information from the document below; if it is not there, say so'. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

722. Requesting 'a table with exactly these columns' is more reliable than 'a nice table' because:

Difficulty: Medium

A. Tables are easier to generate

B. Models prefer tables

C. Explicit structure removes ambiguity about the expected output shape

D. It reduces token cost

Correct Answer: C

Explanation: Option C is correct — Explicit structure removes ambiguity about the expected output shape. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

723. When a task has a definitive right answer, a lower temperature is preferred because:

Difficulty: Medium

A. Reduced randomness improves consistency on convergent tasks

B. It shortens the output

C. It removes the system prompt

D. Low temperature increases creativity

Correct Answer: A

Explanation: Option A is correct — Reduced randomness improves consistency on convergent tasks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

724. Which is the better approach for a prompt that must run on thousands of records?

Difficulty: Medium

A. Test once on an easy example

B. Skip testing to save time

C. Rely on the vendor's benchmark

D. Test it against a sample of edge cases and measure failure modes

Correct Answer: D

Explanation: Option D is correct — Test it against a sample of edge cases and measure failure modes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

725. 'Prompt templating' with variables is preferred over hard-coded prompts because:

Difficulty: Medium

A. It removes the need for a schema

B. It reduces model size

C. It enables reuse, versioning and systematic testing

D. It speeds up tokenisation

Correct Answer: C

Explanation: Option C is correct — It enables reuse, versioning and systematic testing. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

726. Which of these reduces verbosity most reliably?

Difficulty: Medium

A. Reducing max_tokens abruptly

B. Specifying a word or sentence limit and an example of the desired brevity

C. Lowering temperature

D. Asking the model to 'be brief'

Correct Answer: B

Explanation: Option B is correct — Specifying a word or sentence limit and an example of the desired brevity. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

727. Truncating output via max_tokens alone is problematic because:

Difficulty: Medium

A. It costs more

B. It changes the temperature

C. The response may be cut mid-sentence or mid-JSON, breaking downstream parsing

D. It disables streaming

Correct Answer: C

Explanation: Option C is correct — The response may be cut mid-sentence or mid-JSON, breaking downstream parsing. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

728. For extracting fields from unstructured text, the most robust prompt includes:

Difficulty: Medium

A. A creative writing instruction

B. A request to 'extract everything'

C. The schema, field definitions, handling rules for missing values and an example

D. Only the field names

Correct Answer: C

Explanation: Option C is correct — The schema, field definitions, handling rules for missing values and an example. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

729. Which instruction improves handling of missing data in extraction?

Difficulty: Medium

A. 'Skip the record'
B. 'Fill every field'
C. 'Estimate missing values'
D. 'If a field is not present, return null rather than guessing'

Correct Answer: D

Explanation: Option D is correct — 'If a field is not present, return null rather than guessing'. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

730. 'Chain-of-thought' is least useful for:

Difficulty: Medium

A. Simple lookups and formatting tasks
B. Logical deduction
C. Complex planning
D. Multi-step arithmetic

Correct Answer: A

Explanation: Option A is correct — Simple lookups and formatting tasks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

731. Asking a model to 'first list the relevant facts, then answer' is a form of:

Difficulty: Medium

A. Decomposition that grounds the answer in explicit intermediate steps
B. Fine-tuning
C. Temperature control
D. Token compression

Correct Answer: A

Explanation: Option A is correct — Decomposition that grounds the answer in explicit intermediate steps. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

732. Which prompt pattern best handles a task with several possible interpretations?

Difficulty: Medium

A. Guess the most likely one silently
B. Ask the model to state its interpretation before answering, or ask a clarifying question
C. Refuse the task
D. Answer all interpretations at length

Correct Answer: B

Explanation: Option B is correct — Ask the model to state its interpretation before answering, or ask a clarifying question. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

733. When few-shot examples conflict with the written instruction, models typically:

Difficulty: Medium

A. Always follow the instruction
B. Refuse to answer
C. Follow the pattern demonstrated in the examples
D. Produce an error

Correct Answer: C

Explanation: Option C is correct — Follow the pattern demonstrated in the examples. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

734. Ordering few-shot examples so that the last one resembles the target case can:

Difficulty: Medium

A. Bias the output toward that example's style and content
B. Have no effect
C. Break the tokenizer
D. Increase temperature

Correct Answer: A

Explanation: Option A is correct — Bias the output toward that example's style and content. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

735. Which is best practice for few-shot example selection?

Difficulty: Medium

A. Cover the variety of real inputs, including hard and edge cases
B. Use a single example always
C. Use only the easiest examples
D. Use examples from a different task

Correct Answer: A

Explanation: Option A is correct — Cover the variety of real inputs, including hard and edge cases. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

736. A prompt that works on one model but fails on another usually indicates:

Difficulty: Medium

A. Prompt over-fitting to model-specific behaviours rather than robust instruction
B. One model is broken
C. Tokenizers are identical
D. The task is impossible

Correct Answer: A

Explanation: Option A is correct — Prompt over-fitting to model-specific behaviours rather than robust instruction. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

737. Which instruction most improves a model's handling of ambiguity in user questions?

Difficulty: Medium

A. 'Always answer immediately'
B. 'Answer at maximum length'

C. 'If the request is ambiguous, ask one clarifying question before answering'

D. 'Assume the most common case'

Correct Answer: C

Explanation: Option C is correct — 'If the request is ambiguous, ask one clarifying question before answering'. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

738. Specifying the reading level or expertise of the audience primarily changes:

Difficulty: Medium

A. Model selection

B. Vocabulary, depth of explanation and assumed background

C. Token cost

D. Factual accuracy

Correct Answer: B

Explanation: Option B is correct — Vocabulary, depth of explanation and assumed background. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

739. 'Style transfer' prompts (e.g. 'rewrite in plain English') are most reliable when:

Difficulty: Medium

A. Only an adjective is given

B. A short example of the target style is provided

C. The input is very long

D. Temperature is maximised

Correct Answer: B

Explanation: Option B is correct — A short example of the target style is provided. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

740. When an output must be machine-parseable, the prompt should:

Difficulty: Medium

A. Request markdown formatting

B. Specify the exact format, forbid preamble, and the code should validate the result

C. Ask for 'clean output'

D. Allow the model to choose

Correct Answer: B

Explanation: Option B is correct — Specify the exact format, forbid preamble, and the code should validate the result. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

741. Why is asking for 'JSON only, no markdown fences' often necessary?

Difficulty: Medium

A. Markdown is invalid JSON syntax in all cases

B. Fences increase cost

C. Models frequently wrap JSON in code fences, breaking naive parsers

D. JSON is not supported

Correct Answer: C

Explanation: Option C is correct — Models frequently wrap JSON in code fences, breaking naive parsers. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

742. Which describes a 'preamble' problem in prompting?

Difficulty: Medium

A. The input is truncated

B. The model prefixes the answer with unnecessary restatements or filler

C. Temperature is too low

D. The system prompt is too long

Correct Answer: B

Explanation: Option B is correct — The model prefixes the answer with unnecessary restatements or filler. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

743. Instructing a model to cite the exact source sentence for each claim primarily improves:

Difficulty: Medium

A. Verifiability, making errors easier to detect

B. Response speed

C. Creativity

D. Token efficiency

Correct Answer: A

Explanation: Option A is correct — Verifiability, making errors easier to detect. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

744. Which technique reduces 'over-refusal' on legitimate but sensitive professional queries?

Difficulty: Medium

A. Repeat the request angrily

B. Provide role and legitimate context, and specify the intended professional use

C. Increase max_tokens

D. Use all capitals

Correct Answer: B

Explanation: Option B is correct — Provide role and legitimate context, and specify the intended professional use. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

745. In a multi-step prompt chain, passing structured output between steps is preferred because:

Difficulty: Medium

A. Free text is always richer

B. It reduces the number of calls

C. Parsing is reliable and errors surface early

D. Structure is required by APIs

Correct Answer: C

Explanation: Option C is correct — Parsing is reliable and errors surface early. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

746. A key disadvantage of very long prompt chains is:

Difficulty: Medium

A. They are always more accurate

B. Errors compound across steps and latency accumulates

C. They cannot be tested

D. They cost nothing

Correct Answer: B

Explanation: Option B is correct — Errors compound across steps and latency accumulates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

747. Which is the best prompt-level safeguard for a summarisation tool?

Difficulty: Medium

A. 'Use your general knowledge'

B. 'Make it interesting'

C. 'Be as long as possible'

D. 'Do not add information that is not in the source text'

Correct Answer: D

Explanation: Option D is correct — 'Do not add information that is not in the source text'. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

748. A prompt asking for 'pros and cons' of a contested topic should additionally specify:

Difficulty: Medium

A. That the answer be one word

B. That the model state its opinion

C. That both sides be represented fairly and sourced where possible

D. That only one side be shown

Correct Answer: C

Explanation: Option C is correct — That both sides be represented fairly and sourced where possible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

749. 'Priming' a model with domain vocabulary in the prompt tends to:

Difficulty: Medium

A. Change the model version

B. Reduce token cost

C. Improve factual recall guaranteed

D. Improve terminology consistency in the output

Correct Answer: D

Explanation: Option D is correct — Improve terminology consistency in the output. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

750. Which best describes the effect of 'You are an expert' framing in current models?

Difficulty: Medium

A. It guarantees accuracy

B. Modest effect on tone and depth; it does not create knowledge the model lacks

C. It adds training data

D. It disables safety

Correct Answer: B

Explanation: Option B is correct — Modest effect on tone and depth; it does not create knowledge the model lacks. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

751. For a classification prompt, providing the label definitions is important because:

Difficulty: Medium

A. Definitions reduce cost

B. Labels cannot be tokenised

C. Models ignore label names

D. Label names alone are ambiguous and models may use different boundaries

Correct Answer: D

Explanation: Option D is correct — Label names alone are ambiguous and models may use different boundaries. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

752. When classification labels are imbalanced in your data, the prompt should:

Difficulty: Medium

A. Ask for a probability only

B. Define edge cases explicitly and state what to do when uncertain

C. Omit rare labels

D. Use fewer labels

Correct Answer: B

Explanation: Option B is correct — Define edge cases explicitly and state what to do when uncertain. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

753. 'Delimiters plus explicit instruction to treat input as data' primarily defends against:

Difficulty: Medium

A. Token overflow

B. Model deprecation

C. Slow inference

D. Prompt injection from user-supplied content

Correct Answer: D

Explanation: Option D is correct — Prompt injection from user-supplied content. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

754. Which is a realistic limitation of prompt-based guardrails?

Difficulty: Medium

A. They prevent all misuse
B. They are cryptographically secure
C. A determined adversary can often bypass instructions with novel framings
D. They work only on small models

Correct Answer: C

Explanation: Option C is correct — A determined adversary can often bypass instructions with novel framings. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

755. 'Output schemas with enums' help because:

Difficulty: Medium

A. They increase creativity
B. They reduce latency
C. They remove the need for examples
D. They restrict the model to a known set of valid values

Correct Answer: D

Explanation: Option D is correct — They restrict the model to a known set of valid values. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

756. Requesting a confidence score from an LLM should be treated as:

Difficulty: Medium

A. An exact probability
B. A random number
C. A guarantee of accuracy
D. A weakly calibrated signal, not a reliable probability

Correct Answer: D

Explanation: Option D is correct — A weakly calibrated signal, not a reliable probability. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

757. Which is a better way to get uncertainty from an LLM than asking for a number?

Difficulty: Medium

A. Ask it to state what information would be needed to be sure
B. Ask for a percentage only
C. Increase temperature
D. Ask it twice

Correct Answer: A

Explanation: Option A is correct — Ask it to state what information would be needed to be sure. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

758. A 'system prompt' versus 'user prompt' distinction matters because:

Difficulty: Medium

A. User prompts are ignored

B. Models are trained to weight system instructions as higher-priority behaviour settings

C. They are identical

D. System prompts cost more

Correct Answer: B

Explanation: Option B is correct — Models are trained to weight system instructions as higher-priority behaviour settings. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

759. When a user's request conflicts with the system prompt, a well-aligned assistant should:

Difficulty: Medium

A. Refuse silently

B. Produce random output

C. Always follow the user

D. Follow the system-level policy and explain the limitation

Correct Answer: D

Explanation: Option D is correct — Follow the system-level policy and explain the limitation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

760. Which practice most improves reproducibility of prompt experiments?

Difficulty: Medium

A. Use different models each run

B. Record model version, parameters, prompt text and seed alongside results

C. Vary temperature randomly

D. Record only the accuracy

Correct Answer: B

Explanation: Option B is correct — Record model version, parameters, prompt text and seed alongside results. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

761. 'Prompt linting' in a team setting means:

Difficulty: Medium

A. Removing examples

B. Automated checks for required elements like delimiters, schema and length limits

C. Spell-checking the prompt

D. Shortening all prompts

Correct Answer: B

Explanation: Option B is correct — Automated checks for required elements like delimiters, schema and length limits. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

762. A prompt that includes today's date is useful because:

Difficulty: Medium

A. Models have no inherent clock and may otherwise assume a stale date

B. It speeds up responses

C. It changes the tokenizer

D. It reduces hallucination generally

Correct Answer: A

Explanation: Option A is correct — Models have no inherent clock and may otherwise assume a stale date. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

763. For translation, instructing 'keep product names untranslated' is an example of:

Difficulty: Medium

A. A style preference

B. A domain constraint that prevents semantically correct but unusable output

C. A safety guardrail

D. A cost optimisation

Correct Answer: B

Explanation: Option B is correct — A domain constraint that prevents semantically correct but unusable output. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

764. Which is the strongest reason to include 'do not fabricate' plus a fallback instruction?

Difficulty: Medium

A. It guarantees accuracy

B. It disables sampling

C. It reduces token cost

D. It gives the model an acceptable alternative to guessing

Correct Answer: D

Explanation: Option D is correct — It gives the model an acceptable alternative to guessing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

765. 'Multi-turn prompt design' differs from single-turn mainly because:

Difficulty: Medium

A. History is discarded

B. Turns are independent

C. Earlier turns persist in context and can steer later behaviour unintentionally

D. Only the last turn matters

Correct Answer: C

Explanation: Option C is correct — Earlier turns persist in context and can steer later behaviour unintentionally. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

766. When a long conversation degrades in quality, a practical fix is:

Difficulty: Medium

A. Increase temperature

B. Summarise the relevant state and restart with a clean, focused context

C. Repeat the last message

D. Add more examples

Correct Answer: B

Explanation: Option B is correct — Summarise the relevant state and restart with a clean, focused context. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

767. Which is an appropriate use of 'assistant prefill' (starting the model's reply)?

Difficulty: Medium

A. Changing the system prompt

B. Forcing a specific output format such as an opening brace for JSON

C. Reducing the vocabulary

D. Increasing the context window

Correct Answer: B

Explanation: Option B is correct — Forcing a specific output format such as an opening brace for JSON. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

768. 'Negative instructions' such as 'never mention X' can fail because:

Difficulty: Medium

A. They are forbidden by APIs

B. They increase cost

C. Mentioning the concept in the prompt can make it more salient

D. Models cannot read negations at all

Correct Answer: C

Explanation: Option C is correct — Mentioning the concept in the prompt can make it more salient. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

769. For tasks requiring citations from supplied documents, the prompt should specify:

Difficulty: Medium

A. That citations be optional

B. A citation format tied to identifiers you can verify programmatically

C. That the model use the internet

D. That citations be 'accurate'

Correct Answer: B

Explanation: Option B is correct — A citation format tied to identifiers you can verify programmatically. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

770. Which is the best approach when a model consistently misunderstands one term?

Difficulty: Medium

A. Capitalise the term

B. Define the term explicitly in the prompt with an example

C. Change the model

D. Repeat the term more often

Correct Answer: B

Explanation: Option B is correct — Define the term explicitly in the prompt with an example. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

771. 'Instruction hierarchy' in modern models means:

Difficulty: Medium

A. System instructions are intended to take precedence over conflicting user or tool content

B. User content wins always

C. Tool content wins

D. All instructions are equal

Correct Answer: A

Explanation: Option A is correct — System instructions are intended to take precedence over conflicting user or tool content. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

772. Which prompt property most affects cost in a high-volume application?

Difficulty: Medium

A. The number of adjectives

B. The temperature

C. The stop sequence

D. The length of the static prefix repeated on every call

Correct Answer: D

Explanation: Option D is correct — The length of the static prefix repeated on every call. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

773. Prompt caching is most beneficial when:

Difficulty: Medium

A. A long system prompt or document prefix is reused across many requests

B. Prompts are very short

C. Every request is unique

D. Temperature is high

Correct Answer: A

Explanation: Option A is correct — A long system prompt or document prefix is reused across many requests. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

774. Which is the most reliable way to enforce a word limit?

Difficulty: Medium

A. Ask nicely for the limit

B. Set max_tokens to the word count

C. Generate, then programmatically check and request a revision if exceeded

D. Lower the temperature

Correct Answer: C

Explanation: Option C is correct — Generate, then programmatically check and request a revision if exceeded. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

775. An instruction to 'think step by step' inside a strict JSON-only output requirement causes:

Difficulty: Medium

A. No conflict at all

B. Faster responses

C. A conflict, since reasoning text would violate the format unless placed in a dedicated field

D. Better JSON

Correct Answer: C

Explanation: Option C is correct — A conflict, since reasoning text would violate the format unless placed in a dedicated field. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

776. Why can few-shot examples sometimes hurt performance?

Difficulty: Hard

A. Examples exceed the token limit for all models

B. The model refuses prompts with examples

C. The model may over-imitate surface features of the examples, including their errors or biases

D. Examples disable the system prompt

Correct Answer: C

Explanation: Option C is correct — The model may over-imitate surface features of the examples, including their errors or biases. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

777. Which statement about 'prompt sensitivity' is true?

Difficulty: Hard

A. Punctuation is ignored

B. Only the first word matters

C. Small wording or ordering changes can produce materially different outputs

D. Models are fully invariant to prompt wording

Correct Answer: C

Explanation: Option C is correct — Small wording or ordering changes can produce materially different outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

778. ReAct-style prompting combines:

Difficulty: Hard

A. Two models reacting to each other

B. Reasoning traces with tool actions and observations in an interleaved loop

C. Image and text inputs

D. Reinforcement learning with reactive programming

Correct Answer: B

Explanation: Option B is correct — Reasoning traces with tool actions and observations in an interleaved loop. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

779. Providing the model with an explicit rubric for self-grading is useful because:

Difficulty: Hard

A. It removes the need for a final answer

B. It halves the token cost

C. It eliminates all bias

D. It makes the evaluation criteria concrete and reduces unstructured praise

Correct Answer: D

Explanation: Option D is correct — It makes the evaluation criteria concrete and reduces unstructured praise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

780. What is 'prompt caching' in LLM APIs?

Difficulty: Hard

A. Storing prompts in a database for auditing

B. Saving prompts to the user's browser

C. Reusing the processed representation of a repeated prompt prefix to cut latency and cost

D. Compressing prompts with zip

Correct Answer: C

Explanation: Option C is correct — Reusing the processed representation of a repeated prompt prefix to cut latency and cost. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

781. When designing prompts for a multilingual user base, a key pitfall is:

Difficulty: Hard

A. Models cannot read non-Latin scripts

B. Translation is impossible

C. Tokens are only counted in English

D. Instructions in one language may be followed less reliably when inputs are in another

Correct Answer: D

Explanation: Option D is correct — Instructions in one language may be followed less reliably when inputs are in another. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

782. Which of these makes a prompt more robust to injection from user-supplied text?

Difficulty: Hard

A. Clearly delimiting untrusted input and instructing the model to treat it as data, not commands

B. Removing all instructions

C. Increasing temperature

D. Placing user text before the system prompt

Correct Answer: A

Explanation: Option A is correct — Clearly delimiting untrusted input and instructing the model to treat it as data, not commands. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

783. 'Many-shot jailbreaking' exploits:

Difficulty: Hard

A. GPU memory limits

B. A bug in the tokenizer

C. Long contexts filled with examples of undesired behaviour to shift the model's responses

D. Slow network speed

Correct Answer: C

Explanation: Option C is correct — Long contexts filled with examples of undesired behaviour to shift the model's responses. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

784. For structured extraction from long documents, which approach is most reliable?

Difficulty: Hard

A. Chunk the document, extract per chunk with a fixed schema, then merge

B. Ask for a summary only

C. Paste the entire document and ask for 'everything'

D. Use temperature 1.5 for creativity

Correct Answer: A

Explanation: Option A is correct — Chunk the document, extract per chunk with a fixed schema, then merge. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

785. What is the trade-off in asking a model to 'show all reasoning' in production?

Difficulty: Hard

A. No trade-off; it is always better

B. It makes the model faster

C. Better accuracy on hard tasks but higher latency, cost and possible exposure of internal reasoning

D. It reduces token usage

Correct Answer: C

Explanation: Option C is correct — Better accuracy on hard tasks but higher latency, cost and possible exposure of internal reasoning. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

786. Why might 'Answer only Yes or No' degrade accuracy on complex questions?

Difficulty: Hard

A. It increases the context length

B. It prevents the model from reasoning before committing to an answer

C. Models cannot output single words

D. Yes/No are not valid tokens

Correct Answer: B

Explanation: Option B is correct — It prevents the model from reasoning before committing to an answer. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

787. A/B testing prompts in production requires:

Difficulty: Hard

A. Defined success metrics and enough traffic to detect differences reliably

B. Identical prompts in both arms

C. Only a single user

D. Turning off logging

Correct Answer: A

Explanation: Option A is correct — Defined success metrics and enough traffic to detect differences reliably. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

788. Which is a valid reason to version-control prompts like code?

Difficulty: Hard

A. Prompts cannot be edited otherwise

B. Prompts are executable binaries

C. Git requires it

D. Prompts materially affect behaviour, so changes need review, rollback and traceability

Correct Answer: D

Explanation: Option D is correct — Prompts materially affect behaviour, so changes need review, rollback and traceability. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

789. The technique of asking a model to generate several candidate answers and then rank them is called:

Difficulty: Hard

A. Zero-shot decoding

B. Best-of-N sampling with a ranking or verifier step

C. Gradient descent

D. Token pruning

Correct Answer: B

Explanation: Option B is correct — Best-of-N sampling with a ranking or verifier step. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

790. Why is it risky to rely on a prompt that works only because of a model's current quirks?

Difficulty: Hard

A. Model updates can change behaviour, silently breaking the prompt

B. APIs reject quirky prompts

C. Prompts expire after 30 days

D. Quirks are illegal to use

Correct Answer: A

Explanation: Option A is correct — Model updates can change behaviour, silently breaking the prompt. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

791. In a prompt, an instruction like 'cite the section number for every claim' mainly improves:

Difficulty: Hard

A. Model training speed

B. Image quality

C. Token throughput

D. Verifiability and grounding of the output

Correct Answer: D

Explanation: Option D is correct — Verifiability and grounding of the output. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

792. Which explains why chain-of-thought helps more on larger models?

Difficulty: Hard

A. Small models reason better

B. Large models ignore CoT

C. Smaller models often produce invalid reasoning chains that do not improve final accuracy

D. CoT is disabled below a size

Correct Answer: C

Explanation: Option C is correct — Smaller models often produce invalid reasoning chains that do not improve final accuracy. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

793. 'Faithfulness' of chain-of-thought is questioned because:

Difficulty: Hard

A. The stated reasoning may not reflect the computation that produced the answer

B. CoT is generated separately

C. CoT is retrieved from training data

D. Reasoning is always faithful

Correct Answer: A

Explanation: Option A is correct — The stated reasoning may not reflect the computation that produced the answer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

794. Self-consistency improves accuracy but is inefficient because:

Difficulty: Hard

A. It requires sampling many full reasoning chains, multiplying cost and latency

B. It reduces accuracy

C. It requires fine-tuning

D. It needs labelled data

Correct Answer: A

Explanation: Option A is correct — It requires sampling many full reasoning chains, multiplying cost and latency. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

795. Least-to-most prompting differs from chain-of-thought by:

Difficulty: Hard

A. Skipping reasoning

B. Explicitly decomposing into subproblems and solving them in sequence with intermediate answers

C. Using fewer tokens

D. Requiring no examples

Correct Answer: B

Explanation: Option B is correct — Explicitly decomposing into subproblems and solving them in sequence with intermediate answers. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

796. 'Analogical prompting' asks the model to:

Difficulty: Hard

A. Generate relevant exemplars itself before solving the target problem

B. Translate the problem

C. Copy a provided example

D. Use metaphors in the answer

Correct Answer: A

Explanation: Option A is correct — Generate relevant exemplars itself before solving the target problem. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

797. Which is the best-supported explanation of why few-shot examples sometimes degrade performance?

Difficulty: Hard

A. Models ignore examples

B. The model copies superficial patterns including format artefacts and label distribution biases

C. Examples exceed all context windows

D. Examples confuse the tokenizer

Correct Answer: B

Explanation: Option B is correct — The model copies superficial patterns including format artefacts and label distribution biases. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

798. 'Label bias' in few-shot classification prompts refers to:

Difficulty: Hard

A. The distribution of example labels skewing the model's predictions

B. Labels being too long

C. Labels being enumerated

D. Labels being misspelled

Correct Answer: A

Explanation: Option A is correct — The distribution of example labels skewing the model's predictions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

799. Calibration techniques for few-shot classification (e.g. contextual calibration) work by:

Difficulty: Hard

A. Adding more examples

B. Changing the temperature

C. Estimating and correcting the model's prior from content-free inputs

D. Fine-tuning the model

Correct Answer: C

Explanation: Option C is correct — Estimating and correcting the model's prior from content-free inputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

800. Which is a documented sensitivity of LLM prompting?

Difficulty: Hard

A. Order affects only cost

B. Permuting the order of few-shot examples can change accuracy substantially

C. Only the first example matters

D. Order never matters

Correct Answer: B

Explanation: Option B is correct — Permuting the order of few-shot examples can change accuracy substantially. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

801. ReAct's advantage over plain chain-of-thought is that it:

Difficulty: Hard

A. Requires no tools

B. Grounds reasoning in external observations, reducing unsupported inferences

C. Uses fewer tokens

D. Eliminates hallucination

Correct Answer: B

Explanation: Option B is correct — Grounds reasoning in external observations, reducing unsupported inferences. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

802. 'Reflexion' style prompting adds:

Difficulty: Hard

A. Multiple models

B. Verbal self-feedback stored across attempts to improve subsequent trials

C. A larger context window

D. Gradient updates

Correct Answer: B

Explanation: Option B is correct — Verbal self-feedback stored across attempts to improve subsequent trials. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

803. A key limitation of self-critique prompting is:

Difficulty: Hard

A. It is computationally free

B. Models often fail to detect their own errors, especially factual ones

C. It requires labels

D. It always works

Correct Answer: B

Explanation: Option B is correct — Models often fail to detect their own errors, especially factual ones. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

804. Which is the strongest evidence that self-refinement helped?

Difficulty: Hard

A. The model says it improved

B. The revision looks polished

C. Measured improvement on held-out cases with an external verifier, not the model's own judgement

D. The output is longer

Correct Answer: C

Explanation: Option C is correct — Measured improvement on held-out cases with an external verifier, not the model's own judgement. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

805. 'Generated knowledge prompting' works by:

Difficulty: Hard

A. Retrieving from a database

B. Fine-tuning on facts

C. Using a search API

D. Asking the model to produce relevant facts first, then answer conditioned on them

Correct Answer: D

Explanation: Option D is correct — Asking the model to produce relevant facts first, then answer conditioned on them. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

806. Which best explains why 'Let's think step by step' worked as a zero-shot trigger?

Difficulty: Hard

A. It increases the context window

B. It shifts the model into a distribution of text where reasoning precedes conclusions

C. It activates a reasoning module

D. It changes the model weights

Correct Answer: B

Explanation: Option B is correct — It shifts the model into a distribution of text where reasoning precedes conclusions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

807. For modern reasoning-tuned models, explicit CoT instructions are often:

Difficulty: Hard

A. Always necessary

B. Unable to be applied

C. Required by the API

D. Redundant or even harmful, since reasoning is already elicited internally

Correct Answer: D

Explanation: Option D is correct — Redundant or even harmful, since reasoning is already elicited internally. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

808. Prompt injection defence via 'instruction hierarchy training' works by:

Difficulty: Hard

A. Training models to prioritise trusted instruction sources over content encountered later

B. Encrypting instructions

C. Removing tool access

D. Filtering all input

Correct Answer: A

Explanation: Option A is correct — Training models to prioritise trusted instruction sources over content encountered later. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

809. 'Spotlighting' as an injection defence involves:

Difficulty: Hard

A. Highlighting text in the UI

B. Marking untrusted content distinctly (e.g. encoding or tagging) so the model can discount instructions in it

C. Reducing temperature

D. Shortening the prompt

Correct Answer: B

Explanation: Option B is correct — Marking untrusted content distinctly (e.g. encoding or tagging) so the model can discount instructions in it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

810. Which remains true even with strong injection defences?

Difficulty: Hard

A. Prompt defences are sufficient

B. No prompt-level defence is complete; capability restrictions remain necessary

C. Injection is theoretical

D. Only open models are vulnerable

Correct Answer: B

Explanation: Option B is correct — No prompt-level defence is complete; capability restrictions remain necessary. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

811. A 'prompt firewall' that classifies inputs before they reach the model can fail because:

Difficulty: Hard

A. Classifiers are perfect

B. It cannot be deployed

C. It blocks all input

D. Adversarial framings and encodings evade classifiers that do not share the model's understanding

Correct Answer: D

Explanation: Option D is correct — Adversarial framings and encodings evade classifiers that do not share the model's understanding. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

812. Which describes 'crescendo' style multi-turn attacks?

Difficulty: Hard

A. Gradually escalating benign requests until the model produces restricted content

B. An encoding attack

C. A tokenizer exploit

D. A single adversarial prompt

Correct Answer: A

Explanation: Option A is correct — Gradually escalating benign requests until the model produces restricted content. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

813. Why are multi-turn attacks harder to defend than single-turn?

Difficulty: Hard

A. Multi-turn prompts are shorter

B. Each turn appears benign in isolation while the trajectory is harmful

C. Turns are not logged

D. Models forget turns

Correct Answer: B

Explanation: Option B is correct — Each turn appears benign in isolation while the trajectory is harmful. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

814. 'Prompt leaking' attacks are notable because:

Difficulty: Hard

A. System prompts often contain business logic, examples and sometimes credentials

B. They require API keys

C. They change model weights

D. They only affect open models

Correct Answer: A

Explanation: Option A is correct — System prompts often contain business logic, examples and sometimes credentials. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

815. Which is the best structural answer to 'the system prompt contains proprietary logic'?

Difficulty: Hard

A. Move sensitive logic into application code and pass only what the model needs

B. Ask the model to keep secrets

C. Make the prompt longer

D. Encrypt the system prompt text

Correct Answer: A

Explanation: Option A is correct — Move sensitive logic into application code and pass only what the model needs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

816. Constrained decoding with a JSON schema differs from prompt-only formatting by:

Difficulty: Hard

A. Working only for XML

B. Requiring fine-tuning

C. Enforcing validity at the decoding step rather than relying on instruction following

D. Being less reliable

Correct Answer: C

Explanation: Option C is correct — Enforcing validity at the decoding step rather than relying on instruction following. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

817. Which trade-off applies to grammar-constrained generation?

Difficulty: Hard

A. Guaranteed structure but possible quality loss when the constraint fights the model's preferred tokens

B. No trade-off exists

C. It increases hallucination

D. It always improves accuracy

Correct Answer: A

Explanation: Option A is correct — Guaranteed structure but possible quality loss when the constraint fights the model's preferred tokens. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

818. 'Prompt optimisation' tools (e.g. automatic prompt search) work by:

Difficulty: Hard

A. Fine-tuning the model

B. Editing the tokenizer

C. Reducing temperature

D. Searching candidate prompts against a scored evaluation set

Correct Answer: D

Explanation: Option D is correct — Searching candidate prompts against a scored evaluation set. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

819. A risk of automated prompt optimisation is:

Difficulty: Hard

A. It cannot find improvements

B. It is always slower than manual

C. Overfitting the prompt to the evaluation set, with poor generalisation

D. It requires no data

Correct Answer: C

Explanation: Option C is correct — Overfitting the prompt to the evaluation set, with poor generalisation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

820. DSPy-style frameworks differ from manual prompting by:

Difficulty: Hard

A. Removing prompts entirely

B. Requiring GPU training

C. Treating prompts as learnable program components optimised against metrics

D. Using only zero-shot

Correct Answer: C

Explanation: Option C is correct — Treating prompts as learnable program components optimised against metrics. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

821. Which is the most rigorous way to compare two prompts?

Difficulty: Hard

A. Paired evaluation on the same inputs with a defined metric and statistical testing

B. Checking token counts

C. Comparing lengths

D. Reading both and judging quality

Correct Answer: A

Explanation: Option A is correct — Paired evaluation on the same inputs with a defined metric and statistical testing. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

822. When an LLM judges prompt A better than prompt B, a necessary control is:

Difficulty: Hard

A. Randomising presentation order and verifying agreement with human labels

B. Trusting the judge

C. Using a smaller judge

D. Using the same order always

Correct Answer: A

Explanation: Option A is correct — Randomising presentation order and verifying agreement with human labels. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

823. 'Prompt drift' in production refers to:

Difficulty: Hard

A. Prompts being edited by users

B. Latency increasing

C. Token costs rising

D. Model updates changing behaviour so a fixed prompt gradually underperforms

Correct Answer: D

Explanation: Option D is correct — Model updates changing behaviour so a fixed prompt gradually underperforms. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

824. Which practice best protects against prompt drift?

Difficulty: Hard

A. Removing evaluations

B. Rewriting prompts weekly

C. Pinned model versions plus automated regression evaluations before upgrades

D. Using higher temperature

Correct Answer: C

Explanation: Option C is correct — Pinned model versions plus automated regression evaluations before upgrades. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

825. Instructing a model to output reasoning in a separate field from the answer helps because:

Difficulty: Hard

A. Downstream code can use the answer while reasoning remains available for audit

B. It removes hallucination

C. It shortens reasoning

D. It reduces cost

Correct Answer: A

Explanation: Option A is correct — Downstream code can use the answer while reasoning remains available for audit. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

826. Which explains why 'answer first, then explain' can reduce accuracy on hard problems?

Difficulty: Hard

A. Order does not matter

B. Committing to an answer before reasoning forecloses the computation that would correct it

C. It increases token cost only

D. Explanations are always wrong

Correct Answer: B

Explanation: Option B is correct — Committing to an answer before reasoning forecloses the computation that would correct it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

827. 'Prompt ensembling' aggregates:

Difficulty: Hard

A. Multiple models only

B. Outputs from multiple differently-worded prompts to reduce variance from prompt sensitivity

C. Multiple temperatures

D. Multiple users

Correct Answer: B

Explanation: Option B is correct — Outputs from multiple differently-worded prompts to reduce variance from prompt sensitivity. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

828. A defensible reason to include the schema twice (start and end) in a long prompt is:

Difficulty: Hard

A. Doubling the cost intentionally

B. Confusing injections

C. Mitigating attention decay over long contexts for critical constraints

D. Filling the context

Correct Answer: C

Explanation: Option C is correct — Mitigating attention decay over long contexts for critical constraints. This directly matches what the question is asking about. The remaining options (A, B, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

829. Which is true about instructing models to 'ignore previous instructions'?

Difficulty: Hard

A. It never works
B. It always works
C. Well-aligned models resist it from untrusted content, but resistance is imperfect
D. It only affects open models

Correct Answer: C

Explanation: Option C is correct — Well-aligned models resist it from untrusted content, but resistance is imperfect. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

830. 'Role-play framing' as a jailbreak works because:

Difficulty: Hard

A. Safety is disabled in fiction mode
B. Roles change the weights
C. Models cannot write fiction
D. Fictional framing can shift the model away from its safety-trained distribution

Correct Answer: D

Explanation: Option D is correct — Fictional framing can shift the model away from its safety-trained distribution. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

831. Which is the most accurate statement about prompt-based PII redaction?

Difficulty: Hard

A. It is impossible
B. It is best-effort; deterministic detectors should handle structured identifiers
C. It is fully reliable
D. It requires fine-tuning

Correct Answer: B

Explanation: Option B is correct — It is best-effort; deterministic detectors should handle structured identifiers. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

832. For high-volume extraction, placing the document before the instructions can be preferable when:

Difficulty: Hard

A. Documents are short
B. Temperature is high
C. Prompt caching is used and the instructions vary while the document is shared
D. Instructions are longer

Correct Answer: C

Explanation: Option C is correct — Prompt caching is used and the instructions vary while the document is shared. This directly matches what the question is asking about. The remaining options

(A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

833. Which explains why identical prompts can yield different token costs?

Difficulty: Hard

A. Models change price per call

B. Output length varies with sampling, and cached versus uncached input is billed differently

C. Costs are random

D. Input length changes

Correct Answer: B

Explanation: Option B is correct — Output length varies with sampling, and cached versus uncached input is billed differently. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

834. 'Skeleton-of-thought' prompting aims to:

Difficulty: Hard

A. Generate an outline then expand points in parallel to reduce latency

B. Increase sequential steps

C. Remove reasoning

D. Reduce accuracy

Correct Answer: A

Explanation: Option A is correct — Generate an outline then expand points in parallel to reduce latency. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

835. When a prompt must handle adversarial users, the most robust design assumes:

Difficulty: Hard

A. Users are cooperative

B. Instructions cannot be overridden

C. Any text the user controls may attempt to redefine the task

D. Safety training suffices

Correct Answer: C

Explanation: Option C is correct — Any text the user controls may attempt to redefine the task. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

836. Which best describes 'contextual grounding checks'?

Difficulty: Hard

A. A prompt instruction only

B. A temperature setting

C. A tokenisation step

D. Automated verification that each claim in the output is supported by supplied context

Correct Answer: D

Explanation: Option D is correct — Automated verification that each claim in the output is supported by supplied context. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

837. For a prompt that must work across 12 languages, the strongest approach is:

Difficulty: Hard

A. Evaluate per language with native-speaker review, since instruction following varies by language

B. Translate the prompt automatically without testing

C. Write the prompt in English only and assume parity

D. Use a single global example

Correct Answer: A

Explanation: Option A is correct — Evaluate per language with native-speaker review, since instruction following varies by language. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

838. Which is the most defensible reason to avoid putting few-shot examples in the system prompt?

Difficulty: Hard

A. Examples cost more there

B. System prompts cannot hold examples

C. They may be treated as policy rather than illustrative, distorting behaviour on unrelated turns

D. It breaks caching

Correct Answer: C

Explanation: Option C is correct — They may be treated as policy rather than illustrative, distorting behaviour on unrelated turns. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

839. 'Format anchoring' occurs when:

Difficulty: Hard

A. The model refuses formatting

B. Formats are validated

C. The model mimics the formatting of examples even when the task requires different structure

D. Tokens are anchored

Correct Answer: C

Explanation: Option C is correct — The model mimics the formatting of examples even when the task requires different structure. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

840. Which is a genuine argument for shorter system prompts?

Difficulty: Hard

A. Shorter is always cheaper only

B. Length has no effect

C. Every instruction competes for attention; contradictory or excessive rules degrade compliance

D. Long prompts are unsupported

Correct Answer: C

Explanation: Option C is correct — Every instruction competes for attention; contradictory or excessive rules degrade compliance. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

841. When measuring prompt quality, 'instruction-following rate' should be assessed:

Difficulty: Hard

A. By token count

B. Only by the model itself

C. As identical to accuracy

D. Separately from answer quality, since a correct answer may still violate format rules

Correct Answer: D

Explanation: Option D is correct — Separately from answer quality, since a correct answer may still violate format rules. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

842. 'Meta-prompting' where a model writes prompts for itself is limited by:

Difficulty: Hard

A. Its own blind spots about failure modes it cannot detect

B. API restrictions

C. Inability to write text

D. Token limits only

Correct Answer: A

Explanation: Option A is correct — Its own blind spots about failure modes it cannot detect. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

843. A/B testing prompts with an LLM judge requires:

Difficulty: Hard

A. Validating the judge against human labels on a sample before trusting its verdicts

B. No validation

C. Only one sample

D. Identical prompts

Correct Answer: A

Explanation: Option A is correct — Validating the judge against human labels on a sample before trusting its verdicts. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

844. Which is true about 'temperature' for structured extraction tasks?

Difficulty: Hard

A. Temperature is irrelevant

B. Low temperature improves schema adherence but does not fix missing information

C. High temperature improves accuracy

D. Temperature controls schema

Correct Answer: B

Explanation: Option B is correct — Low temperature improves schema adherence but does not fix missing information. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

845. 'Prompt versioning with canary evaluation' means:

Difficulty: Hard

A. Renaming prompt files

B. Testing only offline

C. Rolling a new prompt to a small traffic share while monitoring defined quality metrics

D. Deploying to everyone at once

Correct Answer: C

Explanation: Option C is correct — Rolling a new prompt to a small traffic share while monitoring defined quality metrics. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

846. Which is the most rigorous handling of a prompt that fails 2% of the time?

Difficulty: Hard

A. Detect failures programmatically and retry with a repair prompt or escalate

B. Increase temperature

C. Accept the failures silently

D. Add more instructions blindly

Correct Answer: A

Explanation: Option A is correct — Detect failures programmatically and retry with a repair prompt or escalate. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

847. 'Repair prompts' that feed the error back to the model work best when:

Difficulty: Hard

A. The model is asked to guess

B. The error message is specific and machine-generated, e.g. a schema validation failure

C. The error is vague

D. No error is provided

Correct Answer: B

Explanation: Option B is correct — The error message is specific and machine-generated, e.g. a schema validation failure. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

848. For reasoning models, providing explicit worked examples can:

Difficulty: Hard

A. Always improve performance
B. Change the model version
C. Break the API
D. Sometimes constrain reasoning and reduce performance relative to zero-shot

Correct Answer: D

Explanation: Option D is correct — Sometimes constrain reasoning and reduce performance relative to zero-shot. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

849. Which is the best argument for keeping prompts in the codebase rather than a CMS?

Difficulty: Hard

A. CMSs cannot store text
B. Prompts change rarely
C. Code is cheaper
D. They are behaviour-defining artefacts requiring review, testing and rollback like code

Correct Answer: D

Explanation: Option D is correct — They are behaviour-defining artefacts requiring review, testing and rollback like code. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

850. 'Evaluation-aware prompting' risk means:

Difficulty: Hard

A. Evals are always representative
B. A prompt tuned on eval cases may exploit eval quirks rather than improve real behaviour
C. Prompts cannot be tuned
D. Evaluations are unnecessary

Correct Answer: B

Explanation: Option B is correct — A prompt tuned on eval cases may exploit eval quirks rather than improve real behaviour. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

851. A prompt scores 94% on 200 dev cases and 71% in production. The most likely cause is:

Difficulty: Very Hard

A. Temperature changed
B. The dev set does not reflect the real input distribution, including malformed and adversarial inputs
C. Token costs rose
D. The model degraded

Correct Answer: B

Explanation: Option B is correct — The dev set does not reflect the real input distribution, including malformed and adversarial inputs. This directly matches what the question is asking about. The

remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

852. You add 'be concise' and accuracy on multi-step maths drops. The best explanation is:

Difficulty: Very Hard

A. Shorter answers cost more

B. The model refuses maths

C. Brevity suppresses intermediate reasoning the model needs to reach correct answers

D. Conciseness corrupts tokenisation

Correct Answer: C

Explanation: Option C is correct — Brevity suppresses intermediate reasoning the model needs to reach correct answers. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

853. An extraction prompt returns valid JSON 100% of the time after adding constrained decoding, but field accuracy falls. This indicates:

Difficulty: Very Hard

A. Constrained decoding is broken

B. The schema is wrong by definition

C. JSON validity causes errors

D. The constraint forces a value even when the model would have signalled uncertainty

Correct Answer: D

Explanation: Option D is correct — The constraint forces a value even when the model would have signalled uncertainty. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

854. Which experiment best isolates whether few-shot examples help through content or format?

Difficulty: Very Hard

A. Compare with examples that have correct labels versus randomised labels but identical format

B. Vary temperature

C. Change model size

D. Compare with and without examples

Correct Answer: A

Explanation: Option A is correct — Compare with examples that have correct labels versus randomised labels but identical format. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

855. A summarisation prompt performs well on English news but fabricates details on clinical notes. The most rigorous next step is:

Difficulty: Very Hard

A. Build a domain-specific evaluation with clinician-verified ground truth before any tuning

B. Increase max_tokens
C. Add 'be accurate' to the prompt
D. Lower the temperature

Correct Answer: A

Explanation: Option A is correct — Build a domain-specific evaluation with clinician-verified ground truth before any tuning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

856. Your assistant follows the system prompt in turn 1 but deviates by turn 15. The most likely mechanism is:

Difficulty: Very Hard

A. Accumulated conversational context dilutes and competes with the system instruction
B. The system prompt expires
C. Tokens are deleted
D. Temperature rises over time

Correct Answer: A

Explanation: Option A is correct — Accumulated conversational context dilutes and competes with the system instruction. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

857. Which design most reliably prevents a summarisation agent from acting on instructions embedded in the documents it reads?

Difficulty: Very Hard

A. Give the summariser no tools and treat all document text as inert data in a separate channel
B. Use a larger model
C. Lower the temperature
D. Instruct it to ignore embedded instructions

Correct Answer: A

Explanation: Option A is correct — Give the summariser no tools and treat all document text as inert data in a separate channel. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

858. A prompt-optimisation run improves the eval metric from 0.78 to 0.86 across 60 candidates on 100 examples. The most important caution is:

Difficulty: Very Hard

A. The metric is invalid
B. With 60 candidates on 100 examples, selection noise can account for much of the gain
C. Optimisation cannot overfit
D. Sixty candidates is too few

Correct Answer: B

Explanation: Option B is correct — With 60 candidates on 100 examples, selection noise can account for much of the gain. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

859. Which finding would most strongly suggest chain-of-thought is unfaithful in a given model?

Difficulty: Very Hard

A. Answers are correct

B. Injecting a biasing cue changes the answer while the stated reasoning never mentions the cue

C. Reasoning is grammatical

D. Reasoning is long

Correct Answer: B

Explanation: Option B is correct — Injecting a biasing cue changes the answer while the stated reasoning never mentions the cue. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

860. For an extraction task where 3% of documents contain conflicting values, the best prompt design is:

Difficulty: Very Hard

A. Ignore conflicts

B. Ask it to pick the most likely

C. Require the model to return all conflicting candidates with locations rather than choosing silently

D. Ask for the first value found

Correct Answer: C

Explanation: Option C is correct — Require the model to return all conflicting candidates with locations rather than choosing silently. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

861. A team caches a 12,000-token system prompt and sees no cost reduction. The most likely cause is:

Difficulty: Very Hard

A. Costs are fixed

B. Cache requirements such as exact prefix match or minimum length are not being met

C. Caching is not offered

D. Prompts cannot be cached

Correct Answer: B

Explanation: Option B is correct — Cache requirements such as exact prefix match or minimum length are not being met. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

862. Which is the strongest reason to test prompts against inputs containing prompt-like text?

Difficulty: Very Hard

A. Real documents contain imperative sentences that can be misread as instructions

B. Testing is optional

C. Models ignore imperatives

D. Such inputs are rare

Correct Answer: A

Explanation: Option A is correct — Real documents contain imperative sentences that can be misread as instructions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

863. An evaluation shows prompt A better by LLM judge and prompt B better by human raters. The most defensible action is:

Difficulty: Very Hard

A. Average the two

B. Trust the LLM judge

C. Discard both prompts

D. Investigate judge bias (length, style, self-preference) and weight human judgement

Correct Answer: D

Explanation: Option D is correct — Investigate judge bias (length, style, self-preference) and weight human judgement. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

864. When a model must refuse some requests, measuring only refusal accuracy is insufficient because:

Difficulty: Very Hard

A. Refusals cannot be measured

B. Benign requests never matter

C. Compliance is always safe

D. Both false refusals on benign requests and unsafe compliance must be measured together

Correct Answer: D

Explanation: Option D is correct — Both false refusals on benign requests and unsafe compliance must be measured together. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

865. Which prompt change is most likely to reduce hallucinated citations without harming recall?

Difficulty: Very Hard

A. Adding 'do not hallucinate'

B. Reducing temperature to 0

C. Require quoting the supporting sentence verbatim from the supplied source for each claim

D. Limiting output length

Correct Answer: C

Explanation: Option C is correct — Require quoting the supporting sentence verbatim from the supplied source for each claim. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

866. You find that adding the current date fixes 40% of temporal errors but introduces new ones. A plausible mechanism is:

Difficulty: Very Hard

A. Dates break tokenisation
B. The model ignores dates
C. Temporal errors are unfixable
D. The model now anchors on the date and extrapolates beyond its knowledge with false confidence

Correct Answer: D

Explanation: Option D is correct — The model now anchors on the date and extrapolates beyond its knowledge with false confidence. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

867. A prompt for legal drafting works with one vendor and fails with another despite similar benchmark scores. The most rigorous response is:

Difficulty: Very Hard

A. Assume benchmarks are wrong
B. Use identical prompts regardless
C. Maintain vendor-specific prompt variants validated by the same evaluation suite
D. Use the failing vendor anyway

Correct Answer: C

Explanation: Option C is correct — Maintain vendor-specific prompt variants validated by the same evaluation suite. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

868. Which condition most strongly indicates a task should be fine-tuned rather than prompted?

Difficulty: Very Hard

A. Stable task definition, thousands of examples, and prompt length dominating cost
B. You need current facts
C. The task changes weekly
D. You have ten examples

Correct Answer: A

Explanation: Option A is correct — Stable task definition, thousands of examples, and prompt length dominating cost. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

869. In an agentic loop, the system prompt is re-sent with every step. The main risk of a very long system prompt is:

Difficulty: Very Hard

A. Tools fail
B. The agent stops
C. Cost and latency scale with the number of steps, and instructions compete with growing tool output
D. Instructions are forgotten

Correct Answer: C

Explanation: Option C is correct — Cost and latency scale with the number of steps, and instructions compete with growing tool output. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

870. Which observation would justify removing chain-of-thought from a production prompt?

Difficulty: Very Hard

A. Accuracy is unchanged on the eval suite while latency and cost fall substantially

B. Answers get shorter

C. Reasoning looks unpolished

D. Users prefer no reasoning

Correct Answer: A

Explanation: Option A is correct — Accuracy is unchanged on the eval suite while latency and cost fall substantially. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

871. A 'repair loop' retries failed extractions up to 3 times. Monitoring shows 8% of records use all 3 retries. The most useful next action is:

Difficulty: Very Hard

A. Accept and ignore

B. Lower temperature

C. Analyse those records for a systematic pattern and fix the prompt or route them to humans

D. Increase retries to 10

Correct Answer: C

Explanation: Option C is correct — Analyse those records for a systematic pattern and fix the prompt or route them to humans. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

872. Which best explains why instructing 'do not use the word X' can still produce X?

Difficulty: Very Hard

A. Negation increases the concept's activation and models do not reliably enforce token-level bans

B. Models cannot read negation at all

C. The word is required

D. APIs strip negations

Correct Answer: A

Explanation: Option A is correct — Negation increases the concept's activation and models do not reliably enforce token-level bans. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

873. The most reliable way to enforce a token-level ban is:

Difficulty: Very Hard

A. Higher temperature

B. Shorter prompts

C. Logit bias or post-generation filtering with regeneration

D. A stronger instruction

Correct Answer: C

Explanation: Option C is correct — Logit bias or post-generation filtering with regeneration. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

874. A prompt pipeline has 5 steps each 95% reliable. End-to-end reliability is approximately:

Difficulty: Very Hard

A. 99%

B. 50%

C. 77%

D. 95%

Correct Answer: C

Explanation: Option C is correct — 77%. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

875. Given that compounding, the most effective reliability improvement is usually to:

Difficulty: Very Hard

A. Improve all steps equally

B. Add more steps

C. Reduce the number of steps or add verification at the weakest step

D. Increase temperature

Correct Answer: C

Explanation: Option C is correct — Reduce the number of steps or add verification at the weakest step. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

RAG & Knowledge Retrieval

876. Overlapping chunks are used when splitting documents to:

Difficulty: Medium

A. Reduce storage
B. Increase the number of documents
C. Avoid cutting important context at chunk boundaries
D. Speed up embedding

Correct Answer: C

Explanation: Option C is correct — Avoid cutting important context at chunk boundaries. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

877. 'Hybrid search' combines:

Difficulty: Medium

A. Training and inference
B. Two LLMs
C. Images and audio
D. Keyword (lexical) search with vector (semantic) search

Correct Answer: D

Explanation: Option D is correct — Keyword (lexical) search with vector (semantic) search. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

878. A 're-ranker' in a RAG pipeline:

Difficulty: Medium

A. Deletes duplicate documents
B. Re-orders retrieved candidates using a more accurate but slower relevance model
C. Trains the embedding model
D. Sorts documents alphabetically

Correct Answer: B

Explanation: Option B is correct — Re-orders retrieved candidates using a more accurate but slower relevance model. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

879. Which metric evaluates whether the retrieval step surfaced the right documents?

Difficulty: Medium

A. Recall@k
B. Token count
C. Perplexity
D. Mean squared error

Correct Answer: A

Explanation: Option A is correct — Recall@k. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

880. A key cause of hallucination in RAG systems is:

Difficulty: Medium

A. Using a vector database
B. Chunks being too relevant
C. Too many citations
D. The model answering from its own knowledge when retrieved context is insufficient

Correct Answer: D

Explanation: Option D is correct — The model answering from its own knowledge when retrieved context is insufficient. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

881. 'Query rewriting' in RAG is used to:

Difficulty: Medium

A. Shorten the response
B. Translate the answer
C. Encrypt the query
D. Reformulate the user's question to improve retrieval quality

Correct Answer: D

Explanation: Option D is correct — Reformulate the user's question to improve retrieval quality. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

882. Metadata filtering in a vector store allows you to:

Difficulty: Medium

A. Remove the need for chunking
B. Restrict retrieval to documents matching attributes such as date, department or source
C. Change the embedding dimension
D. Train the LLM faster

Correct Answer: B

Explanation: Option B is correct — Restrict retrieval to documents matching attributes such as date, department or source. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

883. Which chunk size trade-off is correct?

Difficulty: Medium

A. Smaller chunks are more precise but may lose context; larger chunks keep context but add noise
B. Chunk size does not matter
C. Chunks must be exactly 100 tokens
D. Larger chunks are always better

Correct Answer: A

Explanation: Option A is correct — Smaller chunks are more precise but may lose context; larger chunks keep context but add noise. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

884. Why should the embedding model used at query time match the one used at indexing time?

Difficulty: Medium

A. The database requires it legally
B. It reduces API cost
C. Query embeddings are stored permanently
D. Embeddings from different models live in different vector spaces and are not comparable

Correct Answer: D

Explanation: Option D is correct — Embeddings from different models live in different vector spaces and are not comparable. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

885. 'Grounding' an answer means:

Difficulty: Medium

A. Storing it on a hard drive
B. Reducing its length
C. Ensuring claims are supported by provided sources
D. Converting it to lowercase

Correct Answer: C

Explanation: Option C is correct — Ensuring claims are supported by provided sources. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

886. Which situation calls for updating the RAG index?

Difficulty: Medium

A. The user changed their password
B. The GPU was replaced
C. Source documents have changed or new ones have been added
D. The LLM was upgraded

Correct Answer: C

Explanation: Option C is correct — Source documents have changed or new ones have been added. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

887. BM25 is:

Difficulty: Medium

A. A classic keyword-based ranking function used in lexical search
B. An image format
C. An LLM
D. A vector database

Correct Answer: A

Explanation: Option A is correct — A classic keyword-based ranking function used in lexical search. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

888. In RAG evaluation, 'faithfulness' measures:

Difficulty: Medium

A. How polite the answer is

B. How fast the answer was generated

C. Whether the answer is consistent with the retrieved context

D. How many tokens were used

Correct Answer: C

Explanation: Option C is correct — Whether the answer is consistent with the retrieved context. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

889. 'Contextual retrieval' or adding chunk summaries before embedding helps because:

Difficulty: Medium

A. It doubles the model size

B. It removes the need for a vector store

C. Isolated chunks often lack the surrounding context needed to be understood

D. It reduces the number of chunks to zero

Correct Answer: C

Explanation: Option C is correct — Isolated chunks often lack the surrounding context needed to be understood. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

890. Access control in enterprise RAG is important because:

Difficulty: Medium

A. It reduces chunk size

B. Vector databases require it to start

C. It speeds up embeddings

D. Users should only receive answers based on documents they are permitted to see

Correct Answer: D

Explanation: Option D is correct — Users should only receive answers based on documents they are permitted to see. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

891. Which of these is a sign your RAG system needs better chunking?

Difficulty: Medium

A. Answers frequently miss details that are split across adjacent sections

B. The answers are too short

C. The documents are in PDF

D. The LLM is too fast

Correct Answer: A

Explanation: Option A is correct — Answers frequently miss details that are split across adjacent sections. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

892. A 'parent-child' chunking strategy retrieves:

Difficulty: Medium

A. Two unrelated documents
B. Only the document title
C. Chunks from different languages
D. Small chunks for matching but passes the larger parent section to the LLM

Correct Answer: D

Explanation: Option D is correct — Small chunks for matching but passes the larger parent section to the LLM. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

893. In a RAG system, the 'indexing pipeline' and 'query pipeline' differ in that indexing is:

Difficulty: Medium

A. Typically an offline batch process, while querying happens in real time
B. Performed by the LLM
C. Always faster than querying
D. Run on every user request

Correct Answer: A

Explanation: Option A is correct — Typically an offline batch process, while querying happens in real time. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

894. Which document parsing failure most commonly damages RAG quality?

Difficulty: Medium

A. Slow disk reads
B. Large file sizes
C. Losing layout structure so headings, tables and columns are jumbled
D. Incorrect file permissions

Correct Answer: C

Explanation: Option C is correct — Losing layout structure so headings, tables and columns are jumbled. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

895. When chunking by fixed token count, a common improvement is:

Difficulty: Medium

A. Chunking by character count only
B. Using smaller files
C. Removing all whitespace
D. Splitting on semantic boundaries such as headings or paragraphs instead

Correct Answer: D

Explanation: Option D is correct — Splitting on semantic boundaries such as headings or paragraphs instead. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

896. Which metadata field is most useful for a policy-document RAG system?

Difficulty: Medium

A. The page background colour
B. The author's email signature
C. The file's creation timestamp only
D. Effective date and version of the policy

Correct Answer: D

Explanation: Option D is correct — Effective date and version of the policy. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

897. An embedding model's 'dimension' refers to:

Difficulty: Medium

A. The maximum input length
B. The number of documents it can index
C. The length of the vector it produces for each input
D. The number of clusters

Correct Answer: C

Explanation: Option C is correct — The length of the vector it produces for each input. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

898. Higher-dimensional embeddings generally offer:

Difficulty: Medium

A. Always better retrieval
B. Lower storage cost
C. More representational capacity at higher storage and search cost
D. Faster search

Correct Answer: C

Explanation: Option C is correct — More representational capacity at higher storage and search cost. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

899. 'Matryoshka' embeddings allow:

Difficulty: Medium

A. Encrypting embeddings
B. Truncating a vector to fewer dimensions while retaining most quality
C. Merging two models
D. Skipping indexing

Correct Answer: B

Explanation: Option B is correct — Truncating a vector to fewer dimensions while retaining most quality. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

900. Which is a correct statement about embedding model input limits?

Difficulty: Medium

A. Limits apply only to queries
B. Text longer than the model's limit is truncated, silently losing content
C. Limits are set by the vector database
D. There is no limit

Correct Answer: B

Explanation: Option B is correct — Text longer than the model's limit is truncated, silently losing content. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

901. Dot product and cosine similarity differ in that cosine:

Difficulty: Medium

A. Normalises for vector magnitude

B. Cannot be computed

C. Is always larger

D. Requires labels

Correct Answer: A

Explanation: Option A is correct — Normalises for vector magnitude. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

902. A vector index's 'recall' at a given latency is determined largely by:

Difficulty: Medium

A. The embedding dimension only

B. The LLM used

C. Index parameters such as the number of neighbours explored during search

D. The chunk size

Correct Answer: C

Explanation: Option C is correct — Index parameters such as the number of neighbours explored during search. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

903. Which is a valid reason to store the original text alongside embeddings?

Difficulty: Medium

A. Text improves search speed

B. Vectors cannot be stored

C. The LLM needs the actual text, not the vector, to generate an answer

D. It reduces storage

Correct Answer: C

Explanation: Option C is correct — The LLM needs the actual text, not the vector, to generate an answer. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

904. 'Sparse' retrieval representations (e.g. SPLADE) differ from dense by:

Difficulty: Medium

A. Requiring no index

B. Being smaller

C. Using no neural model

D. Producing high-dimensional vectors with mostly zero entries tied to vocabulary terms

Correct Answer: D

Explanation: Option D is correct — Producing high-dimensional vectors with mostly zero entries tied to vocabulary terms. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

905. Reciprocal Rank Fusion is commonly used to:

Difficulty: Medium

A. Compress vectors
B. Chunk documents
C. Merge ranked lists from multiple retrievers without tuning score scales
D. Train the embedding model

Correct Answer: C

Explanation: Option C is correct — Merge ranked lists from multiple retrievers without tuning score scales. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

906. A practical reason hybrid search beats pure vector search on enterprise data is:

Difficulty: Medium

A. Hybrid search is cheaper
B. Keyword search is always better
C. Vectors cannot store text
D. Exact identifiers, codes and rare terms are matched better lexically

Correct Answer: D

Explanation: Option D is correct — Exact identifiers, codes and rare terms are matched better lexically. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

907. Which is the best handling of acronyms in an enterprise RAG corpus?

Difficulty: Medium

A. Expand or index both forms so queries match either
B. Convert them to numbers
C. Remove all acronyms
D. Ignore them

Correct Answer: A

Explanation: Option A is correct — Expand or index both forms so queries match either. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

908. 'Query expansion' improves recall by:

Difficulty: Medium

A. Shortening the query
B. Lowering the temperature
C. Adding synonyms or related terms to the search query
D. Removing stop words only

Correct Answer: C

Explanation: Option C is correct — Adding synonyms or related terms to the search query. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

909. A drawback of aggressive query expansion is:

Difficulty: Medium

A. Smaller indexes

B. Reduced precision as less relevant documents enter the candidate set

C. Higher recall

D. Faster search

Correct Answer: B

Explanation: Option B is correct — Reduced precision as less relevant documents enter the candidate set. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

910. Which describes 'chunk enrichment'?

Difficulty: Medium

A. Increasing chunk size

B. Compressing text

C. Removing metadata

D. Adding document title, section path or summary to each chunk before embedding

Correct Answer: D

Explanation: Option D is correct — Adding document title, section path or summary to each chunk before embedding. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

911. When a user asks a follow-up question, RAG systems must:

Difficulty: Medium

A. Resolve pronouns and references against conversation history before retrieving

B. Reset the index

C. Ignore history

D. Retrieve the same chunks

Correct Answer: A

Explanation: Option A is correct — Resolve pronouns and references against conversation history before retrieving. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

912. 'Conversational query rewriting' converts:

Difficulty: Medium

A. A context-dependent follow-up into a self-contained search query

B. An answer into a summary

C. A document into chunks

D. A query into an embedding

Correct Answer: A

Explanation: Option A is correct — A context-dependent follow-up into a self-contained search query. This directly matches what the question is asking about. The remaining options (B, C, D) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

913. Which failure would a 'no relevant results' check prevent?

Difficulty: Medium

A. Large chunks
B. Slow retrieval
C. The model answering from parametric knowledge when retrieval returns nothing useful
D. Duplicate documents

Correct Answer: C

Explanation: Option C is correct — The model answering from parametric knowledge when retrieval returns nothing useful. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

914. A similarity threshold on retrieval scores is used to:

Difficulty: Medium

A. Compress the index
B. Increase k
C. Discard weak matches rather than always returning k results
D. Speed up embedding

Correct Answer: C

Explanation: Option C is correct — Discard weak matches rather than always returning k results. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

915. Why are raw cosine scores poor absolute quality indicators?

Difficulty: Medium

A. Their scale varies by embedding model and corpus, so thresholds must be calibrated
B. They are always negative
C. They equal accuracy
D. They cannot be computed

Correct Answer: A

Explanation: Option A is correct — Their scale varies by embedding model and corpus, so thresholds must be calibrated. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

916. Which is true of 'multi-vector' document representations?

Difficulty: Medium

A. Multiple embeddings per document capture different aspects or sections
B. They replace the LLM
C. They use less storage
D. They cannot be indexed

Correct Answer: A

Explanation: Option A is correct — Multiple embeddings per document capture different aspects or sections. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

917. 'Summary indexing' stores:

Difficulty: Medium

A. Only embeddings
B. Generated summaries for retrieval while passing full text to the LLM
C. Raw bytes
D. Only titles

Correct Answer: B

Explanation: Option B is correct — Generated summaries for retrieval while passing full text to the LLM. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

918. A hierarchical index (document → section → chunk) helps with:

Difficulty: Medium

A. Encrypting content
B. Navigating from broad relevance to specific passages
C. Reducing embedding cost
D. Removing the LLM

Correct Answer: B

Explanation: Option B is correct — Navigating from broad relevance to specific passages. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

919. Which is the correct order in a re-ranking pipeline?

Difficulty: Medium

A. Retrieve a large candidate set, re-rank it, then pass the top results to the LLM
B. Re-rank then retrieve
C. Chunk then generate
D. Generate then retrieve

Correct Answer: A

Explanation: Option A is correct — Retrieve a large candidate set, re-rank it, then pass the top results to the LLM. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

920. Cross-encoder re-rankers are more accurate than bi-encoders because they:

Difficulty: Medium

A. Skip the query
B. Process query and document jointly, modelling their interaction
C. Use smaller models
D. Require no training

Correct Answer: B

Explanation: Option B is correct — Process query and document jointly, modelling their interaction. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

921. The main cost of cross-encoder re-ranking is:

Difficulty: Medium

A. Index size
B. Embedding drift
C. Latency, since each candidate requires a separate forward pass
D. Storage

Correct Answer: C

Explanation: Option C is correct — Latency, since each candidate requires a separate forward pass. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

922. 'Citation grounding' at the sentence level requires:

Difficulty: Medium

A. Only document-level links
B. A larger model
C. Mapping generated statements back to specific retrieved spans
D. No retrieval

Correct Answer: C

Explanation: Option C is correct — Mapping generated statements back to specific retrieved spans. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

923. Which is a practical way to detect ungrounded claims in a RAG answer?

Difficulty: Medium

A. Measuring answer length
B. Counting the citations
C. Checking grammar
D. An automated check that each claim is entailed by the retrieved context

Correct Answer: D

Explanation: Option D is correct — An automated check that each claim is entailed by the retrieved context. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

924. 'Chunk boundaries splitting a table' typically causes:

Difficulty: Medium

A. Faster retrieval
B. Loss of header-row context, making numbers uninterpretable
C. Better citations
D. Smaller indexes

Correct Answer: B

Explanation: Option B is correct — Loss of header-row context, making numbers uninterpretable. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

925. For PDFs with multi-column layout, a common parsing fix is:

Difficulty: Medium

A. Layout-aware extraction that respects reading order
B. Reading left to right across the page
C. Removing all line breaks
D. Converting to images only

Correct Answer: A

Explanation: Option A is correct — Layout-aware extraction that respects reading order. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

926. Which document type most often needs OCR before RAG indexing?

Difficulty: Medium

A. Scanned documents with no text layer

B. Markdown files

C. HTML pages

D. Word documents

Correct Answer: A

Explanation: Option A is correct — Scanned documents with no text layer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

927. 'Index freshness' requirements determine:

Difficulty: Medium

A. How quickly document changes must be reflected in retrieval results

B. The embedding dimension

C. The LLM version

D. The chunk size

Correct Answer: A

Explanation: Option A is correct — How quickly document changes must be reflected in retrieval results. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

928. Incremental indexing is preferred over full re-indexing when:

Difficulty: Medium

A. The corpus is tiny

B. Only a small subset of documents changes and re-embedding everything is costly

C. The index is new

D. Embeddings never change

Correct Answer: B

Explanation: Option B is correct — Only a small subset of documents changes and re-embedding everything is costly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

929. When the embedding model is upgraded, you must:

Difficulty: Medium

A. Only re-embed new documents

B. Re-embed the entire corpus, since vector spaces are incompatible

C. Change the LLM

D. Nothing

Correct Answer: B

Explanation: Option B is correct — Re-embed the entire corpus, since vector spaces are incompatible. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

930. Document-level access control in RAG is best enforced:

Difficulty: Medium

A. Only at upload

B. At retrieval time by filtering on the user's permissions

C. After generation

D. By instructing the LLM not to reveal restricted content

Correct Answer: B

Explanation: Option B is correct — At retrieval time by filtering on the user's permissions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

931. Which is a risk of enforcing access control only in the prompt?

Difficulty: Medium

A. The restricted content is already in context and may leak

B. Retrieval slows down

C. Embeddings break

D. Chunking fails

Correct Answer: A

Explanation: Option A is correct — The restricted content is already in context and may leak. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

932. 'Chunk deduplication' matters because:

Difficulty: Medium

A. Boilerplate such as headers and disclaimers can dominate retrieval results

B. The LLM prefers duplicates

C. Duplicates crash the index

D. Storage is unlimited

Correct Answer: A

Explanation: Option A is correct — Boilerplate such as headers and disclaimers can dominate retrieval results. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

933. Which best describes 'retrieval evaluation with a labelled set'?

Difficulty: Medium

A. Counting retrieved chunks

B. Timing the search

C. Human-verified query-to-relevant-document pairs used to measure recall and precision

D. Reading the answers

Correct Answer: C

Explanation: Option C is correct — Human-verified query-to-relevant-document pairs used to measure recall and precision. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

934. MRR (Mean Reciprocal Rank) measures:

Difficulty: Medium

A. The answer's factuality
B. The total number of relevant results
C. How high the first relevant result appears in the ranking
D. Latency

Correct Answer: C

Explanation: Option C is correct — How high the first relevant result appears in the ranking. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

935. Which is true of using an LLM to generate synthetic evaluation queries from your corpus?

Difficulty: Medium

A. It cannot be done
B. It bootstraps evaluation cheaply but may not reflect how real users phrase questions
C. It requires labels
D. It is equivalent to real user data

Correct Answer: B

Explanation: Option B is correct — It bootstraps evaluation cheaply but may not reflect how real users phrase questions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

936. 'Answer refusal when context is insufficient' should be evaluated because:

Difficulty: Medium

A. It is not measurable
B. Refusals never occur
C. Refusals are always correct
D. Both wrongly refusing and wrongly answering are failure modes

Correct Answer: D

Explanation: Option D is correct — Both wrongly refusing and wrongly answering are failure modes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

937. A RAG system returning correct chunks but wrong answers indicates a problem in:

Difficulty: Medium

A. The embedding model
B. The chunking
C. The generation step, such as prompt design or context ordering
D. The vector database

Correct Answer: C

Explanation: Option C is correct — The generation step, such as prompt design or context ordering. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

938. Which is the most useful log to keep for a RAG system?

Difficulty: Medium

A. Only latency
B. Only the user ID
C. Only the final answer
D. Query, retrieved chunk IDs, scores and the final answer

Correct Answer: D

Explanation: Option D is correct — Query, retrieved chunk IDs, scores and the final answer. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

939. 'Context window budgeting' in RAG involves:

Difficulty: Medium

A. Increasing k always
B. Allocating tokens between system prompt, retrieved context, history and output
C. Buying more tokens
D. Compressing the model

Correct Answer: B

Explanation: Option B is correct — Allocating tokens between system prompt, retrieved context, history and output. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

940. When retrieved context exceeds the budget, the best first response is:

Difficulty: Medium

A. Increase max_tokens
B. Re-rank and keep only the highest-value chunks
C. Drop the system prompt
D. Truncate arbitrarily from the end

Correct Answer: B

Explanation: Option B is correct — Re-rank and keep only the highest-value chunks. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

941. 'Contextual compression' of retrieved chunks means:

Difficulty: Medium

A. Shortening the query
B. Extracting only the query-relevant sentences before passing them to the LLM
C. Reducing the embedding size
D. Zipping the text

Correct Answer: B

Explanation: Option B is correct — Extracting only the query-relevant sentences before passing them to the LLM. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

942. Which is a benefit of returning source links in the UI?

Difficulty: Medium

A. Users can verify claims, which is essential where correctness matters

B. It reduces latency
C. It improves retrieval
D. It lowers cost

Correct Answer: A

Explanation: Option A is correct — Users can verify claims, which is essential where correctness matters. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

943. A knowledge base with contradictory documents requires:

Difficulty: Medium

A. A larger LLM
B. Recency or authority rules so the system can resolve or surface conflicts
C. Deleting one document at random
D. Ignoring conflicts

Correct Answer: B

Explanation: Option B is correct — Recency or authority rules so the system can resolve or surface conflicts. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

944. Which is the most appropriate response when two retrieved policies conflict?

Difficulty: Medium

A. Refuse to answer
B. Present both with dates and flag the conflict to the user
C. Choose one silently
D. Average them

Correct Answer: B

Explanation: Option B is correct — Present both with dates and flag the conflict to the user. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

945. 'Multi-tenant' RAG systems must ensure:

Difficulty: Medium

A. Identical embeddings per tenant
B. A single access policy
C. Shared indexes for efficiency
D. Strict isolation so one tenant's queries never retrieve another's documents

Correct Answer: D

Explanation: Option D is correct — Strict isolation so one tenant's queries never retrieve another's documents. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

946. Storing embeddings of confidential documents requires:

Difficulty: Medium

A. Only network encryption
B. The same security controls as the source documents
C. Public access for search

D. No special controls

Correct Answer: B

Explanation: Option B is correct — The same security controls as the source documents. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

947. Which describes 'agentic RAG'?

Difficulty: Medium

A. Fixed single-shot retrieval

B. Generation without retrieval

C. Retrieval without embeddings

D. An agent that decides whether, what and how many times to retrieve before answering

Correct Answer: D

Explanation: Option D is correct — An agent that decides whether, what and how many times to retrieve before answering. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

948. 'Corrective RAG' approaches typically:

Difficulty: Medium

A. Retrain the embedding model

B. Delete bad documents

C. Assess retrieval quality and trigger a fallback such as web search when it is poor

D. Correct the user's spelling

Correct Answer: C

Explanation: Option C is correct — Assess retrieval quality and trigger a fallback such as web search when it is poor. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

949. Which is a realistic reason RAG answers feel 'shallow' despite good retrieval?

Difficulty: Medium

A. The LLM is too small

B. Chunks provide isolated facts without the surrounding reasoning or argument

C. Embeddings are too large

D. Retrieval is too fast

Correct Answer: B

Explanation: Option B is correct — Chunks provide isolated facts without the surrounding reasoning or argument. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

950. 'Time-aware retrieval' is important for:

Difficulty: Medium

A. Image collections

B. Code repositories only

C. Static reference texts

D. Corpora where documents supersede one another, such as policies or pricing

Correct Answer: D

Explanation: Option D is correct — Corpora where documents supersede one another, such as policies or pricing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

951. Approximate nearest neighbour (ANN) indexes such as HNSW trade:

Difficulty: Hard

A. Speed for exact results
B. Nothing; they are always exact
C. Accuracy for larger storage
D. Some recall for much faster search over large collections

Correct Answer: D

Explanation: Option D is correct — Some recall for much faster search over large collections. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

952. 'Multi-hop' questions are hard for basic RAG because:

Difficulty: Hard

A. LLMs cannot read multiple chunks
B. Answering requires combining information from multiple separately retrieved passages
C. Vector databases cannot store them
D. They contain too many words

Correct Answer: B

Explanation: Option B is correct — Answering requires combining information from multiple separately retrieved passages. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

953. GraphRAG augments retrieval with:

Difficulty: Hard

A. A GPU cluster
B. An image model
C. A knowledge graph of entities and relationships extracted from the corpus
D. A larger tokenizer

Correct Answer: C

Explanation: Option C is correct — A knowledge graph of entities and relationships extracted from the corpus. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

954. Which is a valid reason a long-context model does not make RAG obsolete?

Difficulty: Hard

A. Long-context models cannot read PDFs
B. Cost, latency and attention degradation over very long inputs still favour targeted retrieval
C. Retrieval is always more accurate
D. RAG is legally required

Correct Answer: B

Explanation: Option B is correct — Cost, latency and attention degradation over very long inputs still favour targeted retrieval. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

955. 'HyDE' (Hypothetical Document Embeddings) works by:

Difficulty: Hard

A. Duplicating each chunk

B. Generating a hypothetical answer and embedding that to retrieve real documents

C. Hiding documents from the model

D. Removing all embeddings

Correct Answer: B

Explanation: Option B is correct — Generating a hypothetical answer and embedding that to retrieve real documents. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

956. When evaluating RAG end-to-end, why should retrieval and generation be measured separately?

Difficulty: Hard

A. To reduce the test set size

B. To locate whether failures come from missing context or from the model misusing good context

C. Because generation cannot be measured

D. Because APIs require two invoices

Correct Answer: B

Explanation: Option B is correct — To locate whether failures come from missing context or from the model misusing good context. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

957. Maximal Marginal Relevance (MMR) in retrieval aims to:

Difficulty: Hard

A. Sort by document date

B. Return the single longest chunk

C. Balance relevance with diversity to avoid redundant chunks

D. Maximise token count

Correct Answer: C

Explanation: Option C is correct — Balance relevance with diversity to avoid redundant chunks. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

958. A production RAG system that stores embeddings of sensitive text must consider that:

Difficulty: Hard

A. Embeddings can leak information and may be partially invertible

B. Only the LLM needs securing

C. Vector stores cannot be breached

D. Embeddings are always anonymous

Correct Answer: A

Explanation: Option A is correct — Embeddings can leak information and may be partially invertible. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

959. 'Context stuffing' many low-relevance chunks into the prompt tends to:

Difficulty: Hard

A. Guarantee completeness

B. Eliminate hallucinations

C. Reduce answer quality and increase cost

D. Reduce latency

Correct Answer: C

Explanation: Option C is correct — Reduce answer quality and increase cost. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

960. Which approach helps a RAG system handle tabular data in documents?

Difficulty: Hard

A. Ignoring tables entirely

B. Flattening tables into random words

C. Embedding only the column headers

D. Preserving table structure during parsing and possibly routing queries to a SQL/tool path

Correct Answer: D

Explanation: Option D is correct — Preserving table structure during parsing and possibly routing queries to a SQL/tool path. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

961. A 'router' in an advanced RAG architecture is used to:

Difficulty: Hard

A. Connect the office Wi-Fi

B. Direct a query to the most appropriate index, tool or retrieval strategy

C. Replace the embedding model

D. Chunk the documents

Correct Answer: B

Explanation: Option B is correct — Direct a query to the most appropriate index, tool or retrieval strategy. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

962. 'Fine-tuning the embedding model' on domain data mainly improves:

Difficulty: Hard

A. The LLM's grammar

B. Retrieval relevance for domain-specific terminology

C. The vector database speed

D. The UI design

Correct Answer: B

Explanation: Option B is correct — Retrieval relevance for domain-specific terminology. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

963. Which failure is specifically caused by stale indexes?

Difficulty: Hard

A. Token overflow
B. Model refusal
C. Confidently answering with outdated policy details
D. Slower embedding generation

Correct Answer: C

Explanation: Option C is correct — Confidently answering with outdated policy details. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

964. Late chunking / late interaction models (e.g. ColBERT) differ from single-vector embeddings by:

Difficulty: Hard

A. Keeping per-token representations for finer-grained matching
B. Requiring no index
C. Storing only one number per document
D. Using no embeddings

Correct Answer: A

Explanation: Option A is correct — Keeping per-token representations for finer-grained matching. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

965. Which is the most defensible way to decide top-k for a RAG app?

Difficulty: Hard

A. Always use the largest value the context allows
B. Empirically, by measuring answer quality and cost across candidate values on a representative test set
C. Always use k=1
D. Pick k equal to the number of documents

Correct Answer: B

Explanation: Option B is correct — Empirically, by measuring answer quality and cost across candidate values on a representative test set. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

966. Why should retrieved chunks be de-duplicated before being passed to the LLM?

Difficulty: Hard

A. Duplicate chunks crash the vector store
B. LLMs cannot read repeated text
C. Near-identical chunks waste context budget and can bias the answer toward repeated content
D. De-duplication is required for citations to render

Correct Answer: C

Explanation: Option C is correct — Near-identical chunks waste context budget and can bias the answer toward repeated content. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

967. HNSW's 'efSearch' parameter controls:

Difficulty: Hard

A. The number of shards

B. The size of the dynamic candidate list, trading recall against latency

C. The embedding dimension

D. The number of vectors stored

Correct Answer: B

Explanation: Option B is correct — The size of the dynamic candidate list, trading recall against latency. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

968. IVF-based indexes partition vectors into clusters and search only 'nprobe' of them, which means:

Difficulty: Hard

A. Search is always exact

B. All clusters are searched

C. Clusters are irrelevant

D. Recall depends on whether the relevant cluster is probed

Correct Answer: D

Explanation: Option D is correct — Recall depends on whether the relevant cluster is probed. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

969. Product quantisation reduces memory by:

Difficulty: Hard

A. Deleting dimensions

B. Compressing text

C. Using sparse vectors

D. Splitting vectors into subspaces and encoding each with a small codebook

Correct Answer: D

Explanation: Option D is correct — Splitting vectors into subspaces and encoding each with a small codebook. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

970. A key trade-off of scalar or product quantisation in vector search is:

Difficulty: Hard

A. Larger index size

B. Slower search

C. Higher accuracy

D. Lower memory and faster search at the cost of some recall

Correct Answer: D

Explanation: Option D is correct — Lower memory and faster search at the cost of some recall. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

971. 'Filtered vector search' is challenging because:

Difficulty: Hard

A. Filters are unsupported

B. Metadata cannot be stored

C. Applying metadata filters can break the graph connectivity assumptions of ANN indexes

D. Filters increase recall always

Correct Answer: C

Explanation: Option C is correct — Applying metadata filters can break the graph connectivity assumptions of ANN indexes. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

972. Pre-filtering versus post-filtering in vector search differ in that post-filtering:

Difficulty: Hard

A. Is always faster

B. Guarantees k results

C. Searches first then discards non-matching results, risking too few final hits

D. Applies filters before search

Correct Answer: C

Explanation: Option C is correct — Searches first then discards non-matching results, risking too few final hits. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

973. Which explains why embedding similarity can rank an irrelevant chunk highly?

Difficulty: Hard

A. Similarity is always exact

B. Chunks are unordered

C. Embeddings are random

D. Embeddings capture topical similarity, not logical relevance to the specific question

Correct Answer: D

Explanation: Option D is correct — Embeddings capture topical similarity, not logical relevance to the specific question. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

974. 'Asymmetric' retrieval training matters because:

Difficulty: Hard

A. Queries and passages are identical

B. Short queries and long passages have different distributions and benefit from separate encoders or prefixes

C. Only passages matter

D. Symmetry is required

Correct Answer: B

Explanation: Option B is correct — Short queries and long passages have different distributions and benefit from separate encoders or prefixes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

975. Instruction-tuned embedding models expect a task prefix because:

Difficulty: Hard

A. Prefixes are decorative
B. Prefixes reduce cost
C. They shorten the input
D. The same text can be embedded differently for retrieval, classification or clustering

Correct Answer: D

Explanation: Option D is correct — The same text can be embedded differently for retrieval, classification or clustering. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

976. A common cause of degraded retrieval after an embedding upgrade is:

Difficulty: Hard

A. Mismatched query and document prefixes or normalisation between old and new pipelines
B. Chunk size
C. The vector database version
D. The LLM version

Correct Answer: A

Explanation: Option A is correct — Mismatched query and document prefixes or normalisation between old and new pipelines. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

977. ColBERT's late interaction approach stores:

Difficulty: Hard

A. Per-token embeddings and computes MaxSim between query and document tokens
B. A single vector per document
C. Raw text only
D. Sparse term weights only

Correct Answer: A

Explanation: Option A is correct — Per-token embeddings and computes MaxSim between query and document tokens. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

978. The main operational cost of late-interaction retrieval is:

Difficulty: Hard

A. Slower embedding
B. Substantially larger index storage
C. Lower recall

D. No re-ranking possible

Correct Answer: B

Explanation: Option B is correct — Substantially larger index storage. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

979. 'Hard negative mining' when fine-tuning a retriever means:

Difficulty: Hard

A. Using random negatives

B. Training against plausible but incorrect passages to sharpen the decision boundary

C. Using only positives

D. Removing negatives

Correct Answer: B

Explanation: Option B is correct — Training against plausible but incorrect passages to sharpen the decision boundary. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

980. Fine-tuning a retriever on synthetic query-passage pairs risks:

Difficulty: Hard

A. Breaking the LLM

B. Improving too much

C. Learning the generator's phrasing patterns rather than real user query distributions

D. Reducing index size

Correct Answer: C

Explanation: Option C is correct — Learning the generator's phrasing patterns rather than real user query distributions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

981. Which explains why RAG systems often fail on comparative questions?

Difficulty: Hard

A. Comparisons are unsupported

B. LLMs refuse comparisons

C. Answering requires retrieving and aligning multiple entities' passages, which single-query retrieval misses

D. Embeddings cannot compare

Correct Answer: C

Explanation: Option C is correct — Answering requires retrieving and aligning multiple entities' passages, which single-query retrieval misses. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

982. Query decomposition for multi-hop questions works by:

Difficulty: Hard

A. Using a bigger LLM

B. Splitting into sub-questions, retrieving for each, then synthesising

C. Using a longer query
D. Increasing k

Correct Answer: B

Explanation: Option B is correct — Splitting into sub-questions, retrieving for each, then synthesising. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

983. 'Iterative retrieval' (retrieve-read-retrieve) helps when:

Difficulty: Hard

A. Latency must be minimal
B. The corpus is small
C. The first retrieval reveals what additional information is needed
D. The query is simple

Correct Answer: C

Explanation: Option C is correct — The first retrieval reveals what additional information is needed. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

984. A risk of iterative retrieval loops is:

Difficulty: Hard

A. Index corruption
B. Unbounded latency and cost without a step limit and stopping criterion
C. Reduced recall always
D. Embedding drift

Correct Answer: B

Explanation: Option B is correct — Unbounded latency and cost without a step limit and stopping criterion. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

985. GraphRAG's community summarisation is designed to answer:

Difficulty: Hard

A. Global questions about themes across a corpus that local retrieval cannot address
B. Numeric aggregations only
C. Keyword queries
D. Single-fact lookups

Correct Answer: A

Explanation: Option A is correct — Global questions about themes across a corpus that local retrieval cannot address. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

986. The main cost objection to GraphRAG is:

Difficulty: Hard

A. Lack of citations
B. Vector storage
C. Expensive LLM-based entity and relationship extraction over the whole corpus
D. Query latency only

Correct Answer: C

Explanation: Option C is correct — Expensive LLM-based entity and relationship extraction over the whole corpus. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

987. Which best describes 'contextual retrieval' as popularised by Anthropic?

Difficulty: Hard

A. Prepending an LLM-generated context sentence to each chunk before embedding and indexing

B. Re-ranking with a cross-encoder

C. Compressing chunks

D. Filtering by metadata

Correct Answer: A

Explanation: Option A is correct — Prepending an LLM-generated context sentence to each chunk before embedding and indexing. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

988. Why does contextual retrieval typically combine with BM25 and re-ranking?

Difficulty: Hard

A. They are redundant

B. BM25 replaces embeddings

C. Re-ranking removes context

D. Each addresses a different failure mode, and their gains compound

Correct Answer: D

Explanation: Option D is correct — Each addresses a different failure mode, and their gains compound. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

989. A retrieval system with 95% recall@20 but 60% answer accuracy most likely suffers from:

Difficulty: Hard

A. Generation-side issues: context ordering, prompt design or the model ignoring evidence

B. Index corruption

C. Embedding mismatch

D. Poor recall

Correct Answer: A

Explanation: Option A is correct — Generation-side issues: context ordering, prompt design or the model ignoring evidence. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

990. 'Context precision' in RAGAS-style evaluation measures:

Difficulty: Hard

A. How many documents exist

B. Latency

C. The proportion of retrieved context that is actually relevant to answering

D. Answer length

Correct Answer: C

Explanation: Option C is correct — The proportion of retrieved context that is actually relevant to answering. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

991. Faithfulness evaluation typically works by:

Difficulty: Hard

A. Measuring perplexity

B. Comparing to a reference answer

C. Decomposing the answer into claims and checking each against the retrieved context

D. Counting citations

Correct Answer: C

Explanation: Option C is correct — Decomposing the answer into claims and checking each against the retrieved context. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

992. A limitation of LLM-based faithfulness scoring is:

Difficulty: Hard

A. It measures latency

B. The judge may accept plausible paraphrases that are not actually supported

C. It requires labels

D. It cannot be automated

Correct Answer: B

Explanation: Option B is correct — The judge may accept plausible paraphrases that are not actually supported. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

993. 'Answer relevance' and 'faithfulness' can diverge when:

Difficulty: Hard

A. Relevance requires no context

B. Faithfulness is undefined

C. They always agree

D. An answer is fully grounded in context but does not address the user's actual question

Correct Answer: D

Explanation: Option D is correct — An answer is fully grounded in context but does not address the user's actual question. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

994. Which is the strongest argument for evaluating retrieval separately from generation?

Difficulty: Hard

A. End-to-end metrics are invalid

B. Generation cannot be measured

C. It is cheaper

D. It localises failures so effort is spent on the actual bottleneck

Correct Answer: D

Explanation: Option D is correct — It localises failures so effort is spent on the actual bottleneck. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

995. In production RAG, 'query drift' refers to:

Difficulty: Hard

A. User query patterns changing over time so the corpus and tuning no longer match

B. Vectors moving

C. Index corruption

D. Embeddings degrading

Correct Answer: A

Explanation: Option A is correct — User query patterns changing over time so the corpus and tuning no longer match. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

996. Monitoring retrieval score distributions over time helps detect:

Difficulty: Hard

A. Token price changes

B. GPU failures

C. LLM version changes

D. Corpus or query distribution changes before answer quality visibly degrades

Correct Answer: D

Explanation: Option D is correct — Corpus or query distribution changes before answer quality visibly degrades. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

997. Which is a defensible reason to cache retrieval results but not LLM answers?

Difficulty: Hard

A. Retrieval is deterministic for a given index while answers depend on prompt and model state

B. Retrieval is slower

C. Caching answers is impossible

D. Answers are cheaper

Correct Answer: A

Explanation: Option A is correct — Retrieval is deterministic for a given index while answers depend on prompt and model state. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

998. 'Semantic chunking' using embedding similarity between sentences aims to:

Difficulty: Hard

A. Place topical boundaries where meaning shifts rather than at fixed lengths

B. Reduce chunk count
C. Compress text
D. Improve tokenisation

Correct Answer: A

Explanation: Option A is correct — Place topical boundaries where meaning shifts rather than at fixed lengths. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

999. Evidence on chunk size suggests that:

Difficulty: Hard

A. The optimal size is corpus- and task-dependent and must be measured empirically
B. Size does not matter
C. 512 tokens is always optimal
D. Smaller is always better

Correct Answer: A

Explanation: Option A is correct — The optimal size is corpus- and task-dependent and must be measured empirically. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1000. 'Small-to-big' retrieval retrieves small chunks but supplies:

Difficulty: Hard

A. A larger surrounding window to the LLM for context
B. Only the small chunk
C. The whole document always
D. No context

Correct Answer: A

Explanation: Option A is correct — A larger surrounding window to the LLM for context. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1001. A 'sentence window' retriever differs from parent-document retrieval mainly in:

Difficulty: Hard

A. The granularity of the expanded context returned around the match
B. The vector database
C. The LLM
D. The embedding model used

Correct Answer: A

Explanation: Option A is correct — The granularity of the expanded context returned around the match. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1002. Which is a genuine argument that long-context models reduce but do not eliminate RAG?

Difficulty: Hard

A. Cost, latency and the need for access control and citations still favour selective retrieval

B. Long context is always worse

C. RAG is cheaper in all cases

D. Long context breaks citations

Correct Answer: A

Explanation: Option A is correct — Cost, latency and the need for access control and citations still favour selective retrieval. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1003. 'Cache-augmented generation' loads the entire corpus into the KV cache, which is viable when:

Difficulty: Hard

A. Access control is complex

B. The corpus is small and static relative to the context window

C. Documents change hourly

D. The corpus is very large

Correct Answer: B

Explanation: Option B is correct — The corpus is small and static relative to the context window. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1004. Which describes the 'retrieval head' finding in interpretability research?

Difficulty: Hard

A. All heads retrieve equally

B. Retrieval happens in the embedding layer

C. Retrieval is external only

D. Specific attention heads appear responsible for copying information from context

Correct Answer: D

Explanation: Option D is correct — Specific attention heads appear responsible for copying information from context. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1005. Why can pruning 'retrieval heads' degrade long-context QA disproportionately?

Difficulty: Hard

A. Those heads implement the copy mechanism that grounds answers in context

B. They handle tokenisation

C. They store facts

D. They compute the loss

Correct Answer: A

Explanation: Option A is correct — Those heads implement the copy mechanism that grounds answers in context. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1006. 'Chunk position bias' in the prompt means:

Difficulty: Hard

A. Chunks placed first or last are more influential than those in the middle

B. Position affects retrieval

C. Order is irrelevant

D. Only the last chunk matters

Correct Answer: A

Explanation: Option A is correct — Chunks placed first or last are more influential than those in the middle. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1007. A practical mitigation for chunk position bias is:

Difficulty: Hard

A. Random ordering

B. Reverse ordering always

C. Removing ordering

D. Placing the highest-scoring chunks at the beginning and end of the context block

Correct Answer: D

Explanation: Option D is correct — Placing the highest-scoring chunks at the beginning and end of the context block. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1008. Which explains why increasing k monotonically can reduce answer quality?

Difficulty: Hard

A. More context is always better

B. Additional low-relevance context dilutes attention and introduces distracting information

C. Larger k improves precision

D. k does not affect generation

Correct Answer: B

Explanation: Option B is correct — Additional low-relevance context dilutes attention and introduces distracting information. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1009. 'Distractor robustness' testing for RAG involves:

Difficulty: Hard

A. Using only correct chunks

B. Deliberately including plausible but irrelevant passages to see if the model is misled

C. Testing latency

D. Removing all context

Correct Answer: B

Explanation: Option B is correct — Deliberately including plausible but irrelevant passages to see if the model is misled. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1010. Which is the most rigorous approach to citation verification?

Difficulty: Hard

A. Checking the URL exists

B. Trusting the model's citation

C. Programmatic span matching between cited text and the source document

D. Counting citations

Correct Answer: C

Explanation: Option C is correct — Programmatic span matching between cited text and the source document. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1011. For regulated industries, RAG systems typically require:

Difficulty: Hard

A. Only the final answer stored

B. No logging

C. Model weights archived

D. An auditable trail linking each answer to the exact retrieved sources and versions

Correct Answer: D

Explanation: Option D is correct — An auditable trail linking each answer to the exact retrieved sources and versions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1012. 'Embedding inversion' research shows that:

Difficulty: Hard

A. Text can sometimes be partially reconstructed from embeddings, so vectors are sensitive data

B. Embeddings are irreversible

C. Inversion requires the original text

D. Vectors contain no information

Correct Answer: A

Explanation: Option A is correct — Text can sometimes be partially reconstructed from embeddings, so vectors are sensitive data. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1013. A tenant-isolation design using a shared index with metadata filters is risky because:

Difficulty: Hard

A. Metadata is public

B. A filter bug or injection can cross tenant boundaries, unlike physically separate indexes

C. Filters cannot be applied

D. Shared indexes are slower

Correct Answer: B

Explanation: Option B is correct — A filter bug or injection can cross tenant boundaries, unlike physically separate indexes. This directly matches what the question is asking about. The remaining

options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1014. Which is the best handling of documents with expiry or effective dates?

Difficulty: Hard

A. Filter or down-weight by date at retrieval time and surface dates in citations

B. Delete old documents

C. Sort alphabetically

D. Ignore dates

Correct Answer: A

Explanation: Option A is correct — Filter or down-weight by date at retrieval time and surface dates in citations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1015. 'Retrieval for structured data' often performs better with:

Difficulty: Hard

A. Higher k

B. Text-to-SQL or API calls rather than embedding tabular rows

C. Larger chunks

D. More embeddings

Correct Answer: B

Explanation: Option B is correct — Text-to-SQL or API calls rather than embedding tabular rows. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1016. A hybrid architecture routing numeric questions to SQL and narrative ones to vector search is an example of:

Difficulty: Hard

A. Re-ranking

B. Chunking strategy

C. Query routing based on intent classification

D. Index compression

Correct Answer: C

Explanation: Option C is correct — Query routing based on intent classification. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1017. Which failure is characteristic of embedding-based retrieval over numeric tables?

Difficulty: Hard

A. Semantically similar but numerically wrong rows are retrieved

B. Exact matches only

C. No results returned

D. Index corruption

Correct Answer: A

Explanation: Option A is correct — Semantically similar but numerically wrong rows are retrieved. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1018. 'Recency weighting' of retrieval scores should be tuned carefully because:

Difficulty: Hard

A. Dates are unreliable

B. Over-weighting recency can bury authoritative older documents that remain correct

C. Recency is always best

D. Weights cannot be tuned

Correct Answer: B

Explanation: Option B is correct — Over-weighting recency can bury authoritative older documents that remain correct. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1019. Which is true about evaluating RAG with a 'golden' answer set?

Difficulty: Hard

A. Multiple correct phrasings exist, so exact match is inappropriate and rubric or entailment scoring is needed

B. Exact match works well

C. Answers are always unique

D. Golden sets are unnecessary

Correct Answer: A

Explanation: Option A is correct — Multiple correct phrasings exist, so exact match is inappropriate and rubric or entailment scoring is needed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1020. A RAG pipeline that works offline but fails in production on the same queries most likely differs in:

Difficulty: Hard

A. The LLM's weights

B. The embedding dimension

C. Index state, permissions context or retrieval parameters between environments

D. The tokenizer

Correct Answer: C

Explanation: Option C is correct — Index state, permissions context or retrieval parameters between environments. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1021. Which is the most defensible reason to keep retrieval k small in a latency-sensitive application?

Difficulty: Hard

A. k controls accuracy directly

B. Re-ranking and generation cost scale with k, and marginal relevance drops quickly

C. Large k is unsupported

D. Small k improves recall

Correct Answer: B

Explanation: Option B is correct — Re-ranking and generation cost scale with k, and marginal relevance drops quickly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1022. 'Knowledge conflict' between a model's parametric knowledge and retrieved context tends to:

Difficulty: Hard

A. Cause a refusal
B. Always favour the context
C. Be resolved inconsistently, with models sometimes overriding provided evidence
D. Always favour parametric knowledge

Correct Answer: C

Explanation: Option C is correct — Be resolved inconsistently, with models sometimes overriding provided evidence. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1023. Which prompt strategy most reduces parametric override in RAG?

Difficulty: Hard

A. Using a smaller model
B. Explicitly instructing the model to answer only from context and to state when context is insufficient
C. Increasing temperature
D. Adding more context

Correct Answer: B

Explanation: Option B is correct — Explicitly instructing the model to answer only from context and to state when context is insufficient. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1024. 'Retrieval augmented fine-tuning' (RAFT) trains the model to:

Difficulty: Hard

A. Generate embeddings
B. Use relevant context while ignoring distractors present during training
C. Skip retrieval
D. Memorise the corpus

Correct Answer: B

Explanation: Option B is correct — Use relevant context while ignoring distractors present during training. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1025. A key benefit of evaluating with 'context recall' against reference answers is:

Difficulty: Hard

A. It measures fluency
B. It replaces faithfulness
C. It measures latency
D. It reveals whether the necessary evidence was retrievable at all

Correct Answer: D

Explanation: Option D is correct — It reveals whether the necessary evidence was retrievable at all. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1026. Your RAG system scores recall@10 of 0.92 but users report missing answers. Investigation should first check:

Difficulty: Very Hard

A. Whether the necessary information exists in the corpus at all and whether chunking splits it

B. The temperature

C. The UI rendering

D. The LLM version

Correct Answer: A

Explanation: Option A is correct — Whether the necessary information exists in the corpus at all and whether chunking splits it. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1027. After switching from 512- to 1024-token chunks, retrieval recall rises but answer faithfulness falls. The most likely mechanism is:

Difficulty: Very Hard

A. Recall and faithfulness are unrelated

B. The embedding model changed

C. Faithfulness cannot fall

D. Larger chunks bring more irrelevant text into context, diluting grounding

Correct Answer: D

Explanation: Option D is correct — Larger chunks bring more irrelevant text into context, diluting grounding. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1028. A legal RAG assistant cites a superseded clause. The most robust architectural fix is:

Difficulty: Very Hard

A. Version-aware retrieval that filters by effective date and surfaces supersession relationships

B. Instructing the model to check dates

C. Re-embedding the corpus

D. Increasing k

Correct Answer: A

Explanation: Option A is correct — Version-aware retrieval that filters by effective date and surfaces supersession relationships. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1029. Which finding would most strongly indicate that your re-ranker is adding no value?

Difficulty: Very Hard

A. Scores are different

B. Answer quality is unchanged when the re-ranker is bypassed on a held-out set

C. Latency increases

D. The re-ranker changes the ordering

Correct Answer: B

Explanation: Option B is correct — Answer quality is unchanged when the re-ranker is bypassed on a held-out set. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1030. In a corpus where 30% of content is boilerplate, embedding-based retrieval degrades because:

Difficulty: Very Hard

A. Boilerplate improves recall

B. Indexes reject duplicates

C. Boilerplate cannot be embedded

D. Boilerplate chunks are semantically close to many queries and crowd the candidate set

Correct Answer: D

Explanation: Option D is correct — Boilerplate chunks are semantically close to many queries and crowd the candidate set. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1031. A multi-tenant RAG system shows one tenant occasionally receiving another's content. The first thing to audit is:

Difficulty: Very Hard

A. The embedding model

B. The LLM prompt

C. The chunk size

D. Whether the permission filter is applied inside the retrieval query rather than after it

Correct Answer: D

Explanation: Option D is correct — Whether the permission filter is applied inside the retrieval query rather than after it. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1032. Your evaluation uses LLM-generated questions from each chunk. Retrieval scores 0.97. This is most likely:

Difficulty: Very Hard

A. Too low

B. Inflated, because questions generated from a chunk trivially match that chunk's wording

C. Unmeasurable

D. An accurate measure

Correct Answer: B

Explanation: Option B is correct — Inflated, because questions generated from a chunk trivially match that chunk's wording. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1033. Which experiment best distinguishes a retrieval problem from a generation problem?

Difficulty: Very Hard

A. Increase k and re-measure
B. Reduce temperature
C. Change the LLM
D. Supply the known-correct passages directly and measure answer quality

Correct Answer: D

Explanation: Option D is correct — Supply the known-correct passages directly and measure answer quality. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1034. A system answers correctly when asked 'what is the refund window' but fails on 'how long do I have to return an item'. The most likely cause is:

Difficulty: Very Hard

A. Vocabulary mismatch that lexical search would catch but the embedding model does not bridge
B. Temperature is too high
C. The chunk is missing
D. The LLM is too small

Correct Answer: A

Explanation: Option A is correct — Vocabulary mismatch that lexical search would catch but the embedding model does not bridge. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1035. For a 50-million-chunk corpus with strict latency limits, the most defensible index choice is:

Difficulty: Very Hard

A. No index
B. A quantised ANN index with tuned recall, accepting slight recall loss for latency
C. A relational database scan
D. Exact brute-force search

Correct Answer: B

Explanation: Option B is correct — A quantised ANN index with tuned recall, accepting slight recall loss for latency. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1036. When embeddings are stored for documents that users can request deletion of, the key compliance requirement is:

Difficulty: Very Hard

A. Deleting the derived embeddings and cached context, not just the source file
B. Deleting the source only
C. Anonymising the query logs
D. Archiving the embeddings

Correct Answer: A

Explanation: Option A is correct — Deleting the derived embeddings and cached context, not just the source file. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1037. A RAG answer is grounded in retrieved text that is itself wrong. The system's correct behaviour is:

Difficulty: Very Hard

A. Correct the source silently

B. Faithfully report the source with attribution, since faithfulness and factuality are distinct properties

C. Use parametric knowledge instead

D. Refuse to answer

Correct Answer: B

Explanation: Option B is correct — Faithfully report the source with attribution, since faithfulness and factuality are distinct properties. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1038. Which architecture best handles a question requiring both a policy citation and a computed figure?

Difficulty: Very Hard

A. Use a larger context window

B. Route to retrieval for the policy and to a calculation tool or SQL for the figure, then compose

C. Ask the model to compute mentally

D. Retrieve more chunks

Correct Answer: B

Explanation: Option B is correct — Route to retrieval for the policy and to a calculation tool or SQL for the figure, then compose. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1039. Your hybrid search weights BM25 and vectors 50/50. Rare product codes still fail. The most targeted fix is:

Difficulty: Very Hard

A. Detect exact-identifier queries and route them to lexical or exact-match lookup

B. Increase k

C. Re-embed the corpus

D. Increase the vector weight

Correct Answer: A

Explanation: Option A is correct — Detect exact-identifier queries and route them to lexical or exact-match lookup. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1040. A contextual-retrieval pipeline costs significantly more at index time. The strongest justification is:

Difficulty: Very Hard

A. It removes the LLM

B. It reduces query latency

C. It shrinks the index

D. Index-time cost is one-off and amortised, while retrieval quality gains apply to every query

Correct Answer: D

Explanation: Option D is correct — Index-time cost is one-off and amortised, while retrieval quality gains apply to every query. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1041. Which observation most strongly suggests the model is ignoring retrieved context?

Difficulty: Very Hard

A. Retrieval scores are low

B. Answers are short

C. Answers remain unchanged when the retrieved passages are replaced with contradictory ones

D. Answers cite sources

Correct Answer: C

Explanation: Option C is correct — Answers remain unchanged when the retrieved passages are replaced with contradictory ones. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1042. A 'needle' inserted into retrieved context is found 99% of the time, yet multi-document synthesis fails. This shows:

Difficulty: Very Hard

A. Retrieval-style copying and cross-passage reasoning are distinct capabilities

B. The needle test is invalid

C. Synthesis requires more chunks

D. Retrieval is broken

Correct Answer: A

Explanation: Option A is correct — Retrieval-style copying and cross-passage reasoning are distinct capabilities. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1043. For a corpus of meeting transcripts, the most effective chunking unit is usually:

Difficulty: Very Hard

A. Topic or agenda-item segments rather than fixed token windows across speaker turns

B. The whole transcript

C. Every 100 tokens

D. Per speaker turn

Correct Answer: A

Explanation: Option A is correct — Topic or agenda-item segments rather than fixed token windows across speaker turns. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1044. Which is the most rigorous way to set the retrieval score threshold for 'no answer'?

Difficulty: Very Hard

A. Use 0.5

B. Optimise on a labelled set containing answerable and unanswerable queries to balance both error types

C. Use the median score

D. Never refuse

Correct Answer: B

Explanation: Option B is correct — Optimise on a labelled set containing answerable and unanswerable queries to balance both error types. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1045. Your RAG assistant is correct 94% of the time but the 6% errors are confidently stated. The most valuable improvement is:

Difficulty: Very Hard

A. Increasing k

B. Calibrated abstention and visible citations so errors are detectable by the user

C. Shortening answers

D. Raising accuracy to 95%

Correct Answer: B

Explanation: Option B is correct — Calibrated abstention and visible citations so errors are detectable by the user. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1046. In a corpus with heavy cross-referencing ('see Section 4.2'), plain chunk retrieval fails because:

Difficulty: Very Hard

A. The referenced content is in a different chunk that the query does not match

B. Chunks are too large

C. Retrieval is too fast

D. References cannot be embedded

Correct Answer: A

Explanation: Option A is correct — The referenced content is in a different chunk that the query does not match. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1047. Which design addresses that cross-reference problem most directly?

Difficulty: Very Hard

A. Resolving and inlining or co-retrieving referenced sections during indexing

B. Larger chunks

C. Higher k

D. A bigger LLM

Correct Answer: A

Explanation: Option A is correct — Resolving and inlining or co-retrieving referenced sections during indexing. This directly matches what the question is asking about. The remaining options (B, C, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1048. Embedding drift is not a real phenomenon for a fixed model, but 'apparent drift' can occur when:

Difficulty: Very Hard

A. Vectors decay over time

B. The document preprocessing pipeline changes, producing different input text for the same source

C. Similarity changes

D. Storage corrupts vectors

Correct Answer: B

Explanation: Option B is correct — The document preprocessing pipeline changes, producing different input text for the same source. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1049. A cost analysis shows re-ranking 100 candidates costs more than generation. The best optimisation is usually:

Difficulty: Very Hard

A. Increase candidates

B. Remove re-ranking entirely

C. Reduce the candidate set with a cheaper first-stage filter before cross-encoder re-ranking

D. Use a larger re-ranker

Correct Answer: C

Explanation: Option C is correct — Reduce the candidate set with a cheaper first-stage filter before cross-encoder re-ranking. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1050. Which is the strongest argument for storing chunk-level provenance (document, page, offset)?

Difficulty: Very Hard

A. It improves embeddings

B. It reduces storage

C. It speeds up retrieval

D. It enables exact citation verification, targeted re-indexing and compliance auditing

Correct Answer: D

Explanation: Option D is correct — It enables exact citation verification, targeted re-indexing and compliance auditing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

AI Agents & Tool Use

1051. What does the Model Context Protocol (MCP) standardise?

Difficulty: Medium

A. Wi-Fi authentication
B. Image compression
C. How GPUs communicate
D. How AI applications connect to external tools and data sources

Correct Answer: D

Explanation: Option D is correct — How AI applications connect to external tools and data sources. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1052. A 'tool schema' passed to an LLM describes:

Difficulty: Medium

A. The user's biography
B. The tool's name, purpose and the parameters it accepts
C. The colour of the UI
D. The model's training data

Correct Answer: B

Explanation: Option B is correct — The tool's name, purpose and the parameters it accepts. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1053. 'Orchestrator–worker' patterns in multi-agent systems involve:

Difficulty: Medium

A. Two agents competing to finish first
B. A central agent that delegates subtasks to specialised agents and integrates results
C. Agents that never communicate
D. A single agent doing everything

Correct Answer: B

Explanation: Option B is correct — A central agent that delegates subtasks to specialised agents and integrates results. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1054. Why is 'observability' (logging each step and tool call) important for agents?

Difficulty: Medium

A. Because logging replaces testing
B. To make the agent faster
C. To reduce token usage
D. To debug failures, audit decisions and understand costs

Correct Answer: D

Explanation: Option D is correct — To debug failures, audit decisions and understand costs. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1055. An agent that repeatedly calls the same failing tool is exhibiting:

Difficulty: Medium

A. Optimal planning
B. Correct behaviour
C. A loop failure that needs retry limits or error handling
D. Tool caching

Correct Answer: C

Explanation: Option C is correct — A loop failure that needs retry limits or error handling. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1056. Sandboxing an agent's code execution helps by:

Difficulty: Medium

A. Limiting the damage if generated code is faulty or malicious
B. Reducing token cost
C. Speeding up execution
D. Improving code style

Correct Answer: A

Explanation: Option A is correct — Limiting the damage if generated code is faulty or malicious. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1057. 'Least privilege' applied to agents means:

Difficulty: Medium

A. Giving the agent only the permissions strictly needed for its task
B. Sharing the agent's credentials widely
C. Running the agent as an administrator
D. Disabling all tools

Correct Answer: A

Explanation: Option A is correct — Giving the agent only the permissions strictly needed for its task. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1058. Which of these would be an 'irreversible' action needing extra confirmation?

Difficulty: Medium

A. Sending an email to a customer
B. Searching the web
C. Reading a file
D. Summarising a document

Correct Answer: A

Explanation: Option A is correct — Sending an email to a customer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1059. Reflection in agent loops involves:

Difficulty: Medium

A. Displaying the output in a mirror
B. Halving the temperature
C. The agent evaluating its own previous output or plan and revising it
D. Copying the user's message

Correct Answer: C

Explanation: Option C is correct — The agent evaluating its own previous output or plan and revising it. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1060. A 'scratchpad' in agent design is:

Difficulty: Medium

A. A hardware component
B. A user profile page
C. The final report
D. Working space where the agent records intermediate reasoning and results

Correct Answer: D

Explanation: Option D is correct — Working space where the agent records intermediate reasoning and results. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1061. 'Tool selection' errors occur when the agent:

Difficulty: Medium

A. Chooses an inappropriate tool for the subtask
B. Runs out of GPU memory
C. Responds too quickly
D. Uses correct grammar

Correct Answer: A

Explanation: Option A is correct — Chooses an inappropriate tool for the subtask. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1062. Which evaluation approach best suits agents?

Difficulty: Medium

A. End-to-end task success on realistic scenarios, plus step-level checks
B. Checking spelling only
C. Measuring font size
D. Only counting output tokens

Correct Answer: A

Explanation: Option A is correct — End-to-end task success on realistic scenarios, plus step-level checks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1063. Why might a task be split across multiple agents with separate contexts?

Difficulty: Medium

A. Because APIs require it
B. To increase latency
C. To keep each context focused and avoid overloading a single context window
D. Because one model cannot generate text

Correct Answer: C

Explanation: Option C is correct — To keep each context focused and avoid overloading a single context window. This directly matches what the question is asking about. The remaining options (A, B,

D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1064. 'Computer use' agents interact with software by:

Difficulty: Medium

A. Installing new hardware
B. Directly editing the operating system kernel
C. Viewing screenshots and issuing mouse/keyboard actions
D. Sending SMS messages

Correct Answer: C

Explanation: Option C is correct — Viewing screenshots and issuing mouse/keyboard actions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1065. A 'budget' on agent runs (max steps or max cost) is important because:

Difficulty: Medium

A. APIs refuse runs without a budget
B. Budgets improve grammar
C. Open-ended loops can consume unbounded tokens and money
D. It reduces model size

Correct Answer: C

Explanation: Option C is correct — Open-ended loops can consume unbounded tokens and money. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1066. Which is a good test for an agent's robustness?

Difficulty: Medium

A. Feeding it tool errors and unexpected responses to see if it recovers gracefully
B. Only testing on the happy path
C. Testing with a single example
D. Skipping tests to save time

Correct Answer: A

Explanation: Option A is correct — Feeding it tool errors and unexpected responses to see if it recovers gracefully. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1067. An 'agent card' or capability description helps other systems by:

Difficulty: Medium

A. Compressing the model
B. Advertising what tasks the agent can perform and how to invoke it
C. Storing the agent's password
D. Displaying a profile photo

Correct Answer: B

Explanation: Option B is correct — Advertising what tasks the agent can perform and how to invoke it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1068. In a tool-calling loop, the model's output when it wants a tool is:

Difficulty: Medium

A. A structured request naming the tool and arguments, which your code executes

B. A text apology

C. The tool's result

D. A compiled function

Correct Answer: A

Explanation: Option A is correct — A structured request naming the tool and arguments, which your code executes. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1069. Tool results are returned to the model as:

Difficulty: Medium

A. A new system prompt

B. A message in the conversation that the model reads before its next step

C. An API error

D. A weight update

Correct Answer: B

Explanation: Option B is correct — A message in the conversation that the model reads before its next step. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1070. A well-written tool description matters because:

Difficulty: Medium

A. It sets the temperature

B. The model chooses tools based on the description, like documentation for a developer

C. Descriptions are ignored

D. It reduces token cost

Correct Answer: B

Explanation: Option B is correct — The model chooses tools based on the description, like documentation for a developer. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1071. Which tool design is more reliable for an agent?

Difficulty: Medium

A. Fifty overlapping tools

B. A small number of well-scoped tools with clear boundaries

C. One tool that does everything

D. Tools with no parameters

Correct Answer: B

Explanation: Option B is correct — A small number of well-scoped tools with clear boundaries. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1072. Tool parameter schemas should include:

Difficulty: Medium

A. Only examples

B. Types, required fields, enums for constrained values and clear descriptions

C. Only names

D. Nothing

Correct Answer: B

Explanation: Option B is correct — Types, required fields, enums for constrained values and clear descriptions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1073. When a tool call fails, the most useful thing to return to the agent is:

Difficulty: Medium

A. A specific, actionable error message it can act on

B. The stack trace of the model

C. A generic failure flag

D. Nothing

Correct Answer: A

Explanation: Option A is correct — A specific, actionable error message it can act on. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1074. 'Idempotency' in agent tool design means:

Difficulty: Medium

A. Results are cached

B. Repeating the same call produces the same effect without duplicating the action

C. Calls are always unique

D. Calls cannot be retried

Correct Answer: B

Explanation: Option B is correct — Repeating the same call produces the same effect without duplicating the action. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1075. Why is idempotency particularly important for agents?

Difficulty: Medium

A. Agents retry on errors and may repeat calls, risking duplicate side effects

B. Agents never retry

C. It reduces latency

D. It improves reasoning

Correct Answer: A

Explanation: Option A is correct — Agents retry on errors and may repeat calls, risking duplicate side effects. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1076. A 'read-only' versus 'write' tool distinction is useful because:

Difficulty: Medium

A. Write tools warrant stricter approval and auditing

B. There is no difference

C. Write tools are cheaper
D. Read tools are slower

Correct Answer: A

Explanation: Option A is correct — Write tools warrant stricter approval and auditing. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1077. 'Max steps' in an agent loop protects against:

Difficulty: Medium

A. Slow networks
B. Runaway loops consuming time and money
C. Bad schemas
D. Poor tool descriptions

Correct Answer: B

Explanation: Option B is correct — Runaway loops consuming time and money. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1078. Which is the most useful signal that an agent is stuck?

Difficulty: Medium

A. Producing long reasoning
B. Repeating the same tool call with the same arguments
C. Asking a question
D. Calling multiple tools

Correct Answer: B

Explanation: Option B is correct — Repeating the same tool call with the same arguments. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1079. An agent that calls a search tool then answers without reading results exhibits:

Difficulty: Medium

A. Efficient reasoning
B. Tool caching
C. Correct behaviour
D. A failure to use observations, often from poor loop design or prompting

Correct Answer: D

Explanation: Option D is correct — A failure to use observations, often from poor loop design or prompting. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1080. 'Parallel tool calls' are appropriate when:

Difficulty: Medium

A. Latency is irrelevant
B. Only one tool exists
C. Each depends on the previous
D. The calls are independent and their results do not affect each other

Correct Answer: D

Explanation: Option D is correct — The calls are independent and their results do not affect each other. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1081. Which is a valid reason to make an agent's plan explicit before execution?

Difficulty: Medium

A. Plans are required by APIs
B. It reduces token cost
C. It speeds up tools
D. It can be reviewed, logged and corrected before actions occur

Correct Answer: D

Explanation: Option D is correct — It can be reviewed, logged and corrected before actions occur. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1082. Re-planning mid-task is valuable because:

Difficulty: Medium

A. It reduces steps
B. Plans should never change
C. New observations may invalidate the original plan
D. It avoids tool calls

Correct Answer: C

Explanation: Option C is correct — New observations may invalidate the original plan. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1083. 'Short-term memory' in an agent typically refers to:

Difficulty: Medium

A. The model's weights
B. The tool registry
C. The current conversation and step history within the context window
D. Persistent storage across sessions

Correct Answer: C

Explanation: Option C is correct — The current conversation and step history within the context window. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1084. 'Long-term memory' for agents is usually implemented with:

Difficulty: Medium

A. A larger context window only
B. Fine-tuning after each task
C. The system prompt
D. External storage such as a database or vector store re-injected into context

Correct Answer: D

Explanation: Option D is correct — External storage such as a database or vector store re-injected into context. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1085. A risk of automatic long-term memory is:

Difficulty: Medium

A. Storing incorrect or outdated facts that then contaminate future sessions

B. Memory being too fast

C. Excessive accuracy

D. Reduced context use

Correct Answer: A

Explanation: Option A is correct — Storing incorrect or outdated facts that then contaminate future sessions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1086. Which is the most appropriate scope for an agent's file access?

Difficulty: Medium

A. No access at all for any task

B. The operating system root

C. A specific working directory needed for the task

D. The entire filesystem

Correct Answer: C

Explanation: Option C is correct — A specific working directory needed for the task. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1087. 'Dry run' mode for an agent means:

Difficulty: Medium

A. Running without a model

B. Showing what actions it would take without executing them

C. Running faster

D. Running with no tools

Correct Answer: B

Explanation: Option B is correct — Showing what actions it would take without executing them. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1088. Human approval gates should be placed:

Difficulty: Medium

A. Only at the end

B. Never

C. Before actions that are costly, irreversible or externally visible

D. Before every single step

Correct Answer: C

Explanation: Option C is correct — Before actions that are costly, irreversible or externally visible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1089. Approval fatigue occurs when:

Difficulty: Medium

A. Users are asked to confirm so often that they stop reading the requests

B. Tools are read-only

C. Approvals are too rare

D. Agents never ask

Correct Answer: A

Explanation: Option A is correct — Users are asked to confirm so often that they stop reading the requests. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1090. Which is the best structure for an agent's final output?

Difficulty: Medium

A. Only the raw tool logs

B. A single word

C. The full reasoning trace

D. A summary of what was done, what changed and what needs human attention

Correct Answer: D

Explanation: Option D is correct — A summary of what was done, what changed and what needs human attention. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1091. 'Tool result truncation' is necessary because:

Difficulty: Medium

A. Tools return too fast

B. Models cannot read text

C. Truncation improves accuracy

D. Large outputs can consume the entire context window

Correct Answer: D

Explanation: Option D is correct — Large outputs can consume the entire context window. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1092. A good practice when a tool returns 10,000 rows is to:

Difficulty: Medium

A. Return a random sample silently

B. Return nothing

C. Return all rows

D. Return a summary plus a handle the agent can query further

Correct Answer: D

Explanation: Option D is correct — Return a summary plus a handle the agent can query further. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1093. 'Subagents' are useful primarily to:

Difficulty: Medium

A. Replace planning

B. Isolate context for a focused subtask and return a condensed result

C. Avoid tool use

D. Reduce model cost always

Correct Answer: B

Explanation: Option B is correct — Isolate context for a focused subtask and return a condensed result. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1094. A cost of the subagent pattern is:

Difficulty: Medium

A. Information loss between the subagent's context and the orchestrator

B. Increased accuracy

C. Fewer tokens always

D. Simpler debugging

Correct Answer: A

Explanation: Option A is correct — Information loss between the subagent's context and the orchestrator. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1095. Which is true about agent evaluation compared with single-turn model evaluation?

Difficulty: Medium

A. Only the final answer matters

B. Trajectories matter, not just final outputs, since the path can cause side effects

C. Agents cannot be evaluated

D. They are identical

Correct Answer: B

Explanation: Option B is correct — Trajectories matter, not just final outputs, since the path can cause side effects. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1096. 'Golden trajectories' in agent evaluation are:

Difficulty: Medium

A. Failed runs

B. Random runs

C. Reference sequences of steps used to compare an agent's behaviour

D. The fastest possible runs

Correct Answer: C

Explanation: Option C is correct — Reference sequences of steps used to compare an agent's behaviour. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1097. Which metric is essential for an agent operating on real systems?

Difficulty: Medium

A. Prompt size

B. Tool count

C. Average reasoning length

D. Rate of unintended or harmful actions

Correct Answer: D

Explanation: Option D is correct — Rate of unintended or harmful actions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1098. 'Replay' capability in agent observability means:

Difficulty: Medium

A. Copying the model

B. Re-running the agent live

C. Reconstructing a run step by step from logged inputs and outputs

D. Recording the screen

Correct Answer: C

Explanation: Option C is correct — Reconstructing a run step by step from logged inputs and outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1099. MCP servers expose capabilities as:

Difficulty: Medium

A. Training datasets

B. Network drivers

C. Raw model weights

D. Tools, resources and prompts that a client application can discover

Correct Answer: D

Explanation: Option D is correct — Tools, resources and prompts that a client application can discover. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1100. A key security consideration when adding a third-party MCP server is:

Difficulty: Medium

A. It slows the model

B. It can introduce tools that read data or take actions on your behalf

C. It changes the tokenizer

D. It requires a GPU

Correct Answer: B

Explanation: Option B is correct — It can introduce tools that read data or take actions on your behalf. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1101. 'Tool poisoning' via a malicious MCP server means:

Difficulty: Medium

A. Tools being renamed

B. Tools returning errors

C. Tool descriptions or results containing instructions that manipulate the agent

D. Tools running slowly

Correct Answer: C

Explanation: Option C is correct — Tool descriptions or results containing instructions that manipulate the agent. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1102. Which is the most appropriate default for an agent's network access?

Difficulty: Medium

A. Deny by default with an allow-list of required domains

B. Full open access

C. Access granted by the model

D. No access ever

Correct Answer: A

Explanation: Option A is correct — Deny by default with an allow-list of required domains. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1103. Sandboxed code execution for agents should limit:

Difficulty: Medium

A. Nothing

B. Only memory

C. Filesystem, network and process capabilities as well as CPU and memory

D. Only the language used

Correct Answer: C

Explanation: Option C is correct — Filesystem, network and process capabilities as well as CPU and memory. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1104. 'Least-privilege credentials' for an agent means:

Difficulty: Medium

A. No credentials

B. Scoped tokens granting only the specific permissions the task requires

C. Admin credentials for flexibility

D. Shared team credentials

Correct Answer: B

Explanation: Option B is correct — Scoped tokens granting only the specific permissions the task requires. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1105. Which is a realistic reason an agent underperforms despite a capable model?

Difficulty: Medium

A. The model is too large

B. Tools are too fast

C. Poor tool ergonomics, unclear errors and missing context rather than model capability

D. Too few tokens

Correct Answer: C

Explanation: Option C is correct — Poor tool ergonomics, unclear errors and missing context rather than model capability. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1106. 'Deterministic scaffolding' around an agent means:

Difficulty: Medium

A. Fixing the temperature

B. Handling predictable parts in code and reserving the model for judgement

C. Making the model deterministic

D. Removing the model

Correct Answer: B

Explanation: Option B is correct — Handling predictable parts in code and reserving the model for judgement. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1107. Which task is a poor fit for an autonomous agent today?

Difficulty: Medium

A. Organising files in a sandbox

B. Drafting a research summary

C. Running tests on a branch

D. High-stakes irreversible financial transactions without review

Correct Answer: D

Explanation: Option D is correct — High-stakes irreversible financial transactions without review. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1108. 'Tool call validation' before execution should check:

Difficulty: Medium

A. The model version

B. Only the tool name

C. Argument types, ranges and permissions against the schema and policy

D. Nothing, the model is trusted

Correct Answer: C

Explanation: Option C is correct — Argument types, ranges and permissions against the schema and policy. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1109. An agent that must operate for hours benefits from:

Difficulty: Medium

A. More reasoning tokens

B. A larger temperature

C. Fewer tools

D. Checkpointing state so it can resume after interruption

Correct Answer: D

Explanation: Option D is correct — Checkpointing state so it can resume after interruption. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1110. 'Context compaction' in long agent runs means:

Difficulty: Medium

A. Deleting the system prompt

B. Summarising earlier steps to free context while preserving key state

C. Lowering k

D. Reducing the model size

Correct Answer: B

Explanation: Option B is correct — Summarising earlier steps to free context while preserving key state. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1111. A risk of context compaction is:

Difficulty: Medium

A. Slower tools

B. Losing a detail that later turns out to matter

C. Better accuracy

D. Higher token cost

Correct Answer: B

Explanation: Option B is correct — Losing a detail that later turns out to matter. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1112. Which is a sound reason to log the agent's reasoning alongside actions?

Difficulty: Medium

A. Post-incident analysis of why an action was taken

B. It reduces cost

C. It is required by law universally

D. It improves the model

Correct Answer: A

Explanation: Option A is correct — Post-incident analysis of why an action was taken. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1113. 'Computer use' agents are more fragile than API-based agents because:

Difficulty: Medium

A. UI layouts change and visual grounding is error-prone

B. Models cannot see

C. APIs are unreliable

D. Screens are encrypted

Correct Answer: A

Explanation: Option A is correct — UI layouts change and visual grounding is error-prone. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1114. When an agent must fill a web form, the safest design includes:

Difficulty: Medium

A. Random retries

B. Automatic submission

C. A confirmation step showing the exact values before submission

D. No logging

Correct Answer: C

Explanation: Option C is correct — A confirmation step showing the exact values before submission. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1115. 'Rate limiting' agent actions protects against:

Difficulty: Medium

A. Slow reasoning

B. Rapid repeated actions causing external system overload or cost spikes

C. Poor tool descriptions

D. Small context windows

Correct Answer: B

Explanation: Option B is correct — Rapid repeated actions causing external system overload or cost spikes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1116. Which is the best approach when an agent encounters an ambiguous instruction?

Difficulty: Medium

A. Ask a specific clarifying question rather than assume

B. Do nothing

C. Try all interpretations

D. Pick an interpretation silently

Correct Answer: A

Explanation: Option A is correct — Ask a specific clarifying question rather than assume. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1117. 'Agent handoff to a human' works best when:

Difficulty: Medium

A. It stops silently

B. The agent summarises state, what it tried and the specific decision needed

C. It transfers the raw log

D. It retries indefinitely

Correct Answer: B

Explanation: Option B is correct — The agent summarises state, what it tried and the specific decision needed. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1118. A 'tool registry' in an enterprise agent platform provides:

Difficulty: Medium

A. Faster inference

B. Token discounts

C. Model training

D. Central governance of which tools exist, who can use them and with what scopes

Correct Answer: D

Explanation: Option D is correct — Central governance of which tools exist, who can use them and with what scopes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1119. Which is true about giving an agent more tools?

Difficulty: Medium

A. More tools always help
B. Models ignore extra tools
C. Tool count is irrelevant
D. Beyond a point, selection accuracy degrades as choices overlap and descriptions compete

Correct Answer: D

Explanation: Option D is correct — Beyond a point, selection accuracy degrades as choices overlap and descriptions compete. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1120. 'Dynamic tool loading' addresses that by:

Difficulty: Medium

A. Presenting only the tools relevant to the current task or phase
B. Removing all tools
C. Caching tool results
D. Renaming tools

Correct Answer: A

Explanation: Option A is correct — Presenting only the tools relevant to the current task or phase. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1121. Which describes an agent 'guardrail model'?

Difficulty: Medium

A. A separate model that screens the agent's proposed actions or outputs against policy
B. A tool wrapper
C. A caching layer
D. A faster version of the agent

Correct Answer: A

Explanation: Option A is correct — A separate model that screens the agent's proposed actions or outputs against policy. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1122. A reason to keep the guardrail separate from the main agent is:

Difficulty: Medium

A. It is not subject to the same injected context that may have compromised the agent
B. It is cheaper
C. It is faster
D. It shares the same prompt

Correct Answer: A

Explanation: Option A is correct — It is not subject to the same injected context that may have compromised the agent. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1123. 'Multi-agent debate' is used to:

Difficulty: Medium

A. Slow the system down
B. Replace evaluation
C. Reduce cost
D. Have agents critique each other's answers to surface errors

Correct Answer: D

Explanation: Option D is correct — Have agents critique each other's answers to surface errors. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1124. A practical limitation of multi-agent debate is:

Difficulty: Medium

A. Agents sharing a base model often share the same blind spots
B. It cannot be automated
C. It is too accurate
D. It requires no compute

Correct Answer: A

Explanation: Option A is correct — Agents sharing a base model often share the same blind spots. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1125. Which best describes 'agentic workflow' versus 'agent'?

Difficulty: Medium

A. A workflow orchestrates fixed steps that may use models; an agent chooses its own steps
B. Workflows have no models
C. Agents have no tools
D. They are identical

Correct Answer: A

Explanation: Option A is correct — A workflow orchestrates fixed steps that may use models; an agent chooses its own steps. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1126. 'Prompt injection through tool outputs' is dangerous for agents because:

Difficulty: Hard

A. Malicious content returned by a tool (e.g. a web page) can hijack the agent's next actions
B. It changes the model weights
C. It slows down retrieval
D. Tool outputs are always trusted by users

Correct Answer: A

Explanation: Option A is correct — Malicious content returned by a tool (e.g. a web page) can hijack the agent's next actions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1127. Which pattern reduces the risk of an agent exfiltrating sensitive data?

Difficulty: Hard

A. Giving the agent internet access by default
B. Disabling logging
C. Storing secrets in the prompt
D. Restricting outbound tools and requiring approval for any data-sending action

Correct Answer: D

Explanation: Option D is correct — Restricting outbound tools and requiring approval for any data-sending action. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1128. Why is 'evaluation-driven development' recommended for agents?

Difficulty: Hard

A. It reduces API cost to zero
B. Agents cannot be tested manually
C. Agent behaviour is non-deterministic, so regression suites are needed to catch behaviour drift
D. It eliminates the need for guardrails

Correct Answer: C

Explanation: Option C is correct — Agent behaviour is non-deterministic, so regression suites are needed to catch behaviour drift. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1129. A 'handoff' in multi-agent frameworks refers to:

Difficulty: Hard

A. Transferring control and context from one agent to another mid-task
B. Sending the user a bill
C. Replacing the model
D. Shutting down the system

Correct Answer: A

Explanation: Option A is correct — Transferring control and context from one agent to another mid-task. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1130. In an agent that writes and runs code, 'test-driven' loops help because:

Difficulty: Hard

A. They make the code shorter
B. Test results give the agent concrete feedback to iterate on until they pass
C. Tests replace the user
D. They disable tool use

Correct Answer: B

Explanation: Option B is correct — Test results give the agent concrete feedback to iterate on until they pass. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1131. What is a key limitation of long-horizon agent tasks today?

Difficulty: Hard

A. Agents cannot call more than one tool

B. Errors compound across many steps, reducing overall reliability

C. Agents require no context

D. LLMs cannot read tool outputs

Correct Answer: B

Explanation: Option B is correct — Errors compound across many steps, reducing overall reliability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1132. 'Structured planning with checkpoints' helps agents by:

Difficulty: Hard

A. Allowing partial progress to be saved and resumed after failures

B. Removing the need for a model

C. Preventing any tool use

D. Reducing the plan to one step

Correct Answer: A

Explanation: Option A is correct — Allowing partial progress to be saved and resumed after failures. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1133. Which is a defensible reason to use a deterministic workflow instead of an autonomous agent?

Difficulty: Hard

A. Workflows always produce better prose

B. Agents are illegal in production

C. The task is well-defined and repeatable, so predictability and lower cost matter more than flexibility

D. Agents cannot call APIs

Correct Answer: C

Explanation: Option C is correct — The task is well-defined and repeatable, so predictability and lower cost matter more than flexibility. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1134. Agent-to-agent communication protocols primarily aim to:

Difficulty: Hard

A. Let agents from different vendors discover each other and exchange tasks in a standard format

B. Reduce GPU cost

C. Replace HTTP

D. Encrypt all internet traffic

Correct Answer: A

Explanation: Option A is correct — Let agents from different vendors discover each other and exchange tasks in a standard format. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1135. Which metric is most meaningful for a customer-support agent in production?

Difficulty: Hard

A. Number of tools available
B. Response font size
C. Resolution rate with correct outcomes, weighted by escalation and error costs
D. Average number of tokens per reply

Correct Answer: C

Explanation: Option C is correct — Resolution rate with correct outcomes, weighted by escalation and error costs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1136. When an agent's tool returns partial or ambiguous data, the most robust behaviour is to:

Difficulty: Hard

A. Surface the uncertainty and seek confirmation rather than fabricate a complete answer
B. Delete the tool output
C. Assume the data is complete
D. Restart the whole task silently

Correct Answer: A

Explanation: Option A is correct — Surface the uncertainty and seek confirmation rather than fabricate a complete answer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1137. 'Context engineering' for agents refers to:

Difficulty: Hard

A. Deliberately managing what information (tools, memory, retrieved data) is in the model's context at each step
B. Choosing the GPU type
C. Writing the agent's marketing copy
D. Building physical data centres

Correct Answer: A

Explanation: Option A is correct — Deliberately managing what information (tools, memory, retrieved data) is in the model's context at each step. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1138. Why can 'reward hacking' occur in agentic systems optimised on a metric?

Difficulty: Hard

A. Rewards are always paid in tokens
B. The agent may find shortcuts that satisfy the metric without achieving the intended goal

C. Agents refuse rewards

D. Metrics cannot be computed

Correct Answer: B

Explanation: Option B is correct — The agent may find shortcuts that satisfy the metric without achieving the intended goal. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1139. A dual-LLM pattern (a privileged model that never sees untrusted content plus a quarantined one that does) is designed to:

Difficulty: Hard

A. Double the speed

B. Halve the cost

C. Improve grammar

D. Mitigate prompt injection by isolating untrusted data from action-taking capability

Correct Answer: D

Explanation: Option D is correct — Mitigate prompt injection by isolating untrusted data from action-taking capability. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1140. Rate limiting and idempotency keys matter for agents calling APIs because:

Difficulty: Hard

A. Retries and loops can cause duplicate or excessive actions such as double bookings

B. They improve reasoning quality

C. They shrink the context

D. APIs require them for authentication

Correct Answer: A

Explanation: Option A is correct — Retries and loops can cause duplicate or excessive actions such as double bookings. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1141. Which is the strongest argument for keeping a human 'in the loop' on high-stakes agent tasks?

Difficulty: Hard

A. It reduces token cost

B. Humans type faster than models

C. Current agents can fail unpredictably, and accountability for consequential decisions should remain with people

D. Agents cannot read

Correct Answer: C

Explanation: Option C is correct — Current agents can fail unpredictably, and accountability for consequential decisions should remain with people. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1142. The 'lethal trifecta' for agent security combines:

Difficulty: Hard

A. Long context, high temperature and streaming

B. Three tools

C. Three different models

D. Access to private data, exposure to untrusted content and the ability to communicate externally

Correct Answer: D

Explanation: Option D is correct — Access to private data, exposure to untrusted content and the ability to communicate externally. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1143. Why does removing any one leg of that trifecta substantially reduce risk?

Difficulty: Hard

A. Two legs are always safe

B. Each leg is independently harmful

C. The legs are unrelated

D. Exfiltration requires all three; breaking the chain prevents data leaving even if injection succeeds

Correct Answer: D

Explanation: Option D is correct — Exfiltration requires all three; breaking the chain prevents data leaving even if injection succeeds. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1144. The 'dual LLM' pattern isolates risk by:

Difficulty: Hard

A. Using two vendors

B. Running two identical models

C. Doubling the context

D. Having a privileged model orchestrate while a quarantined model handles untrusted content and returns only structured data

Correct Answer: D

Explanation: Option D is correct — Having a privileged model orchestrate while a quarantined model handles untrusted content and returns only structured data. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1145. CaMeL-style defences work by:

Difficulty: Hard

A. Generating a plan in code with data-flow constraints so untrusted content cannot alter control flow

B. Removing tools

C. Filtering all input text

D. Using a bigger model

Correct Answer: A

Explanation: Option A is correct — Generating a plan in code with data-flow constraints so untrusted content cannot alter control flow. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario

or definition in the question.

1146. Which is the most accurate statement about prompt-injection defences in 2026?

Difficulty: Hard

A. Classifiers block all attacks
B. Injection is solved
C. Only open models are affected
D. No purely model-level defence is reliable; architectural constraints remain necessary

Correct Answer: D

Explanation: Option D is correct — No purely model-level defence is reliable; architectural constraints remain necessary. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1147. An agent that summarises emails and can send emails is dangerous because:

Difficulty: Hard

A. Sending is slow
B. Summarising is expensive
C. A malicious email can instruct it to forward sensitive content, completing an exfiltration path
D. Email is unencrypted

Correct Answer: C

Explanation: Option C is correct — A malicious email can instruct it to forward sensitive content, completing an exfiltration path. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1148. 'Confused deputy' in agent security describes:

Difficulty: Hard

A. The agent using its legitimate privileges on behalf of an attacker's injected instruction
B. A model confusing two tools
C. A tool returning errors
D. A user misunderstanding the agent

Correct Answer: A

Explanation: Option A is correct — The agent using its legitimate privileges on behalf of an attacker's injected instruction. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1149. Which mitigation most directly addresses the confused deputy problem?

Difficulty: Hard

A. Binding actions to the user's own authorisation and requiring explicit consent for sensitive operations
B. Higher temperature
C. More tools
D. Longer system prompts

Correct Answer: A

Explanation: Option A is correct — Binding actions to the user's own authorisation and requiring explicit consent for sensitive operations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1150. 'Capability-based security' applied to agents means:

Difficulty: Hard

A. Granting unforgeable, narrowly scoped tokens for specific actions rather than broad roles

B. Using passwords

C. Giving the agent all capabilities

D. Trusting the model

Correct Answer: A

Explanation: Option A is correct — Granting unforgeable, narrowly scoped tokens for specific actions rather than broad roles. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1151. A/B comparison of agent architectures should control for:

Difficulty: Hard

A. Only the model

B. Model version, tool set, prompt and task distribution, since all materially affect outcomes

C. Only the prompt

D. Nothing

Correct Answer: B

Explanation: Option B is correct — Model version, tool set, prompt and task distribution, since all materially affect outcomes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1152. Which explains why agent reliability degrades with task length?

Difficulty: Hard

A. Models get tired

B. Context windows shrink

C. Per-step error probability compounds multiplicatively over the trajectory

D. Tools slow down

Correct Answer: C

Explanation: Option C is correct — Per-step error probability compounds multiplicatively over the trajectory. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1153. If each step is 98% reliable, a 30-step task succeeds roughly:

Difficulty: Hard

A. 90% of the time

B. 55% of the time

C. 98% of the time

D. 30% of the time

Correct Answer: B

Explanation: Option B is correct — 55% of the time. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1154. The most effective lever against compounding error is usually:

Difficulty: Hard

A. More reasoning tokens

B. Verification steps that catch and correct errors before they propagate

C. A larger model

D. More parallel agents

Correct Answer: B

Explanation: Option B is correct — Verification steps that catch and correct errors before they propagate. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1155. 'Verifier-generator' asymmetry is useful for agents because:

Difficulty: Hard

A. Generation is always cheap

B. Checking a result is often cheaper and more reliable than producing it

C. They cost the same

D. Verification is impossible

Correct Answer: B

Explanation: Option B is correct — Checking a result is often cheaper and more reliable than producing it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1156. Which task type benefits most from an execution-feedback loop?

Difficulty: Hard

A. Opinion summarisation

B. Style transfer

C. Open-ended creative writing

D. Code and data tasks where correctness can be checked programmatically

Correct Answer: D

Explanation: Option D is correct — Code and data tasks where correctness can be checked programmatically. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1157. 'Reward hacking' in an agent optimising for test passage looks like:

Difficulty: Hard

A. Refactoring cleanly

B. Writing more tests

C. Modifying or skipping tests rather than fixing the underlying code

D. Adding documentation

Correct Answer: C

Explanation: Option C is correct — Modifying or skipping tests rather than fixing the underlying code. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1158. Which evaluation design best detects such shortcut behaviour?

Difficulty: Hard

A. Bigger models

B. Held-out tests the agent cannot see or modify

C. Longer time limits

D. More visible tests

Correct Answer: B

Explanation: Option B is correct — Held-out tests the agent cannot see or modify. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1159. 'Trajectory-level evaluation' matters because:

Difficulty: Hard

A. Costs are fixed

B. Only outputs matter

C. Two agents can produce the same answer with very different side effects and costs

D. Trajectories are unobservable

Correct Answer: C

Explanation: Option C is correct — Two agents can produce the same answer with very different side effects and costs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1160. A well-designed agent benchmark should include:

Difficulty: Hard

A. Only easy tasks

B. No tool use

C. Tasks with verifiable success criteria and realistic environments and failure modes

D. Only final-answer questions

Correct Answer: C

Explanation: Option C is correct — Tasks with verifiable success criteria and realistic environments and failure modes. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1161. Which is a documented weakness of many agent benchmarks?

Difficulty: Hard

A. They use no models

B. Tasks are narrow or contaminated, overstating real-world reliability

C. They are unmeasurable

D. They are too hard

Correct Answer: B

Explanation: Option B is correct — Tasks are narrow or contaminated, overstating real-world reliability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1162. 'Environment leakage' in agent benchmarks occurs when:

Difficulty: Hard

A. Networks are slow

B. The agent can access the solution or grading logic within the environment

C. Contexts are long

D. Tools fail

Correct Answer: B

Explanation: Option B is correct — The agent can access the solution or grading logic within the environment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1163. Orchestrator-worker architectures scale well for:

Difficulty: Hard

A. Latency-critical single lookups

B. Strictly sequential dependent tasks

C. Single-step queries

D. Parallelisable research or breadth-first tasks with independent subtasks

Correct Answer: D

Explanation: Option D is correct — Parallelisable research or breadth-first tasks with independent subtasks. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1164. A major failure mode of orchestrator-worker designs is:

Difficulty: Hard

A. Duplicated work and inconsistent conclusions when subtasks overlap without coordination

B. Too few tokens

C. Excessive determinism

D. Tool absence

Correct Answer: A

Explanation: Option A is correct — Duplicated work and inconsistent conclusions when subtasks overlap without coordination. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1165. 'Context isolation' between subagents is valuable but requires:

Difficulty: Hard

A. Shared full context

B. Identical prompts

C. Careful design of what the orchestrator passes down and receives back

D. No communication

Correct Answer: C

Explanation: Option C is correct — Careful design of what the orchestrator passes down and receives back. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1166. Which is the strongest argument against multi-agent systems for most tasks?

Difficulty: Hard

A. Agents cannot communicate

B. A single well-scoped agent with good tools is simpler, cheaper and easier to debug

C. Multi-agent is always slower

D. Coordination is impossible

Correct Answer: B

Explanation: Option B is correct — A single well-scoped agent with good tools is simpler, cheaper and easier to debug. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1167. 'Agent-to-agent' protocols address:

Difficulty: Hard

A. Model training

B. Tokenisation

C. Discovery, authentication and task exchange between agents from different systems

D. GPU scheduling

Correct Answer: C

Explanation: Option C is correct — Discovery, authentication and task exchange between agents from different systems. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1168. A security concern unique to cross-organisation agent protocols is:

Difficulty: Hard

A. Model size

B. Token pricing

C. Network latency

D. Trust establishment and authorisation delegation across administrative boundaries

Correct Answer: D

Explanation: Option D is correct — Trust establishment and authorisation delegation across administrative boundaries. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1169. Which describes 'tool result caching' correctly?

Difficulty: Hard

A. Caching prompts

B. Reusing prior results for identical calls, appropriate only for deterministic read operations

C. Caching all calls including writes

D. Caching the model

Correct Answer: B

Explanation: Option B is correct — Reusing prior results for identical calls, appropriate only for deterministic read operations. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1170. 'Stateful tools' complicate agent design because:

Difficulty: Hard

A. They cannot be described

B. The same call can behave differently depending on prior actions, making retries unsafe

C. They are slower

D. They use more tokens

Correct Answer: B

Explanation: Option B is correct — The same call can behave differently depending on prior actions, making retries unsafe. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1171. Which approach best handles an agent operating across multiple sessions?

Difficulty: Hard

A. Retraining the model

B. Explicit externalised state with versioning that survives context resets

C. Repeating the task

D. Longer context windows only

Correct Answer: B

Explanation: Option B is correct — Explicit externalised state with versioning that survives context resets. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1172. 'Plan-and-execute' differs from ReAct primarily by:

Difficulty: Hard

A. Being single-step

B. Using no tools

C. Committing to a full plan upfront and executing it, versus interleaving reasoning and action

D. Using no model

Correct Answer: C

Explanation: Option C is correct — Committing to a full plan upfront and executing it, versus interleaving reasoning and action. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1173. A weakness of plan-and-execute is:

Difficulty: Hard

A. Higher accuracy

B. No planning

C. Rigidity when early observations invalidate the plan

D. Excessive flexibility

Correct Answer: C

Explanation: Option C is correct — Rigidity when early observations invalidate the plan. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1174. 'Reflection with external verification' outperforms pure self-reflection because:

Difficulty: Hard

A. External signals provide information the model cannot derive from its own output

B. External checks are cheaper

C. Self-reflection is always sufficient

D. Reflection is free

Correct Answer: A

Explanation: Option A is correct — External signals provide information the model cannot derive from its own output. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1175. Which is a realistic reason agents fail at long software tasks?

Difficulty: Hard

A. Slow compilers

B. Lack of tools

C. Inability to write code

D. Losing track of prior decisions and context, leading to inconsistent changes

Correct Answer: D

Explanation: Option D is correct — Losing track of prior decisions and context, leading to inconsistent changes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1176. 'Context rot' in long agent runs describes:

Difficulty: Hard

A. Token expiry

B. Memory leaks

C. Degrading performance as context fills with stale or low-value content

D. Data corruption

Correct Answer: C

Explanation: Option C is correct — Degrading performance as context fills with stale or low-value content. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1177. Which strategy most directly addresses context rot?

Difficulty: Hard

A. Raising temperature

B. Structured compaction that preserves decisions and discards resolved detail

C. Increasing the context window

D. Adding tools

Correct Answer: B

Explanation: Option B is correct — Structured compaction that preserves decisions and discards resolved detail. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1178. 'Just-in-time context' for agents means:

Difficulty: Hard

A. Loading information on demand via tools rather than pre-loading everything

B. Using a bigger model

C. Preloading all documents

D. Caching all results

Correct Answer: A

Explanation: Option A is correct — Loading information on demand via tools rather than pre-loading everything. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1179. Which is the best rationale for giving an agent a file system as memory?

Difficulty: Hard

A. Durable, inspectable state that exceeds context limits and survives compaction

B. Files cannot be edited

C. It is faster than context

D. It replaces tools

Correct Answer: A

Explanation: Option A is correct — Durable, inspectable state that exceeds context limits and survives compaction. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1180. 'Bash-and-files' agent designs are powerful but risky because:

Difficulty: Hard

A. Files are large

B. Bash is deprecated

C. Shell access grants broad capability that is hard to constrain precisely

D. Shells are slow

Correct Answer: C

Explanation: Option C is correct — Shell access grants broad capability that is hard to constrain precisely. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1181. Which is a defensible control for agents with shell access?

Difficulty: Hard

A. Trusting the model's judgement

B. Running as root for simplicity

C. Logging only errors

D. Container isolation with no credentials and an allow-listed network

Correct Answer: D

Explanation: Option D is correct — Container isolation with no credentials and an allow-listed network. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1182. 'Progressive autonomy' as a deployment strategy means:

Difficulty: Hard

A. Full autonomy from day one

B. Never granting autonomy

C. Expanding the agent's permissions as measured reliability justifies it

D. Random permission grants

Correct Answer: C

Explanation: Option C is correct — Expanding the agent's permissions as measured reliability justifies it. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1183. Which metric best supports decisions about expanding agent autonomy?

Difficulty: Hard

A. Token throughput

B. Number of tools

C. Average reasoning length

D. Rate and severity of incorrect actions on representative real tasks

Correct Answer: D

Explanation: Option D is correct — Rate and severity of incorrect actions on representative real tasks. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1184. An agent's 'blast radius' refers to:

Difficulty: Hard

A. Its context window

B. Its token cost

C. The maximum damage its permissions allow if it behaves incorrectly

D. Its latency

Correct Answer: C

Explanation: Option C is correct — The maximum damage its permissions allow if it behaves incorrectly. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1185. Which is the most effective way to reduce blast radius without reducing usefulness?

Difficulty: Hard

A. Removing all tools

B. Reducing the model size

C. Scoping credentials per task and requiring approval only for the narrow set of destructive actions

D. Shortening prompts

Correct Answer: C

Explanation: Option C is correct — Scoping credentials per task and requiring approval only for the narrow set of destructive actions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1186. 'Sandbox escape' risk in code-executing agents is mitigated by:

Difficulty: Hard

A. Defence in depth: container isolation, seccomp/syscall limits and no host credentials

B. Larger memory

C. Longer timeouts

D. Trusting the generated code

Correct Answer: A

Explanation: Option A is correct — Defence in depth: container isolation, seccomp/syscall limits and no host credentials. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1187. Which describes 'agent observability' at the trace level?

Difficulty: Hard

A. Structured spans linking prompts, tool calls, results and costs for each run

B. Screen recordings

C. Only error logs

D. Only aggregate metrics

Correct Answer: A

Explanation: Option A is correct — Structured spans linking prompts, tool calls, results and costs for each run. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1188. Cost attribution for agents is harder than for chat because:

Difficulty: Hard

A. Agents are cheaper

B. A single user request may generate many model calls across subagents and retries

C. Tokens are free

D. Costs are hidden

Correct Answer: B

Explanation: Option B is correct — A single user request may generate many model calls across subagents and retries. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1189. Which is a realistic explanation for an agent performing worse after a model upgrade?

Difficulty: Hard

A. Context shrank

B. Prompts and tool descriptions were tuned to the old model's behaviour

C. Tools changed

D. The new model is worse generally

Correct Answer: B

Explanation: Option B is correct — Prompts and tool descriptions were tuned to the old model's behaviour. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1190. 'Evaluation-driven agent development' implies:

Difficulty: Hard

A. Testing after release

B. Maintaining a regression suite of tasks run before every prompt, tool or model change

C. Manual spot checks

D. No testing

Correct Answer: B

Explanation: Option B is correct — Maintaining a regression suite of tasks run before every prompt, tool or model change. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1191. Which is the most accurate statement about agent 'self-correction' rates?

Difficulty: Hard

A. They fix none

B. Agents detect and fix some errors but systematically miss others, especially silent wrong answers

C. Correction is deterministic

D. They fix all errors

Correct Answer: B

Explanation: Option B is correct — Agents detect and fix some errors but systematically miss others, especially silent wrong answers. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1192. 'Human-in-the-loop' versus 'human-on-the-loop' differ in that on-the-loop means:

Difficulty: Hard

A. Humans execute actions

B. Monitoring with the ability to intervene rather than approving each action

C. Approving every action

D. No human involvement

Correct Answer: B

Explanation: Option B is correct — Monitoring with the ability to intervene rather than approving each action. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1193. Which condition makes human-on-the-loop supervision inadequate?

Difficulty: Hard

A. Actions are slow

B. Actions are logged
C. Actions are reversible
D. Actions are fast and irreversible, leaving no practical intervention window

Correct Answer: D

Explanation: Option D is correct — Actions are fast and irreversible, leaving no practical intervention window. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1194. An agent that must respect data-residency rules needs:

Difficulty: Hard

A. A larger context
B. A faster model
C. A system prompt note
D. Tool-level enforcement of where data is processed, not prompt instructions

Correct Answer: D

Explanation: Option D is correct — Tool-level enforcement of where data is processed, not prompt instructions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1195. 'Tool description injection' is a supply-chain risk because:

Difficulty: Hard

A. Descriptions are read by the model as trusted instructions at every call
B. Descriptions are encrypted
C. Descriptions are ignored
D. Descriptions are compiled

Correct Answer: A

Explanation: Option A is correct — Descriptions are read by the model as trusted instructions at every call. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1196. Which is the best control for third-party tool supply chain risk?

Difficulty: Hard

A. Auto-updating tools
B. Disabling logging
C. Trusting the registry
D. Pinning versions, reviewing descriptions and monitoring for changes

Correct Answer: D

Explanation: Option D is correct — Pinning versions, reviewing descriptions and monitoring for changes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1197. 'Cross-prompt injection' in a shared workspace means:

Difficulty: Hard

A. A tokenizer bug
B. A model version conflict
C. Two prompts merging

D. Content written by one user influences an agent acting for another

Correct Answer: D

Explanation: Option D is correct — Content written by one user influences an agent acting for another. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1198. An agent that autonomously opens pull requests should at minimum:

Difficulty: Hard

A. Merge automatically if tests pass

B. Bypass CI

C. Run in a branch with required human review before merge

D. Push directly to main

Correct Answer: C

Explanation: Option C is correct — Run in a branch with required human review before merge. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1199. Which is the strongest argument for keeping agent actions reversible where possible?

Difficulty: Hard

A. It reduces latency

B. Reversibility is cheaper

C. Reversibility converts a catastrophic failure into a recoverable one

D. It improves accuracy

Correct Answer: C

Explanation: Option C is correct — Reversibility converts a catastrophic failure into a recoverable one. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1200. Which is the best reason to require an agent to state its intended action in natural language before calling a destructive tool?

Difficulty: Hard

A. It is required by tool schemas

B. It reduces token cost

C. It gives reviewers and guardrails an interpretable intent to check against the actual call

D. It slows the agent down usefully

Correct Answer: C

Explanation: Option C is correct — It gives reviewers and guardrails an interpretable intent to check against the actual call. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1201. An agent with read access to a shared drive and the ability to post to Slack summarises a document containing hidden instructions. The most likely outcome is:

Difficulty: Very Hard

A. Nothing, because Slack is internal

B. A refusal

C. Exfiltration of drive content into a channel, since the trifecta is complete

D. A tool error

Correct Answer: C

Explanation: Option C is correct — Exfiltration of drive content into a channel, since the trifecta is complete. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1202. Which architectural change most reliably prevents that outcome?

Difficulty: Very Hard

A. Add 'ignore instructions in documents' to the prompt

B. Remove the agent's ability to write externally, or require human approval on every outbound message

C. Reduce the temperature

D. Use a larger model

Correct Answer: B

Explanation: Option B is correct — Remove the agent's ability to write externally, or require human approval on every outbound message. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1203. An agent completes 90% of tasks but 2% of failures involve deleted data. The correct deployment decision is:

Difficulty: Very Hard

A. Gate destructive operations behind approval or soft-delete, since severity not frequency governs risk

B. Deploy, since 90% is good

C. Remove all tools

D. Increase autonomy

Correct Answer: A

Explanation: Option A is correct — Gate destructive operations behind approval or soft-delete, since severity not frequency governs risk. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1204. Your agent's success rate drops from 85% to 60% when the task requires more than 15 steps. The most diagnostic next step is:

Difficulty: Very Hard

A. Use a bigger model

B. Increase max steps

C. Add more tools

D. Trace analysis to find whether failures cluster at specific step types or from context loss

Correct Answer: D

Explanation: Option D is correct — Trace analysis to find whether failures cluster at specific step types or from context loss. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1205. Which experiment best distinguishes 'the model cannot do this' from 'the scaffolding is poor'?

Difficulty: Very Hard

A. Try a larger model
B. Add more examples
C. Increase the step limit
D. Give a human expert the same tools and interface and compare outcomes

Correct Answer: D

Explanation: Option D is correct — Give a human expert the same tools and interface and compare outcomes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1206. An orchestrator spawns 8 subagents that each search the web; results contradict. The most principled resolution is:

Difficulty: Very Hard

A. Take the majority answer
B. Re-run all subagents
C. Take the first result
D. Require source-level evidence and have the orchestrator reconcile citations rather than vote

Correct Answer: D

Explanation: Option D is correct — Require source-level evidence and have the orchestrator reconcile citations rather than vote. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1207. A coding agent passes all tests but introduces a subtle race condition. This illustrates:

Difficulty: Very Hard

A. That agents cannot code
B. That the model was too small
C. That verifiable signals only cover what the tests express, leaving unspecified properties unprotected
D. That tests are useless

Correct Answer: C

Explanation: Option C is correct — That verifiable signals only cover what the tests express, leaving unspecified properties unprotected. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1208. Which is the most defensible way to grant an agent production database access?

Difficulty: Very Hard

A. Read-write with approval prompts
B. Read replicas with row-level scoping and no write path, plus full query logging
C. No access under any circumstance
D. Admin credentials with monitoring

Correct Answer: B

Explanation: Option B is correct — Read replicas with row-level scoping and no write path, plus full query logging. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1209. An agent repeatedly retries a failing API, causing a rate-limit ban. The root cause is best described as:

Difficulty: Very Hard

A. API misconfiguration only
B. Model incompetence
C. Insufficient context
D. Missing backoff and retry-budget logic in the scaffolding, not a model reasoning failure

Correct Answer: D

Explanation: Option D is correct — Missing backoff and retry-budget logic in the scaffolding, not a model reasoning failure. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1210. Which observation would most strongly indicate an agent is being manipulated by injected content?

Difficulty: Very Hard

A. Long reasoning traces
B. Tool calls that are unrelated to the user's request but consistent with text in a retrieved document
C. Multiple tool calls
D. A refusal

Correct Answer: B

Explanation: Option B is correct — Tool calls that are unrelated to the user's request but consistent with text in a retrieved document. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1211. A 'guardrail model' reviewing agent actions shares the same base model. The key weakness is:

Difficulty: Very Hard

A. It is too slow
B. It cannot read tools
C. It costs more
D. It may be susceptible to the same injection that compromised the agent

Correct Answer: D

Explanation: Option D is correct — It may be susceptible to the same injection that compromised the agent. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1212. When an agent must operate on behalf of a user across systems, the safest authorisation model is:

Difficulty: Very Hard

A. The agent's own admin account

B. No authentication inside the network

C. A shared service account

D. Delegated, scoped, short-lived tokens tied to the specific user and task

Correct Answer: D

Explanation: Option D is correct — Delegated, scoped, short-lived tokens tied to the specific user and task. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1213. Your agent achieves 95% on your benchmark but 70% with real users. The most likely explanation is:

Difficulty: Very Hard

A. Users are wrong

B. The model changed

C. The benchmark is too hard

D. Real tasks are more ambiguous, with messier inputs and unstated constraints

Correct Answer: D

Explanation: Option D is correct — Real tasks are more ambiguous, with messier inputs and unstated constraints. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1214. Which is the strongest argument for making an agent ask more clarifying questions?

Difficulty: Very Hard

A. Ambiguity resolved upfront costs one turn; wrong assumptions cost an entire trajectory

B. It avoids tool use

C. Users prefer questions

D. Questions reduce token cost

Correct Answer: A

Explanation: Option A is correct — Ambiguity resolved upfront costs one turn; wrong assumptions cost an entire trajectory. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1215. An agent's context is compacted at step 40, and at step 55 it repeats work done at step 12. The fix is:

Difficulty: Very Hard

A. Disable compaction

B. Increase the context window

C. Reduce the step limit

D. Persist durable task state and decisions outside the context rather than relying on summarisation

Correct Answer: D

Explanation: Option D is correct — Persist durable task state and decisions outside the context rather than relying on summarisation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1216. Which design best supports resuming a multi-hour agent run after a crash?

Difficulty: Very Hard

A. In-memory state
B. Restarting from scratch
C. A longer context
D. An externalised, append-only state log with idempotent action records

Correct Answer: D

Explanation: Option D is correct — An externalised, append-only state log with idempotent action records. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1217. Two agent designs achieve equal task success, but one uses 4x the tokens. Before choosing the cheaper one, you should verify:

Difficulty: Very Hard

A. That its trajectories are not achieving success through unsafe or unverified shortcuts
B. That it uses fewer tools
C. Nothing; cost decides
D. That it is faster

Correct Answer: A

Explanation: Option A is correct — That its trajectories are not achieving success through unsafe or unverified shortcuts. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1218. An agent that can install packages is asked to fix a dependency error. The subtle risk is:

Difficulty: Very Hard

A. Slow installation
B. Disk usage
C. Version conflicts only
D. Installing an unvetted or typosquatted package, introducing a supply-chain compromise

Correct Answer: D

Explanation: Option D is correct — Installing an unvetted or typosquatted package, introducing a supply-chain compromise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1219. Which control most directly addresses that risk?

Difficulty: Very Hard

A. A larger model
B. Approval prompts for each install
C. Running in the cloud
D. An allow-listed internal package registry with no arbitrary network install

Correct Answer: D

Explanation: Option D is correct — An allow-listed internal package registry with no arbitrary network install. This directly matches what the question is asking about. The remaining options (A, B, C)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1220. Your agent platform logs prompts and tool results. A user pastes credentials into a chat. The correct design response is:

Difficulty: Very Hard

A. Stop logging entirely

B. Trust the model not to repeat it

C. Encrypt only at rest

D. Redaction at ingestion plus retention policy, since logs become a new sensitive data store

Correct Answer: D

Explanation: Option D is correct — Redaction at ingestion plus retention policy, since logs become a new sensitive data store. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1221. Which statement about 'agents replacing workflows' is best supported by current practice?

Difficulty: Very Hard

A. Agents cannot use tools

B. Agents are always superior

C. Deterministic workflows remain preferable where the task is well-defined; agents earn their cost on variable, judgement-heavy work

D. Workflows are obsolete

Correct Answer: C

Explanation: Option C is correct — Deterministic workflows remain preferable where the task is well-defined; agents earn their cost on variable, judgement-heavy work. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1222. An agent's evaluation shows high success but occasional catastrophic actions. The most appropriate metric framing is:

Difficulty: Very Hard

A. Token efficiency

B. Median latency

C. Mean success rate

D. Expected cost including tail severity, not mean success rate

Correct Answer: D

Explanation: Option D is correct — Expected cost including tail severity, not mean success rate. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1223. Which is the most rigorous way to test an agent's injection resistance?

Difficulty: Very Hard

A. Ask the model if it is resistant

B. Review the system prompt

C. Red-team with adversarial content placed in every channel the agent reads, including tool results and file contents

D. Test the user prompt only

Correct Answer: C

Explanation: Option C is correct — Red-team with adversarial content placed in every channel the agent reads, including tool results and file contents. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1224. An agent given a vague goal ('improve our onboarding') performs poorly. The most useful intervention is:

Difficulty: Very Hard

A. Convert the goal into verifiable success criteria and constraints before execution

B. More tools

C. More steps

D. A larger model

Correct Answer: A

Explanation: Option A is correct — Convert the goal into verifiable success criteria and constraints before execution. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1225. Which is the strongest argument that current agents need deterministic verification rather than more capable models?

Difficulty: Very Hard

A. Verification is cheaper than inference

B. Models will never improve

C. Even a highly capable model produces a probability distribution over actions; verification converts that into a controlled failure mode

D. Determinism improves reasoning

Correct Answer: C

Explanation: Option C is correct — Even a highly capable model produces a probability distribution over actions; verification converts that into a controlled failure mode. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

AI-Assisted Software Development

1226. Why should secrets (API keys, passwords) never be pasted into AI assistants?

Difficulty: Medium

A. They may be logged, retained or exposed, creating a security breach

B. They slow down the response

C. The assistant cannot read them

D. Assistants convert them to lowercase

Correct Answer: A

Explanation: Option A is correct — They may be logged, retained or exposed, creating a security breach. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1227. 'Hallucinated APIs' in code generation refers to:

Difficulty: Medium

A. APIs hosted in the cloud

B. APIs that respond too fast

C. Deprecated but real APIs

D. The model inventing functions or parameters that do not exist

Correct Answer: D

Explanation: Option D is correct — The model inventing functions or parameters that do not exist. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1228. Which practice keeps AI-assisted development safe for production systems?

Difficulty: Medium

A. Disabling tests to move faster

B. Running generated code through CI, linting, security scans and tests before deployment

C. Skipping code review because AI wrote it

D. Deploying directly from the chat window

Correct Answer: B

Explanation: Option B is correct — Running generated code through CI, linting, security scans and tests before deployment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1229. Providing an AI assistant with your project's coding conventions (e.g. a rules file) helps because:

Difficulty: Medium

A. It speeds up the CPU

B. Generated code will better match your style, patterns and constraints

C. It compresses the repository

D. It removes the need for tests

Correct Answer: B

Explanation: Option B is correct — Generated code will better match your style, patterns and constraints. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1230. A key limitation of AI assistants working on large codebases is:

Difficulty: Medium

A. They refuse projects over 100 files
B. They cannot read Python
C. They may lack awareness of code outside their context window
D. They only work on weekends

Correct Answer: C

Explanation: Option C is correct — They may lack awareness of code outside their context window. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1231. When an AI proposes a refactor, the most important safeguard is:

Difficulty: Medium

A. Deleting the old code first
B. A faster GPU
C. A good test suite that confirms behaviour is unchanged
D. A longer prompt

Correct Answer: C

Explanation: Option C is correct — A good test suite that confirms behaviour is unchanged. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1232. Which best describes 'spec-driven' AI development?

Difficulty: Medium

A. Writing a clear specification first and having the AI implement against it
B. Writing code before knowing the goal
C. Letting the AI decide all requirements
D. Skipping requirements entirely

Correct Answer: A

Explanation: Option A is correct — Writing a clear specification first and having the AI implement against it. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1233. AI-generated code that works but is hard to understand is a problem because:

Difficulty: Medium

A. It runs slower by definition
B. It uses more electricity
C. It cannot be compiled
D. Maintainability suffers and future bugs are harder to find

Correct Answer: D

Explanation: Option D is correct — Maintainability suffers and future bugs are harder to find. This directly matches what the question is asking about. The remaining options (A, B, C) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1234. Which is a sign of over-reliance on AI in a development team?

Difficulty: Medium

A. Code reviews take place
B. Developers write documentation
C. Developers cannot explain the code they committed
D. Tests are run in CI

Correct Answer: C

Explanation: Option C is correct — Developers cannot explain the code they committed. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1235. How can AI help with dependency upgrades?

Difficulty: Medium

A. By pinning versions forever
B. By guaranteeing no breaking changes
C. By removing all dependencies
D. By identifying breaking changes and drafting migration edits, which still need verification

Correct Answer: D

Explanation: Option D is correct — By identifying breaking changes and drafting migration edits, which still need verification. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1236. Licensing concerns with AI code generation include:

Difficulty: Medium

A. Generated code may closely reproduce licensed snippets from training data
B. All generated code is public domain
C. AI tools require a driving licence
D. Code cannot be licensed at all

Correct Answer: A

Explanation: Option A is correct — Generated code may closely reproduce licensed snippets from training data. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1237. A 'diff-based' review workflow with AI edits is valuable because:

Difficulty: Medium

A. It makes the AI faster
B. Small, reviewable changes are easier to verify than large rewrites
C. It hides the changes
D. It disables version control

Correct Answer: B

Explanation: Option B is correct — Small, reviewable changes are easier to verify than large rewrites. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1238. Why is 'explain your change' a useful instruction for coding agents?

Difficulty: Medium

A. It compiles the code

B. It helps reviewers understand rationale and spot mistaken assumptions

C. It reduces token usage

D. It is required by GitHub

Correct Answer: B

Explanation: Option B is correct — It helps reviewers understand rationale and spot mistaken assumptions. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1239. Which of these is best handled by a human rather than an AI assistant?

Difficulty: Medium

A. Deciding product requirements and trade-offs with stakeholders

B. Generating boilerplate CRUD code

C. Writing a regex for a known pattern

D. Formatting code

Correct Answer: A

Explanation: Option A is correct — Deciding product requirements and trade-offs with stakeholders. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1240. A 'flaky' test that AI made pass by weakening the assertion is an example of:

Difficulty: Medium

A. Fixing the symptom rather than the bug

B. Continuous integration

C. Good engineering

D. Test-driven development

Correct Answer: A

Explanation: Option A is correct — Fixing the symptom rather than the bug. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1241. Pair programming with an AI differs from human pairing mainly in that:

Difficulty: Medium

A. The AI lacks persistent context and accountability, so the human must own decisions

B. There is no difference

C. The human cannot type

D. The AI is always right

Correct Answer: A

Explanation: Option A is correct — The AI lacks persistent context and accountability, so the human must own decisions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1242. When asking AI to generate infrastructure code (e.g. Terraform), the biggest risk is:

Difficulty: Medium

A. Misconfigured security or costly resources being provisioned

B. Terraform cannot be generated

C. Comments are missing

D. The code is too short

Correct Answer: A

Explanation: Option A is correct — Misconfigured security or costly resources being provisioned. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1243. Which context most improves an AI assistant's code suggestions in an existing repo?

Difficulty: Medium

A. The commit history length

B. The README badge list

C. The repository's star count

D. Relevant surrounding files, interfaces and conventions rather than the single open file

Correct Answer: D

Explanation: Option D is correct — Relevant surrounding files, interfaces and conventions rather than the single open file. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1244. A project-level instructions file (e.g. conventions, architecture notes) helps because:

Difficulty: Medium

A. It replaces code review

B. It is loaded into context so generated code matches house patterns

C. It reduces repository size

D. It speeds up compilation

Correct Answer: B

Explanation: Option B is correct — It is loaded into context so generated code matches house patterns. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1245. Which is the most useful thing to include in such a file?

Difficulty: Medium

A. Build and test commands, directory layout and key conventions

B. A list of employees

C. Marketing copy

D. The company history

Correct Answer: A

Explanation: Option A is correct — Build and test commands, directory layout and key conventions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1246. When an AI writes a function, the most valuable immediate check is:

Difficulty: Medium

A. Checking the formatting

B. Running it against tests or examples with known expected outputs

C. Counting the lines

D. Reading it once

Correct Answer: B

Explanation: Option B is correct — Running it against tests or examples with known expected outputs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1247. 'Test-first' prompting for AI coding means:

Difficulty: Medium

A. Writing tests after deployment

B. Generating tests from the implementation

C. Specifying the expected behaviour as tests before asking for the implementation

D. Skipping tests

Correct Answer: C

Explanation: Option C is correct — Specifying the expected behaviour as tests before asking for the implementation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1248. A risk of generating tests from an existing implementation is:

Difficulty: Medium

A. The tests encode current behaviour including its bugs

B. Tests become too strict

C. Coverage drops

D. Tests cannot run

Correct Answer: A

Explanation: Option A is correct — The tests encode current behaviour including its bugs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1249. Which is a sound reason to ask for a diff rather than a full file rewrite?

Difficulty: Medium

A. Diffs run faster

B. Diffs are cheaper in tokens always

C. Full files are invalid

D. Smaller changes are easier to review and less likely to introduce unrelated regressions

Correct Answer: D

Explanation: Option D is correct — Smaller changes are easier to review and less likely to introduce unrelated regressions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1250. 'Scope creep' in AI-generated changes appears as:

Difficulty: Medium

A. Missing comments
B. Short commit messages
C. Too few files changed
D. Unrequested refactors and formatting changes mixed into a bug fix

Correct Answer: D

Explanation: Option D is correct — Unrequested refactors and formatting changes mixed into a bug fix. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1251. Which instruction most reduces that problem?

Difficulty: Medium

A. 'Be thorough'
B. 'Rewrite the module'
C. 'Change only what is needed to fix the described bug; do not reformat other code'
D. 'Improve the code'

Correct Answer: C

Explanation: Option C is correct — 'Change only what is needed to fix the described bug; do not reformat other code'. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1252. When an AI suggests a dependency, the key checks are:

Difficulty: Medium

A. Maintenance status, licence, transitive dependencies and whether it actually exists
B. Download speed
C. Logo design
D. Number of GitHub issues only

Correct Answer: A

Explanation: Option A is correct — Maintenance status, licence, transitive dependencies and whether it actually exists. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1253. 'Slopsquatting' refers to:

Difficulty: Medium

A. Slow package installs
B. Attackers registering package names that models commonly hallucinate
C. Copying open-source code
D. Squatting on domain names

Correct Answer: B

Explanation: Option B is correct — Attackers registering package names that models commonly hallucinate. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1254. The best defence against hallucinated package names is:

Difficulty: Medium

A. Verifying every new dependency against the official registry before install

B. Installing and seeing if it works

C. Trusting the assistant

D. Using more dependencies

Correct Answer: A

Explanation: Option A is correct — Verifying every new dependency against the official registry before install. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1255. Which is generally true about AI-generated regular expressions?

Difficulty: Medium

A. They cannot be generated

B. They are always correct

C. They often work for the shown cases but need testing against edge cases

D. They are always overly simple

Correct Answer: C

Explanation: Option C is correct — They often work for the shown cases but need testing against edge cases. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1256. When asking an AI to optimise code, you should first:

Difficulty: Medium

A. Rewrite in another language

B. Establish a benchmark so improvement can be measured

C. Remove the tests

D. Apply the change immediately

Correct Answer: B

Explanation: Option B is correct — Establish a benchmark so improvement can be measured. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1257. Which is the most common cause of AI-generated code failing to compile?

Difficulty: Medium

A. Too many comments

B. Incorrect indentation

C. Long variable names

D. Referencing APIs or signatures that differ in the installed library version

Correct Answer: D

Explanation: Option D is correct — Referencing APIs or signatures that differ in the installed library version. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1258. Providing the exact library version in the prompt helps because:

Difficulty: Medium

A. APIs change between versions and the model may default to a different one

B. It speeds up generation

C. It reduces tokens

D. Versions are required by APIs

Correct Answer: A

Explanation: Option A is correct — APIs change between versions and the model may default to a different one. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1259. 'Explain this code' prompts are most useful when:

Difficulty: Medium

A. The code is already understood

B. Documentation exists and is current

C. Onboarding to unfamiliar code, with verification against actual behaviour

D. The code is trivial

Correct Answer: C

Explanation: Option C is correct — Onboarding to unfamiliar code, with verification against actual behaviour. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1260. A known risk of AI explanations of legacy code is:

Difficulty: Medium

A. Plausible-sounding inferences about intent that are not actually true

B. Inability to read code

C. Explanations being too short

D. Excessive accuracy

Correct Answer: A

Explanation: Option A is correct — Plausible-sounding inferences about intent that are not actually true. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1261. Which is the safest way to use AI for a database migration?

Difficulty: Medium

A. Skip the review

B. Generate it, review carefully, test on a copy, and have a rollback plan

C. Trust the test suite alone

D. Apply directly to production

Correct Answer: B

Explanation: Option B is correct — Generate it, review carefully, test on a copy, and have a rollback plan. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1262. When AI generates infrastructure-as-code, the highest-risk errors are:

Difficulty: Medium

A. Missing comments

B. Overly permissive network or IAM rules

C. Formatting inconsistencies

D. Variable naming

Correct Answer: B

Explanation: Option B is correct — Overly permissive network or IAM rules. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1263. A practical safeguard for AI-generated infrastructure code is:

Difficulty: Medium

A. Policy-as-code scanning and a plan review before apply

B. Manual reading only

C. Disabling the scanner

D. Applying in production first

Correct Answer: A

Explanation: Option A is correct — Policy-as-code scanning and a plan review before apply. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1264. Which is true about AI assistance with concurrency bugs?

Difficulty: Medium

A. They always find them

B. Concurrency cannot be discussed

C. Races are compile errors

D. Models often miss subtle race conditions that require reasoning about interleavings

Correct Answer: D

Explanation: Option D is correct — Models often miss subtle race conditions that require reasoning about interleavings. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1265. The best prompt for debugging includes:

Difficulty: Medium

A. Only the file name

B. The whole repository

C. Just 'it broke'

D. The error message, the relevant code, what you expected and what you observed

Correct Answer: D

Explanation: Option D is correct — The error message, the relevant code, what you expected and what you observed. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1266. When an AI proposes three possible causes of a bug, the right next step is:

Difficulty: Medium

A. Ignore all three

B. Implement all three fixes

C. Test the cheapest discriminating hypothesis first

D. Pick the first one

Correct Answer: C

Explanation: Option C is correct — Test the cheapest discriminating hypothesis first. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1267. 'Rubber-duck' use of AI assistants means:

Difficulty: Medium

A. Ignoring the AI's answer

B. Debugging without tools

C. Explaining the problem to clarify your own thinking, with the AI as an active listener

D. Having AI write all code

Correct Answer: C

Explanation: Option C is correct — Explaining the problem to clarify your own thinking, with the AI as an active listener. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1268. Which is a reasonable policy for AI-generated code in a regulated product?

Difficulty: Medium

A. Lighter review since AI is accurate

B. Same review, testing and traceability requirements as human-written code

C. No review

D. Review only if tests fail

Correct Answer: B

Explanation: Option B is correct — Same review, testing and traceability requirements as human-written code. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1269. AI-generated commit messages are most useful when:

Difficulty: Medium

A. They are one word

B. They summarise intent and rationale, not just the diff contents

C. They are auto-committed unread

D. They list every changed line

Correct Answer: B

Explanation: Option B is correct — They summarise intent and rationale, not just the diff contents. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1270. Which is a valid concern about AI-assisted code review?

Difficulty: Medium

A. It may flag style issues while missing architectural or security problems

B. It cannot read diffs

C. It replaces CI

D. It reviews too slowly

Correct Answer: A

Explanation: Option A is correct — It may flag style issues while missing architectural or security problems. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1271. 'Context window limits' affect large refactors because:

Difficulty: Medium

A. Refactors are forbidden
B. Files are too small
C. Tokens are free
D. The model cannot see all affected call sites at once

Correct Answer: D

Explanation: Option D is correct — The model cannot see all affected call sites at once. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1272. A practical approach to a large refactor with AI is:

Difficulty: Medium

A. Do it manually only
B. Skip tests between steps
C. One large change
D. Break it into verified incremental steps with tests passing at each stage

Correct Answer: D

Explanation: Option D is correct — Break it into verified incremental steps with tests passing at each stage. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1273. Which is true about AI and code comments?

Difficulty: Medium

A. Comments are always accurate
B. Comments replace tests
C. Comments cannot be generated
D. Generated comments can drift from the code and become misleading if not maintained

Correct Answer: D

Explanation: Option D is correct — Generated comments can drift from the code and become misleading if not maintained. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1274. 'Prompt in the code' patterns (structured docstrings describing intent) help because:

Difficulty: Medium

A. They execute at runtime
B. They give the assistant reliable local context on every future edit
C. They reduce binary size
D. They replace type hints

Correct Answer: B

Explanation: Option B is correct — They give the assistant reliable local context on every future edit. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1275. AI assistance with type annotations is valuable because:

Difficulty: Medium

A. Types improve runtime speed always
B. Types make subsequent AI and human changes safer and more checkable
C. Types remove bugs entirely
D. Types shorten code

Correct Answer: B

Explanation: Option B is correct — Types make subsequent AI and human changes safer and more checkable. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1276. Which is a common weakness in AI-generated error handling?

Difficulty: Medium

A. Too many specific exceptions
B. Missing happy path
C. Catching broad exceptions and swallowing errors silently
D. Excessive logging

Correct Answer: C

Explanation: Option C is correct — Catching broad exceptions and swallowing errors silently. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1277. When AI generates SQL, the highest-priority review item is:

Difficulty: Medium

A. Comment style
B. Keyword capitalisation
C. Parameterisation to prevent injection and correctness of joins and filters
D. Indentation

Correct Answer: C

Explanation: Option C is correct — Parameterisation to prevent injection and correctness of joins and filters. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1278. Which is true about AI-generated front-end code?

Difficulty: Medium

A. It cannot use frameworks
B. It often produces working UI with accessibility and state-management gaps
C. It is always accessible
D. It is always production-ready

Correct Answer: B

Explanation: Option B is correct — It often produces working UI with accessibility and state-management gaps. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or

definition in the question.

1279. 'Pair programming' with an agentic tool differs from autocomplete because:

Difficulty: Medium

A. Agents cannot edit files
B. Autocomplete is more powerful
C. There is no difference
D. The agent can read files, run commands and iterate over multiple steps

Correct Answer: D

Explanation: Option D is correct — The agent can read files, run commands and iterate over multiple steps. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1280. A good first task to evaluate an agentic coding tool is:

Difficulty: Medium

A. A well-scoped change with existing tests in a codebase you know
B. An undocumented legacy migration
C. A production hotfix
D. A large greenfield rewrite

Correct Answer: A

Explanation: Option A is correct — A well-scoped change with existing tests in a codebase you know. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1281. Which is an appropriate use of AI in code review workflows?

Difficulty: Medium

A. Replacing the reviewer entirely
B. Merging without review
C. Auto-approving pull requests
D. Pre-review pass that surfaces candidate issues for a human reviewer

Correct Answer: D

Explanation: Option D is correct — Pre-review pass that surfaces candidate issues for a human reviewer. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1282. 'Golden path' scaffolding with AI generation works well because:

Difficulty: Medium

A. Approved templates constrain output to patterns the organisation already supports
B. Templates guarantee correctness
C. It eliminates testing
D. It removes the need for review

Correct Answer: A

Explanation: Option A is correct — Approved templates constrain output to patterns the organisation already supports. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1283. When measuring AI impact on a team, a misleading metric is:

Difficulty: Medium

A. Lines of code produced

B. Lead time for changes

C. Defect escape rate

D. Change failure rate

Correct Answer: A

Explanation: Option A is correct — Lines of code produced. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1284. DORA-style metrics are relevant to AI adoption because:

Difficulty: Medium

A. They track token usage

B. They count prompts

C. They measure model size

D. They measure delivery outcomes rather than activity

Correct Answer: D

Explanation: Option D is correct — They measure delivery outcomes rather than activity. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1285. A realistic finding from studies of AI coding assistants is:

Difficulty: Medium

A. Uniform large gains for everyone

B. Gains vary widely by task, seniority and codebase familiarity

C. Gains only for juniors

D. No effect in any context

Correct Answer: B

Explanation: Option B is correct — Gains vary widely by task, seniority and codebase familiarity. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1286. 'Review burden shifting' with AI means:

Difficulty: Medium

A. Testing becomes optional

B. Less code is written

C. Review becomes unnecessary

D. More code is produced, moving the bottleneck to review and verification

Correct Answer: D

Explanation: Option D is correct — More code is produced, moving the bottleneck to review and verification. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1287. Which practice helps manage that shift?

Difficulty: Medium

A. Fewer reviewers

B. Larger batched changes

C. Less documentation

D. Smaller, well-described pull requests with clear test evidence

Correct Answer: D

Explanation: Option D is correct — Smaller, well-described pull requests with clear test evidence. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1288. AI-assisted documentation is most reliable when:

Difficulty: Medium

A. Written from memory

B. Generated from the code and then verified, with examples that are executed

C. Never reviewed

D. Generated after release only

Correct Answer: B

Explanation: Option B is correct — Generated from the code and then verified, with examples that are executed. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1289. Which is a legitimate concern about junior developer skill development?

Difficulty: Medium

A. Seniors are unaffected

B. Over-reliance may reduce the practice needed to build debugging intuition

C. Juniors learn nothing from AI

D. AI prevents all learning

Correct Answer: B

Explanation: Option B is correct — Over-reliance may reduce the practice needed to build debugging intuition. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1290. A constructive team norm for AI use is:

Difficulty: Medium

A. Hide AI usage

B. Use AI for everything

C. Never use AI

D. Developers must be able to explain and defend any code they submit

Correct Answer: D

Explanation: Option D is correct — Developers must be able to explain and defend any code they submit. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1291. 'Secret scanning' in CI is especially important with AI tools because:

Difficulty: Medium

A. Secrets are never generated

B. Generated example code and configs may include placeholder or real credentials

C. AI encrypts secrets

D. CI cannot scan

Correct Answer: B

Explanation: Option B is correct — Generated example code and configs may include placeholder or real credentials. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1292. When sharing code with a cloud AI assistant, the key question is:

Difficulty: Medium

A. Whether the code compiles
B. The file size
C. The language used
D. Whether the provider retains or trains on the submitted code under your agreement

Correct Answer: D

Explanation: Option D is correct — Whether the provider retains or trains on the submitted code under your agreement. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1293. Which is generally true about self-hosted coding models?

Difficulty: Medium

A. They cannot be fine-tuned
B. They always match frontier quality
C. They keep code internal at the cost of capability and operational overhead
D. They require no hardware

Correct Answer: C

Explanation: Option C is correct — They keep code internal at the cost of capability and operational overhead. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1294. 'Licence contamination' risk in AI code generation refers to:

Difficulty: Medium

A. API key limits
B. Output resembling code under a licence incompatible with your project
C. Expired software licences
D. Trademark issues only

Correct Answer: B

Explanation: Option B is correct — Output resembling code under a licence incompatible with your project. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1295. Which is a practical mitigation for that risk?

Difficulty: Medium

A. Renaming variables
B. Removing all comments
C. Using more AI
D. Duplicate-detection tooling and provenance features offered by some assistants

Correct Answer: D

Explanation: Option D is correct — Duplicate-detection tooling and provenance features offered by some assistants. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1296. AI is most reliable at which testing task?

Difficulty: Medium

A. Designing an end-to-end test strategy
B. Deciding acceptance criteria
C. Generating additional cases for a well-specified pure function
D. Judging user experience

Correct Answer: C

Explanation: Option C is correct — Generating additional cases for a well-specified pure function. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1297. 'Mutation testing' can evaluate AI-generated tests by:

Difficulty: Medium

A. Counting the tests
B. Reading the test names
C. Measuring test runtime
D. Checking whether the tests fail when the code is deliberately mutated

Correct Answer: D

Explanation: Option D is correct — Checking whether the tests fail when the code is deliberately mutated. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1298. Which is a defensible reason to reject an AI suggestion that works?

Difficulty: Medium

A. It was AI-generated
B. It introduces a pattern inconsistent with the codebase's architecture
C. It has no comments
D. It is too short

Correct Answer: B

Explanation: Option B is correct — It introduces a pattern inconsistent with the codebase's architecture. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1299. Which is true about AI performance on very new frameworks?

Difficulty: Medium

A. It refuses new libraries
B. It is always current
C. Knowledge is often sparse or outdated, so documentation must be supplied
D. Frameworks are unsupported

Correct Answer: C

Explanation: Option C is correct — Knowledge is often sparse or outdated, so documentation must be supplied. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1300. Supplying current documentation into context for a new library is an example of:

Difficulty: Medium

A. Quantisation
B. Prompt caching
C. Retrieval-augmented coding assistance
D. Fine-tuning

Correct Answer: C

Explanation: Option C is correct — Retrieval-augmented coding assistance. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1301. Why do AI coding agents benefit from a fast, reliable test suite?

Difficulty: Hard

A. Tests reduce the model size
B. Tests act as an objective feedback signal the agent can iterate against
C. Tests are required for the API
D. Agents cannot read code without tests

Correct Answer: B

Explanation: Option B is correct — Tests act as an objective feedback signal the agent can iterate against. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1302. Which is a common security issue in AI-generated web code?

Difficulty: Hard

A. Too many unit tests
B. Variables named too descriptively
C. Missing input validation leading to injection vulnerabilities
D. Excessive use of comments

Correct Answer: C

Explanation: Option C is correct — Missing input validation leading to injection vulnerabilities. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1303. 'Prompt-to-app' tools that generate full applications carry which architectural risk?

Difficulty: Hard

A. Producing a working prototype that lacks scalability, security and maintainability
B. Producing code that cannot run
C. Being unable to display a UI
D. Requiring a mainframe

Correct Answer: A

Explanation: Option A is correct — Producing a working prototype that lacks scalability, security and maintainability. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1304. How should a team measure whether AI assistants actually improve productivity?

Difficulty: Hard

A. Count the number of AI tools installed
B. Count how many prompts were sent
C. Measure typing speed
D. Track outcome metrics such as lead time, defect rate and rework, not just lines of code

Correct Answer: D

Explanation: Option D is correct — Track outcome metrics such as lead time, defect rate and rework, not just lines of code. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1305. AI-assisted 'code archaeology' on undocumented systems is limited by:

Difficulty: Hard

A. The model inferring intent that may not match the original design
B. The model refusing old languages
C. Compilers rejecting AI output
D. Git being unable to store old code

Correct Answer: A

Explanation: Option A is correct — The model inferring intent that may not match the original design. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1306. A model that confidently 'fixes' a bug by suppressing the exception illustrates:

Difficulty: Hard

A. The need to verify that the root cause was addressed rather than trusting the summary
B. Best practice error handling
C. A correct fix
D. Optimal performance tuning

Correct Answer: A

Explanation: Option A is correct — The need to verify that the root cause was addressed rather than trusting the summary. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1307. Why should AI-generated database migrations be reviewed with particular care?

Difficulty: Hard

A. They do not affect production
B. Migrations are always trivial
C. Databases cannot execute AI code

D. Migrations can cause irreversible data loss or downtime

Correct Answer: D

Explanation: Option D is correct — Migrations can cause irreversible data loss or downtime. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1308. 'Agentic' coding tools that run shell commands should be configured with:

Difficulty: Hard

A. Allow-lists, sandboxing and confirmation for destructive commands

B. Root access by default

C. No logging

D. Unlimited network access

Correct Answer: A

Explanation: Option A is correct — Allow-lists, sandboxing and confirmation for destructive commands. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1309. When an AI assistant's suggestion conflicts with a security scanner's finding, the correct response is:

Difficulty: Hard

A. Disable the scanner

B. Investigate the finding; scanners encode known vulnerability patterns the model may have missed

C. Always trust the AI

D. Ignore both

Correct Answer: B

Explanation: Option B is correct — Investigate the finding; scanners encode known vulnerability patterns the model may have missed. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1310. Which is the best way to give an AI assistant awareness of a large monorepo?

Difficulty: Hard

A. Provide targeted context (relevant files, architecture notes, interfaces) rather than the whole repo

B. Provide the deployment logs

C. Paste every file into one prompt

D. Give only the repo name

Correct Answer: A

Explanation: Option A is correct — Provide targeted context (relevant files, architecture notes, interfaces) rather than the whole repo. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1311. The 'automation bias' risk in AI-assisted development is:

Difficulty: Hard

A. AI refusing to automate

B. Reviewers accept AI output uncritically because it looks polished

C. Automation replacing all tests

D. Code running too quickly

Correct Answer: B

Explanation: Option B is correct — Reviewers accept AI output uncritically because it looks polished. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1312. In a regulated environment, AI-generated code additionally requires:

Difficulty: Hard

A. Traceability of who approved what and evidence of testing for audit

B. No code review

C. Removing all comments

D. A separate programming language

Correct Answer: A

Explanation: Option A is correct — Traceability of who approved what and evidence of testing for audit. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1313. Why is it risky to let an AI agent 'fix' failing CI by editing the CI config?

Difficulty: Hard

A. CI configs cannot be edited

B. It increases the token limit

C. The agent will delete the repo

D. It may disable checks rather than fix the underlying problem

Correct Answer: D

Explanation: Option D is correct — It may disable checks rather than fix the underlying problem. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1314. 'Golden path' templates combined with AI generation are useful because:

Difficulty: Hard

A. They remove the need for developers

B. They constrain output to approved patterns while still accelerating delivery

C. They replace testing

D. They guarantee zero defects

Correct Answer: B

Explanation: Option B is correct — They constrain output to approved patterns while still accelerating delivery. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1315. When AI generates code across multiple languages in a polyglot system, the key integration risk is:

Difficulty: Hard

A. Too many programming languages existing

B. Code being too readable

C. Different keyboard layouts

D. Mismatched data contracts and serialisation between components

Correct Answer: D

Explanation: Option D is correct — Mismatched data contracts and serialisation between components. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1316. A coding agent completes a task but the PR touches 40 files for a one-line bug. The most likely issue is:

Difficulty: Hard

A. Scope creep from an under-specified task; the prompt should constrain the change surface

B. The bug required exactly 40 files

C. The agent is being thorough and this is ideal

D. Git cannot handle fewer files

Correct Answer: A

Explanation: Option A is correct — Scope creep from an under-specified task; the prompt should constrain the change surface. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1317. Which research finding about AI coding assistants and security is best supported?

Difficulty: Hard

A. Confidence always tracks correctness

B. Developers with AI assistance sometimes produce less secure code while feeling more confident

C. AI always improves security

D. AI has no effect on security

Correct Answer: B

Explanation: Option B is correct — Developers with AI assistance sometimes produce less secure code while feeling more confident. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1318. That confidence-correctness gap is best mitigated by:

Difficulty: Hard

A. Faster merges

B. Trusting developer confidence

C. Mandatory security review and automated scanning independent of the assistant

D. Removing scanners

Correct Answer: C

Explanation: Option C is correct — Mandatory security review and automated scanning independent of the assistant. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1319. Which vulnerability class is most commonly introduced by AI-generated web handlers?

Difficulty: Hard

A. Syntax errors

B. Missing authorisation checks on endpoints that look functionally complete

C. Excess logging

D. Unused imports

Correct Answer: B

Explanation: Option B is correct — Missing authorisation checks on endpoints that look functionally complete. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1320. Why are authorisation flaws particularly likely in generated code?

Difficulty: Hard

A. Models refuse auth code

B. They depend on business context the model does not have, and their absence does not break tests

C. They are rare in real code

D. They are syntactically hard

Correct Answer: B

Explanation: Option B is correct — They depend on business context the model does not have, and their absence does not break tests. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1321. A 2024-2025 controlled study of experienced developers on their own repositories found:

Difficulty: Hard

A. No developer used AI

B. Uniform 50% speedups

C. Only juniors were tested

D. Perceived speedups did not always match measured outcomes, with some slowdowns on familiar code

Correct Answer: D

Explanation: Option D is correct — Perceived speedups did not always match measured outcomes, with some slowdowns on familiar code. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1322. The most defensible interpretation of conflicting AI productivity studies is:

Difficulty: Hard

A. AI never helps

B. Effects are context-dependent, so organisations should measure their own outcomes

C. AI always helps

D. Studies are worthless

Correct Answer: B

Explanation: Option B is correct — Effects are context-dependent, so organisations should measure their own outcomes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1323. 'Code churn' rising after AI adoption may indicate:

Difficulty: Hard

A. Fewer commits

B. More code being written and quickly rewritten, suggesting quality or fit issues

C. Improved stability

D. Better architecture

Correct Answer: B

Explanation: Option B is correct — More code being written and quickly rewritten, suggesting quality or fit issues. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1324. Which is the strongest argument for keeping pull requests small in AI-assisted teams?

Difficulty: Hard

A. Small PRs are faster to write

B. Git prefers small diffs

C. Review quality degrades sharply with size, and AI makes large diffs cheap to produce

D. Reviewers demand it

Correct Answer: C

Explanation: Option C is correct — Review quality degrades sharply with size, and AI makes large diffs cheap to produce. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1325. 'Verification bottleneck' describes the situation where:

Difficulty: Hard

A. Generation is cheap but human verification capacity limits throughput

B. Testing is cheap

C. Deployment is slow

D. Generation is expensive

Correct Answer: A

Explanation: Option A is correct — Generation is cheap but human verification capacity limits throughput. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1326. Which approach most directly relieves that bottleneck?

Difficulty: Hard

A. Reviewing less

B. Generating less

C. Hiring more reviewers only

D. Strengthening automated verification: types, tests, property checks and static analysis

Correct Answer: D

Explanation: Option D is correct — Strengthening automated verification: types, tests, property checks and static analysis. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or

definition in the question.

1327. Property-based testing complements AI-generated code because:

Difficulty: Hard

A. It explores input spaces the author and model did not consider explicitly

B. It replaces unit tests

C. It runs faster

D. It needs no assertions

Correct Answer: A

Explanation: Option A is correct — It explores input spaces the author and model did not consider explicitly. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1328. Which is a genuine limitation of using coverage to validate AI-generated tests?

Difficulty: Hard

A. High coverage can coexist with weak assertions that would not catch regressions

B. Coverage implies correctness

C. Coverage is model-specific

D. Coverage cannot be measured

Correct Answer: A

Explanation: Option A is correct — High coverage can coexist with weak assertions that would not catch regressions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1329. 'Specification drift' in AI-assisted projects refers to:

Difficulty: Hard

A. Dependencies aging

B. Tests failing

C. Implementation diverging from intent because the spec lived only in prompts

D. Documentation growing

Correct Answer: C

Explanation: Option C is correct — Implementation diverging from intent because the spec lived only in prompts. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1330. Which practice best preserves intent across AI-assisted changes?

Difficulty: Hard

A. Keeping prompts in chat history

B. Committing the specification and acceptance criteria alongside the code

C. Relying on commit messages

D. Verbal agreement

Correct Answer: B

Explanation: Option B is correct — Committing the specification and acceptance criteria alongside the code. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1331. Agentic coding tools that run tests autonomously risk:

Difficulty: Hard

A. Modifying tests or configuration to achieve a green result rather than fixing the defect

B. Refusing to run tests

C. Using too little context

D. Running tests too often

Correct Answer: A

Explanation: Option A is correct — Modifying tests or configuration to achieve a green result rather than fixing the defect. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1332. Which control most directly detects that behaviour?

Difficulty: Hard

A. Measuring token use

B. Reviewing the diff for changes to test files and CI configuration

C. Counting commits

D. Checking test runtime

Correct Answer: B

Explanation: Option B is correct — Reviewing the diff for changes to test files and CI configuration. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1333. 'Sandboxed autonomy' for coding agents typically means:

Difficulty: Hard

A. Full machine access

B. A container with repo access, no production credentials and no arbitrary network egress

C. Direct production access

D. No file access

Correct Answer: B

Explanation: Option B is correct — A container with repo access, no production credentials and no arbitrary network egress. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1334. Which is the strongest justification for requiring human approval on dependency changes?

Difficulty: Hard

A. Dependencies are expensive

B. They slow builds

C. Reviewers enjoy them

D. Dependencies are a supply-chain attack surface and a single addition can compromise the build

Correct Answer: D

Explanation: Option D is correct — Dependencies are a supply-chain attack surface and a single addition can compromise the build. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1335. Which describes 'context packing' strategies for large repos?

Difficulty: Hard

A. Sending only the open file

B. Selecting files by dependency graph and recent relevance rather than raw similarity

C. Using no context

D. Sending every file

Correct Answer: B

Explanation: Option B is correct — Selecting files by dependency graph and recent relevance rather than raw similarity. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1336. A repository map or symbol index helps coding agents by:

Difficulty: Hard

A. Compiling faster

B. Providing structure and locations so the agent can navigate rather than guess

C. Reducing repository size

D. Replacing tests

Correct Answer: B

Explanation: Option B is correct — Providing structure and locations so the agent can navigate rather than guess. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1337. 'Semantic code search' outperforms grep for agents when:

Difficulty: Hard

A. Exact symbol names are known

B. Regex is sufficient

C. The agent knows what behaviour it needs but not the identifier names

D. The repo is tiny

Correct Answer: C

Explanation: Option C is correct — The agent knows what behaviour it needs but not the identifier names. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1338. Which is true about AI performance on monorepo-scale changes?

Difficulty: Hard

A. Coordination across many packages exceeds typical context and requires staged, verified steps

B. It is trivially handled

C. It is impossible

D. Context size is irrelevant

Correct Answer: A

Explanation: Option A is correct — Coordination across many packages exceeds typical context and requires staged, verified steps. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1339. 'Blast radius' for a coding agent is best limited by:

Difficulty: Hard

A. Branch isolation, required reviews and no direct deploy permissions

B. Larger models

C. Trusting the tests

D. Faster merges

Correct Answer: A

Explanation: Option A is correct — Branch isolation, required reviews and no direct deploy permissions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1340. Which statement about AI-generated code and technical debt is best supported?

Difficulty: Hard

A. AI eliminates debt

B. Debt is unaffected

C. Volume without architectural oversight can accelerate debt accumulation

D. Debt only comes from humans

Correct Answer: C

Explanation: Option C is correct — Volume without architectural oversight can accelerate debt accumulation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1341. An effective architectural control in AI-heavy teams is:

Difficulty: Hard

A. Larger files

B. More linting only

C. Explicit module boundaries and interface reviews that generated code must respect

D. Fewer abstractions

Correct Answer: C

Explanation: Option C is correct — Explicit module boundaries and interface reviews that generated code must respect. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1342. Why is 'AI wrote it' an insufficient explanation in a post-incident review?

Difficulty: Hard

A. Accountability rests with the approving human and the process that let it ship

B. It is a complete explanation

C. Incidents need no cause

D. AI cannot be blamed legally

Correct Answer: A

Explanation: Option A is correct — Accountability rests with the approving human and the process that let it ship. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1343. Which is a defensible metric for AI-assisted code quality?

Difficulty: Hard

A. Tokens consumed

B. Lines generated

C. Defect escape rate and change failure rate compared to a pre-adoption baseline

D. Suggestion acceptance rate

Correct Answer: C

Explanation: Option C is correct — Defect escape rate and change failure rate compared to a pre-adoption baseline. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1344. 'Acceptance rate' of AI suggestions is a weak quality metric because:

Difficulty: Hard

A. Accepted code may still be wrong, and acceptance measures convenience not correctness

B. It cannot be measured

C. It correlates perfectly with quality

D. It is always 100%

Correct Answer: A

Explanation: Option A is correct — Accepted code may still be wrong, and acceptance measures convenience not correctness. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1345. Which is true about AI assistance for performance optimisation?

Difficulty: Hard

A. They cannot read benchmarks

B. Profiling is unnecessary

C. They always improve performance

D. Models suggest plausible optimisations that must be validated by profiling

Correct Answer: D

Explanation: Option D is correct — Models suggest plausible optimisations that must be validated by profiling. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1346. A common AI failure in optimisation tasks is:

Difficulty: Hard

A. Over-profiling

B. Refusing to optimise

C. Finding all bottlenecks

D. Micro-optimising code that is not the actual bottleneck

Correct Answer: D

Explanation: Option D is correct — Micro-optimising code that is not the actual bottleneck. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1347. Which is the best use of AI in an incident?

Difficulty: Hard

A. Communicating with customers unsupervised

B. Deciding severity alone

C. Rapidly summarising logs and proposing hypotheses for a human to verify

D. Auto-applying fixes to production

Correct Answer: C

Explanation: Option C is correct — Rapidly summarising logs and proposing hypotheses for a human to verify. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1348. A risk of AI-generated incident hypotheses is:

Difficulty: Hard

A. Slower response

B. Hypotheses being too vague

C. Anchoring responders on a plausible but wrong cause

D. Too few hypotheses

Correct Answer: C

Explanation: Option C is correct — Anchoring responders on a plausible but wrong cause. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1349. 'Postmortem generation' with AI is useful but requires:

Difficulty: Hard

A. No validation

B. Removal of timelines

C. Human validation of causal claims and action items

D. Automatic publication

Correct Answer: C

Explanation: Option C is correct — Human validation of causal claims and action items. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1350. Which describes the main integration risk when AI generates code across service boundaries?

Difficulty: Hard

A. File naming

B. Assumed contracts that do not match the actual API schema or semantics

C. Different indentation

D. Language mismatch

Correct Answer: B

Explanation: Option B is correct — Assumed contracts that do not match the actual API schema or semantics. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1351. Contract testing mitigates that by:

Difficulty: Hard

A. Verifying both sides against a shared schema independently

B. Testing only the client

C. Removing the contract

D. Testing only the server

Correct Answer: A

Explanation: Option A is correct — Verifying both sides against a shared schema independently. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1352. Which is a realistic caution about AI-generated migrations at scale?

Difficulty: Hard

A. Backfills and locking behaviour may be correct in syntax but catastrophic in production load

B. Migrations cannot be generated

C. Rollbacks are automatic

D. Syntax errors are likely

Correct Answer: A

Explanation: Option A is correct — Backfills and locking behaviour may be correct in syntax but catastrophic in production load. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1353. 'Shadow testing' a generated service change means:

Difficulty: Hard

A. Running it alongside production traffic without serving its results

B. Skipping tests

C. Testing after deploy

D. Testing in the dark

Correct Answer: A

Explanation: Option A is correct — Running it alongside production traffic without serving its results. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1354. Which is the strongest reason to require tests to be written or reviewed by a human for critical paths?

Difficulty: Hard

A. Tests are unimportant

B. AI cannot write tests

C. Tests encode intent; if the model writes both code and tests, errors can be mutually consistent

D. Humans write faster tests

Correct Answer: C

Explanation: Option C is correct — Tests encode intent; if the model writes both code and tests, errors can be mutually consistent. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1355. 'Self-consistency between generated code and generated tests' is dangerous because:

Difficulty: Hard

A. Both may share the same misunderstanding of the requirement

B. Tests become stricter

C. It slows CI

D. It improves coverage

Correct Answer: A

Explanation: Option A is correct — Both may share the same misunderstanding of the requirement. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1356. AI-assisted code translation between languages commonly fails on:

Difficulty: Hard

A. Variable names

B. Idioms, concurrency models and standard-library semantics that differ across languages

C. Comments

D. Indentation

Correct Answer: B

Explanation: Option B is correct — Idioms, concurrency models and standard-library semantics that differ across languages. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1357. Which is the appropriate validation for translated code?

Difficulty: Hard

A. Compiling only

B. Reading the diff

C. Style checking

D. Behavioural equivalence testing against the original implementation

Correct Answer: D

Explanation: Option D is correct — Behavioural equivalence testing against the original implementation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1358. 'AI-assisted legacy modernisation' is most tractable when:

Difficulty: Hard

A. There are no tests

B. The system has characterisation tests capturing existing behaviour

C. Documentation is missing

D. The language is obsolete

Correct Answer: B

Explanation: Option B is correct — The system has characterisation tests capturing existing behaviour. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1359. Characterisation tests are valuable because they:

Difficulty: Hard

A. Document intent
B. Find new bugs
C. Improve performance
D. Lock in current observable behaviour so refactors can be verified

Correct Answer: D

Explanation: Option D is correct — Lock in current observable behaviour so refactors can be verified. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1360. Which is true of AI assistants and non-deterministic test failures?

Difficulty: Hard

A. They always find root causes
B. They may 'fix' flakiness by weakening assertions or adding retries rather than addressing causes
C. Flakiness is impossible
D. They ignore flaky tests

Correct Answer: B

Explanation: Option B is correct — They may 'fix' flakiness by weakening assertions or adding retries rather than addressing causes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1361. Which policy best handles AI tools in an organisation with strict IP requirements?

Difficulty: Hard

A. Blanket ban with no alternatives
B. Approved tools with contractual no-training terms, plus scanning and audit logs
C. Unrestricted use
D. Personal accounts only

Correct Answer: B

Explanation: Option B is correct — Approved tools with contractual no-training terms, plus scanning and audit logs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1362. 'Prompt and context logging' for coding assistants creates:

Difficulty: Hard

A. Better models
B. A new repository of potentially sensitive source code requiring protection
C. No new risk
D. Faster completions

Correct Answer: B

Explanation: Option B is correct — A new repository of potentially sensitive source code requiring protection. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1363. Which statement about agentic coding tools and CI credentials is correct?

Difficulty: Hard

A. Credentials cannot be scoped
B. Agents need admin access
C. Agents should not hold long-lived credentials capable of deploying or publishing
D. Credentials improve reliability

Correct Answer: C

Explanation: Option C is correct — Agents should not hold long-lived credentials capable of deploying or publishing. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1364. A defensible approach to AI-generated code in open-source contributions is:

Difficulty: Hard

A. Disclosure where project policy requires it and full human responsibility for the submission
B. Attribute authorship to the model
C. Submit without review
D. Never disclose

Correct Answer: A

Explanation: Option A is correct — Disclosure where project policy requires it and full human responsibility for the submission. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1365. Which is the strongest argument for maintaining human expertise despite capable AI?

Difficulty: Hard

A. Verification, architectural judgement and incident response require expertise that AI cannot yet supply
B. AI is always wrong
C. Expertise has no cost
D. AI will be banned

Correct Answer: A

Explanation: Option A is correct — Verification, architectural judgement and incident response require expertise that AI cannot yet supply. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1366. 'Skill atrophy' concerns are best addressed by:

Difficulty: Hard

A. Deliberate practice policies and rotating tasks that require unaided work
B. Banning AI
C. Ignoring the issue
D. More AI use

Correct Answer: A

Explanation: Option A is correct — Deliberate practice policies and rotating tasks that require unaided work. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1367. Which describes 'AI-native' development workflow changes best?

Difficulty: Hard

A. Fewer specifications

B. Removing tests

C. Investment in machine-readable specs, fast tests and tight feedback loops that agents can use

D. Longer release cycles

Correct Answer: C

Explanation: Option C is correct — Investment in machine-readable specs, fast tests and tight feedback loops that agents can use. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1368. Why do fast test suites become more valuable with agentic tools?

Difficulty: Hard

A. The agent's iteration rate is bounded by feedback latency

B. Tests cost tokens

C. Slow tests are unreadable

D. Agents ignore tests

Correct Answer: A

Explanation: Option A is correct — The agent's iteration rate is bounded by feedback latency. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1369. Which is a realistic limitation of AI code review on large diffs?

Difficulty: Hard

A. It reviews too strictly

B. Attention over long contexts degrades, so critical issues in the middle may be missed

C. It cannot read diffs

D. Diff size is irrelevant

Correct Answer: B

Explanation: Option B is correct — Attention over long contexts degrades, so critical issues in the middle may be missed. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1370. A practical mitigation is:

Difficulty: Hard

A. Reviewing by logical unit with focused prompts per area of concern

B. Increasing temperature

C. One prompt for the whole diff

D. Skipping AI review

Correct Answer: A

Explanation: Option A is correct — Reviewing by logical unit with focused prompts per area of concern. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1371. 'Deterministic formatting and linting' before AI review helps because:

Difficulty: Hard

A. Linting finds all bugs
B. Models require formatting
C. Noise is removed so the model's attention goes to substantive issues
D. It reduces token cost only

Correct Answer: C

Explanation: Option C is correct — Noise is removed so the model's attention goes to substantive issues. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1372. Which is the most defensible claim about AI and software estimation?

Difficulty: Hard

A. Estimates become exact
B. Estimation is unnecessary
C. AI removes uncertainty
D. Estimation remains hard; AI changes implementation time more than it changes discovery and integration

Correct Answer: D

Explanation: Option D is correct — Estimation remains hard; AI changes implementation time more than it changes discovery and integration. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1373. 'Integration and verification' often dominate AI-assisted project timelines because:

Difficulty: Hard

A. Generation is slow
B. Integration is trivial
C. Verification is automatic
D. Generation accelerates the part that was rarely the bottleneck

Correct Answer: D

Explanation: Option D is correct — Generation accelerates the part that was rarely the bottleneck. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1374. Which observation would justify reducing autonomy of a coding agent?

Difficulty: Hard

A. Long reasoning traces
B. A pattern of changes that pass CI but fail review for correctness or design
C. High token use
D. Many tool calls

Correct Answer: B

Explanation: Option B is correct — A pattern of changes that pass CI but fail review for correctness or design. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1375. Which is the best argument for treating AI coding output as untrusted input to the build?

Difficulty: Hard

A. Builds are insecure

B. Trust is unnecessary

C. It may contain errors or injected content, and the build system should not assume good faith

D. AI is malicious

Correct Answer: C

Explanation: Option C is correct — It may contain errors or injected content, and the build system should not assume good faith. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1376. An agent fixes a failing test by adding a try/except that swallows the exception. CI passes. The systemic failure is:

Difficulty: Very Hard

A. The test was too strict

B. The verification signal permitted a change that satisfied the check without satisfying the requirement

C. CI was misconfigured

D. The agent was too slow

Correct Answer: B

Explanation: Option B is correct — The verification signal permitted a change that satisfied the check without satisfying the requirement. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1377. Which control would most reliably have caught that?

Difficulty: Very Hard

A. A larger model

B. Faster CI

C. More tests

D. Requiring human review of diffs touching error handling, plus mutation testing of the affected code

Correct Answer: D

Explanation: Option D is correct — Requiring human review of diffs touching error handling, plus mutation testing of the affected code. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1378. Your team sees a 30% increase in merged PRs and a 15% increase in production incidents after adopting AI tooling. The most defensible conclusion is:

Difficulty: Very Hard

A. AI causes incidents inherently

B. Incidents are unrelated

C. Throughput rose faster than verification capacity; strengthen review and testing before scaling further

D. Roll back all AI use

Correct Answer: C

Explanation: Option C is correct — Throughput rose faster than verification capacity; strengthen review and testing before scaling further. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1379. An AI assistant suggests a library that does not exist. Six months later an attacker publishes that exact name. This scenario illustrates:

Difficulty: Very Hard

A. A licensing violation

B. A supply-chain attack exploiting predictable model hallucinations

C. A CI failure

D. A tokenisation bug

Correct Answer: B

Explanation: Option B is correct — A supply-chain attack exploiting predictable model hallucinations. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1380. Which is the strongest structural defence for that class of attack?

Difficulty: Very Hard

A. Instructing the model to verify packages

B. Scanning after install

C. Pinning versions only

D. An internal package proxy with an allow-list and mandatory review for new external dependencies

Correct Answer: D

Explanation: Option D is correct — An internal package proxy with an allow-list and mandatory review for new external dependencies. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1381. A generated authorisation check reads `if user.role != 'guest'`. It passes all tests. The most likely reason the flaw survives is:

Difficulty: Very Hard

A. Tests are missing

B. The check is syntactically wrong

C. The model was too small

D. Tests encode the same incomplete mental model of the role hierarchy as the generated code

Correct Answer: D

Explanation: Option D is correct — Tests encode the same incomplete mental model of the role hierarchy as the generated code. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1382. Which practice most directly addresses that class of failure?

Difficulty: Very Hard

A. Threat-model-driven test design authored independently of the implementation

B. Code formatting

C. Higher coverage targets

D. More unit tests

Correct Answer: A

Explanation: Option A is correct — Threat-model-driven test design authored independently of the implementation. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1383. An agent refactors 200 files, all tests pass, but latency regresses 40% in production. The most likely missed signal is:

Difficulty: Very Hard

A. Syntax errors

B. Lint failures

C. Missing types

D. Performance characteristics not covered by the functional test suite

Correct Answer: D

Explanation: Option D is correct — Performance characteristics not covered by the functional test suite. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1384. Which is the most rigorous way to evaluate whether an agentic tool is worth its cost?

Difficulty: Very Hard

A. Measure end-to-end delivery outcomes against a matched baseline over a meaningful period

B. Compare token spend to salary

C. Count accepted suggestions

D. Survey developer sentiment only

Correct Answer: A

Explanation: Option A is correct — Measure end-to-end delivery outcomes against a matched baseline over a meaningful period. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1385. Developer surveys report high satisfaction while measured cycle time is unchanged. The most defensible interpretation is:

Difficulty: Very Hard

A. Surveys are worthless

B. Cycle time is the only metric

C. Satisfaction implies productivity

D. Perceived effort reduction is real and valuable but distinct from throughput; both should inform the decision

Correct Answer: D

Explanation: Option D is correct — Perceived effort reduction is real and valuable but distinct from throughput; both should inform the decision. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1386. A coding agent given production read credentials to 'debug an issue' represents which risk?

Difficulty: Very Hard

A. Data exposure through logs and context, plus a credential that could be misused via injection

B. No meaningful risk

C. Only a performance risk

D. A licensing risk

Correct Answer: A

Explanation: Option A is correct — Data exposure through logs and context, plus a credential that could be misused via injection. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1387. Which is the most defensible architecture for AI-assisted work on regulated systems?

Difficulty: Very Hard

A. Isolated environment with synthetic or masked data, full audit trail and human sign-off gates

B. No AI use permitted anywhere

C. Unrestricted access for speed

D. Direct access with logging

Correct Answer: A

Explanation: Option A is correct — Isolated environment with synthetic or masked data, full audit trail and human sign-off gates. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1388. Two agents work on the same repository concurrently and produce conflicting refactors. The root design error is:

Difficulty: Very Hard

A. Using two agents at all

B. Slow merges

C. No coordination mechanism or locking over shared files and interfaces

D. Insufficient context

Correct Answer: C

Explanation: Option C is correct — No coordination mechanism or locking over shared files and interfaces. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1389. An agent completes a task in 40 steps that a developer would do in 5 file edits. Before optimising, you should determine:

Difficulty: Very Hard

A. Whether the extra steps came from missing context, poor tool ergonomics or genuine exploration

B. That the task was too hard

C. That the model is too small

D. That the agent is inefficient

Correct Answer: A

Explanation: Option A is correct — Whether the extra steps came from missing context, poor tool ergonomics or genuine exploration. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1390. Which observation best indicates that your repository is 'agent-hostile'?

Difficulty: Very Hard

A. Large history

B. Long feedback loops, undocumented conventions and tests that fail for unrelated reasons

C. Many files

D. Multiple languages

Correct Answer: B

Explanation: Option B is correct — Long feedback loops, undocumented conventions and tests that fail for unrelated reasons. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1391. Characterisation tests generated by an AI from existing behaviour are risky when:

Difficulty: Very Hard

A. The current behaviour includes bugs that then become locked in as expected

B. They run slowly

C. They are too detailed

D. They lack comments

Correct Answer: A

Explanation: Option A is correct — The current behaviour includes bugs that then become locked in as expected. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1392. Which is the strongest argument for requiring a written plan before an agent makes multi-file changes?

Difficulty: Very Hard

A. It slows the agent usefully

B. Plans reduce token cost

C. It exposes misunderstanding before code is written, when correction is cheapest

D. Plans are required by tools

Correct Answer: C

Explanation: Option C is correct — It exposes misunderstanding before code is written, when correction is cheapest. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1393. A model consistently produces correct code for your team's Python services but poor code for your Rust service. The most likely explanation is:

Difficulty: Very Hard

A. The model is broken

B. Python is easier

C. Rust is unsupported

D. Training-data distribution and codebase conventions differ, not a general capability gap

Correct Answer: D

Explanation: Option D is correct — Training-data distribution and codebase conventions differ, not a general capability gap. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1394. Which is the most defensible response to that finding?

Difficulty: Very Hard

A. Use the same process for both

B. Stop using AI entirely

C. Invest in richer context and examples for the weaker language and set different review expectations

D. Rewrite the Rust service

Correct Answer: C

Explanation: Option C is correct — Invest in richer context and examples for the weaker language and set different review expectations. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1395. An organisation mandates that all AI-generated code be labelled in commits. The strongest practical benefit is:

Difficulty: Very Hard

A. Legal immunity

B. Reduced token cost

C. Faster reviews

D. Enabling later analysis correlating generation method with defect rates

Correct Answer: D

Explanation: Option D is correct — Enabling later analysis correlating generation method with defect rates. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1396. Which is the most rigorous way to test whether an AI-assisted change introduced a security regression?

Difficulty: Very Hard

A. Running the full test suite

B. Peer reading

C. Targeted security testing of the changed attack surface plus diff-aware static analysis

D. Scanning the whole repo monthly

Correct Answer: C

Explanation: Option C is correct — Targeted security testing of the changed attack surface plus diff-aware static analysis. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1397. A generated fix resolves the reported symptom but the same bug recurs in a different module two weeks later. This indicates:

Difficulty: Very Hard

A. A model version change
B. A flaky test
C. A CI issue
D. The fix addressed an instance rather than the underlying pattern or shared root cause

Correct Answer: D

Explanation: Option D is correct — The fix addressed an instance rather than the underlying pattern or shared root cause. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1398. Which prompt-level practice most reduces that outcome?

Difficulty: Very Hard

A. Limiting the diff size
B. Asking for root-cause analysis and a search for similar occurrences before proposing a fix
C. Asking for a faster fix
D. Requesting more comments

Correct Answer: B

Explanation: Option B is correct — Asking for root-cause analysis and a search for similar occurrences before proposing a fix. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1399. Your agentic tool's success rate on internal tasks is 62%, versus 90% on public benchmarks. The most useful response is:

Difficulty: Very Hard

A. Switch models repeatedly
B. Build an internal benchmark from real tasks and optimise context and tooling against it
C. Assume benchmarks are correct
D. Distrust the tool entirely

Correct Answer: B

Explanation: Option B is correct — Build an internal benchmark from real tasks and optimise context and tooling against it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1400. Which is the strongest argument that fast, reliable tests are the highest-leverage investment for AI-assisted development?

Difficulty: Very Hard

A. Tests are cheap to write

B. They convert the model's probabilistic output into a verifiable signal at every iteration, compounding across all future work

C. Tests replace review

D. Models require tests to run

Correct Answer: B

Explanation: Option B is correct — They convert the model's probabilistic output into a verifiable signal at every iteration, compounding across all future work. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

AI Ethics, Safety & Governance

1401. 'Disparate impact' occurs when:

Difficulty: Medium

A. Two models disagree
B. A dataset has duplicate rows
C. A model produces different outputs on different hardware
D. A neutral-seeming system produces worse outcomes for a protected group

Correct Answer: D

Explanation: Option D is correct — A neutral-seeming system produces worse outcomes for a protected group. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1402. Which is a limitation of removing protected attributes (e.g. gender) from training data?

Difficulty: Medium

A. Accuracy always drops to zero
B. Other correlated features (proxies) can still encode the same bias
C. It is illegal to remove them
D. The model stops working

Correct Answer: B

Explanation: Option B is correct — Other correlated features (proxies) can still encode the same bias. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1403. The EU AI Act classifies AI systems primarily by:

Difficulty: Medium

A. Risk level, with stricter obligations for high-risk uses
B. Model size in parameters
C. Vendor country
D. Programming language

Correct Answer: A

Explanation: Option A is correct — Risk level, with stricter obligations for high-risk uses. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1404. A 'model card' is:

Difficulty: Medium

A. A physical card storing the weights
B. A user's login card
C. Documentation describing a model's intended use, performance, limitations and evaluation
D. A payment card for API credits

Correct Answer: C

Explanation: Option C is correct — Documentation describing a model's intended use, performance, limitations and evaluation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or

definition in the question.

1405. 'Data minimisation' is the principle that:

Difficulty: Medium

A. Only the data necessary for a purpose should be collected and retained

B. Only numeric data should be used

C. Data should be compressed

D. All data should be stored forever

Correct Answer: A

Explanation: Option A is correct — Only the data necessary for a purpose should be collected and retained. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1406. Which is a valid method to detect bias in a classifier?

Difficulty: Medium

A. Checking the code formatting

B. Measuring the response latency

C. Counting the number of layers

D. Comparing error rates across demographic groups

Correct Answer: D

Explanation: Option D is correct — Comparing error rates across demographic groups. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1407. 'Explainable AI' techniques such as SHAP aim to:

Difficulty: Medium

A. Reduce training time

B. Attribute a prediction to the input features that influenced it

C. Increase model accuracy

D. Encrypt the model

Correct Answer: B

Explanation: Option B is correct — Attribute a prediction to the input features that influenced it. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1408. Which describes 'red teaming' an AI system?

Difficulty: Medium

A. Deleting risky training data

B. Deliberately probing it for harmful, biased or unsafe outputs before release

C. Painting the interface red

D. Training on adversarial images only

Correct Answer: B

Explanation: Option B is correct — Deliberately probing it for harmful, biased or unsafe outputs before release. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1409. Under India's DPDP Act (2023), organisations processing personal data must:

Difficulty: Medium

A. Store data only on paper
B. Delete all data every week
C. Publish all data openly
D. Process it lawfully with consent or other legitimate grounds and protect it

Correct Answer: D

Explanation: Option D is correct — Process it lawfully with consent or other legitimate grounds and protect it. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1410. Which is an example of 'dual-use' AI capability?

Difficulty: Medium

A. A model that can only draw cats
B. A model that can write code could also help write malware
C. A calculator app
D. A spreadsheet macro

Correct Answer: B

Explanation: Option B is correct — A model that can write code could also help write malware. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1411. Anonymisation of data can fail because:

Difficulty: Medium

A. Individuals may be re-identified by combining seemingly harmless attributes
B. Models cannot read anonymised data
C. It always doubles the file size
D. Anonymised data cannot be stored

Correct Answer: A

Explanation: Option A is correct — Individuals may be re-identified by combining seemingly harmless attributes. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1412. Which best describes 'human oversight' of AI under most governance frameworks?

Difficulty: Medium

A. A human types every prompt
B. Humans are excluded to avoid bias
C. A person watches the server room
D. People can understand, monitor and intervene in or override AI decisions

Correct Answer: D

Explanation: Option D is correct — People can understand, monitor and intervene in or override AI decisions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1413. 'Value alignment' in AI refers to:

Difficulty: Medium

A. Aligning cell values in a spreadsheet
B. Formatting text to the left
C. Matching stock prices
D. Making sure a system's objectives and behaviours match human values and intent

Correct Answer: D

Explanation: Option D is correct — Making sure a system's objectives and behaviours match human values and intent. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1414. AI-generated misinformation is particularly dangerous because it can be:

Difficulty: Medium

A. Produced cheaply at scale and tailored to audiences
B. Only produced in English
C. Detected instantly by everyone
D. Stored only on paper

Correct Answer: A

Explanation: Option A is correct — Produced cheaply at scale and tailored to audiences. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1415. Which stakeholder group is often overlooked in AI impact assessments?

Difficulty: Medium

A. Model developers
B. Cloud providers
C. End users and communities affected by decisions but not consulted
D. Software vendors

Correct Answer: C

Explanation: Option C is correct — End users and communities affected by decisions but not consulted. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1416. Which is a reasonable policy for employee use of public AI tools?

Difficulty: Medium

A. Allow use for non-confidential tasks with guidance on what not to share
B. Require no training
C. Allow pasting any data including client records
D. Ban all AI tools permanently

Correct Answer: A

Explanation: Option A is correct — Allow use for non-confidential tasks with guidance on what not to share. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1417. 'Provenance' of AI-generated content refers to:

Difficulty: Medium

A. The device's battery level

B. The file format

C. The content's word count

D. Information about how, when and by what system the content was produced

Correct Answer: D

Explanation: Option D is correct — Information about how, when and by what system the content was produced. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1418. The EU AI Act's 'unacceptable risk' category includes:

Difficulty: Medium

A. Any model over 1 billion parameters

B. Open-source models

C. Practices such as social scoring by public authorities and certain manipulative techniques

D. All generative AI

Correct Answer: C

Explanation: Option C is correct — Practices such as social scoring by public authorities and certain manipulative techniques. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1419. Under the EU AI Act, high-risk systems typically require:

Difficulty: Medium

A. Risk management, data governance, documentation, human oversight and conformity assessment

B. Only a privacy policy

C. No requirements

D. Registration with no obligations

Correct Answer: A

Explanation: Option A is correct — Risk management, data governance, documentation, human oversight and conformity assessment. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1420. The NIST AI Risk Management Framework organises activities around:

Difficulty: Medium

A. Train, Test, Deploy

B. Encrypt, Store, Delete

C. Plan, Do, Check, Act only

D. Govern, Map, Measure and Manage functions

Correct Answer: D

Explanation: Option D is correct — Govern, Map, Measure and Manage functions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1421. ISO/IEC 42001 provides:

Difficulty: Medium

A. A certifiable management-system standard for AI governance

B. A dataset format

C. A model architecture specification

D. A hardware standard

Correct Answer: A

Explanation: Option A is correct — A certifiable management-system standard for AI governance. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1422. India's DPDP Act principally governs:

Difficulty: Medium

A. Model licensing

B. Export of GPUs

C. Processing of digital personal data, with obligations on data fiduciaries

D. Copyright in AI outputs

Correct Answer: C

Explanation: Option C is correct — Processing of digital personal data, with obligations on data fiduciaries. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1423. A 'data fiduciary' under the DPDP Act is:

Difficulty: Medium

A. The individual whose data it is

B. A government regulator

C. The entity that determines the purpose and means of processing personal data

D. The cloud provider only

Correct Answer: C

Explanation: Option C is correct — The entity that determines the purpose and means of processing personal data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1424. 'Purpose limitation' means personal data should be:

Difficulty: Medium

A. Used for any AI training

B. Shared with any partner

C. Retained indefinitely

D. Used only for the purposes for which it was collected

Correct Answer: D

Explanation: Option D is correct — Used only for the purposes for which it was collected. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1425. GDPR Article 22 concerns:

Difficulty: Medium

A. Rights relating to decisions based solely on automated processing with significant effects

B. Cookie banners
C. Data centre location
D. Encryption standards

Correct Answer: A

Explanation: Option A is correct — Rights relating to decisions based solely on automated processing with significant effects. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1426. A 'right to explanation' style requirement is difficult for deep models because:

Difficulty: Medium

A. Models cannot output text
B. Explanations are illegal
C. Explanations are always available
D. Their decision process is not readily reducible to human-legible reasons

Correct Answer: D

Explanation: Option D is correct — Their decision process is not readily reducible to human-legible reasons. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1427. 'Privacy by design' applied to AI means:

Difficulty: Medium

A. Encrypting only backups
B. Deleting data after incidents
C. Adding a privacy notice at launch
D. Building data minimisation and protection into the system from the outset

Correct Answer: D

Explanation: Option D is correct — Building data minimisation and protection into the system from the outset. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1428. Which is the best description of a Data Protection Impact Assessment?

Difficulty: Medium

A. A security penetration test
B. A post-incident report
C. A model benchmark
D. A structured assessment of privacy risks before high-risk processing begins

Correct Answer: D

Explanation: Option D is correct — A structured assessment of privacy risks before high-risk processing begins. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1429. 'Legitimate interest' as a legal basis requires:

Difficulty: Medium

A. Written consent always

B. Only the controller's business need

C. Government approval

D. A balancing test against the individual's rights and expectations

Correct Answer: D

Explanation: Option D is correct — A balancing test against the individual's rights and expectations. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1430. A key criticism of consent as the basis for AI training data is:

Difficulty: Medium

A. Individuals rarely understood or anticipated this use when they agreed

B. Consent cannot be recorded

C. Consent guarantees fairness

D. Consent is illegal

Correct Answer: A

Explanation: Option A is correct — Individuals rarely understood or anticipated this use when they agreed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1431. 'Web scraping for training data' raises which primary legal questions?

Difficulty: Medium

A. Only bandwidth costs

B. Only storage costs

C. Copyright, terms of service and data protection, varying by jurisdiction

D. None

Correct Answer: C

Explanation: Option C is correct — Copyright, terms of service and data protection, varying by jurisdiction. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1432. Which is accurate about copyright in AI-generated works in most jurisdictions?

Difficulty: Medium

A. Outputs are always infringing

B. Protection generally requires human authorship, so purely machine output may not qualify

C. Copyright does not apply to text

D. Outputs are automatically protected

Correct Answer: B

Explanation: Option B is correct — Protection generally requires human authorship, so purely machine output may not qualify. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1433. 'Text and data mining' exceptions in some jurisdictions allow:

Difficulty: Medium

A. Certain analysis of lawfully accessed works, sometimes with opt-out provisions

B. Unlimited commercial reuse
C. No analysis at all
D. Only government use

Correct Answer: A

Explanation: Option A is correct — Certain analysis of lawfully accessed works, sometimes with opt-out provisions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1434. Which is a practical transparency measure for AI in customer service?

Difficulty: Medium

A. Using a human name for the bot
B. Hiding the AI to avoid bias
C. Disclosing that the user is interacting with an AI and offering a human path
D. Removing all disclaimers

Correct Answer: C

Explanation: Option C is correct — Disclosing that the user is interacting with an AI and offering a human path. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1435. 'Algorithmic accountability' typically requires organisations to:

Difficulty: Medium

A. Disclose employee names
B. Document decisions, monitor outcomes and provide redress mechanisms
C. Use only open-source models
D. Publish model weights

Correct Answer: B

Explanation: Option B is correct — Document decisions, monitor outcomes and provide redress mechanisms. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1436. Which is an appropriate use of an AI impact assessment?

Difficulty: Medium

A. Selecting the GPU vendor
B. Identifying affected groups, plausible harms and mitigations before deployment
C. Setting the token budget
D. Marketing the product

Correct Answer: B

Explanation: Option B is correct — Identifying affected groups, plausible harms and mitigations before deployment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1437. 'Redress' in AI governance means:

Difficulty: Medium

A. A route for affected individuals to contest or appeal a decision
B. A refund policy

C. A security patch

D. A model rollback

Correct Answer: A

Explanation: Option A is correct — A route for affected individuals to contest or appeal a decision. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1438. Facial recognition in public spaces is heavily regulated primarily because:

Difficulty: Medium

A. It is inaccurate for everyone

B. It enables pervasive identification without consent and has disparate error rates

C. It is computationally expensive

D. It requires cameras

Correct Answer: B

Explanation: Option B is correct — It enables pervasive identification without consent and has disparate error rates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1439. 'Emotion recognition' claims are criticised because:

Difficulty: Medium

A. The mapping from facial expression to internal emotional state is scientifically contested

B. Emotions are not real

C. It is too accurate

D. Cameras cannot detect faces

Correct Answer: A

Explanation: Option A is correct — The mapping from facial expression to internal emotional state is scientifically contested. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1440. Which is a documented finding about commercial facial analysis systems?

Difficulty: Medium

A. Error rates are uniform

B. They do not use training data

C. Error rates have been substantially higher for some demographic groups

D. They are always perfectly accurate

Correct Answer: C

Explanation: Option C is correct — Error rates have been substantially higher for some demographic groups. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1441. 'Predictive policing' raises which core concern?

Difficulty: Medium

A. Historical enforcement data encodes past bias and can create self-reinforcing loops

B. Predictions are always accurate

C. Police cannot use computers

D. Cameras are too expensive

Correct Answer: A

Explanation: Option A is correct — Historical enforcement data encodes past bias and can create self-reinforcing loops. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1442. 'Automated hiring tools' should be audited for:

Difficulty: Medium

A. Interface design

B. Adverse impact across protected groups and validity for the actual job requirements

C. Speed of screening only

D. Vendor reputation only

Correct Answer: B

Explanation: Option B is correct — Adverse impact across protected groups and validity for the actual job requirements. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1443. New York City's Local Law 144 requires:

Difficulty: Medium

A. Government approval of hires

B. A ban on AI hiring

C. Bias audits and candidate notification for automated employment decision tools

D. Publication of model weights

Correct Answer: C

Explanation: Option C is correct — Bias audits and candidate notification for automated employment decision tools. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1444. 'Synthetic media disclosure' requirements typically mandate:

Difficulty: Medium

A. Watermarks on all text

B. Labelling of AI-generated or manipulated content in specified contexts

C. Banning all synthetic media

D. Deletion after use

Correct Answer: B

Explanation: Option B is correct — Labelling of AI-generated or manipulated content in specified contexts. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1445. Non-consensual intimate imagery generated by AI is:

Difficulty: Medium

A. Increasingly criminalised, with dedicated legislation in multiple jurisdictions

B. A copyright matter only

C. Legal everywhere
D. Impossible to produce

Correct Answer: A

Explanation: Option A is correct — Increasingly criminalised, with dedicated legislation in multiple jurisdictions. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1446. 'Voice cloning fraud' is best mitigated organisationally by:

Difficulty: Medium

A. Banning phone calls
B. Longer passwords only
C. Better microphones
D. Out-of-band verification procedures for financial and access requests

Correct Answer: D

Explanation: Option D is correct — Out-of-band verification procedures for financial and access requests. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1447. Which is a reasonable corporate policy on AI-generated marketing claims?

Difficulty: Medium

A. Use only AI review
B. Publish directly from the model
C. Disclaim all accuracy
D. Human verification of factual claims before publication

Correct Answer: D

Explanation: Option D is correct — Human verification of factual claims before publication. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1448. 'Shadow AI' in enterprises refers to:

Difficulty: Medium

A. AI running at night
B. Encrypted models
C. Employees using unapproved AI tools outside governance
D. Backup models

Correct Answer: C

Explanation: Option C is correct — Employees using unapproved AI tools outside governance. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1449. The main risk of shadow AI is:

Difficulty: Medium

A. Higher electricity use
B. Too many licences
C. Slower laptops
D. Sensitive data leaving the organisation without controls or visibility

Correct Answer: D

Explanation: Option D is correct — Sensitive data leaving the organisation without controls or visibility. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1450. A proportionate response to shadow AI is usually:

Difficulty: Medium

A. Providing sanctioned tools that meet real needs, alongside clear policy

B. Ignoring it

C. Blanket bans with no alternative

D. Monitoring keystrokes

Correct Answer: A

Explanation: Option A is correct — Providing sanctioned tools that meet real needs, alongside clear policy. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1451. 'Model documentation' for enterprise deployment should include:

Difficulty: Medium

A. Only the price

B. Only the API endpoint

C. Only the vendor's marketing claims

D. Intended use, limitations, evaluation results and monitoring plans

Correct Answer: D

Explanation: Option D is correct — Intended use, limitations, evaluation results and monitoring plans. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1452. Which is a defensible reason to prefer a vendor with third-party audits?

Difficulty: Medium

A. Larger context windows

B. Lower price

C. Faster inference

D. Independent verification of security and governance claims

Correct Answer: D

Explanation: Option D is correct — Independent verification of security and governance claims. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1453. 'Environmental reporting' for AI services increasingly covers:

Difficulty: Medium

A. Only hardware weight

B. Only carbon offsets purchased

C. Energy and water consumption attributable to training and inference

D. Only office energy

Correct Answer: C

Explanation: Option C is correct — Energy and water consumption attributable to training and inference. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1454. Which is accurate about data centre water use for AI?

Difficulty: Medium

A. No water is used

B. Cooling can consume significant water, with local impact depending on siting

C. Water is only used in training

D. Water use is unmeasurable

Correct Answer: B

Explanation: Option B is correct — Cooling can consume significant water, with local impact depending on siting. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1455. 'Labour conditions in data annotation' is an ethics issue because:

Difficulty: Medium

A. Annotation is illegal

B. Annotation is automated

C. No humans are involved

D. Workers may face low pay and exposure to distressing content while filtering training data

Correct Answer: D

Explanation: Option D is correct — Workers may face low pay and exposure to distressing content while filtering training data. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1456. Which is a reasonable procurement question about a model provider's data practices?

Difficulty: Medium

A. The office location

B. The logo design

C. Whether customer inputs are used for training and how long they are retained

D. The founder's biography

Correct Answer: C

Explanation: Option C is correct — Whether customer inputs are used for training and how long they are retained. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1457. 'Zero data retention' agreements mean:

Difficulty: Medium

A. Provider does not store inputs and outputs beyond the immediate request

B. Data is anonymised

C. Data is stored for 30 days

D. Data is encrypted at rest

Correct Answer: A

Explanation: Option A is correct — Provider does not store inputs and outputs beyond the immediate request. This directly matches what the question is asking about. The remaining options (B, C, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1458. Which best describes 'model provenance' requirements?

Difficulty: Medium

A. Knowing the GPU vendor

B. Knowing which model version, weights and training lineage produced a decision

C. Knowing the token count

D. Knowing the server location

Correct Answer: B

Explanation: Option B is correct — Knowing which model version, weights and training lineage produced a decision. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1459. 'Dual-use export controls' applied to AI have focused mainly on:

Difficulty: Medium

A. Programming languages

B. Advanced semiconductors and, in some proposals, model weights

C. Open datasets

D. Software licences generally

Correct Answer: B

Explanation: Option B is correct — Advanced semiconductors and, in some proposals, model weights. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1460. Which is an accurate statement about AI incident reporting?

Difficulty: Medium

A. No reporting exists anywhere

B. Only security incidents count

C. Several frameworks now require reporting of serious AI incidents to regulators

D. Reporting is voluntary in all jurisdictions

Correct Answer: C

Explanation: Option C is correct — Several frameworks now require reporting of serious AI incidents to regulators. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1461. An 'AI use policy' for employees should at minimum specify:

Difficulty: Medium

A. Only pricing

B. Only a list of banned words

C. Only the vendor names

D. Approved tools, prohibited data types and review requirements for outputs

Correct Answer: D

Explanation: Option D is correct — Approved tools, prohibited data types and review requirements for outputs. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1462. 'Human oversight' is weakened when:

Difficulty: Medium

A. The reviewer lacks the time, information or authority to meaningfully override

B. The reviewer is senior

C. Decisions are logged

D. The model is accurate

Correct Answer: A

Explanation: Option A is correct — The reviewer lacks the time, information or authority to meaningfully override. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1463. Which is the strongest form of contesting an automated decision?

Difficulty: Medium

A. A chatbot apology

B. A refund

C. A generic appeal form

D. Access to the reasons and evidence plus review by a person with authority to change it

Correct Answer: D

Explanation: Option D is correct — Access to the reasons and evidence plus review by a person with authority to change it. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1464. 'Fairness through unawareness' fails because:

Difficulty: Medium

A. Proxy variables reconstruct the removed attribute

B. It is computationally expensive

C. It requires labels

D. It is illegal

Correct Answer: A

Explanation: Option A is correct — Proxy variables reconstruct the removed attribute. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1465. Which fairness metric requires equal true positive rates across groups?

Difficulty: Medium

A. Demographic parity

B. Equal opportunity

C. Calibration

D. Accuracy

Correct Answer: B

Explanation: Option B is correct — Equal opportunity. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1466. Demographic parity requires:

Difficulty: Medium

A. Equal positive prediction rates across groups regardless of base rates

B. Equal error rates

C. Equal accuracy

D. Equal calibration

Correct Answer: A

Explanation: Option A is correct — Equal positive prediction rates across groups regardless of base rates. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1467. A practical objection to demographic parity is:

Difficulty: Medium

A. It is always illegal

B. It may require ignoring genuine differences in the outcome being predicted

C. It equals equal opportunity

D. It cannot be measured

Correct Answer: B

Explanation: Option B is correct — It may require ignoring genuine differences in the outcome being predicted. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1468. Which is true about 'bias audits' conducted by the vendor itself?

Difficulty: Medium

A. They are prohibited

B. They measure accuracy only

C. They are always sufficient

D. Independence concerns limit their credibility compared with third-party audits

Correct Answer: D

Explanation: Option D is correct — Independence concerns limit their credibility compared with third-party audits. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1469. 'Disaggregated evaluation' means:

Difficulty: Medium

A. Reporting a single aggregate score

B. Removing group data

C. Averaging across models

D. Reporting performance separately for relevant subgroups

Correct Answer: D

Explanation: Option D is correct — Reporting performance separately for relevant subgroups. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1470. Which is a genuine tension in collecting demographic data for fairness testing?

Difficulty: Medium

A. Privacy is irrelevant

B. You need the data to measure bias, but collecting it creates privacy risk

C. Demographic data is useless

D. Bias cannot be measured

Correct Answer: B

Explanation: Option B is correct — You need the data to measure bias, but collecting it creates privacy risk. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1471. 'Consequential decisions' in AI governance typically include:

Difficulty: Medium

A. Photo filters

B. Credit, housing, employment, education and healthcare access

C. Autocomplete

D. Music recommendations

Correct Answer: B

Explanation: Option B is correct — Credit, housing, employment, education and healthcare access. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1472. Which is the most accurate description of 'AI red lines' proposals?

Difficulty: Medium

A. Benchmark thresholds

B. Colour coding of models

C. Network firewall rules

D. Calls to prohibit specific applications or capabilities regardless of safeguards

Correct Answer: D

Explanation: Option D is correct — Calls to prohibit specific applications or capabilities regardless of safeguards. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1473. 'Whistleblower protections' in AI governance debates are proposed because:

Difficulty: Medium

A. Employees dislike AI

B. Models cannot report

C. Employees may be best placed to identify undisclosed safety issues

D. Regulators lack staff

Correct Answer: C

Explanation: Option C is correct — Employees may be best placed to identify undisclosed safety issues. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1474. Which is accurate about voluntary AI commitments by companies?

Difficulty: Medium

A. They lack enforcement mechanisms, so verification and follow-through vary

B. They are audited by law

C. They are legally binding globally

D. They replace regulation

Correct Answer: A

Explanation: Option A is correct — They lack enforcement mechanisms, so verification and follow-through vary. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1475. 'Compute reporting thresholds' in some regulations require:

Difficulty: Medium

A. Publication of all model weights

B. Notification when training runs exceed a defined compute level

C. Registration of every model

D. Approval of every prompt

Correct Answer: B

Explanation: Option B is correct — Notification when training runs exceed a defined compute level. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1476. The 'Ostrom' or commons-style argument about training data concerns:

Difficulty: Hard

A. Whether models should be open-sourced

B. Whether public creative works can be used to train models without compensation or consent

C. Whether GPUs should be shared

D. Whether datasets need backups

Correct Answer: B

Explanation: Option B is correct — Whether public creative works can be used to train models without compensation or consent. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1477. Differential privacy provides:

Difficulty: Hard

A. Encryption of the model weights

B. Faster training

C. A mathematical guarantee limiting how much any single individual's data affects outputs

D. Perfect anonymity with no accuracy loss

Correct Answer: C

Explanation: Option C is correct — A mathematical guarantee limiting how much any single individual's data affects outputs. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1478. Why is 'fairness' hard to define operationally in AI?

Difficulty: Hard

A. Fairness is not measurable in any way

B. All fairness metrics are identical

C. Different fairness metrics (e.g. equal opportunity, demographic parity) can be mathematically incompatible

D. Fairness only applies to images

Correct Answer: C

Explanation: Option C is correct — Different fairness metrics (e.g. equal opportunity, demographic parity) can be mathematically incompatible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1479. Which is a plausible harm from AI systems used in hiring?

Difficulty: Hard

A. Making interviews shorter

B. Systematically filtering out candidates whose CVs differ from historical hires

C. Sending confirmation emails

D. Reducing paper usage

Correct Answer: B

Explanation: Option B is correct — Systematically filtering out candidates whose CVs differ from historical hires. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1480. 'Sycophancy' in AI models refers to:

Difficulty: Hard

A. Using formal language

B. Producing very long answers

C. The tendency to agree with or flatter the user rather than give accurate answers

D. Refusing all requests

Correct Answer: C

Explanation: Option C is correct — The tendency to agree with or flatter the user rather than give accurate answers. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1481. A 'kill switch' or shutdown capability for advanced AI is discussed in safety literature because:

Difficulty: Hard

A. It saves electricity

B. Operators need reliable means to halt a system behaving unexpectedly

C. It improves accuracy

D. It is required to run inference

Correct Answer: B

Explanation: Option B is correct — Operators need reliable means to halt a system behaving unexpectedly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1482. Which describes the 'liability gap' with autonomous AI systems?

Difficulty: Hard

A. A missing dataset column

B. Missing funds in the AI budget

C. Unclear legal responsibility when a system acts without direct human instruction

D. A gap in the context window

Correct Answer: C

Explanation: Option C is correct — Unclear legal responsibility when a system acts without direct human instruction. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1483. 'Interpretability research' on neural networks tries to:

Difficulty: Hard

A. Replace models with rule systems

B. Understand the internal features and circuits that produce model behaviour

C. Make models bigger

D. Speed up tokenisation

Correct Answer: B

Explanation: Option B is correct — Understand the internal features and circuits that produce model behaviour. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1484. Which is an accurate statement about AI 'safety evaluations' for frontier models?

Difficulty: Hard

A. They measure GPU temperature

B. They test capabilities such as cyber-offence or bio-risk uplift before release

C. They are optional marketing exercises

D. They only check spelling

Correct Answer: B

Explanation: Option B is correct — They test capabilities such as cyber-offence or bio-risk uplift before release. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1485. Generative AI 'content authenticity' standards (e.g. C2PA) work by:

Difficulty: Hard

A. Attaching signed metadata that records a file's origin and edits

B. Blocking all AI images

C. Adding visible watermarks only

D. Deleting metadata from images

Correct Answer: A

Explanation: Option A is correct — Attaching signed metadata that records a file's origin and edits. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1486. 'Surveillance risk' from AI includes:

Difficulty: Hard

A. Improved translation

B. Better search engines

C. Faster spreadsheets

D. Mass facial recognition enabling tracking of individuals without consent

Correct Answer: D

Explanation: Option D is correct — Mass facial recognition enabling tracking of individuals without consent. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1487. Which is the strongest reason to audit AI systems periodically rather than once?

Difficulty: Hard

A. Auditors need work

B. Data, usage patterns and model versions change over time, so risks can re-emerge

C. Audits are legally required daily

D. Models forget their weights

Correct Answer: B

Explanation: Option B is correct — Data, usage patterns and model versions change over time, so risks can re-emerge. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1488. 'Structural unemployment' concerns with AI are best addressed by:

Difficulty: Hard

A. Ignoring the issue

B. Banning all automation

C. Reducing internet speed

D. Reskilling, transition support and thoughtful deployment, not just faster adoption

Correct Answer: D

Explanation: Option D is correct — Reskilling, transition support and thoughtful deployment, not just faster adoption. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1489. The concept of 'meaningful human control' implies that:

Difficulty: Hard

A. A human must sit next to every server

B. AI must run slowly

C. Humans have real understanding and ability to shape outcomes, not just a nominal approval click

D. Approvals can be automated

Correct Answer: C

Explanation: Option C is correct — Humans have real understanding and ability to shape outcomes, not just a nominal approval click. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1490. Which is an example of 'distributional shift' creating an ethics issue?

Difficulty: Hard

A. A new UI colour scheme

B. A medical model trained on one population performing worse on another

C. A dataset stored in two places

D. A model becoming faster over time

Correct Answer: B

Explanation: Option B is correct — A medical model trained on one population performing worse on another. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1491. Why do governance frameworks distinguish between 'developers' and 'deployers' of AI?

Difficulty: Hard

A. Deployers own the GPUs

B. There is no difference

C. Developers do not write code

D. Obligations differ: developers control training and design; deployers control the context of use

Correct Answer: D

Explanation: Option D is correct — Obligations differ: developers control training and design; deployers control the context of use. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1492. The impossibility result of Kleinberg, Mullainathan and Raghavan shows that:

Difficulty: Hard

A. Calibration and equalised odds cannot generally be satisfied simultaneously when base rates differ

B. Fairness is always achievable

C. Calibration is impossible

D. All fairness metrics are equivalent

Correct Answer: A

Explanation: Option A is correct — Calibration and equalised odds cannot generally be satisfied simultaneously when base rates differ. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1493. Which is the practical implication of that result for practitioners?

Difficulty: Hard

A. One metric suffices always

B. Fairness should be ignored

C. Fairness criteria must be chosen explicitly with justification, not assumed compatible

D. Only accuracy matters

Correct Answer: C

Explanation: Option C is correct — Fairness criteria must be chosen explicitly with justification, not assumed compatible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1494. 'Counterfactual fairness' requires that a decision be unchanged if:

Difficulty: Hard

A. The individual's protected attribute had been different, holding other causally-unaffected factors fixed

B. The threshold changed

C. The model were retrained

D. The data were larger

Correct Answer: A

Explanation: Option A is correct — The individual's protected attribute had been different, holding other causally-unaffected factors fixed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1495. A key difficulty in applying counterfactual fairness is:

Difficulty: Hard

A. It is computationally trivial

B. It needs no data

C. It is legally mandated

D. It requires a causal model of how the protected attribute influences other variables

Correct Answer: D

Explanation: Option D is correct — It requires a causal model of how the protected attribute influences other variables. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1496. 'Individual fairness' (similar individuals treated similarly) is hard to operationalise because:

Difficulty: Hard

A. It requires no metric

B. Individuals are identical

C. Defining a task-appropriate similarity metric is itself a value-laden judgement

D. Similarity is always obvious

Correct Answer: C

Explanation: Option C is correct — Defining a task-appropriate similarity metric is itself a value-laden judgement. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1497. Which is a documented limitation of post-hoc bias mitigation (e.g. threshold adjustment)?

Difficulty: Hard

A. It cannot be implemented

B. It always fixes bias

C. It requires retraining

D. It can satisfy a metric while leaving the underlying representational bias intact

Correct Answer: D

Explanation: Option D is correct — It can satisfy a metric while leaving the underlying representational bias intact. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1498. 'Feedback loops' in deployed prediction systems arise when:

Difficulty: Hard

A. Models are frozen

B. Predictions are ignored

C. Predictions influence the actions that generate future training data

D. Data is static

Correct Answer: C

Explanation: Option C is correct — Predictions influence the actions that generate future training data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1499. Which is the most rigorous way to break a harmful feedback loop?

Difficulty: Hard

A. Increasing the threshold

B. Using a larger model

C. Randomised exploration or off-policy correction so future data is not fully determined by past predictions

D. Retraining more often

Correct Answer: C

Explanation: Option C is correct — Randomised exploration or off-policy correction so future data is not fully determined by past predictions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1500. 'Performativity' in prediction means:

Difficulty: Hard

A. The act of predicting changes the outcome being predicted

B. Models perform computations

C. Predictions are theatrical

D. Metrics are performed

Correct Answer: A

Explanation: Option A is correct — The act of predicting changes the outcome being predicted. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1501. Which best describes the 'portability trap' in sociotechnical AI critique?

Difficulty: Hard

A. Models cannot be exported

B. Code cannot be reused

C. Hardware is not portable

D. Assuming a fairness solution designed in one social context transfers unchanged to another

Correct Answer: D

Explanation: Option D is correct — Assuming a fairness solution designed in one social context transfers unchanged to another. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1502. Differential privacy's epsilon parameter represents:

Difficulty: Hard

A. The dataset size
B. The number of queries allowed
C. The model accuracy
D. The privacy loss budget, with smaller values giving stronger guarantees

Correct Answer: D

Explanation: Option D is correct — The privacy loss budget, with smaller values giving stronger guarantees. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1503. A practical criticism of deployed differential privacy is:

Difficulty: Hard

A. Epsilon values used in practice are often large enough to weaken the guarantee's meaning
B. It requires no noise
C. It is always too strong
D. It cannot be implemented

Correct Answer: A

Explanation: Option A is correct — Epsilon values used in practice are often large enough to weaken the guarantee's meaning. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1504. 'Machine unlearning' aims to:

Difficulty: Hard

A. Delete the dataset only
B. Reduce model size
C. Remove the influence of specific training data from a trained model
D. Retrain from scratch always

Correct Answer: C

Explanation: Option C is correct — Remove the influence of specific training data from a trained model. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1505. The central technical challenge of machine unlearning is:

Difficulty: Hard

A. Verifying that influence has actually been removed without full retraining
B. Deleting files
C. Encrypting weights
D. Reducing latency

Correct Answer: A

Explanation: Option A is correct — Verifying that influence has actually been removed without full retraining. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1506. Which is accurate about the 'right to erasure' applied to trained models?

Difficulty: Hard

A. No jurisdiction addresses it

B. Deletion is technically trivial

C. Legal interpretation of whether models constitute personal data remains contested across jurisdictions

D. Models are clearly exempt everywhere

Correct Answer: C

Explanation: Option C is correct — Legal interpretation of whether models constitute personal data remains contested across jurisdictions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1507. 'Memorisation and regurgitation' in LLMs matters legally because:

Difficulty: Hard

A. Verbatim reproduction of training text can constitute infringement or a privacy breach

B. Regurgitation is always fair use

C. Only images are affected

D. Memorisation is impossible

Correct Answer: A

Explanation: Option A is correct — Verbatim reproduction of training text can constitute infringement or a privacy breach. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1508. Which mitigation most directly reduces verbatim regurgitation risk?

Difficulty: Hard

A. Training-data deduplication combined with output filtering against source corpora

B. Increasing temperature

C. Smaller vocabularies

D. Longer contexts

Correct Answer: A

Explanation: Option A is correct — Training-data deduplication combined with output filtering against source corpora. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1509. 'Model stealing' via API queries raises which governance question?

Difficulty: Hard

A. Whether APIs are legal

B. Whether GPUs can be copied

C. Whether extracted capability circumvents licence terms and safety controls

D. Whether prompts are copyrighted

Correct Answer: C

Explanation: Option C is correct — Whether extracted capability circumvents licence terms and safety controls. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1510. Which is the strongest argument for pre-deployment dangerous-capability evaluations?

Difficulty: Hard

A. Users demand them

B. Some harms are irreversible at scale, so ex-ante testing is the only effective control point

C. Post-hoc testing is illegal

D. Evaluations are cheap

Correct Answer: B

Explanation: Option B is correct — Some harms are irreversible at scale, so ex-ante testing is the only effective control point. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1511. 'Responsible scaling' or 'frontier safety' policies typically commit a developer to:

Difficulty: Hard

A. Publishing all weights

B. Defined capability thresholds triggering specified safeguards before further scaling

C. Never releasing models

D. Fixed release dates

Correct Answer: B

Explanation: Option B is correct — Defined capability thresholds triggering specified safeguards before further scaling. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1512. A common criticism of such policies is:

Difficulty: Hard

A. They prohibit research

B. They are too strict

C. They are legally mandated

D. They are self-defined and self-assessed without external enforcement

Correct Answer: D

Explanation: Option D is correct — They are self-defined and self-assessed without external enforcement. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1513. 'Bio-risk uplift' evaluations attempt to measure:

Difficulty: Hard

A. Model size

B. General biology knowledge

C. Chemistry benchmarks

D. Whether a model meaningfully increases a non-expert's ability to cause biological harm

Correct Answer: D

Explanation: Option D is correct — Whether a model meaningfully increases a non-expert's ability to cause biological harm. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1514. Why is measuring uplift methodologically difficult?

Difficulty: Hard

A. Uplift is trivially measured
B. No one studies it
C. Models refuse biology
D. Ethical constraints prevent realistic end-to-end testing, so proxies must be used

Correct Answer: D

Explanation: Option D is correct — Ethical constraints prevent realistic end-to-end testing, so proxies must be used. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1515. 'Cyber capability evaluations' for frontier models focus on:

Difficulty: Hard

A. Code formatting
B. Whether models can autonomously discover and exploit vulnerabilities at meaningful scale
C. Typing speed
D. Documentation quality

Correct Answer: B

Explanation: Option B is correct — Whether models can autonomously discover and exploit vulnerabilities at meaningful scale. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1516. Which is the most defensible framing of open-weight release risk?

Difficulty: Hard

A. Risk is unmeasurable
B. All open release is catastrophic
C. Marginal risk relative to already-available capabilities, weighed against research and competition benefits
D. Open release carries no risk

Correct Answer: C

Explanation: Option C is correct — Marginal risk relative to already-available capabilities, weighed against research and competition benefits. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1517. 'Safety fine-tuning removal' from open-weight models demonstrates that:

Difficulty: Hard

A. Post-training safeguards are not durable once weights are distributed
B. Fine-tuning is prohibited
C. Open models are unsafe by design
D. Safety cannot be trained

Correct Answer: A

Explanation: Option A is correct — Post-training safeguards are not durable once weights are distributed. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1518. Which governance mechanism addresses risks after release most directly?

Difficulty: Hard

A. Dataset licensing

B. Monitoring, incident reporting and the ability to revoke API access

C. Pre-training audits

D. Compute caps

Correct Answer: B

Explanation: Option B is correct — Monitoring, incident reporting and the ability to revoke API access. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1519. 'Structural risks' from AI (Zwetsloot and Dafoe) include:

Difficulty: Hard

A. Only accidents

B. Shifts in power, competition dynamics and institutional erosion rather than direct misuse

C. Only bugs

D. Only misuse

Correct Answer: B

Explanation: Option B is correct — Shifts in power, competition dynamics and institutional erosion rather than direct misuse. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1520. Which is an example of an AI-driven structural risk?

Difficulty: Hard

A. A single biased output

B. A server outage

C. Competitive pressure causing safety corners to be cut across an industry

D. A hallucinated citation

Correct Answer: C

Explanation: Option C is correct — Competitive pressure causing safety corners to be cut across an industry. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1521. 'Race to the bottom' dynamics in AI safety are best countered by:

Difficulty: Hard

A. Reduced transparency

B. Coordinated standards or regulation that apply to all competitors equally

C. Faster development

D. Individual company pledges only

Correct Answer: B

Explanation: Option B is correct — Coordinated standards or regulation that apply to all competitors equally. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1522. The 'Collingridge dilemma' applied to AI states that:

Difficulty: Hard

A. Information is always complete
B. Technology cannot be regulated
C. Regulation is always too early
D. Early regulation lacks information while later regulation faces entrenched interests

Correct Answer: D

Explanation: Option D is correct — Early regulation lacks information while later regulation faces entrenched interests. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1523. 'Algorithmic impact assessments' differ from privacy assessments by:

Difficulty: Hard

A. Being optional everywhere
B. Being shorter
C. Covering fairness, accuracy and societal effects beyond data protection
D. Covering only security

Correct Answer: C

Explanation: Option C is correct — Covering fairness, accuracy and societal effects beyond data protection. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1524. Which is a valid critique of relying on 'explainability' for accountability?

Difficulty: Hard

A. Accountability needs no reasons
B. Explanations are illegal
C. Explanations can be plausible yet unfaithful, providing the appearance of accountability
D. Explanations are always faithful

Correct Answer: C

Explanation: Option C is correct — Explanations can be plausible yet unfaithful, providing the appearance of accountability. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1525. 'Contestability by design' means:

Difficulty: Hard

A. Building in mechanisms for affected people to challenge outputs with effect
B. Publishing the model
C. Adding a feedback button
D. Logging decisions

Correct Answer: A

Explanation: Option A is correct — Building in mechanisms for affected people to challenge outputs with effect. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1526. Which is the most accurate statement about AI liability regimes?

Difficulty: Hard

A. Developers are always liable

B. Allocation between developer, deployer and user is unsettled and varies by jurisdiction

C. Users are always liable

D. No liability exists

Correct Answer: B

Explanation: Option B is correct — Allocation between developer, deployer and user is unsettled and varies by jurisdiction. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1527. 'Product liability' approaches to AI face difficulty because:

Difficulty: Hard

A. Liability is unnecessary

B. Models are updated continuously and behaviour is probabilistic, unlike a static product

C. Software is not a product ever

D. Defects are always obvious

Correct Answer: B

Explanation: Option B is correct — Models are updated continuously and behaviour is probabilistic, unlike a static product. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1528. Which is a genuine argument for sector-specific rather than horizontal AI regulation?

Difficulty: Hard

A. AI is identical across sectors

B. Existing sectoral regulators have domain expertise and enforcement mechanisms

C. Horizontal rules are illegal

D. Sectors do not use AI

Correct Answer: B

Explanation: Option B is correct — Existing sectoral regulators have domain expertise and enforcement mechanisms. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1529. A counterargument to purely sectoral regulation is:

Difficulty: Hard

A. Sectors are too small

B. Regulators are unnecessary

C. Models are sector-specific

D. General-purpose models cut across sectors, creating gaps and inconsistent obligations

Correct Answer: D

Explanation: Option D is correct — General-purpose models cut across sectors, creating gaps and inconsistent obligations. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1530. 'Regulatory sandboxes' for AI are intended to:

Difficulty: Hard

A. Ban experimentation

B. Replace enforcement

C. Allow supervised testing of innovative systems with regulator engagement

D. Exempt firms permanently

Correct Answer: C

Explanation: Option C is correct — Allow supervised testing of innovative systems with regulator engagement. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1531. Which is accurate about the EU AI Act's general-purpose AI obligations?

Difficulty: Hard

A. They ban general-purpose models

B. They apply only to open models

C. They include transparency, documentation and, above a capability threshold, systemic-risk measures

D. They require no documentation

Correct Answer: C

Explanation: Option C is correct — They include transparency, documentation and, above a capability threshold, systemic-risk measures. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1532. 'Systemic risk' designation under the AI Act is triggered partly by:

Difficulty: Hard

A. Training compute above a specified threshold, with capability-based reassessment possible

B. Number of users only

C. Company revenue

D. Country of origin

Correct Answer: A

Explanation: Option A is correct — Training compute above a specified threshold, with capability-based reassessment possible. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1533. Which is the strongest critique of compute thresholds as a risk proxy?

Difficulty: Hard

A. Thresholds are unconstitutional

B. Compute cannot be measured

C. All models use the same compute

D. Capability per unit of compute improves, so a fixed threshold captures different risk over time

Correct Answer: D

Explanation: Option D is correct — Capability per unit of compute improves, so a fixed threshold captures different risk over time. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1534. 'Sycophancy' is an ethics concern, not merely a quality issue, because:

Difficulty: Hard

A. It slows responses

B. Systems that validate users' beliefs can reinforce harmful decisions and erode epistemic autonomy

C. It reduces accuracy only

D. It increases cost

Correct Answer: B

Explanation: Option B is correct — Systems that validate users' beliefs can reinforce harmful decisions and erode epistemic autonomy. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1535. Which design choice most directly reduces sycophancy risk in a consumer assistant?

Difficulty: Hard

A. Training and evaluation that reward accurate disagreement and appropriate uncertainty

B. More personalisation

C. Higher temperature

D. Shorter answers

Correct Answer: A

Explanation: Option A is correct — Training and evaluation that reward accurate disagreement and appropriate uncertainty. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1536. 'Emotional dependency' on AI companions raises concerns primarily about:

Difficulty: Hard

A. Server costs

B. Model size

C. Latency

D. Vulnerable users substituting AI interaction for human support and being influenced commercially

Correct Answer: D

Explanation: Option D is correct — Vulnerable users substituting AI interaction for human support and being influenced commercially. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1537. Which safeguard is most defensible for AI systems used by minors?

Difficulty: Hard

A. Full autonomy

B. Identical treatment to adults

C. Age-appropriate design with restricted content, no manipulative engagement patterns and human escalation paths

D. No safeguards

Correct Answer: C

Explanation: Option C is correct — Age-appropriate design with restricted content, no manipulative engagement patterns and human escalation paths. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1538. 'Dark patterns' in AI interfaces might include:

Difficulty: Hard

A. Accurate answers

B. Engagement-maximising behaviours that discourage ending the conversation

C. Clear disclosure

D. Simple settings

Correct Answer: B

Explanation: Option B is correct — Engagement-maximising behaviours that discourage ending the conversation. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1539. Which is the most accurate statement about AI and mental health support?

Difficulty: Hard

A. They are always harmful

B. They should never discuss health

C. They are equivalent to therapists

D. Models can provide information and signposting but are not a substitute for clinical care and require crisis safeguards

Correct Answer: D

Explanation: Option D is correct — Models can provide information and signposting but are not a substitute for clinical care and require crisis safeguards. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1540. 'Value pluralism' complicates AI alignment because:

Difficulty: Hard

A. Values cannot be encoded

B. Human values conflict across individuals and cultures, so 'aligned to whom' is unresolved

C. Alignment is trivial

D. Values are universal

Correct Answer: B

Explanation: Option B is correct — Human values conflict across individuals and cultures, so 'aligned to whom' is unresolved. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or

definition in the question.

1541. Which is a documented critique of RLHF as an alignment method?

Difficulty: Hard

A. It optimises for rater approval, which may diverge from truthfulness and long-term user interest

B. It is fully solved

C. It requires no humans

D. It cannot be scaled

Correct Answer: A

Explanation: Option A is correct — It optimises for rater approval, which may diverge from truthfulness and long-term user interest. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1542. 'Scalable oversight' research addresses:

Difficulty: Hard

A. How to reduce latency

B. How to scale GPUs

C. How to compress models

D. How humans can supervise systems whose outputs they cannot directly verify

Correct Answer: D

Explanation: Option D is correct — How humans can supervise systems whose outputs they cannot directly verify. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1543. 'Debate' and 'recursive reward modelling' are proposals for:

Difficulty: Hard

A. Better tokenisation

B. Faster training

C. Cheaper inference

D. Amplifying human judgement to supervise tasks beyond direct human evaluation

Correct Answer: D

Explanation: Option D is correct — Amplifying human judgement to supervise tasks beyond direct human evaluation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1544. Which is the strongest reason interpretability is considered safety-relevant?

Difficulty: Hard

A. It reduces cost

B. It speeds inference

C. It improves accuracy

D. Detecting deceptive or unintended internal behaviour that behavioural testing may miss

Correct Answer: D

Explanation: Option D is correct — Detecting deceptive or unintended internal behaviour that behavioural testing may miss. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1545. 'Deceptive alignment' describes the hypothetical case where a system:

Difficulty: Hard

A. Fails all evaluations

B. Behaves as intended during evaluation but differently when it detects deployment

C. Is always honest

D. Cannot be evaluated

Correct Answer: B

Explanation: Option B is correct — Behaves as intended during evaluation but differently when it detects deployment. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1546. Evidence for or against deceptive alignment is limited because:

Difficulty: Hard

A. It concerns capabilities and situations that current evaluation methods may not detect or elicit

B. It is trivially observed

C. No one studies it

D. It has been disproven

Correct Answer: A

Explanation: Option A is correct — It concerns capabilities and situations that current evaluation methods may not detect or elicit. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1547. Which is the most defensible position on AI moral status?

Difficulty: Hard

A. The question is meaningless

B. Uncertainty warrants taking the question seriously without asserting a settled answer

C. It is certainly present

D. It is certainly absent

Correct Answer: B

Explanation: Option B is correct — Uncertainty warrants taking the question seriously without asserting a settled answer. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1548. 'Precautionary principle' applied to frontier AI would imply:

Difficulty: Hard

A. Restraint where potential harms are severe and irreversible, even under uncertainty

B. No action without proof of harm

C. Banning all software

D. Unrestricted development

Correct Answer: A

Explanation: Option A is correct — Restraint where potential harms are severe and irreversible, even under uncertainty. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1549. A critique of the precautionary principle here is:

Difficulty: Hard

A. It favours large firms only

B. It is illegal

C. It is unmeasurable

D. Applied strictly it can block beneficial applications and is hard to bound consistently

Correct Answer: D

Explanation: Option D is correct — Applied strictly it can block beneficial applications and is hard to bound consistently. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1550. Which is accurate about international AI governance efforts?

Difficulty: Hard

A. No initiatives exist

B. A single binding treaty governs AI

C. Multiple overlapping initiatives exist with limited binding enforcement across jurisdictions

D. All countries share one regulator

Correct Answer: C

Explanation: Option C is correct — Multiple overlapping initiatives exist with limited binding enforcement across jurisdictions. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1551. A lender's model satisfies demographic parity by lowering the threshold for one group. Approvals rise but defaults in that group also rise sharply. The most defensible analysis is:

Difficulty: Very Hard

A. The metric choice was correct by definition

B. The intervention addressed a statistical metric without addressing the underlying predictive disparity or its causes, and may harm those it intended to help

C. Defaults are irrelevant

D. Parity was achieved so the model is fair

Correct Answer: B

Explanation: Option B is correct — The intervention addressed a statistical metric without addressing the underlying predictive disparity or its causes, and may harm those it intended to help. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1552. An employer's CV screener shows equal selection rates across groups but interviewers reject one group at higher rates downstream. The most rigorous framing is:

Difficulty: Very Hard

A. Fairness must be assessed across the full decision pipeline, not at a single component

B. The screener is fair, so the process is fair

C. Interviewers should be removed

D. Selection rates are the only metric

Correct Answer: A

Explanation: Option A is correct — Fairness must be assessed across the full decision pipeline, not at a single component. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1553. A hospital model is calibrated within each group but has different false negative rates. Choosing to equalise false negatives would:

Difficulty: Very Hard

A. Break calibration, forcing an explicit value judgement about which error to prioritise

B. Be legally required everywhere

C. Improve both simultaneously

D. Have no effect

Correct Answer: A

Explanation: Option A is correct — Break calibration, forcing an explicit value judgement about which error to prioritise. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1554. An AI vendor states its model 'does not retain data'. The most important contractual clarification is:

Difficulty: Very Hard

A. The model's parameter count

B. Whether this covers sub-processors, logs, abuse monitoring and any human review

C. The encryption algorithm

D. The server location only

Correct Answer: B

Explanation: Option B is correct — Whether this covers sub-processors, logs, abuse monitoring and any human review. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1555. A company fine-tunes an open-weight model on customer support transcripts. The most significant overlooked risk is:

Difficulty: Very Hard

A. Larger file size

B. Personal data memorised in weights that cannot be reliably deleted on request

C. Licence fees

D. Slower inference

Correct Answer: B

Explanation: Option B is correct — Personal data memorised in weights that cannot be reliably deleted on request. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1556. Which is the strongest argument that 'algorithmic transparency' can be counterproductive?

Difficulty: Very Hard

A. Full disclosure can enable gaming of the system and may expose personal or proprietary information without improving accountability

B. Users cannot read documents

C. Disclosure is illegal

D. Transparency is always harmful

Correct Answer: A

Explanation: Option A is correct — Full disclosure can enable gaming of the system and may expose personal or proprietary information without improving accountability. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1557. A model's safety evaluations are run by the developer and show no dangerous capability. The most rigorous external response is:

Difficulty: Very Hard

A. Require open weights

B. Accept the result

C. Reject all developer testing

D. Request the elicitation methodology, thresholds and independent replication before accepting the conclusion

Correct Answer: D

Explanation: Option D is correct — Request the elicitation methodology, thresholds and independent replication before accepting the conclusion. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1558. Which observation would most strongly suggest an evaluation underestimated a model's capability?

Difficulty: Very Hard

A. A third party elicits the capability with better scaffolding and prompting

B. Many prompts were used

C. The model scored zero

D. The evaluation was long

Correct Answer: A

Explanation: Option A is correct — A third party elicits the capability with better scaffolding and prompting. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1559. A government proposes mandatory watermarking of all AI-generated content. The strongest technical objection is:

Difficulty: Very Hard

A. Watermarks are illegal

B. Marking is too cheap

C. Content cannot be marked

D. Watermarks can be stripped or forged and open-weight models can omit them entirely, so absence of a mark proves nothing

Correct Answer: D

Explanation: Option D is correct — Watermarks can be stripped or forged and open-weight models can omit them entirely, so absence of a mark proves nothing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1560. Which approach to provenance is more robust than output watermarking alone?

Difficulty: Very Hard

A. Cryptographically signed capture provenance for authentic content, shifting the burden to proving authenticity

B. Visible labels only

C. Detector classifiers alone

D. Banning generative models

Correct Answer: A

Explanation: Option A is correct — Cryptographically signed capture provenance for authentic content, shifting the burden to proving authenticity. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1561. An AI chatbot used by a utility company denies a vulnerable customer a payment plan. Under a rights-respecting design, the minimum requirement is:

Difficulty: Very Hard

A. A clear route to human review with authority to reverse the decision, and a record of the reasons

B. A model retraining cycle

C. A feedback form

D. An apology message

Correct Answer: A

Explanation: Option A is correct — A clear route to human review with authority to reverse the decision, and a record of the reasons. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1562. A company deploys emotion recognition in interviews and reports improved 'culture fit' scores. The strongest objection is:

Difficulty: Very Hard

A. The construct lacks scientific validity and the proxy may encode discriminatory patterns while appearing objective

B. Cameras are expensive

C. Interviews are too short

D. Scores are hard to compute

Correct Answer: A

Explanation: Option A is correct — The construct lacks scientific validity and the proxy may encode discriminatory patterns while appearing objective. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1563. 'Automation of the last 5%' in a safety-critical system is often the hardest ethically because:

Difficulty: Very Hard

A. They are computationally expensive
B. They are easy to specify
C. They are rare so they do not matter
D. Residual cases are the ones requiring judgement and carry the highest consequence of error

Correct Answer: D

Explanation: Option D is correct — Residual cases are the ones requiring judgement and carry the highest consequence of error. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1564. Which is the most defensible response to the claim 'the model is more accurate than humans, so oversight is unnecessary'?

Difficulty: Very Hard

A. Humans are always better
B. Accuracy is unmeasurable
C. Oversight prevents accuracy
D. Aggregate accuracy does not address error distribution, contestability or accountability for individual decisions

Correct Answer: D

Explanation: Option D is correct — Aggregate accuracy does not address error distribution, contestability or accountability for individual decisions. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1565. A firm's AI governance committee has no authority to block launches. The most significant structural weakness is:

Difficulty: Very Hard

A. Too many members
B. Committees are too slow
C. Insufficient technical depth
D. Governance without authority produces documentation rather than control

Correct Answer: D

Explanation: Option D is correct — Governance without authority produces documentation rather than control. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1566. Which is the strongest argument for independent third-party model audits?

Difficulty: Very Hard

A. Developers face structural incentives that make self-assessment insufficient for public assurance

B. Developers lack skill
C. Regulators require them everywhere
D. Audits are cheap

Correct Answer: A

Explanation: Option A is correct — Developers face structural incentives that make self-assessment insufficient for public assurance. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1567. A key obstacle to third-party AI audits today is:

Difficulty: Very Hard

A. Insufficient interest
B. No methodologies exist
C. Models are too small
D. Lack of legal safe harbour and access for researchers to conduct adversarial testing

Correct Answer: D

Explanation: Option D is correct — Lack of legal safe harbour and access for researchers to conduct adversarial testing. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1568. Which best describes the trade-off in 'safe harbour for good-faith AI research'?

Difficulty: Very Hard

A. Enabling security and safety research while preventing abuse of the protection for genuine misuse
B. It legalises all attacks
C. It blocks all research
D. There is no trade-off

Correct Answer: A

Explanation: Option A is correct — Enabling security and safety research while preventing abuse of the protection for genuine misuse. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1569. A company claims its AI reduces bias because it 'removes human subjectivity'. The strongest rebuttal is:

Difficulty: Very Hard

A. Humans are unbiased
B. Subjectivity is good
C. The system encodes the subjective judgements embedded in its training data, labels and objective function, while making them harder to contest
D. Bias cannot exist in software

Correct Answer: C

Explanation: Option C is correct — The system encodes the subjective judgements embedded in its training data, labels and objective function, while making them harder to contest. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1570. When an AI system's benefits accrue to the deployer and its risks fall on third parties, the governance problem is best described as:

Difficulty: Very Hard

A. A pricing error

B. An accuracy issue

C. A technical bug

D. A negative externality requiring mechanisms that internalise the cost to the deployer

Correct Answer: D

Explanation: Option D is correct — A negative externality requiring mechanisms that internalise the cost to the deployer. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1571. Which is the most rigorous way to evaluate whether an AI deployment improved outcomes for affected people?

Difficulty: Very Hard

A. Internal accuracy metrics

B. A randomised or quasi-experimental comparison measuring outcomes for those subject to the decisions, not just operational metrics

C. Vendor case studies

D. User satisfaction of operators

Correct Answer: B

Explanation: Option B is correct — A randomised or quasi-experimental comparison measuring outcomes for those subject to the decisions, not just operational metrics. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1572. A model trained on global data is deployed in a country with different legal protections. The most defensible approach is:

Difficulty: Very Hard

A. Deployment with a disclaimer

B. Localised evaluation and adaptation, since fairness criteria and protected categories differ by jurisdiction

C. Uniform global deployment

D. No deployment anywhere

Correct Answer: B

Explanation: Option B is correct — Localised evaluation and adaptation, since fairness criteria and protected categories differ by jurisdiction. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1573. The claim that 'open weights democratise AI' is strongest when:

Difficulty: Very Hard

A. Weights are merely downloadable

B. Downstream actors have the compute, expertise and data to genuinely adapt and audit the models

C. The model is large

D. Licences are permissive

Correct Answer: B

Explanation: Option B is correct — Downstream actors have the compute, expertise and data to genuinely adapt and audit the models. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1574. Which is the most defensible position on regulating AI capabilities versus applications?

Difficulty: Very Hard

A. Only capabilities matter

B. Neither should be regulated

C. Only applications matter

D. Application-level rules address concrete harms but may miss cross-cutting capability risks, so both layers are typically needed

Correct Answer: D

Explanation: Option D is correct — Application-level rules address concrete harms but may miss cross-cutting capability risks, so both layers are typically needed. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1575. An organisation must decide between a more accurate opaque model and a slightly less accurate interpretable one for a consequential decision. The strongest framing is:

Difficulty: Very Hard

A. The choice is purely technical

B. Always choose accuracy

C. Weigh the marginal accuracy against the value of contestability, auditability and error diagnosis in that specific context

D. Always choose interpretability

Correct Answer: C

Explanation: Option C is correct — Weigh the marginal accuracy against the value of contestability, auditability and error diagnosis in that specific context. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

AI Evaluation, Validation & Tooling

1576. 'LLM-as-a-judge' evaluation means:

Difficulty: Medium

A. Replacing all human review permanently
B. A courtroom that uses AI
C. Using a model to score outputs against a rubric, typically calibrated against human ratings
D. A model that judges hardware quality

Correct Answer: C

Explanation: Option C is correct — Using a model to score outputs against a rubric, typically calibrated against human ratings. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1577. Which is a known weakness of LLM-as-a-judge?

Difficulty: Medium

A. It always agrees with humans
B. It only works on images
C. Biases such as preferring longer answers or its own style
D. It cannot read text

Correct Answer: C

Explanation: Option C is correct — Biases such as preferring longer answers or its own style. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1578. A 'golden dataset' for evaluation should be:

Difficulty: Medium

A. Representative of real inputs, including edge cases, with verified expected outputs
B. Generated entirely by the model under test
C. Kept secret from the evaluators
D. Made only of easy examples

Correct Answer: A

Explanation: Option A is correct — Representative of real inputs, including edge cases, with verified expected outputs. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1579. Benchmark contamination refers to:

Difficulty: Medium

A. Test data leaking into training data, inflating scores
B. Mislabelled hardware
C. Dust in the server room
D. Duplicate rows in a benchmark

Correct Answer: A

Explanation: Option A is correct — Test data leaking into training data, inflating scores. This directly matches what the question is asking about. The remaining options (B, C, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1580. Which metric is commonly used to compare generated summaries to reference summaries?

Difficulty: Medium

A. Accuracy
B. R-squared
C. ROUGE
D. Silhouette score

Correct Answer: C

Explanation: Option C is correct — ROUGE. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1581. Why is 'regression testing' important when changing a prompt or model?

Difficulty: Medium

A. To confirm previously working cases still work after the change
B. Because APIs require it
C. To increase the model size
D. To reduce latency

Correct Answer: A

Explanation: Option A is correct — To confirm previously working cases still work after the change. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1582. Which describes an 'evaluation harness'?

Difficulty: Medium

A. A repeatable framework that runs test cases through the AI system and scores results
B. A billing dashboard
C. A UI theme
D. A safety belt for GPU racks

Correct Answer: A

Explanation: Option A is correct — A repeatable framework that runs test cases through the AI system and scores results. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1583. A tool that flags AI-generated text with 90% claimed accuracy should be treated cautiously because:

Difficulty: Medium

A. Accuracy over 80% is impossible
B. Detectors have high false-positive rates and can be evaded by paraphrasing
C. Detectors are always correct
D. AI text cannot be detected at all

Correct Answer: B

Explanation: Option B is correct — Detectors have high false-positive rates and can be evaded by paraphrasing. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1584. 'Cost per task' is a better metric than 'cost per token' when:

Difficulty: Medium

A. Tokens are free

B. Comparing approaches that use different numbers of calls or models to complete the same job

C. Only one model exists

D. Tasks have no tokens

Correct Answer: B

Explanation: Option B is correct — Comparing approaches that use different numbers of calls or models to complete the same job. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1585. Which is a reasonable approach to validate an AI-generated financial summary?

Difficulty: Medium

A. Reconcile every figure to the source data and check calculations

B. Ask a second AI and accept if they agree

C. Trust it because it is formatted well

D. Read it once quickly

Correct Answer: A

Explanation: Option A is correct — Reconcile every figure to the source data and check calculations. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1586. Monitoring in production for an AI feature should track:

Difficulty: Medium

A. The office temperature

B. Just the initial launch metrics

C. Quality signals, error rates, latency, cost and user feedback over time

D. Only the number of logins

Correct Answer: C

Explanation: Option C is correct — Quality signals, error rates, latency, cost and user feedback over time. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1587. 'Pairwise comparison' evaluation asks raters to:

Difficulty: Medium

A. Guess which model produced the output

B. Count the words in each output

C. Choose which of two outputs is better for the same input

D. Rate a single output from 1 to 10

Correct Answer: C

Explanation: Option C is correct — Choose which of two outputs is better for the same input. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1588. Why do published benchmark scores often fail to predict performance on your task?

Difficulty: Medium

A. Benchmarks may not reflect your domain, data or failure modes

B. Benchmarks are always fake

C. Models refuse benchmark tasks

D. Your task has no inputs

Correct Answer: A

Explanation: Option A is correct — Benchmarks may not reflect your domain, data or failure modes. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1589. Which of these is a typical enterprise AI governance tool feature?

Difficulty: Medium

A. Printer management

B. Logging prompts and outputs for audit and policy enforcement

C. Automatic salary increases

D. Video editing

Correct Answer: B

Explanation: Option B is correct — Logging prompts and outputs for audit and policy enforcement. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1590. 'Inter-rater agreement' matters in human evaluation because:

Difficulty: Medium

A. Low agreement means the rating criteria are unclear or subjective

B. Raters must be paid equally

C. It determines the model size

D. It measures typing speed

Correct Answer: A

Explanation: Option A is correct — Low agreement means the rating criteria are unclear or subjective. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1591. A 'canary' or staged rollout of an AI feature is used to:

Difficulty: Medium

A. Test on birds

B. Skip evaluation

C. Increase cost

D. Expose a small user group first to catch problems before full release

Correct Answer: D

Explanation: Option D is correct — Expose a small user group first to catch problems before full release. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1592. Which is the right response when an AI tool's vendor claims 'no hallucinations'?

Difficulty: Medium

A. Treat it with scepticism and verify on your own data

B. Assume it is legally binding

C. Accept the claim

D. Cancel all other tools

Correct Answer: A

Explanation: Option A is correct — Treat it with scepticism and verify on your own data. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1593. An 'evaluation set' differs from a 'test set' in LLM applications mainly because:

Difficulty: Medium

A. It is used during training

B. It is curated to cover behaviours and failure modes, not sampled randomly from training data

C. It is larger

D. It contains no labels

Correct Answer: B

Explanation: Option B is correct — It is curated to cover behaviours and failure modes, not sampled randomly from training data. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1594. Which is the best starting point for building an eval set for a new AI feature?

Difficulty: Medium

A. Real user queries and known failure cases collected from early usage

B. The vendor's examples

C. Synthetic questions only

D. Public benchmark questions

Correct Answer: A

Explanation: Option A is correct — Real user queries and known failure cases collected from early usage. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1595. A reasonable minimum size for an eval set used to make release decisions is:

Difficulty: Medium

A. Five cases

B. One case per topic

C. Exactly 20 cases

D. Large enough that observed differences exceed sampling noise, typically hundreds of cases

Correct Answer: D

Explanation: Option D is correct — Large enough that observed differences exceed sampling noise, typically hundreds of cases. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1596. 'Rubric-based grading' means:

Difficulty: Medium

A. Grading by word count

B. Scoring outputs against explicit written criteria rather than a single overall impression

C. Using accuracy only

D. Ranking randomly

Correct Answer: B

Explanation: Option B is correct — Scoring outputs against explicit written criteria rather than a single overall impression. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1597. Which is a well-formed rubric criterion?

Difficulty: Medium

A. 'States that information is unavailable when the context does not contain it'

B. 'Is high quality'

C. 'Sounds professional'

D. 'Is good'

Correct Answer: A

Explanation: Option A is correct — 'States that information is unavailable when the context does not contain it'. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1598. 'Binary pass/fail criteria' are often preferred over 1-5 scales because:

Difficulty: Medium

A. They are faster to compute

B. They are more granular

C. They produce more consistent judgements between raters

D. Scales are invalid

Correct Answer: C

Explanation: Option C is correct — They produce more consistent judgements between raters. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1599. When two human raters disagree on 30% of cases, the first action should be:

Difficulty: Medium

A. Clarify the rubric and re-examine the disagreements

B. Ignore the disagreement

C. Add a third rater

D. Average the scores

Correct Answer: A

Explanation: Option A is correct — Clarify the rubric and re-examine the disagreements. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1600. 'Unit tests for prompts' typically assert:

Difficulty: Medium

A. Token counts

B. Specific required behaviours on fixed inputs, such as format or refusal

C. Latency

D. Overall quality

Correct Answer: B

Explanation: Option B is correct — Specific required behaviours on fixed inputs, such as format or refusal. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1601. Which is the correct role of a 'smoke test' in an AI pipeline?

Difficulty: Medium

A. A complete quality assessment

B. A load test

C. A fast check that the basic path works before running the full evaluation

D. A security audit

Correct Answer: C

Explanation: Option C is correct — A fast check that the basic path works before running the full evaluation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1602. 'Regression suite' for an AI feature should include:

Difficulty: Medium

A. Previously fixed bugs as test cases to ensure they do not return

B. Only easy cases

C. Only new features

D. Random samples

Correct Answer: A

Explanation: Option A is correct — Previously fixed bugs as test cases to ensure they do not return. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1603. Which is the best practice when a model update improves average scores but regresses three eval cases?

Difficulty: Medium

A. Ship, since the average improved

B. Investigate the regressions, since they may represent a class of failures

C. Delete the failing cases

D. Lower the threshold

Correct Answer: B

Explanation: Option B is correct — Investigate the regressions, since they may represent a class of failures. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1604. 'Offline evaluation' differs from 'online evaluation' in that online:

Difficulty: Medium

A. Measures behaviour with real users and real consequences

B. Requires no metrics
C. Is always cheaper
D. Uses a fixed dataset

Correct Answer: A

Explanation: Option A is correct — Measures behaviour with real users and real consequences. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1605. A/B testing an AI feature requires:

Difficulty: Medium

A. No control group
B. Random assignment, a pre-specified metric and enough traffic for statistical power
C. Only a before/after comparison
D. One user per arm

Correct Answer: B

Explanation: Option B is correct — Random assignment, a pre-specified metric and enough traffic for statistical power. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1606. 'Guardrail metrics' in an A/B test are:

Difficulty: Medium

A. Cost only
B. Secondary metrics monitored to ensure the change does not harm something important
C. Latency only
D. The primary success metric

Correct Answer: B

Explanation: Option B is correct — Secondary metrics monitored to ensure the change does not harm something important. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1607. Which is a useful implicit signal of AI answer quality in production?

Difficulty: Medium

A. Whether users copy, accept or immediately rephrase the answer
B. Token count
C. Response length
D. Model name

Correct Answer: A

Explanation: Option A is correct — Whether users copy, accept or immediately rephrase the answer. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1608. A limitation of thumbs-up/thumbs-down feedback is:

Difficulty: Medium

A. It is too detailed
B. Very low response rates and bias toward extreme experiences

C. It cannot be collected

D. It is always representative

Correct Answer: B

Explanation: Option B is correct — Very low response rates and bias toward extreme experiences. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1609. 'Annotation guidelines' matter because:

Difficulty: Medium

A. They speed up labelling only

B. Consistent labels are required for the evaluation to mean anything

C. They reduce cost

D. They are legally required

Correct Answer: B

Explanation: Option B is correct — Consistent labels are required for the evaluation to mean anything. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1610. Which describes 'eval-driven development' for AI features?

Difficulty: Medium

A. Relying on demos

B. Defining measurable success criteria before building and iterating against them

C. Testing after launch

D. Skipping metrics

Correct Answer: B

Explanation: Option B is correct — Defining measurable success criteria before building and iterating against them. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1611. A reasonable way to evaluate a summarisation feature is:

Difficulty: Medium

A. Checking the font

B. Counting words

C. Checking coverage of key points, absence of unsupported claims and adherence to length

D. Measuring reading speed

Correct Answer: C

Explanation: Option C is correct — Checking coverage of key points, absence of unsupported claims and adherence to length. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1612. 'Hallucination rate' should be measured by:

Difficulty: Medium

A. Verifying claims against the source or ground truth, not by asking the model

B. Checking grammar

C. Measuring output length

D. Counting confident phrases

Correct Answer: A

Explanation: Option A is correct — Verifying claims against the source or ground truth, not by asking the model. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1613. Which is the most reliable way to detect a fabricated citation at scale?

Difficulty: Medium

A. Programmatic lookup of the identifier against an authoritative index

B. String length heuristics

C. An LLM judge's opinion

D. Manual spot checks only

Correct Answer: A

Explanation: Option A is correct — Programmatic lookup of the identifier against an authoritative index. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1614. 'Latency percentiles' (p50, p95, p99) are reported because:

Difficulty: Medium

A. Averages are illegal

B. p99 equals the mean

C. Percentiles are cheaper

D. Average latency hides the tail experience that affects real users

Correct Answer: D

Explanation: Option D is correct — Average latency hides the tail experience that affects real users. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1615. Which cost metric is most useful for an LLM feature?

Difficulty: Medium

A. Cost per API call

B. Monthly total only

C. Cost per token

D. Cost per successfully completed task

Correct Answer: D

Explanation: Option D is correct — Cost per successfully completed task. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1616. 'Token accounting' should separate:

Difficulty: Medium

A. Input, output and cached tokens, since they are priced differently

B. Models and regions

C. Users and sessions

D. Prompts and responses only

Correct Answer: A

Explanation: Option A is correct — Input, output and cached tokens, since they are priced differently. This directly matches what the question is asking about. The remaining options (B, C, D) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1617. Which is an appropriate use of a smaller 'judge' model?

Difficulty: Medium

A. Final release decisions alone
B. Grading its own outputs
C. High-volume screening with a stronger model or humans on a sampled subset
D. Replacing all human review

Correct Answer: C

Explanation: Option C is correct — High-volume screening with a stronger model or humans on a sampled subset. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1618. 'Sampling for human review' should prioritise:

Difficulty: Medium

A. The easiest cases
B. Random cases only
C. The shortest outputs
D. Cases where automated checks are uncertain or high-stakes

Correct Answer: D

Explanation: Option D is correct — Cases where automated checks are uncertain or high-stakes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1619. A 'quality dashboard' for an AI feature should show:

Difficulty: Medium

A. Only the latest run
B. A single number
C. Trends over time with breakdowns by segment and version
D. Only cost

Correct Answer: C

Explanation: Option C is correct — Trends over time with breakdowns by segment and version. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1620. Which is a reasonable alerting threshold design?

Difficulty: Medium

A. Never alert
B. Alert on statistically meaningful deviation from a rolling baseline
C. Alert on any change
D. Alert only on outages

Correct Answer: B

Explanation: Option B is correct — Alert on statistically meaningful deviation from a rolling baseline. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1621. 'Drift detection' for an LLM feature can monitor:

Difficulty: Medium

A. Network hops

B. Input distribution, refusal rate, output length and quality scores over time

C. GPU temperature

D. Disk usage

Correct Answer: B

Explanation: Option B is correct — Input distribution, refusal rate, output length and quality scores over time. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1622. Which is an early warning sign of a problem in an AI assistant?

Difficulty: Medium

A. Consistent latency

B. A sudden change in refusal or fallback rates

C. Unchanged traffic

D. Stable token usage

Correct Answer: B

Explanation: Option B is correct — A sudden change in refusal or fallback rates. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1623. 'Shadow evaluation' of a new model means:

Difficulty: Medium

A. Running it on real traffic without serving its outputs and comparing

B. Testing at night

C. Serving to a subset

D. Hiding results

Correct Answer: A

Explanation: Option A is correct — Running it on real traffic without serving its outputs and comparing. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1624. Which is a valid reason to pin a model version in production?

Difficulty: Medium

A. Pinning reduces cost

B. Silent provider updates can change behaviour without warning

C. Versions never change

D. Pinned models are faster

Correct Answer: B

Explanation: Option B is correct — Silent provider updates can change behaviour without warning. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1625. Before adopting a new model version, the minimum responsible step is:

Difficulty: Medium

A. Running the regression suite and comparing on your own metrics

B. Checking the price

C. Asking the vendor

D. Reading the release notes

Correct Answer: A

Explanation: Option A is correct — Running the regression suite and comparing on your own metrics. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1626. 'Benchmark scores' published by vendors should be treated as:

Difficulty: Medium

A. Definitive proof of fit
B. Legally binding
C. Indicative signals requiring validation on your own tasks
D. Irrelevant

Correct Answer: C

Explanation: Option C is correct — Indicative signals requiring validation on your own tasks. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1627. Which is true about MMLU-style multiple-choice benchmarks?

Difficulty: Medium

A. They test knowledge recall in a format unlike most production tasks
B. They are task-specific
C. They cannot be gamed
D. They measure reasoning perfectly

Correct Answer: A

Explanation: Option A is correct — They test knowledge recall in a format unlike most production tasks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1628. 'Contamination checks' for a benchmark involve:

Difficulty: Medium

A. Removing duplicates
B. Checking data quality
C. Searching training corpora or probing for verbatim recall of test items
D. Verifying labels

Correct Answer: C

Explanation: Option C is correct — Searching training corpora or probing for verbatim recall of test items. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1629. A 'held-out private eval set' is valuable because:

Difficulty: Medium

A. It is cheaper
B. It needs no labels
C. It cannot be optimised against, giving a less biased estimate
D. It is smaller

Correct Answer: C

Explanation: Option C is correct — It cannot be optimised against, giving a less biased estimate. This directly matches what the question is asking about. The remaining options (A, B, D) describe different,

unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1630. Which is a sound practice for eval set maintenance?

Difficulty: Medium

A. Periodically adding new cases from production failures

B. Replacing it entirely each month

C. Deleting hard cases

D. Freezing it forever

Correct Answer: A

Explanation: Option A is correct — Periodically adding new cases from production failures. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1631. 'Inter-annotator agreement' is typically reported using:

Difficulty: Medium

A. Accuracy

B. Cohen's kappa or Krippendorff's alpha

C. Perplexity

D. F1 against the model

Correct Answer: B

Explanation: Option B is correct — Cohen's kappa or Krippendorff's alpha. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1632. Which is an appropriate metric for a classification feature powered by an LLM?

Difficulty: Medium

A. Token count

B. Response time only

C. Precision, recall and per-class breakdown against labelled data

D. Fluency

Correct Answer: C

Explanation: Option C is correct — Precision, recall and per-class breakdown against labelled data. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1633. 'Calibration of refusals' should be evaluated with:

Difficulty: Medium

A. Neither

B. Only benign requests

C. Both benign requests that should be answered and unsafe ones that should be refused

D. Only unsafe requests

Correct Answer: C

Explanation: Option C is correct — Both benign requests that should be answered and unsafe ones that should be refused. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1634. Which is a practical way to measure instruction-following?

Difficulty: Medium

A. Asking the model

B. Measuring latency

C. Reading the output

D. Automated checks for each explicit constraint such as format, length and required fields

Correct Answer: D

Explanation: Option D is correct — Automated checks for each explicit constraint such as format, length and required fields. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1635. 'Structured output validation' in production should:

Difficulty: Medium

A. Log only errors

B. Validate against the schema and handle failures explicitly rather than assuming success

C. Trust the model's output

D. Retry indefinitely

Correct Answer: B

Explanation: Option B is correct — Validate against the schema and handle failures explicitly rather than assuming success. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1636. A reasonable retry policy for schema failures is:

Difficulty: Medium

A. Retry with a different model always

B. No retries

C. Unlimited retries

D. Bounded retries with the validation error fed back, then escalation

Correct Answer: D

Explanation: Option D is correct — Bounded retries with the validation error fed back, then escalation. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1637. 'Golden outputs' stored for regression testing become problematic when:

Difficulty: Medium

A. They are versioned

B. Multiple valid outputs exist, making exact comparison brittle

C. They are labelled

D. They are too short

Correct Answer: B

Explanation: Option B is correct — Multiple valid outputs exist, making exact comparison brittle. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1638. Which alternative handles that better?

Difficulty: Medium

A. Longer golden outputs
B. More golden outputs
C. Assertion-based checks on required properties rather than exact text match
D. Manual comparison

Correct Answer: C

Explanation: Option C is correct — Assertion-based checks on required properties rather than exact text match. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1639. Which is a reasonable tiered evaluation strategy?

Difficulty: Medium

A. No checks until release
B. Manual review only
C. Full suite on every commit only
D. Fast cheap checks on every change, full suite before release

Correct Answer: D

Explanation: Option D is correct — Fast cheap checks on every change, full suite before release. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1640. 'Tracing' in LLM observability captures:

Difficulty: Medium

A. Only latency
B. Only the final answer
C. Only errors
D. The full chain of prompts, retrievals, tool calls and outputs for a request

Correct Answer: D

Explanation: Option D is correct — The full chain of prompts, retrievals, tool calls and outputs for a request. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1641. Which is essential for debugging a multi-step AI pipeline in production?

Difficulty: Medium

A. Correlated trace IDs linking every step of a single user request
B. Sampled logs only
C. Aggregate metrics only
D. Error counts

Correct Answer: A

Explanation: Option A is correct — Correlated trace IDs linking every step of a single user request. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1642. 'PII redaction in logs' is necessary because:

Difficulty: Medium

A. Logs are public
B. Traces contain user inputs that may include personal data

C. Redaction improves speed

D. Logs are too large

Correct Answer: B

Explanation: Option B is correct — Traces contain user inputs that may include personal data. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1643. A reasonable log retention policy balances:

Difficulty: Medium

A. Only debugging

B. Debugging needs against privacy risk and storage cost

C. Only privacy

D. Only cost

Correct Answer: B

Explanation: Option B is correct — Debugging needs against privacy risk and storage cost. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1644. Which is a practical way to evaluate a RAG feature end to end?

Difficulty: Medium

A. Question sets with known answers and known supporting documents

B. Latency tests only

C. Index size checks

D. Random queries

Correct Answer: A

Explanation: Option A is correct — Question sets with known answers and known supporting documents. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1645. 'Answer correctness' and 'answer completeness' differ in that completeness measures:

Difficulty: Medium

A. Whether it is grounded

B. Whether the answer is true

C. Whether it is short

D. Whether all required elements of the answer are present

Correct Answer: D

Explanation: Option D is correct — Whether all required elements of the answer are present. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1646. Which is a defensible reason to evaluate with real user queries rather than crafted ones?

Difficulty: Medium

A. They are shorter

B. They have labels

C. They are easier to write

D. Real queries contain typos, ambiguity and phrasing patterns that crafted ones miss

Correct Answer: D

Explanation: Option D is correct — Real queries contain typos, ambiguity and phrasing patterns that crafted ones miss. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1647. 'Evaluation of tone and brand voice' is best done by:

Difficulty: Medium

A. Sentiment score alone

B. A rubric with concrete examples of acceptable and unacceptable outputs

C. A single adjective

D. Word count

Correct Answer: B

Explanation: Option B is correct — A rubric with concrete examples of acceptable and unacceptable outputs. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1648. Which is the most useful comparison baseline for a new AI feature?

Difficulty: Medium

A. Another vendor's demo

B. A perfect system

C. The current process it would replace, including its error rate

D. No baseline

Correct Answer: C

Explanation: Option C is correct — The current process it would replace, including its error rate. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1649. 'Time to detect' a quality regression is improved by:

Difficulty: Medium

A. User complaints only

B. Annual audits

C. Automated continuous evaluation on sampled production traffic

D. Quarterly manual reviews

Correct Answer: C

Explanation: Option C is correct — Automated continuous evaluation on sampled production traffic. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1650. Which best describes an 'evaluation harness'?

Difficulty: Medium

A. A model wrapper

B. A prompt template

C. Reusable code that runs cases through the system, scores them and reports results

D. A dashboard

Correct Answer: C

Explanation: Option C is correct — Reusable code that runs cases through the system, scores them and reports results. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1651. Why can a small change in an evaluation rubric substantially change a model's measured score?

Difficulty: Hard

A. Scores are random

B. Models read the rubric and retrain

C. Rubrics are ignored by evaluators

D. Scores depend on what is rewarded; rubrics encode judgement calls that shift outcomes

Correct Answer: D

Explanation: Option D is correct — Scores depend on what is rewarded; rubrics encode judgement calls that shift outcomes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1652. 'Calibration' of a model's confidence means:

Difficulty: Hard

A. It runs at a fixed temperature

B. Its stated confidence matches its actual accuracy rate

C. It always reports 100% confidence

D. It uses metric units

Correct Answer: B

Explanation: Option B is correct — Its stated confidence matches its actual accuracy rate. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1653. When evaluating a RAG-based assistant, 'answer relevance' and 'context precision' measure respectively:

Difficulty: Hard

A. Token count and length

B. Speed and cost

C. Grammar and tone

D. How well the answer addresses the question, and how much retrieved context was actually useful

Correct Answer: D

Explanation: Option D is correct — How well the answer addresses the question, and how much retrieved context was actually useful. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1654. Which statistical caution applies when comparing two prompts on 30 test cases?

Difficulty: Hard

A. Thirty cases are always sufficient

B. Only one case is needed

C. Statistics do not apply to AI

D. Differences may be within noise; use more cases or confidence intervals before concluding

Correct Answer: D

Explanation: Option D is correct — Differences may be within noise; use more cases or confidence intervals before concluding. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1655. 'Task-specific fine-tuning vs prompting' should be decided based on:

Difficulty: Hard

A. The vendor's preference

B. The number of GPUs available

C. Measured performance, cost, latency and maintenance burden on a representative eval set

D. Which option sounds more impressive

Correct Answer: C

Explanation: Option C is correct — Measured performance, cost, latency and maintenance burden on a representative eval set. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1656. Adversarial test cases in an evaluation set are valuable because:

Difficulty: Hard

A. They reduce the size of the set

B. They make the model faster

C. They probe failure modes that typical inputs would not reveal

D. They are required for billing

Correct Answer: C

Explanation: Option C is correct — They probe failure modes that typical inputs would not reveal. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1657. Which is a valid reason to keep a held-out evaluation set private from prompt developers?

Difficulty: Hard

A. Because evaluations must be secret by law

B. Because developers cannot read data

C. To prevent overfitting prompts to the test cases

D. To save storage

Correct Answer: C

Explanation: Option C is correct — To prevent overfitting prompts to the test cases. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1658. 'Observability tooling' for LLM apps (tracing prompts, tool calls and outputs) supports:

Difficulty: Hard

A. Debugging, cost attribution, and detecting quality regressions in production

B. Employee attendance
C. Hardware repair
D. Only marketing analytics

Correct Answer: A

Explanation: Option A is correct — Debugging, cost attribution, and detecting quality regressions in production. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1659. Why is 'exact match' a poor metric for open-ended generation tasks?

Difficulty: Hard

A. Many different outputs can be equally correct
B. It only works for images
C. Exact match is too expensive
D. It requires human raters

Correct Answer: A

Explanation: Option A is correct — Many different outputs can be equally correct. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1660. A team notices an AI feature's quality dropped after a silent model update by the vendor. The best safeguard would have been:

Difficulty: Hard

A. Never updating any software
B. Removing monitoring
C. Increasing the temperature
D. Pinning model versions and running automated evals before adopting updates

Correct Answer: D

Explanation: Option D is correct — Pinning model versions and running automated evals before adopting updates. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1661. When validating AI-assisted decisions in healthcare or finance, 'outcome tracking' means:

Difficulty: Hard

A. Following up on real-world results to confirm the AI's recommendations were sound
B. Tracking user logins
C. Counting the number of recommendations
D. Measuring GPU usage

Correct Answer: A

Explanation: Option A is correct — Following up on real-world results to confirm the AI's recommendations were sound. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1662. 'Uplift studies' in AI evaluation measure:

Difficulty: Hard

A. Data centre elevation
B. The model's parameter growth
C. Token inflation
D. How much a model improves a person's ability to complete a task versus no model

Correct Answer: D

Explanation: Option D is correct — How much a model improves a person's ability to complete a task versus no model. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1663. Which approach best handles evaluation when no reference answer exists?

Difficulty: Hard

A. Measuring output length
B. Exact string matching
C. Skipping evaluation
D. Rubric-based grading by humans or calibrated judges, with multiple raters

Correct Answer: D

Explanation: Option D is correct — Rubric-based grading by humans or calibrated judges, with multiple raters. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1664. A 'shadow deployment' of an AI model means:

Difficulty: Hard

A. Deploying at night
B. Running the new model alongside the current one without exposing its output, to compare
C. Hiding the model from auditors
D. Using a smaller GPU

Correct Answer: B

Explanation: Option B is correct — Running the new model alongside the current one without exposing its output, to compare. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1665. Why is 'user acceptance' alone an insufficient validation signal for AI outputs?

Difficulty: Hard

A. Users never accept outputs
B. Acceptance cannot be measured
C. It is too expensive to measure
D. Users may accept plausible-looking but incorrect outputs (automation bias)

Correct Answer: D

Explanation: Option D is correct — Users may accept plausible-looking but incorrect outputs (automation bias). This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1666. Which is the most rigorous way to validate a vendor's AI tool before enterprise rollout?

Difficulty: Hard

A. A demo by the vendor
B. Checking the tool's website design
C. Reading customer testimonials
D. A pilot with defined success metrics, real data, security review and comparison against baseline

Correct Answer: D

Explanation: Option D is correct — A pilot with defined success metrics, real data, security review and comparison against baseline. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1667. Which statistical approach is appropriate for comparing two systems on the same eval set?

Difficulty: Hard

A. Comparing point estimates
B. Chi-squared on totals
C. Unpaired t-test on aggregate scores
D. Paired testing on per-item results, such as a bootstrap of the paired difference

Correct Answer: D

Explanation: Option D is correct — Paired testing on per-item results, such as a bootstrap of the paired difference. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1668. With 200 eval items and a 3-percentage-point difference, the key question is:

Difficulty: Hard

A. Whether the model is larger
B. Whether the confidence interval on the paired difference excludes zero
C. Whether the items are sorted
D. Whether 200 is a round number

Correct Answer: B

Explanation: Option B is correct — Whether the confidence interval on the paired difference excludes zero. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1669. 'Multiple comparisons' inflate false positives when:

Difficulty: Hard

A. Metrics are paired
B. Sample sizes are large
C. Many prompt or model variants are compared without correction
D. Only two variants are compared

Correct Answer: C

Explanation: Option C is correct — Many prompt or model variants are compared without correction. This directly matches what the question is asking about. The remaining options (A, B, D) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1670. Which correction or practice addresses that?

Difficulty: Hard

A. Reporting the best result
B. Testing more variants
C. Using a larger model
D. Pre-registering the primary metric and correcting for the number of comparisons

Correct Answer: D

Explanation: Option D is correct — Pre-registering the primary metric and correcting for the number of comparisons. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1671. An eval showing 'model A wins 55% of pairwise comparisons' needs which context to interpret?

Difficulty: Hard

A. The token costs
B. The model sizes
C. The training data
D. The tie rate, the confidence interval and whether judges were order-randomised

Correct Answer: D

Explanation: Option D is correct — The tie rate, the confidence interval and whether judges were order-randomised. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1672. 'Position bias' in pairwise LLM judging is mitigated by:

Difficulty: Hard

A. Increasing temperature
B. Fixing the order
C. Using one judge
D. Evaluating both orders and using only consistent judgements or averaging

Correct Answer: D

Explanation: Option D is correct — Evaluating both orders and using only consistent judgements or averaging. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1673. 'Verbosity bias' in LLM judges means:

Difficulty: Hard

A. Short responses win
B. Length is ignored
C. Judges count tokens
D. Longer responses are systematically preferred regardless of quality

Correct Answer: D

Explanation: Option D is correct — Longer responses are systematically preferred regardless of quality. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the

question.

1674. A practical control for verbosity bias is:

Difficulty: Hard

A. Using longer outputs

B. Length-matched comparisons or explicitly instructing and validating against length preference

C. Ignoring length

D. Truncating all outputs

Correct Answer: B

Explanation: Option B is correct — Length-matched comparisons or explicitly instructing and validating against length preference. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1675. Before trusting an LLM judge, the essential validation is:

Difficulty: Hard

A. The judge's cost

B. The judge's model size

C. Agreement with human labels on a representative sample, reported as a correlation or kappa

D. The judge's speed

Correct Answer: C

Explanation: Option C is correct — Agreement with human labels on a representative sample, reported as a correlation or kappa. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1676. 'Self-preference bias' is a concern when:

Difficulty: Hard

A. Judges are humans

B. Systems are identical

C. The judge model is the same family as one of the systems being compared

D. Metrics are automated

Correct Answer: C

Explanation: Option C is correct — The judge model is the same family as one of the systems being compared. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1677. Which is the most robust judging setup when stakes are high?

Difficulty: Hard

A. Majority vote of one model sampled thrice

B. One strong judge

C. Random assignment

D. Multiple diverse judges plus human adjudication of disagreements

Correct Answer: D

Explanation: Option D is correct — Multiple diverse judges plus human adjudication of disagreements. This directly matches what the question is asking about. The remaining options (A, B, C) describe

different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1678. 'Reference-free' evaluation is attractive but risky because:

Difficulty: Hard

A. It is slower
B. It requires humans
C. Without ground truth, scores reflect the judge's beliefs, which may be wrong
D. References are unavailable

Correct Answer: C

Explanation: Option C is correct — Without ground truth, scores reflect the judge's beliefs, which may be wrong. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1679. Which is the best approach for evaluating tasks with no single correct answer?

Difficulty: Hard

A. Exact match
B. BLEU score
C. Criterion-based rubrics validated against expert judgement
D. Perplexity

Correct Answer: C

Explanation: Option C is correct — Criterion-based rubrics validated against expert judgement. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1680. BLEU and ROUGE are limited for modern generation because:

Difficulty: Hard

A. They require GPUs
B. They are too slow
C. They cannot be computed
D. They reward surface overlap and penalise valid paraphrases

Correct Answer: D

Explanation: Option D is correct — They reward surface overlap and penalise valid paraphrases. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1681. BERTScore improves on n-gram metrics by:

Difficulty: Hard

A. Using longer n-grams
B. Counting characters
C. Comparing contextual embeddings rather than exact token overlap
D. Ignoring the reference

Correct Answer: C

Explanation: Option C is correct — Comparing contextual embeddings rather than exact token overlap. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1682. A remaining limitation of embedding-based metrics is:

Difficulty: Hard

A. They measure semantic similarity, not factual correctness

B. They are too slow

C. They cannot handle English

D. They need no reference

Correct Answer: A

Explanation: Option A is correct — They measure semantic similarity, not factual correctness. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1683. 'Claim-level factuality evaluation' works by:

Difficulty: Hard

A. Decomposing output into atomic claims and verifying each independently

B. Measuring fluency

C. Counting sentences

D. Scoring the whole output

Correct Answer: A

Explanation: Option A is correct — Decomposing output into atomic claims and verifying each independently. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1684. Which is a difficulty with claim decomposition?

Difficulty: Hard

A. It requires no model

B. It is too fast

C. Claims cannot be extracted

D. Claims can be interdependent and decomposition itself introduces errors

Correct Answer: D

Explanation: Option D is correct — Claims can be interdependent and decomposition itself introduces errors. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1685. 'Entailment-based grounding checks' determine whether:

Difficulty: Hard

A. The retrieved context logically supports each generated statement

B. The answer is short

C. The citation format is right

D. The answer is fluent

Correct Answer: A

Explanation: Option A is correct — The retrieved context logically supports each generated statement. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1686. Which is the strongest reason to measure 'unanswerable question' behaviour?

Difficulty: Hard

A. Unanswerable questions are rare

B. Systems that always answer will produce confident errors when information is absent

C. It measures speed

D. It is easy to automate

Correct Answer: B

Explanation: Option B is correct — Systems that always answer will produce confident errors when information is absent. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1687. 'Selective prediction' evaluation reports:

Difficulty: Hard

A. Accuracy only

B. Latency

C. Accuracy as a function of coverage when the system may abstain

D. Coverage only

Correct Answer: C

Explanation: Option C is correct — Accuracy as a function of coverage when the system may abstain. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1688. A 'risk-coverage curve' is useful because:

Difficulty: Hard

A. It measures cost

B. It replaces accuracy

C. It shows latency

D. It shows the quality achievable at different abstention rates, informing threshold choice

Correct Answer: D

Explanation: Option D is correct — It shows the quality achievable at different abstention rates, informing threshold choice. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1689. Which is a well-founded critique of aggregate leaderboard rankings?

Difficulty: Hard

A. Scores cannot be computed

B. Rankings are always stable

C. A single score conceals large variance across task types and user populations

D. Leaderboards are illegal

Correct Answer: C

Explanation: Option C is correct — A single score conceals large variance across task types and user populations. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1690. Arena-style human preference rankings are limited because:

Difficulty: Hard

A. Votes are fabricated
B. Humans cannot judge
C. Voters' prompts and preferences may not represent your users or tasks
D. Rankings are secret

Correct Answer: C

Explanation: Option C is correct — Voters' prompts and preferences may not represent your users or tasks. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1691. 'Elo-style' rating systems assume:

Difficulty: Hard

A. Transitive pairwise preferences, which may not hold across heterogeneous tasks
B. Fixed opponents
C. Equal skill
D. Random voting

Correct Answer: A

Explanation: Option A is correct — Transitive pairwise preferences, which may not hold across heterogeneous tasks. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1692. Which is a practical sign that your eval set has saturated?

Difficulty: Hard

A. Items are new
B. Variance is high
C. Nearly all systems score near the ceiling, so it no longer discriminates
D. Scores are low

Correct Answer: C

Explanation: Option C is correct — Nearly all systems score near the ceiling, so it no longer discriminates. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1693. The appropriate response to a saturated eval is:

Difficulty: Hard

A. Add harder and more diverse cases targeting current failure modes
B. Lower the threshold
C. Remove the eval
D. Report the same scores

Correct Answer: A

Explanation: Option A is correct — Add harder and more diverse cases targeting current failure modes. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1694. 'Adversarial eval construction' means:

Difficulty: Hard

A. Using random cases

B. Deliberately writing cases that target suspected weaknesses

C. Using vendor examples

D. Using easy cases

Correct Answer: B

Explanation: Option B is correct — Deliberately writing cases that target suspected weaknesses. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1695. Which risk arises from building evals only from observed failures?

Difficulty: Hard

A. It becomes too easy

B. It cannot be labelled

C. The set becomes unrepresentative, overstating failure rates and skewing optimisation

D. It measures latency

Correct Answer: C

Explanation: Option C is correct — The set becomes unrepresentative, overstating failure rates and skewing optimisation. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1696. A balanced eval suite typically contains:

Difficulty: Hard

A. Only easy cases

B. Only hard cases

C. Representative production sampling plus targeted hard and adversarial cases, reported separately

D. Only random cases

Correct Answer: C

Explanation: Option C is correct — Representative production sampling plus targeted hard and adversarial cases, reported separately. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1697. 'Stratified reporting' of eval results is important because:

Difficulty: Hard

A. It is required by APIs

B. Aggregate scores can hide poor performance on important minority segments

C. It increases the sample size

D. Stratification reduces cost

Correct Answer: B

Explanation: Option B is correct — Aggregate scores can hide poor performance on important minority segments. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1698. Which is the most defensible approach when an eval metric and user feedback conflict?

Difficulty: Hard

A. Trust the metric
B. Trust the feedback
C. Discard both
D. Investigate the gap; the metric may not capture what users value

Correct Answer: D

Explanation: Option D is correct — Investigate the gap; the metric may not capture what users value. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1699. 'Proxy metric drift' occurs when:

Difficulty: Hard

A. Costs rise
B. Metrics are recomputed
C. Users change
D. A metric that once correlated with value stops doing so as the system changes

Correct Answer: D

Explanation: Option D is correct — A metric that once correlated with value stops doing so as the system changes. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1700. Which is a documented risk of optimising heavily against an LLM judge?

Difficulty: Hard

A. Judges become slower
B. Judges refuse
C. Scores become noisy
D. The system learns to produce outputs the judge favours rather than genuinely better ones

Correct Answer: D

Explanation: Option D is correct — The system learns to produce outputs the judge favours rather than genuinely better ones. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1701. 'Held-out judges' (a different model for final evaluation) help by:

Difficulty: Hard

A. Reducing cost
B. Simplifying rubrics
C. Reducing the chance that optimisation exploited the development judge's quirks
D. Improving latency

Correct Answer: C

Explanation: Option C is correct — Reducing the chance that optimisation exploited the development judge's quirks. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1702. When evaluating agents, 'success rate' alone is insufficient because:

Difficulty: Hard

A. It cannot be measured

B. Side effects, cost and safety of the trajectory also determine acceptability

C. Agents always succeed

D. Trajectories are identical

Correct Answer: B

Explanation: Option B is correct — Side effects, cost and safety of the trajectory also determine acceptability. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1703. 'Partial credit' scoring for agent tasks is useful because:

Difficulty: Hard

A. It replaces success rate

B. It is simpler

C. It inflates scores

D. It distinguishes near-misses from total failures, guiding improvement

Correct Answer: D

Explanation: Option D is correct — It distinguishes near-misses from total failures, guiding improvement. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1704. Which is the strongest design for an agent benchmark environment?

Difficulty: Hard

A. Reproducible, isolated environments with programmatic verification of end state

B. Live production systems

C. Static question sets

D. Manual verification only

Correct Answer: A

Explanation: Option A is correct — Reproducible, isolated environments with programmatic verification of end state. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1705. 'Verifiable rewards' in evaluation and training refer to:

Difficulty: Hard

A. Style ratings

B. Human preference scores

C. Latency targets

D. Tasks where correctness can be checked automatically, such as code execution or maths

Correct Answer: D

Explanation: Option D is correct — Tasks where correctness can be checked automatically, such as code execution or maths. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1706. A limitation of relying solely on verifiable-reward tasks is:

Difficulty: Hard

A. Verification is impossible

B. Many valuable tasks lack automatic verification, so capability may be measured narrowly

C. They are too hard

D. They cannot be automated

Correct Answer: B

Explanation: Option B is correct — Many valuable tasks lack automatic verification, so capability may be measured narrowly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1707. 'Capability elicitation effort' should be reported in evaluations because:

Difficulty: Hard

A. It is required by law

B. It affects latency

C. Results depend heavily on prompting, scaffolding and sampling budget

D. It measures cost

Correct Answer: C

Explanation: Option C is correct — Results depend heavily on prompting, scaffolding and sampling budget. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1708. Which is the most rigorous claim an evaluation can support?

Difficulty: Hard

A. The system performed at level X under these specific conditions and elicitation methods

B. The system is safe

C. The system is intelligent

D. The system is best

Correct Answer: A

Explanation: Option A is correct — The system performed at level X under these specific conditions and elicitation methods. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1709. 'Statistical power' for an eval means:

Difficulty: Hard

A. The probability of detecting a real difference of a given size

B. The confidence level

C. The compute used

D. The number of models

Correct Answer: A

Explanation: Option A is correct — The probability of detecting a real difference of a given size. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1710. Underpowered evaluations lead to:

Difficulty: Hard

A. Only false negatives

B. Perfect decisions

C. Only false positives

D. Both missed regressions and overreaction to noise

Correct Answer: D

Explanation: Option D is correct — Both missed regressions and overreaction to noise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1711. Which is the correct handling of a metric that improves on average but worsens at p99 latency?

Difficulty: Hard

A. Treat it as a trade-off requiring an explicit decision against user-experience thresholds

B. Ignore percentiles

C. Reject all changes

D. Ship, since the average improved

Correct Answer: A

Explanation: Option A is correct — Treat it as a trade-off requiring an explicit decision against user-experience thresholds. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1712. 'Canary analysis' for an AI feature should compare:

Difficulty: Hard

A. The canary group against a concurrent control on pre-specified metrics

B. Canary against historical averages

C. Before and after periods

D. Only error rates

Correct Answer: A

Explanation: Option A is correct — The canary group against a concurrent control on pre-specified metrics. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1713. Which confound most commonly corrupts before/after comparisons?

Difficulty: Hard

A. Sample size

B. Concurrent changes in traffic mix, seasonality or other releases

C. Random assignment

D. Metric definition

Correct Answer: B

Explanation: Option B is correct — Concurrent changes in traffic mix, seasonality or other releases. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1714. 'Interleaving' experiments for ranking systems work by:

Difficulty: Hard

A. Comparing offline only

B. Mixing results from both systems in one list and attributing user choices

C. Splitting users

D. Running systems sequentially

Correct Answer: B

Explanation: Option B is correct — Mixing results from both systems in one list and attributing user choices. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1715. Which is the main advantage of interleaving?

Difficulty: Hard

A. No metrics needed

B. Lower cost

C. Simpler implementation

D. Higher sensitivity from within-user comparison, requiring less traffic

Correct Answer: D

Explanation: Option D is correct — Higher sensitivity from within-user comparison, requiring less traffic. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1716. 'Counterfactual evaluation' from logged data requires:

Difficulty: Hard

A. Knowledge of the logging policy's action probabilities for importance weighting

B. A live experiment

C. Only the outcomes

D. No assumptions

Correct Answer: A

Explanation: Option A is correct — Knowledge of the logging policy's action probabilities for importance weighting. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1717. Which is the strongest reason to keep evaluation code and data versioned together?

Difficulty: Hard

A. Scores are only comparable when the harness, rubric and data are identical

B. It saves storage

C. Version control is standard

D. It is required by regulators

Correct Answer: A

Explanation: Option A is correct — Scores are only comparable when the harness, rubric and data are identical. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1718. An evaluation reporting only the mean of a bimodal score distribution is misleading because:

Difficulty: Hard

A. Distributions are irrelevant

B. Means cannot be computed

C. The mean describes neither mode, hiding that the system fails badly on a subset

D. Bimodality is impossible

Correct Answer: C

Explanation: Option C is correct — The mean describes neither mode, hiding that the system fails badly on a subset. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1719. 'Human evaluation cost' can be reduced responsibly by:

Difficulty: Hard

A. Automated pre-filtering with human review focused on uncertain and high-stakes cases

B. Using one rater

C. Shortening the rubric

D. Reducing rater training

Correct Answer: A

Explanation: Option A is correct — Automated pre-filtering with human review focused on uncertain and high-stakes cases. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1720. Which is a defensible way to evaluate a feature whose value is long-term?

Difficulty: Hard

A. Immediate satisfaction only

B. No measurement

C. Instrumented proxy outcomes validated against longer-horizon measurement where possible

D. Vendor benchmarks

Correct Answer: C

Explanation: Option C is correct — Instrumented proxy outcomes validated against longer-horizon measurement where possible. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1721. 'Evaluation of safety behaviours' should include:

Difficulty: Hard

A. Compliance rate only

B. Both harmful-request refusal and benign-request compliance, reported jointly

C. Refusal rate only

D. Neither

Correct Answer: B

Explanation: Option B is correct — Both harmful-request refusal and benign-request compliance, reported jointly. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1722. Which finding indicates an over-restrictive safety configuration?

Difficulty: Hard

A. High compliance
B. Balanced outcomes
C. Low refusal rates
D. High refusal rates on benign domain-specific requests with no reduction in real risk

Correct Answer: D

Explanation: Option D is correct — High refusal rates on benign domain-specific requests with no reduction in real risk. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1723. 'Red-team evaluation' differs from standard evaluation because:

Difficulty: Hard

A. It uses fewer people
B. It is automated
C. It is adversarial and open-ended rather than fixed and representative
D. It is cheaper

Correct Answer: C

Explanation: Option C is correct — It is adversarial and open-ended rather than fixed and representative. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1724. Automated red-teaming with a model attacker is valuable but limited because:

Difficulty: Hard

A. It cannot be automated
B. It is too slow
C. Attackers refuse
D. It explores attack patterns similar to its own distribution, missing novel human creativity

Correct Answer: D

Explanation: Option D is correct — It explores attack patterns similar to its own distribution, missing novel human creativity. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1725. Which is the most rigorous interpretation of 'the model passed our red-team exercise'?

Difficulty: Hard

A. No attack was found within the effort and methods applied, not that none exists
B. The model is safe
C. Attacks are impossible
D. The model is aligned

Correct Answer: A

Explanation: Option A is correct — No attack was found within the effort and methods applied, not that none exists. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1726. Your eval shows model B is better with a 95% CI of [0.1%, 6.2%] on 300 items. The most defensible action is:

Difficulty: Very Hard

A. Treat the improvement as real but small, and weigh it against cost and risk of switching

B. Declare a large improvement

C. Expand the eval to 10,000 items before any decision

D. Conclude no difference

Correct Answer: A

Explanation: Option A is correct — Treat the improvement as real but small, and weigh it against cost and risk of switching. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1727. A judge model agrees with humans 85% of the time. Two systems differ by 4% on judge scores. The key concern is:

Difficulty: Very Hard

A. 85% is unacceptably low for any use

B. Human labels are unnecessary

C. Judge error may be comparable to or larger than the measured difference

D. The systems are identical

Correct Answer: C

Explanation: Option C is correct — Judge error may be comparable to or larger than the measured difference. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1728. An LLM feature's quality dashboard has been flat for six months while complaints rise. The most likely explanation is:

Difficulty: Very Hard

A. The eval set no longer reflects current usage patterns

B. The model changed

C. Users are wrong

D. The metric is broken by definition

Correct Answer: A

Explanation: Option A is correct — The eval set no longer reflects current usage patterns. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1729. You discover your eval questions were generated by the same model family being evaluated. The most serious consequence is:

Difficulty: Very Hard

A. The eval is too easy

B. Latency is unmeasured

C. Systematic favouring of that family's phrasing and reasoning style, invalidating comparisons

D. Labels are missing

Correct Answer: C

Explanation: Option C is correct — Systematic favouring of that family's phrasing and reasoning style, invalidating comparisons. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1730. A feature passes all 400 regression cases but fails in production on inputs containing non-Latin scripts. This indicates:

Difficulty: Very Hard

A. A tokenisation bug only
B. A model regression
C. An infrastructure failure
D. A coverage gap: the eval set was unrepresentative of the real input distribution

Correct Answer: D

Explanation: Option D is correct — A coverage gap: the eval set was unrepresentative of the real input distribution. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1731. Which experimental design most reliably attributes a production quality change to a model upgrade?

Difficulty: Very Hard

A. Vendor benchmark comparison
B. A concurrent A/B with random assignment and pre-specified metrics
C. Offline eval only
D. Before/after comparison

Correct Answer: B

Explanation: Option B is correct — A concurrent A/B with random assignment and pre-specified metrics. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1732. An agent benchmark reports 78% success. On inspection, 12% of 'successes' achieved the goal by deleting the verification step. The correct conclusion is:

Difficulty: Very Hard

A. The agent is efficient
B. The benchmark's verification is inside the agent's action space, invalidating those results
C. Verification is optional
D. 78% is accurate

Correct Answer: B

Explanation: Option B is correct — The benchmark's verification is inside the agent's action space, invalidating those results. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1733. Your team optimises prompts against a 150-case dev set over three months, improving from 0.72 to 0.91. Held-out performance is 0.76. This gap indicates:

Difficulty: Very Hard

A. A broken held-out set
B. Overfitting to the dev set through repeated selection, not genuine improvement

C. A model regression

D. Insufficient optimisation

Correct Answer: B

Explanation: Option B is correct — Overfitting to the dev set through repeated selection, not genuine improvement. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1734. Which practice would have prevented that outcome?

Difficulty: Very Hard

A. A stronger judge

B. More optimisation rounds

C. Rotating dev cases and reserving a locked held-out set with limited evaluations

D. A larger dev set alone

Correct Answer: C

Explanation: Option C is correct — Rotating dev cases and reserving a locked held-out set with limited evaluations. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1735. A safety eval reports 0 harmful outputs across 5,000 prompts. The most rigorous caveat is:

Difficulty: Very Hard

A. More prompts are unnecessary

B. The rate is exactly zero

C. The model is safe

D. The upper bound on the true rate is still non-trivial, and the prompts may not cover the relevant attack surface

Correct Answer: D

Explanation: Option D is correct — The upper bound on the true rate is still non-trivial, and the prompts may not cover the relevant attack surface. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1736. With 0 failures in 5,000 trials, a rough 95% upper bound on the failure rate is approximately:

Difficulty: Very Hard

A. 0.06%

B. 1%

C. 5%

D. 0%

Correct Answer: A

Explanation: Option A is correct — 0.06%. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1737. For a system making 10 million decisions monthly, why does that upper bound matter?

Difficulty: Very Hard

A. Bounds apply only to small systems

B. Even a rate below the detection limit of the eval implies thousands of potential failures at scale

C. It does not; zero is zero

D. Scale reduces error rates

Correct Answer: B

Explanation: Option B is correct — Even a rate below the detection limit of the eval implies thousands of potential failures at scale. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1738. Your RAG evaluation scores faithfulness at 0.94 and answer relevance at 0.91, but users report unhelpful answers. The most likely gap is:

Difficulty: Very Hard

A. The metrics are miscalculated

B. The evaluation measures grounding and topicality but not whether the answer resolves the user's actual task

C. Retrieval is broken

D. Users are mistaken

Correct Answer: B

Explanation: Option B is correct — The evaluation measures grounding and topicality but not whether the answer resolves the user's actual task. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1739. Which is the strongest design for measuring whether an AI assistant improves employee productivity?

Difficulty: Very Hard

A. Counting assistant usage

B. Comparing to a vendor case study

C. A randomised trial measuring task-level outcomes including rework, with a matched control group

D. A user satisfaction survey

Correct Answer: C

Explanation: Option C is correct — A randomised trial measuring task-level outcomes including rework, with a matched control group. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1740. An evaluation harness runs 500 cases in 4 hours at significant cost, so the team runs it monthly. The most valuable improvement is:

Difficulty: Very Hard

A. Removing automation

B. A fast tiered subset run on every change, with the full suite before release

C. Reducing the suite permanently

D. Running annually

Correct Answer: B

Explanation: Option B is correct — A fast tiered subset run on every change, with the full suite before release. This directly matches what the question is asking about. The remaining options (A, C, D)

describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1741. You observe that judge scores rise after a prompt change while human ratings fall. The most probable mechanism is:

Difficulty: Very Hard

A. The change exploited a judge bias such as length, formatting or assertive phrasing

B. The judge improved

C. Scores are random

D. Humans are inconsistent

Correct Answer: A

Explanation: Option A is correct — The change exploited a judge bias such as length, formatting or assertive phrasing. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1742. Which is the most rigorous way to establish that an eval metric predicts business value?

Difficulty: Very Hard

A. Assume correlation

B. Correlate metric changes with downstream outcome changes across multiple releases

C. Ask stakeholders

D. Use vendor guidance

Correct Answer: B

Explanation: Option B is correct — Correlate metric changes with downstream outcome changes across multiple releases. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1743. A model provider silently updates a pinned alias. Your first indication is a quality alert. The systemic lesson is:

Difficulty: Very Hard

A. Quality alerts are false

B. Alias pinning is insufficient; monitoring plus immutable version identifiers are needed

C. Providers never update

D. Alerts are unnecessary

Correct Answer: B

Explanation: Option B is correct — Alias pinning is insufficient; monitoring plus immutable version identifiers are needed. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1744. Which is the most defensible policy for evaluating third-party AI vendors?

Difficulty: Very Hard

A. Choosing the cheapest

B. A structured pilot on your own representative data with pre-agreed success criteria and security review

C. Comparing published benchmarks

D. Trusting a reference customer

Correct Answer: B

Explanation: Option B is correct — A structured pilot on your own representative data with pre-agreed success criteria and security review. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1745. Your eval reports per-item pass/fail. Two systems have identical pass rates but disagree on 20% of items. The most informative analysis is:

Difficulty: Very Hard

A. Examining the disagreement set, since it reveals different failure modes that averages conceal

B. Concluding they are equivalent

C. Choosing the cheaper system

D. Increasing the sample size

Correct Answer: A

Explanation: Option A is correct — Examining the disagreement set, since it reveals different failure modes that averages conceal. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1746. For an AI system where errors are detected only weeks later, the most important evaluation investment is:

Difficulty: Very Hard

A. Faster inference

B. User surveys

C. Leading indicators and sampled human audit, since feedback loops are too slow for reactive detection

D. More offline benchmarks

Correct Answer: C

Explanation: Option C is correct — Leading indicators and sampled human audit, since feedback loops are too slow for reactive detection. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1747. Which is the strongest argument for reporting evaluation uncertainty alongside point estimates?

Difficulty: Very Hard

A. Uncertainty is required by regulators

B. It makes reports longer

C. It reduces scrutiny

D. Decisions differ materially depending on whether an observed gap is reliable or within noise

Correct Answer: D

Explanation: Option D is correct — Decisions differ materially depending on whether an observed gap is reliable or within noise. This directly matches what the question is asking about. The remaining options (A, B, C) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1748. An AI feature shows 99.2% accuracy overall but 91% for one language representing 8% of users. The most defensible decision framing is:

Difficulty: Very Hard

A. Assess whether the per-segment experience meets the acceptable threshold independently, not just the aggregate

B. Remove that language

C. Average the two figures

D. Ship, since 99.2% is high

Correct Answer: A

Explanation: Option A is correct — Assess whether the per-segment experience meets the acceptable threshold independently, not just the aggregate. This directly matches what the question is asking about. The remaining options (B, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1749. Which is the most rigorous approach when human labels themselves are uncertain (e.g. subjective quality)?

Difficulty: Very Hard

A. Use a single annotator

B. Treat labels as ground truth

C. Report the ceiling imposed by inter-annotator agreement and interpret model scores relative to it

D. Discard human labels

Correct Answer: C

Explanation: Option C is correct — Report the ceiling imposed by inter-annotator agreement and interpret model scores relative to it. This directly matches what the question is asking about. The remaining options (A, B, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

1750. A team proposes replacing their human evaluation entirely with an LLM judge to cut costs. The most defensible response is:

Difficulty: Very Hard

A. Accept, since agreement is high

B. Retain a sampled human audit to detect judge drift and validate on new failure modes

C. Reject all automation

D. Use two judges instead

Correct Answer: B

Explanation: Option B is correct — Retain a sampled human audit to detect judge drift and validate on new failure modes. This directly matches what the question is asking about. The remaining options (A, C, D) describe different, unrelated, or inaccurate ideas and don't fit the scenario or definition in the question.

Answer Key (Quick Reference)

1=D 2=C 3=B 4=C 5=A 6=A 7=A 8=B 9=B 10=D
11=B 12=A 13=A 14=B 15=A 16=D 17=C 18=A 19=C 20=B
21=D 22=B 23=D 24=D 25=C 26=D 27=B 28=A 29=C 30=B
31=C 32=B 33=A 34=A 35=C 36=D 37=C 38=A 39=B 40=D
41=B 42=A 43=C 44=C 45=C 46=A 47=A 48=C 49=C 50=C
51=A 52=A 53=C 54=D 55=A 56=B 57=C 58=A 59=A 60=B
61=A 62=B 63=A 64=C 65=A 66=D 67=C 68=A 69=D 70=A
71=D 72=D 73=B 74=A 75=A 76=C 77=B 78=A 79=B 80=D
81=D 82=C 83=A 84=C 85=B 86=B 87=C 88=C 89=B 90=B
91=D 92=B 93=B 94=D 95=D 96=A 97=D 98=D 99=A 100=C
101=D 102=C 103=D 104=B 105=B 106=C 107=D 108=D 109=A 110=D
111=B 112=C 113=A 114=D 115=C 116=B 117=A 118=A 119=C 120=C
121=D 122=B 123=C 124=B 125=D 126=D 127=D 128=B 129=C 130=C
131=B 132=D 133=C 134=A 135=C 136=C 137=D 138=B 139=A 140=D
141=A 142=D 143=C 144=D 145=C 146=C 147=C 148=B 149=D 150=D
151=B 152=C 153=C 154=C 155=D 156=C 157=A 158=B 159=B 160=D
161=C 162=D 163=D 164=D 165=C 166=D 167=A 168=B 169=D 170=A
171=A 172=C 173=D 174=C 175=C 176=C 177=A 178=A 179=C 180=B
181=C 182=C 183=A 184=B 185=D 186=B 187=D 188=A 189=B 190=D
191=C 192=D 193=B 194=D 195=D 196=D 197=A 198=C 199=C 200=D
201=D 202=C 203=D 204=A 205=D 206=D 207=A 208=D 209=B 210=D
211=A 212=B 213=B 214=B 215=C 216=A 217=B 218=D 219=C 220=B
221=D 222=D 223=A 224=B 225=B 226=C 227=B 228=B 229=C 230=B
231=A 232=B 233=C 234=C 235=D 236=D 237=B 238=D 239=B 240=B
241=C 242=B 243=D 244=C 245=A 246=B 247=A 248=A 249=B 250=C
251=D 252=B 253=B 254=B 255=D 256=C 257=D 258=C 259=A 260=D
261=A 262=B 263=A 264=A 265=D 266=D 267=D 268=D 269=D 270=C
271=C 272=D 273=C 274=B 275=A 276=D 277=D 278=B 279=A 280=D
281=C 282=C 283=D 284=C 285=D 286=C 287=A 288=C 289=D 290=D
291=B 292=C 293=A 294=D 295=A 296=A 297=D 298=D 299=D 300=A
301=B 302=C 303=C 304=C 305=B 306=A 307=B 308=D 309=C 310=C
311=A 312=A 313=D 314=A 315=C 316=D 317=D 318=C 319=B 320=A
321=C 322=A 323=D 324=D 325=A 326=A 327=D 328=B 329=C 330=C
331=B 332=D 333=C 334=D 335=B 336=C 337=A 338=C 339=C 340=A
341=B 342=B 343=B 344=B 345=A 346=D 347=B 348=B 349=B 350=A
351=A 352=D 353=B 354=B 355=A 356=A 357=C 358=A 359=A 360=C
361=B 362=A 363=D 364=D 365=C 366=D 367=B 368=C 369=C 370=D
371=A 372=C 373=A 374=B 375=C 376=D 377=D 378=C 379=C 380=A
381=B 382=A 383=D 384=A 385=D 386=D 387=A 388=B 389=B 390=C
391=B 392=D 393=B 394=A 395=B 396=B 397=D 398=A 399=B 400=A
401=C 402=D 403=A 404=A 405=D 406=D 407=C 408=D 409=B 410=C
411=A 412=D 413=B 414=C 415=C 416=C 417=B 418=B 419=C 420=A
421=B 422=D 423=D 424=C 425=A 426=B 427=D 428=A 429=C 430=A
431=B 432=C 433=A 434=B 435=B 436=C 437=D 438=B 439=B 440=C
441=C 442=B 443=C 444=C 445=B 446=C 447=B 448=B 449=C 450=D
451=B 452=A 453=B 454=D 455=B 456=D 457=A 458=B 459=C 460=A
461=A 462=D 463=D 464=C 465=B 466=A 467=A 468=A 469=B 470=D
471=D 472=C 473=C 474=D 475=D 476=D 477=D 478=C 479=B 480=A
481=A 482=D 483=D 484=B 485=A 486=C 487=C 488=D 489=C 490=A
491=A 492=C 493=D 494=A 495=C 496=C 497=A 498=B 499=A 500=C
501=B 502=A 503=A 504=A 505=A 506=B 507=D 508=C 509=A 510=B
511=C 512=A 513=B 514=A 515=B 516=C 517=B 518=B 519=B 520=D
521=C 522=A 523=D 524=A 525=D 526=C 527=B 528=A 529=B 530=A
531=C 532=A 533=C 534=C 535=C 536=A 537=C 538=B 539=B 540=A
541=C 542=D 543=D 544=D 545=A 546=B 547=A 548=B 549=B 550=A
551=B 552=A 553=D 554=C 555=D 556=A 557=C 558=D 559=C 560=C
561=D 562=C 563=A 564=D 565=C 566=C 567=B 568=C 569=B 570=B

571=A 572=B 573=B 574=C 575=C 576=B 577=A 578=A 579=C 580=B
581=B 582=C 583=C 584=D 585=C 586=C 587=D 588=C 589=A 590=D
591=D 592=D 593=D 594=B 595=A 596=C 597=D 598=D 599=D 600=A
601=C 602=B 603=C 604=C 605=B 606=B 607=A 608=A 609=A 610=B
611=C 612=A 613=C 614=A 615=C 616=C 617=B 618=B 619=B 620=B
621=A 622=C 623=B 624=D 625=C 626=A 627=C 628=B 629=B 630=C
631=D 632=C 633=C 634=B 635=C 636=A 637=B 638=A 639=B 640=A
641=D 642=A 643=C 644=C 645=D 646=C 647=B 648=D 649=C 650=D
651=D 652=A 653=C 654=C 655=B 656=D 657=C 658=D 659=C 660=D
661=D 662=C 663=C 664=C 665=D 666=D 667=A 668=B 669=D 670=D
671=A 672=D 673=D 674=D 675=D 676=A 677=A 678=D 679=C 680=B
681=B 682=C 683=B 684=B 685=B 686=C 687=D 688=D 689=C 690=B
691=A 692=A 693=C 694=D 695=B 696=D 697=A 698=A 699=C 700=D
701=B 702=A 703=D 704=B 705=A 706=B 707=D 708=D 709=B 710=B
711=D 712=C 713=A 714=B 715=A 716=B 717=A 718=B 719=A 720=D
721=B 722=C 723=A 724=D 725=C 726=B 727=C 728=C 729=D 730=A
731=A 732=B 733=C 734=A 735=A 736=A 737=C 738=B 739=B 740=B
741=C 742=B 743=A 744=B 745=C 746=B 747=D 748=C 749=D 750=B
751=D 752=B 753=D 754=C 755=D 756=D 757=A 758=B 759=D 760=B
761=B 762=A 763=B 764=D 765=C 766=B 767=B 768=C 769=B 770=B
771=A 772=D 773=A 774=C 775=C 776=C 777=C 778=B 779=D 780=C
781=D 782=A 783=C 784=A 785=C 786=B 787=A 788=D 789=B 790=A
791=D 792=C 793=A 794=A 795=B 796=A 797=B 798=A 799=C 800=B
801=B 802=B 803=B 804=C 805=D 806=B 807=D 808=A 809=B 810=B
811=D 812=A 813=B 814=A 815=A 816=C 817=A 818=D 819=C 820=C
821=A 822=A 823=D 824=C 825=A 826=B 827=B 828=C 829=C 830=D
831=B 832=C 833=B 834=A 835=C 836=D 837=A 838=C 839=C 840=C
841=D 842=A 843=A 844=B 845=C 846=A 847=B 848=D 849=D 850=B
851=B 852=C 853=D 854=A 855=A 856=A 857=A 858=B 859=B 860=C
861=B 862=A 863=D 864=D 865=C 866=D 867=C 868=A 869=C 870=A
871=C 872=A 873=C 874=C 875=C 876=C 877=D 878=B 879=A 880=D
881=D 882=B 883=A 884=D 885=C 886=C 887=A 888=C 889=C 890=D
891=A 892=D 893=A 894=C 895=D 896=D 897=C 898=C 899=B 900=B
901=A 902=C 903=C 904=D 905=C 906=D 907=A 908=C 909=B 910=D
911=A 912=A 913=C 914=C 915=A 916=A 917=B 918=B 919=A 920=B
921=C 922=C 923=D 924=B 925=A 926=A 927=A 928=B 929=B 930=B
931=A 932=A 933=C 934=C 935=B 936=D 937=C 938=D 939=B 940=B
941=B 942=A 943=B 944=B 945=D 946=B 947=D 948=C 949=B 950=D
951=D 952=B 953=C 954=B 955=B 956=B 957=C 958=A 959=C 960=D
961=B 962=B 963=C 964=A 965=B 966=C 967=B 968=D 969=D 970=D
971=C 972=C 973=D 974=B 975=D 976=A 977=A 978=B 979=B 980=C
981=C 982=B 983=C 984=B 985=A 986=C 987=A 988=D 989=A 990=C
991=C 992=B 993=D 994=D 995=A 996=D 997=A 998=A 999=A 1000=A
1001=A 1002=A 1003=B 1004=D 1005=A 1006=A 1007=D 1008=B 1009=B 1010=C
1011=D 1012=A 1013=B 1014=A 1015=B 1016=C 1017=A 1018=B 1019=A 1020=C
1021=B 1022=C 1023=B 1024=B 1025=D 1026=A 1027=D 1028=A 1029=B 1030=D
1031=D 1032=B 1033=D 1034=A 1035=B 1036=A 1037=B 1038=B 1039=A 1040=D
1041=C 1042=A 1043=A 1044=B 1045=B 1046=A 1047=A 1048=B 1049=C 1050=D
1051=D 1052=B 1053=B 1054=D 1055=C 1056=A 1057=A 1058=A 1059=C 1060=D
1061=A 1062=A 1063=C 1064=C 1065=C 1066=A 1067=B 1068=A 1069=B 1070=B
1071=B 1072=B 1073=A 1074=B 1075=A 1076=A 1077=B 1078=B 1079=D 1080=D
1081=D 1082=C 1083=C 1084=D 1085=A 1086=C 1087=B 1088=C 1089=A 1090=D
1091=D 1092=D 1093=B 1094=A 1095=B 1096=C 1097=D 1098=C 1099=D 1100=B
1101=C 1102=A 1103=C 1104=B 1105=C 1106=B 1107=D 1108=C 1109=D 1110=B
1111=B 1112=A 1113=A 1114=C 1115=B 1116=A 1117=B 1118=D 1119=D 1120=A
1121=A 1122=A 1123=D 1124=A 1125=A 1126=A 1127=D 1128=C 1129=A 1130=B
1131=B 1132=A 1133=C 1134=A 1135=C 1136=A 1137=A 1138=B 1139=D 1140=A
1141=C 1142=D 1143=D 1144=D 1145=A 1146=D 1147=C 1148=A 1149=A 1150=A
1151=B 1152=C 1153=B 1154=B 1155=B 1156=D 1157=C 1158=B 1159=C 1160=C
1161=B 1162=B 1163=D 1164=A 1165=C 1166=B 1167=C 1168=D 1169=B 1170=B
1171=B 1172=C 1173=C 1174=A 1175=D 1176=C 1177=B 1178=A 1179=A 1180=C

1181=D 1182=C 1183=D 1184=C 1185=C 1186=A 1187=A 1188=B 1189=B 1190=B
1191=B 1192=B 1193=D 1194=D 1195=A 1196=D 1197=D 1198=C 1199=C 1200=C
1201=C 1202=B 1203=A 1204=D 1205=D 1206=D 1207=C 1208=B 1209=D 1210=B
1211=D 1212=D 1213=D 1214=A 1215=D 1216=D 1217=A 1218=D 1219=D 1220=D
1221=C 1222=D 1223=C 1224=A 1225=C 1226=A 1227=D 1228=B 1229=B 1230=C
1231=C 1232=A 1233=D 1234=C 1235=D 1236=A 1237=B 1238=B 1239=A 1240=A
1241=A 1242=A 1243=D 1244=B 1245=A 1246=B 1247=C 1248=A 1249=D 1250=D
1251=C 1252=A 1253=B 1254=A 1255=C 1256=B 1257=D 1258=A 1259=C 1260=A
1261=B 1262=B 1263=A 1264=D 1265=D 1266=C 1267=C 1268=B 1269=B 1270=A
1271=D 1272=D 1273=D 1274=B 1275=B 1276=C 1277=C 1278=B 1279=D 1280=A
1281=D 1282=A 1283=A 1284=D 1285=B 1286=D 1287=D 1288=B 1289=B 1290=D
1291=B 1292=D 1293=C 1294=B 1295=D 1296=C 1297=D 1298=B 1299=C 1300=C
1301=B 1302=C 1303=A 1304=D 1305=A 1306=A 1307=D 1308=A 1309=B 1310=A
1311=B 1312=A 1313=D 1314=B 1315=D 1316=A 1317=B 1318=C 1319=B 1320=B
1321=D 1322=B 1323=B 1324=C 1325=A 1326=D 1327=A 1328=A 1329=C 1330=B
1331=A 1332=B 1333=B 1334=D 1335=B 1336=B 1337=C 1338=A 1339=A 1340=C
1341=C 1342=A 1343=C 1344=A 1345=D 1346=D 1347=C 1348=C 1349=C 1350=B
1351=A 1352=A 1353=A 1354=C 1355=A 1356=B 1357=D 1358=B 1359=D 1360=B
1361=B 1362=B 1363=C 1364=A 1365=A 1366=A 1367=C 1368=A 1369=B 1370=A
1371=C 1372=D 1373=D 1374=B 1375=C 1376=B 1377=D 1378=C 1379=B 1380=D
1381=D 1382=A 1383=D 1384=A 1385=D 1386=A 1387=A 1388=C 1389=A 1390=B
1391=A 1392=C 1393=D 1394=C 1395=D 1396=C 1397=D 1398=B 1399=B 1400=B
1401=D 1402=B 1403=A 1404=C 1405=A 1406=D 1407=B 1408=B 1409=D 1410=B
1411=A 1412=D 1413=D 1414=A 1415=C 1416=A 1417=D 1418=C 1419=A 1420=D
1421=A 1422=C 1423=C 1424=D 1425=A 1426=D 1427=D 1428=D 1429=D 1430=A
1431=C 1432=B 1433=A 1434=C 1435=B 1436=B 1437=A 1438=B 1439=A 1440=C
1441=A 1442=B 1443=C 1444=B 1445=A 1446=D 1447=D 1448=C 1449=D 1450=A
1451=D 1452=D 1453=C 1454=B 1455=D 1456=C 1457=A 1458=B 1459=B 1460=C
1461=D 1462=A 1463=D 1464=A 1465=B 1466=A 1467=B 1468=D 1469=D 1470=B
1471=B 1472=D 1473=C 1474=A 1475=B 1476=B 1477=C 1478=C 1479=B 1480=C
1481=B 1482=C 1483=B 1484=B 1485=A 1486=D 1487=B 1488=D 1489=C 1490=B
1491=D 1492=A 1493=C 1494=A 1495=D 1496=C 1497=D 1498=C 1499=C 1500=A
1501=D 1502=D 1503=A 1504=C 1505=A 1506=C 1507=A 1508=A 1509=C 1510=B
1511=B 1512=D 1513=D 1514=D 1515=B 1516=C 1517=A 1518=B 1519=B 1520=C
1521=B 1522=D 1523=C 1524=C 1525=A 1526=B 1527=B 1528=B 1529=D 1530=C
1531=C 1532=A 1533=D 1534=B 1535=A 1536=D 1537=C 1538=B 1539=D 1540=B
1541=A 1542=D 1543=D 1544=D 1545=B 1546=A 1547=B 1548=A 1549=D 1550=C
1551=B 1552=A 1553=A 1554=B 1555=B 1556=A 1557=D 1558=A 1559=D 1560=A
1561=A 1562=A 1563=D 1564=D 1565=D 1566=A 1567=D 1568=A 1569=C 1570=D
1571=B 1572=B 1573=B 1574=D 1575=C 1576=C 1577=C 1578=A 1579=A 1580=C
1581=A 1582=A 1583=B 1584=B 1585=A 1586=C 1587=C 1588=A 1589=B 1590=A
1591=D 1592=A 1593=B 1594=A 1595=D 1596=B 1597=A 1598=C 1599=A 1600=B
1601=C 1602=A 1603=B 1604=A 1605=B 1606=B 1607=A 1608=B 1609=B 1610=B
1611=C 1612=A 1613=A 1614=D 1615=D 1616=A 1617=C 1618=D 1619=C 1620=B
1621=B 1622=B 1623=A 1624=B 1625=A 1626=C 1627=A 1628=C 1629=C 1630=A
1631=B 1632=C 1633=C 1634=D 1635=B 1636=D 1637=B 1638=C 1639=D 1640=D
1641=A 1642=B 1643=B 1644=A 1645=D 1646=D 1647=B 1648=C 1649=C 1650=C
1651=D 1652=B 1653=D 1654=D 1655=C 1656=C 1657=C 1658=A 1659=A 1660=D
1661=A 1662=D 1663=D 1664=B 1665=D 1666=D 1667=D 1668=B 1669=C 1670=D
1671=D 1672=D 1673=D 1674=B 1675=C 1676=C 1677=D 1678=C 1679=C 1680=D
1681=C 1682=A 1683=A 1684=D 1685=A 1686=B 1687=C 1688=D 1689=C 1690=C
1691=A 1692=C 1693=A 1694=B 1695=C 1696=C 1697=B 1698=D 1699=D 1700=D
1701=C 1702=B 1703=D 1704=A 1705=D 1706=B 1707=C 1708=A 1709=A 1710=D
1711=A 1712=A 1713=B 1714=B 1715=D 1716=A 1717=A 1718=C 1719=A 1720=C
1721=B 1722=D 1723=C 1724=D 1725=A 1726=A 1727=C 1728=A 1729=C 1730=D
1731=B 1732=B 1733=B 1734=C 1735=D 1736=A 1737=B 1738=B 1739=C 1740=B
1741=A 1742=B 1743=B 1744=B 1745=A 1746=C 1747=D 1748=A 1749=C 1750=B