## E-commerce Website for Sporty Shoes. Codes

#### addCategory.jsp

```
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="com.example.demo2.*"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body bgcolor="#FAD2B7">
<center>
<h1>Add New Product Category</h1>
<form action="add">
Category Name <input type="text" name="pname"</pre>
required>
```

```
<input_type="submit">
</form>
</center>
</body>
</html>
Adminindex.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Login page of Admin</title>
</head>
<body>
<center>
```

<h1>Admin Login Pannel</h1>

```
<form action="admin">
Username <input type="text" name="user" required><br>
<br>
Password<input type="password" name="password"</pre>
required><br> <br>>
<input type="submit" value="login">
</form>
</center>
</body>
</html>
Adminpannel.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
```

```
<title>Insert title here</title>
</head>
<body>
<center>
<h1>Admin Pannel</h1>
<a href="insert.jsp">Add Product</a> <br><br>
<a href="status.jsp">View Product</a> <br><br></a>
<a href="BuyGetAll.jsp">View All Orders</a> <br><br>
<a href="UserGetAll.jsp">View All Users</a>
</center>
</body>
</html>
AllUser.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="java.util.*" %>
```

```
<%@ page import="com.example.demo.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<%
List<User>
u=(List<User>)request.getAttribute("list");
%>
UserPasswordEmail
<%for(User uu:u){ %>
```

```
<%=uu.getSpassword() %>
<%=uu.getSemail() %> 
<%} %>
</center>
</body>
</html>
BuyDisplay.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
```

```
<%@ page import="java.util.*" %>
   <%@ page import="com.example.demo.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<%
List<Buy> y=(List<Buy>)request.getAttribute("list");
%>
Buy IDNameBuy
AddressShoes ModelStatus
Card's Holder Name Total Amount
CCV Size
```

```
<%for(Buy yy:y){ %>
 <%=yy.getId() %> <%=yy.getName()</td>
%>
<%=yy.getAddress()%><%=yy.getModel()
%><%=yy.getStatus()</pre>
%><%=yy.getCardname() %>
<%=yy.getAmmount() %>
%> <%=yy.getSize() %> 
<%} %>
</center>
</body>
</html>
BuyGetAll.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
```

```
pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<form_action="buyall">
<input_type="submit"_value="Show All Purchases">
</form>
</center>
</body>
</html>
buygymshoes.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h2>Buy Gym Shoes</h2>
<h3>Product Details </h3>
<h3>Puma Shoes</h3>
Category - Gym shoes <br>
Descrition - Puma Shoes <br>
Price - Rs.1000 <br>
Model No. - 4 <br>
<img src="/shoes/qym.jfif"/>
<form_action="runningbuy">
<h3>Enter Shipping Address</h3> <br>
```

```
Enter Name <input type="text" name="name" required>
<br> <br>>
Address <input type="text" name="address" required>
<br> <br>>
Shoes Model
<select name="model">
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
</select>
Status <input type="text" name="status"> <br> <br> <br> <br/>
<h3>Enter Card Details</h3> <br>
Card Holder's Name <input type="text"
name="cardname"> <br> <br>
Amount <input type="text" name="ammount"> <br> <br> <br> <br> <br/> <br/
Card Number <input type="text" name="cardnumber">
<br> <br>>
Enter CCV <input type="text" name="ccv"> <br> <br>
Select Size<select name="size">
<option>5</option>
<option>6</option>
```

```
<option>7</option>
<option>8</option>
<option>9</option>
</select>
<input type="submit">
</form>
</center>
</body>
</html>
```

# buyrunningshoes.jsp

```
<%@ page language="java" contentType="text/html;
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
```

```
</head>
<body>
<center>
<h2>Buy Running Shoes</h2>
<h3>Product Details </h3>
<h3>Puma Shoes</h3>
Category - Running shoes <br>
Descrition - Puma Shoes <br>
Price - Rs.1000 <br>
Model No. - 1 <br>
<img src="/shoes/walking.jfif"/>
<form action="runningbuy">
<h3>Enter Shipping Address</h3> <br>
Enter Name <input type="text" name="name" required>
<br> <br>>
Address <input type="text" name="address" required>
<br> <br>>
Shoes Model
```

```
<select name="model" required>
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
</select>
Status <input type="text" name="status" required>
<br> <br>>
<h3>Enter Card Details</h3> <br>
Card Holder's Name <input type="text" name="cardname"
required> <br> <br>>
Amount <input type="text" name="ammount" required>
<br> <br>>
Card Number <input type="text" name="cardnumber"</pre>
required> <br> <br>>
Enter CCV <input type="text" name="ccv" required>
<br> <br>>
Select Size<select name="size" required>
<option>5</option>
<option>6</option>
<option>7</option>
```

```
<option>8</option>
<option>9</option>
</select>
<input type="submit">
</form>
</center>
</body>
</html>
```

# buysuccess.jsp

```
<%@ page language="java" contentType="text/html;
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Buy</title>
</head>
```

```
<body>
<center>
<h1>Successfully ordered your product</h1>
<h2>Your Product reached your home within 7
days..</h2>
<h3>Thank you for the Shoping</h3>
<a href="Home.jsp">Click Here To Buy Again</a>
</center>
</body>
</html>
```

#### buystylishshoes.jsp

```
<%@ page language="java" contentType="text/html;
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
```

```
<title>Insert title here</title>
</head>
<body>
<center>
<h2>Buy Stylish Shoes</h2>
<h3>Product Details </h3>
<h3>Puma Shoes</h3>
Category - Stylish shoes <br>
Descrition - Puma Shoes <br>
Price - Rs.1000 <br>
Model No. - 3 <br>
<img src="/shoes/style.jpg"/>
<form action="runningbuy">
<h3>Enter Shipping Address</h3> <br>
Enter Name <input type="text" name="name" required>
Address <input type="text" name="address" required>
<br> <br>>
```

```
Shoes Model
<select name="model">
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
</select>
Status <input type="text" name="status"> <br> <br>
<h3>Enter Card Details</h3> <br>
Card Holder's Name <input type="text"
name="cardname"> <br> <br>
Amount <input type="text" name="ammount">_<br></ri>
Card Number <input type="text" name="cardnumber">
<br> <br>>
Enter CCV <input type="text" name="ccv"> <br> <br>
Select Size<select name="size">
<option>5</option>
<option>6</option>
<option>7</option>
<option>8</option>
```

```
<option>9</option>
</select>
<input type="submit">
</form>
</form>
</center>
</body>
</html>
```

# buywalkingshoes.jsp

```
<%@ page language="java" contentType="text/html;
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
```

```
<center>
<h2>Buy Walking Shoes</h2>
<h3>Product Details </h3>
<h3>Puma Shoes</h3>
Category - Walking shoes <br>
Descrition - Puma Shoes <br>
Price - Rs.1000 <br>
Model No. - 2 <br>
<img src="/shoes/walking1.jpg"/>
<form action="running">
<h3>Enter Shipping Address</h3> <br>
Enter Name <input type="text" name="name" required>
<br> <br>>
Address <input type="text" name="address" required>
<br> <br>>
Shoes Model
<select name="model" required>
<option>1</option>
```

```
<option>2</option>
<option>3</option>
<option>4</option>
</select>
Status <input type="text" name="status" required>
<br />
<b
<h3>Enter Card Details</h3> <br>
Card Holder's Name <input type="text" name="cardname"
required> <br> <br>>
Amount <input type="text" name="ammount" required>
<br> <br>>
Card Number <input type="text" name="cardnumber"</pre>
required> <br> <br>>
Enter CCV <input type="text" name="ccv" required>
<br> <br>>
Select Size<select name="size" required>
<option>5</option>
<option>6</option>
<option>7</option>
<option>8</option>
<option>9</option>
```

```
</re>
</re>
<input type="submit">
</form>
</center>
</body>
</html>
```

### deleteCategory.jsp

```
<%@ page language="java" contentType="text/html;
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body bgcolor="#FAD2B7">
<center>
```

```
<h1>Delete Your Product Category</h1>
<form action="deleteByid">
Enter Id <input type="text" name="id" required>
<input type="submit" value="Delete ID">
</form>
</center>
</body>
</html>
display.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="java.util.*" %>
    <%@ page import="com.example.demo.*" %>
<!DOCTYPE html>
<html>
<head>
```

```
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<%
List<product>
p=(Listoduct>)request.getAttribute("list");
%>
Product IDproduct
NameProduct
PriceCategoryProduct
model
<%for(product pp:p){ %>
 <%=pp.getId() %> <%=pp.getName()</td>
%> <%=pp.getPrice()</pre>
%><%=pp.getCategory()</pre>
%><%=pp.getModel() %>
```

```
<%} %>
<a href="insert.jsp">Add Another Product</a>
</center>
</body>
</html>
DisplayCategory.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="java.util.*" %>
    <%@ page import="com.example.demo.*" %>
<!DOCTYPE html>
<html>
<head>
```

```
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body bgcolor="#E6F9DE">
<center>
<%
List<category>
c=(List<category>)request.getAttribute("list");
%>
Category IDCategory
NameEditDelete
<%for(category cc:c){ %>
 <%=cc.getId() %> <%=cc.getPname()</td>
%> <a
href="updateCategory.jsp">Edit</a><a</pre>
href="deleteCategory.jsp">Delete</a> 
<%} %>
```

```
<a href="addCategory.jsp">Add Another Product
Category</a>
</center>
</body>
</html>
displayRegister.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
```

<body>

<center>

```
<h1>Login 'Successfull'</h1>
<%
String suser = (String)session.getAttribute("suser");
%>
<h2>Welcome to <%=suser %></h2> <br>
<form action="logout">
<input_type="submit"_value="logout">
</form>
<br><br><br>></pr>
<a href="Home.jsp">Click Here to Goto to Home</a>
Page</a>
</center>
</body>
</html>
```

forgetpassword.jsp

```
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form action="forget">
Username <input type="text" name="suser"</pre>
required><br> <br>>
Password <input type="password" name="spassword"
required><br> <br>
Email <input type="email" name="semail" required>
<input type="submit" value="Forget">
</form>
</body>
</html>
```

#### Home.jsp

```
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body bgcolor="#E6F9DE">
<center>
<h1>Sporty Shoes</h1>
<br>
<h2>Select Category to Browse</h2>
<a href="running.jsp">Running Shoes</a> <br><br></a>
<a href="walking.jsp">Walking Shoes</a> <br><br>
<a href="gym.jsp">Gym Shoes</a> <br><br></a>
```

```
<a href="style.jsp">Stylish Shoes</a> <br>
</center>
</body>
</html>
index.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Login page of Users</title>
</head>
<body>
<center>
<h1>User Login Pannel</h1>
```

```
<form action="login">
Username <input type="text" name="suser"</pre>
required><br> <br>>
Password<input type="password" name="spassword"
required><br> <br>>
<input type="submit" value="login">
<a href="forgetpassword.jsp">Forget Password</a>
</form>
<h3>if login failed , register on the below link</h3>
<a href="register.jsp">register here..</a>
</center>
</body>
</html>
insert.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
```

```
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h1>Add Product For Customers</h1>
<form action="insert">
Product name <input type="text" name="name" required>
<br><br><br>
Product Price <input type="text" name="price"
required> <br><br>
Product Model <input type="text" name="model"</pre>
required> <br><br>>
Product Category
<select name="category">
<option>Running Shoes
<option>Walking Shoes
<option>Gym Shoes</option>
```

```
<option>Stylish </option>
</select>
<br><br><br><
<input_type="submit">
</form>
</center>
</body>
</html>
insertedCategory.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
```

<title>Insert title here</title>

```
</head>
<body>
<center>
<h1>Category Inserted</h1>
<form action="catall">
<input_type="submit"_value="View Category">
</form>
</center>
</body>
</html>
register.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h1>User Registration</h1>
<form action="register">
username<input type="text" name="suser" required><br>
password<input type="password" name="spassword"</pre>
required><br>
email id<input type="email" name="semail"><br>
<input type="submit">
</form>
</center>
</body>
</html>
```

#### running.jsp

```
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h3>Running Shoes</h3>
<img src="/shoes/walking.jfif">
<h4>Puma Shoes</h4> <br>
<a href="buyrunnningshoes.jsp">Buy Now</a>
</center>
</body>
```

```
</html>
status.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<form action="getall">
<input_type="submit"_value="View All Product">
</form>
```

</center>

```
</body>
</html>
style.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h4>Stylish Shoes</h4>
<img src="style.jpq">
<a href="buystylishshoes.jsp">Buy Now</a>
</center>
```

```
</body>
</html>
updateCategory.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="com.example.demo2.*"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body bgcolor="#FAD2B7">
<center>
<h1>Enter Category Id and Name For Update</h1>
<form action="update">
Category Id <input type="text" name="id" required>
<br><br><br>
```

```
Category Name <input type="text" name="pname"</pre>
required> <br><br>
<input_type="submit">
</form>
</center>
</body>
</html>
updateCategory.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
    <%@ page import="com.example.demo2.*"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
```

```
<body bgcolor="#FAD2B7">
<center>
<h1>Enter Category Id and Name For Update</h1>
<form action="update">
Category Id <input type="text" name="id" required>
<br><br><br>
Category Name <input type="text" name="pname"</pre>
required> <br><br>
<input type="submit">
</form>
</center>
</body>
</html>
userGetAll.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
```

```
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<form action="alluser">
<input type="submit" value="Get All Users">
</form>
</center>
</body>
</html>
userwrongpassword.jsp
<%@ page language="java" contentType="text/html;</pre>
charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
```

```
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<center>
<h1>Wrong Password..Please try again later</h1>
</center>
</body>
</html>
```

Name:- Vishnu Avtar