

Kitchen Story----->>>Codes

In this project there are huge code so, all codes present on the github

index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <!-- Basic -->
```

```
  <meta charset="utf-8" />
```

```
  <meta http-equiv="X-UA-Compatible"  
content="IE=edge" />
```

```
  <!-- Mobile Metas -->
```

```
  <meta name="viewport" content="width=device-width,  
initial-scale=1, shrink-to-fit=no" />
```

```
  <!-- Site Metas -->
```

```
  <meta name="keywords" content="" />
```

```
<meta name="description" content="" />
```

```
<meta name="author" content="" />
```

```
<title>KITCHEN STORY</title>
```

```
<!-- slider stylesheet -->
```

```
<link rel="stylesheet" type="text/css"
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/assets/owl.carousel.min.css" />
```

```
<!-- bootstrap core css -->
```

```
<link rel="stylesheet" type="text/css"
```

```
href="css/bootstrap.css" />
```

```
<!-- fonts style -->
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Poppins:400,700&display=swap" rel="stylesheet" />
```

```
<!-- Custom styles for this template -->
```

```
<link href="css/style.css" rel="stylesheet" />
```

```
<!-- responsive style -->
```

```

    <link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
    <div class="hero_area">
        <!-- header section strats -->
        <header class="header_section">
            <div class="container">
                <nav class="navbar navbar-expand-lg
custom_nav-container pt-3">
                    <a class="navbar-brand" href="index.html">
                        <span>
                            Kitchen Story
                        </span>
                    </a>
                    <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"
                        aria-controls="navbarSupportedContent"
                        aria-expanded="false" aria-label="Toggle navigation">
                        <span class="navbar-toggler-icon"></span>

```

```
</button>
```

```
    <div class="collapse navbar-collapse"
id="navbarSupportedContent">

        <div class="d-flex ml-auto flex-column
flex-lg-row align-items-center">

            <ul class="navbar-nav">

                <li class="nav-item active">

                    <a class="nav-link"
href="index.html">Home <span class="sr-
only">(current)</span></a>

                </li>

                <li class="nav-item">

                    <a class="nav-link"
href="fruit.html"> Food</a>

                </li>

                <li class="nav-item">

                    <a class="nav-link"
href="service.html"> Services </a>

                </li>

                <li class="nav-item">

                    <a class="nav-link"
href="contact.html">Contact us</a>
```

```

        </li>
    </ul>

    <form class="form-inline my-2 my-lg-0
ml-0 ml-lg-4 mb-3 mb-lg-0">

        <button class="btn my-2 my-sm-0
nav_search-btn" type="submit"></button>

    </form>

</div>

<div class="quote_btn-container ml-0 ml-
lg-4 d-flex justify-content-center">

    <a href="Adminindex.jsp">

        Admin

    </a>

</div>

</div>

</nav>

</div>

</header>

<!-- end header section -->

<!-- slider section -->

<section class=" slider_section position-
relative">

```

```

<div id="carouselExampleControls"
class="carousel slide" data-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      <div class="slider_item-box">
        <div class="slider_item-container">
          <div class="container">
            <div class="row">
              <div class="col-md-6">
                <div class="slider_item-
detail">

                  <div>
                    <h1 style="font-
size:40px;">

                      Welcome to <br />
                      Our Kitchen Story
                    </h1>
                    <p>

                      There are many variation
of food present on our end. You can buy as per need
from our site.

                    </p>

```

```
        <div class="d-flex">
            <a
href="FoodListSearch.jsp" class="text-uppercase
custom_orange-btn mr-3">
                Shop Now
            </a>
            <a href="contact.html"
class="text-uppercase custom_dark-btn">
                Contact Us
            </a>
        </div>
    </div>
</div>
</div>
</div>
<div class="col-md-6">
    <div class="slider_img-box">
        <div>
            
        </div>
    </div>
</div>
</div>
```

```
        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="carousel-item">
    <div class="slider_item-box">
        <div class="slider_item-container">
            <div class="container">
                <div class="row">
                    <div class="col-md-6">
                        <div class="slider_item-
detail">

                            <div>
                                <h1 style="font-
size:40px;">

                                    Welcome to <br />
                                    Our Kitchen Story
                                </h1>
                                <p>
```


There are many variation of food present on our end. You can buy as per need from our site.

```
</p>
```

```
<div class="d-flex">
```

```
<a
```

```
href="FoodListSearch.jsp" class="text-uppercase  
custom_orange-btn mr-3">
```

Shop Now

```
</a>
```

```
<a href="contact.html"
```

```
class="text-uppercase custom_dark-btn">
```

Contact Us

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<div class="slider_img-box">
```

```
<div>
```

```


</div>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="carousel-item">
  <div class="slider_item-box">
    <div class="slider_item-container">
      <div class="container">
        <div class="row">
          <div class="col-md-6">
            <div class="slider_item-
detail">

              <div>

                <h1 style="font-
size:40px;">
```

Welcome to

Our Kitchen Story

</h1>

<p>

There are many variation
of food present on our end. You can buy as per need
from our site.

</p>

<div class="d-flex">

<a

href="FoodListSearch.jsp" class="text-uppercase
custom_orange-btn mr-3">

Shop Now

<a href="contact.html"
class="text-uppercase custom_dark-btn">

Contact Us

</div>

</div>

</div>

</div>

```
<div class="col-md-6">  
    <div class="slider_img-box">  
        <div>  
              
        </div>  
    </div>  
</div>  
</div>  
</div>  
  
<div class="custom_carousel-control">  
    <a class="carousel-control-prev"  
href="#carouselExampleControls" role="button" data-  
slide="prev">  
        <span class="sr-only">Previous</span>  
    </a>
```

```
        <a class="carousel-control-next"
href="#carouselExampleControls" role="button" data-
slide="next">
```

```
        <span class="sr-only">Next</span>
```

```
    </a>
```

```
  </div>
```

```
</div>
```

```
</section>
```

```
<!-- end slider section -->
```

```
</div>
```

```
<!-- service section -->
```

```
<section class="service_section layout_padding ">
```

```
  <div class="container">
```

```
    <h2 class="custom_heading">Our Services</h2>
```

```
    <p class="custom_heading-text">
```

There are many variations of foods available
here ! but

the majority have

```

</p>
<div class=" layout_padding2">
    <div class="card-deck">
        <div class="card">
            
            <div class="card-body">
                <h5 class="card-title"><a
href="FoodListSearch.jsp">Pizza</a></h5>
                <p class="card-text">
                    Pizza is a dish of Italian origin
                    consisting of a usually round, flat base of leavened
                    wheat-based dough topped with tomatoes.
                </p>
            </div>
        </div>
    </div>
    <div class="card">
        
        <div class="card-body">
            <h5 class="card-title"><a
href="FoodListSearch.jsp">Burger</a></h5>

```

```
<p class="card-text">
```

Burger is a food consisting of fillings –usually a patty of ground meat, typically – placed inside a sliced bun or bread roll.

```
</p>
```

```
</div>
```

```
</div>
```

```
<div class="card">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title"><a
href="FoodListSearch.jsp">Samosa</a></h5>
```

```
<p class="card-text">
```

A samosa is a fried or baked pastry with a savory filling, including ingredients such as spiced potatoes, onions, and peas.

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="d-flex justify-content-center">
  <a href="" class="custom_dark-btn">
    Read More
  </a>
</div>
</div>
</section>
```

```
<!-- end service section -->
```

```
<!-- fruits section -->
```

```
<section class="fruit_section">
  <div class="container">
    <h2 class="custom_heading">Fresh Food</h2>
```

```
    <p class="custom_heading-text">
      There are many variations of foods available,
but
      the majority have
```

```
  </p>
```

```
<div class="row layout_padding2">
```



```
<div class="col-md-8">
  <div class="fruit_detail-box">
    <h3>
      Best Fresh Pizza
    </h3>
    <p class="mt-4 mb-5">
      but the majority have suffered
alteration in some form, by
      injected humour, or randomised words
which don't look even
      slightly believable.
    </p>
    <div>
      <a href="FoodListSearch.jsp"
class="custom_dark-btn">
        Buy Now
      </a>
    </div>
  </div>
</div>
<div class="col-md-4 d-flex justify-content-
center align-items-center">
```

```
<div class="fruit_img-box d-flex justify-  
content-center align-items-center">
```

```

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row layout_padding2">
```

```
<div class="col-md-8">
```

```
<div class="fruit_detail-box">
```

```
<h3>
```

Best Fresh Burger

```
</h3>
```

```
<p class="mt-4 mb-5">
```

but the majority have suffered
alteration in some form, by

injected humour, or randomised words
which don't look even

slightly believable.

```
</p>
```

```
<div>
```

```
        <a href="FoodListSearch.jsp"
class="custom_dark-btn">
            Buy Now
        </a>
    </div>
</div>
</div>
<div class="col-md-4 d-flex justify-content-
center align-items-center">
    <div class="fruit_img-box d-flex justify-
content-center ">
        
    </div>
</div>
</div>
<div class="row layout_padding2-top
layout_padding-bottom">
    <div class="col-md-8">
        <div class="fruit_detail-box">
            <h3>
                Best Fresh Samosa
```

```
</h3>
```

```
<p class="mt-4 mb-5">
```

but the majority have suffered
alteration in some form, by

injected humour, or randomised words
which don't look even

slightly believable.

```
</p>
```

```
<div>
```

```
<a href="FoodListSearch.jsp"
class="custom_dark-btn">
```

Buy Now

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4 d-flex justify-content-
center align-items-center">
```

```
<div class="fruit_img-box d-flex justify-
content-center align-items-center">
```

```

```

```
        </div>
    </div>
</div>
</div>
</section>

<!-- end fruits section -->

<!-- tasty section -->
<section class="tasty_section">
    <div class="container_fluid">
        <h2>
            Very tasty Foods
        </h2>
    </div>
</section>

<!-- end tasty section -->

<!-- client section -->
```

```

<section class="client_section layout_padding">
  <div class="container">
    <h2 class="custom_heading">Most Popular</h2>
    <p class="custom_heading-text">
      There are many variations of foods available
here !
    </p>
    <div>
      <div id="carouselExampleControls-2"
class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            <div class="client_container
layout_padding2">
              <div class="client_img-box">
                
              </div>
            <div class="client_detail">
              <h3>
                Vishnu Avtar

```

```
</h3>
```

```
<p class="custom_heading-text">
```

There are many variations of
foods are
available...You can buy from here
for better services and fast delivery.

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="carousel-item">
```

```
<div class="client_container  
layout_padding2">
```

```
<div class="client_img-box">
```

```

```

```
</div>
```

```
<div class="client_detail">
```

```
<h3>
```

Vishnu Avtar

```
</h3>
```

```
<p class="custom_heading-text">
```

There are many variations of
foods are
available...You can buy from here
for better services and fast delivery.

```
</p>
</div>
</div>
</div>
<div class="carousel-item">
  <div class="client_container
layout_padding2">
    <div class="client_img-box">
      
    </div>
    <div class="client_detail">
      <h3>
        <u>Vishnu</u> <u>Avtar</u>
      </h3>
      <p class="custom_heading-text">
```

There are many variations of
foods are

available...You can buy from here for better services and fast delivery.

```
        </p>
    </div>
</div>
</div>
</div>
<div class="custom_carousel-control">
    <a class="carousel-control-prev"
href="#carouselExampleControls-2" role="button" data-
slide="prev">
        <span class="" aria-
hidden="true"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="carousel-control-next"
href="#carouselExampleControls-2" role="button" data-
slide="next">
        <span class="" aria-
hidden="true"></span>
        <span class="sr-only">Next</span>
    </a>
</div>
```

```
        </div>
    </div>
</div>
</section>

<!-- end client section -->

<!-- contact section -->
<section class="contact_section layout_padding">
    <div class="container">
        <h2 class="font-weight-bold">
            Contact Us
        </h2>
        <div class="row">
            <div class="col-md-8 mr-auto">
                <form action="">
                    <div class="contact_form-container">
                        <div>
                            <div>
```

```
        <input type="text"
placeholder="Name" value="Vishnu Avtar">
    </div>
    <div>
        <input type="text"
placeholder="Phone Number" value="821-056-2016">
    </div>
    <div>
        <input type="email"
placeholder="Email" value="avtarvishnu155@gmail.com">
    </div>

    <div class="mt-5">
        <input type="text"
placeholder="Message" value="With 30 minutes Shipping
Gurantee">
    </div>
    <div class="mt-5">
        <button type="text">
            Fastest Delivery
        </button>
    </div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- end contact section -->
```

```
<!-- map section -->
```

```
<section class="map_section">
```

```
  <div id="map" class="h-100 w-100 ">
```

```
    </div>
```

```
</section>
```

```
<!-- end map section -->
```

```
<section class="info_section layout_padding">
  <div class="container">
    <div class="row">
      <div class="col-md-3">
        <h5>
          Food
        </h5>
        <ul>
          <li>
            Pizza
          </li>
          <li>
            Samosa
          </li>
          <li>
            Burger
          </li>
          <li>
            Role
          </li>
        </ul>
      </div>
    </div>
  </div>
</section>
```

```
</ul>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<h5>
```

Services

```
</h5>
```

```
<ul>
```

```
<li>
```

Home Delivery

```
</li>
```

```
<li>
```

Our Hotel

```
</li>
```

```
<li>
```

Booking seats

```
</li>
```

```
<li>
```

Family Seats

```
</li>
```

```
        </ul>
    </div>
    <div class="col-md-3">
        <h5>
            List
        </h5>
        <ul>
            <li>
                Food list available
            </li>

        </ul>
    </div>
    <div class="col-md-3">
        <div class="social_container">
            <h5>
                Follow Us
            </h5>
            <div class="social-box">
```

```
<a href="">
  
</a>
```

```
<a href="">
  
</a>
```

```
<a href="">
  
</a>
```

```
<a href="">
  
</a>
```

```
</div>
```

```
</div>
```

```
<div class="subscribe_container">
```

```
<h5>
```

Subscribe Now

```
</h5>
```



```
<div class="form_container">
  <form action="">
    <input type="email">
    <button type="submit">
      Subscribe
    </button>
  </form>
</div>
</div>
</div>
</div>
</div>
</section>

<!-- footer section -->

<section class="container-fluid footer_section">
  <p>
```

Copyright © 2022 All Rights Reserved By

[Vishnu Avtar](#)

</p>

</section>

<!-- footer section -->

<script type="text/javascript" src="js/jquery-3.4.1.min.js"></script>

<script type="text/javascript" src="js/bootstrap.js"></script>

<script>

// This example adds a marker to indicate the position of Bondi Beach in Sydney,

// Australia.

function initMap() {

var map = **new**
google.maps.Map(document.getElementById('map'), {
 zoom: 11,
 center: {
 lat: 40.645037,

```
        lng: -73.880224
    },
});
```

```
var image = 'images/maps-and-flags.png';
var beachMarker = new google.maps.Marker({
    position: {
        lat: 40.645037,
        lng: -73.880224
    },
    map: map,
    icon: image
});
}
```

```
</script>
```

```
<!-- google map js -->
```

```
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyA8eaHt9Dh5H57Zh0xVTqxVdBFCvFMqFjQ&callback=initMap"
>
```

```
</script>
```

```
<!-- end google map js -->  
</body>
```

```
</html>
```

=====

contact.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<!-- Basic -->
```

```
<meta charset="utf-8" />
```

```
<meta http-equiv="X-UA-Compatible"  
content="IE=edge" />
```

```
<!-- Mobile Metas -->
```

```
<meta name="viewport" content="width=device-width,  
initial-scale=1, shrink-to-fit=no" />
```

```
<!-- Site Metas -->
```

```
<meta name="keywords" content="" />
```

```
<meta name="description" content="" />
```

```
<meta name="author" content="" />
```

```
<title>KITCHEN STORY</title>
```

```
<!-- slider stylesheet -->
```

```
<link rel="stylesheet" type="text/css"
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarou  
sel2/2.1.3/assets/owl.carousel.min.css" />
```

```
<!-- bootstrap core css -->
```

```
<link rel="stylesheet" type="text/css"  
href="css/bootstrap.css" />
```

```
<!-- fonts style -->
```

```
<link
href="https://fonts.googleapis.com/css?family=Poppins
:400,700&display=swap" rel="stylesheet" />

<!-- Custom styles for this template -->

<link href="css/style.css" rel="stylesheet" />

<!-- responsive style -->

<link href="css/responsive.css" rel="stylesheet" />
</head>
```

```
<body>

<div class="hero_area sub_pages">

  <!-- header section strats -->

  <header class="header_section">

    <div class="container">

      <nav class="navbar navbar-expand-lg
custom_nav-container pt-3">

        <a class="navbar-brand" href="index.html">

          <span>
```

KITCHEN STORY

```
</span>
```

```

        </a>

        <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse"
id="navbarSupportedContent">

        <div class="d-flex ml-auto flex-column
flex-lg-row align-items-center">

            <ul class="navbar-nav">

                <li class="nav-item active">

                    <a class="nav-link"
href="index.html">Home <span class="sr-
only">(current)</span></a>

                </li>

                <li class="nav-item">

                    <a class="nav-link"
href="fruit.html"> Foods</a>

                </li>

```

```
<li class="nav-item">
    <a class="nav-link"
href="service.html"> Services </a>
</li>

<li class="nav-item">
    <a class="nav-link"
href="contact.html">Contact us</a>
</li>
</ul>

<form class="form-inline my-2 my-lg-0
ml-0 ml-lg-4 mb-3 mb-lg-0">

    <button class="btn my-2 my-sm-0
nav_search-btn" type="submit"></button>

</form>

</div>

<div class="quote_btn-container ml-0 ml-
lg-4 d-flex justify-content-center">

    <a href="Adminindex.jsp">
        Admin
    </a>
</div>
</div>
```



```
        </nav>

    </div>

</header>

<!-- end header section -->

</div>


<!-- contact section -->
<section class="contact_section layout_padding">
    <div class="container">
        <h2 class="font-weight-bold">
            Contact Us
        </h2>
        <div class="row">
            <div class="col-md-8 mr-auto">
                <form action="">
                    <div class="contact_form-container">
                        <div>
```

```
<div>
    <input type="text"
placeholder="Name" value="Vishnu Avtar">
</div>
<div>
    <input type="text"
placeholder="Phone Number" value="821-056-2016">
</div>
<div>
    <input type="email"
placeholder="Email" value="avtarvishnu155@gmail.com">
</div>

<div class="mt-5">
    <input type="text"
placeholder="Message" value="With 30 minutes Shipping
Gurantee">
</div>
<div class="mt-5">
    <button type="text">
        Fastest Delivery
    </button>
```

```
        </div>
    </div>

</div>

</form>
</div>
</div>
</div>
</section>
<!-- end contact section -->


<section class="info_section layout_padding">
    <div class="container">
        <div class="row">
            <div class="col-md-3">
                <h5>
                    Foods
                </h5>
```

```
<ul>
  <li>
    Pizza
  </li>
  <li>
    Samosa
  </li>
  <li>
    Burger
  </li>
  <li>
    Role
  </li>
```

```
</ul>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<h5>
```

```
  Services
```

```
</h5>
```

- Home Delivery
- Our Hotel
- Booking seats
- Family Seats

</div>

<div class="col-md-3">

<h5>

List

</h5>

```
<ul>
  <li>
    Food list available
  </li>

</ul>
</div>
<div class="col-md-3">
  <div class="social_container">
    <h5>
      Follow Us
    </h5>
    <div class="social-box">
      <a href="">
        
      </a>

      <a href="">
        
      </a>
```

```
    <a href="">
      
    </a>
    <a href="">
      
    </a>
  </div>
</div>
<div class="subscribe_container">
  <h5>
    Subscribe Now
  </h5>
  <div class="form_container">
    <form action="">
      <input type="email">
      <button type="submit">
        Subscribe
      </button>
    </form>
```

```
        </div>
    </div>
</div>
</div>
</div>
</section>
```

```
<!-- footer section -->
```

```
<section class="container-fluid footer_section">
```

```
<p>
```

```
    Copyright &copy; 2022 All Rights Reserved By
```

```
    <a href="https://html.design/">Vishnu Avtar</a>
```

```
</p>
```

```
</section>
```

```
<!-- footer section -->
```

```
<script type="text/javascript" src="js/jquery-3.4.1.min.js"></script>
```



```
<script type="text/javascript"
src="js/bootstrap.js"></script>
```

```
<script>

    // This example adds a marker to indicate the
    position of Bondi Beach in Sydney,

    // Australia.

    function initMap() {

        var map = new
google.maps.Map(document.getElementById('map'), {
    zoom: 11,
    center: {
        lat: 40.645037,
        lng: -73.880224
    },
});

    var image = 'images/maps-and-flags.png';
    var beachMarker = new google.maps.Marker({
        position: {
            lat: 40.645037,
```

```
        lng: -73.880224
      },
      map: map,
      icon: image
    });
  }
</script>
<!-- google map js -->
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyA8eaHt9Dh5H57Zh0xVTqxVdBFCvFMqFjQ&callback=initMap"
>
</script>
<!-- end google map js -->
</body>

</html>
```

=====

[service.html](#)

```
<!DOCTYPE html>

<html>

<head>

  <!-- Basic -->

  <meta charset="utf-8" />

  <meta http-equiv="X-UA-Compatible"
content="IE=edge" />

  <!-- Mobile Metas -->

  <meta name="viewport" content="width=device-width,
initial-scale=1, shrink-to-fit=no" />

  <!-- Site Metas -->

  <meta name="keywords" content="" />

  <meta name="description" content="" />

  <meta name="author" content="" />


  <title>KITCHEN STORY</title>


  <!-- slider stylesheet -->
```

```
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/assets/owl.carousel.min.css" />

<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css"
href="css/bootstrap.css" />

<!-- fonts style -->
<link
href="https://fonts.googleapis.com/css?family=Poppins
:400,700&display=swap" rel="stylesheet" />
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
<div class="hero_area sub_pages">
  <!-- header section strats -->
```

```

<header class="header_section">
  <div class="container">
    <nav class="navbar navbar-expand-lg
custom_nav-container pt-3">
      <a class="navbar-brand" href="index.html">
        <span>
          KITCHEN STORY
        </span>
      </a>
      <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse"
id="navbarSupportedContent">
        <div class="d-flex ml-auto flex-column
flex-lg-row align-items-center">

```

```

<ul class="navbar-nav">
  <li class="nav-item active">
    <a class="nav-link"
href="index.html">Home <span class="sr-
only">(current)</span></a>
  </li>
  <li class="nav-item">
    <a class="nav-link"
href="fruit.html">Food</a>
  </li>
  <li class="nav-item">
    <a class="nav-link"
href="service.html"> Services </a>
  </li>
  <li class="nav-item">
    <a class="nav-link"
href="contact.html">Contact us</a>
  </li>
</ul>

<form class="form-inline my-2 my-lg-0
ml-0 ml-lg-4 mb-3 mb-lg-0">
  <button class="btn my-2 my-sm-0
nav_search-btn" type="submit"></button>

```

```
        </form>
    </div>
    <div class="quote_btn-container ml-0 ml-
lg-4 d-flex justify-content-center">
        <a href="Adminindex.jsp">
            Admin
        </a>
    </div>
</div>
</nav>
</div>
</header>
<!-- end header section -->

</div>

<!-- service section -->

<section class="service_section layout_padding ">
    <div class="container">
        <h2 class="custom_heading">Our Services</h2>
```

```
<p class="custom_heading-text">
```

There are many variations of foods available here ! but

the majority have

```
</p>
```

```
<div class=" layout_padding2">
```

```
<div class="card-deck">
```

```
<div class="card">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title"><a
href="FoodListSearch.jsp">Pizza</a></h5>
```

```
<p class="card-text">
```

Pizza is a dish of Italian origin consisting of a usually round, flat base of leavened wheat-based dough topped with tomatoes.

```
</p>
```

```
</div>
```

```
</div>
```

```
<div class="card">
```



```

```

```
<div class="card-body">
```

```
<h5 class="card-title"><a
href="FoodListSearch.jsp">Burger</a></h5>
```

```
<p class="card-text">
```

Burger is a food consisting of fillings –usually a patty of ground meat, typically – placed inside a sliced bun or bread roll.

```
</p>
```

```
</div>
```

```
</div>
```

```
<div class="card">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title"><a
href="FoodListSearch.jsp">Samosa</a></h5>
```

```
<p class="card-text">
```

A samosa is a fried or baked pastry with a savory filling, including ingredients such as spiced potatoes, onions, and peas.

```
        </p>
    </div>
</div>
</div>
</div>
</div>
<div class="d-flex justify-content-center">
    <a href="" class="custom_dark-btn">
        Read More
    </a>
</div>
</div>
</section>

<!-- end service section -->

<section class="info_section layout_padding">
    <div class="container">
        <div class="row">
            <div class="col-md-3">
```

```
<h5>
```

```
    Foods
```

```
</h5>
```

```
<ul>
```

```
    <li>
```

```
        Pizza
```

```
    </li>
```

```
    <li>
```

```
        Samosa
```

```
    </li>
```

```
    <li>
```

```
        Burger
```

```
    </li>
```

```
    <li>
```

```
        Role
```

```
    </li>
```

```
</ul>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<h5>
```

```
    Services
```

```
</h5>
```

```
<ul>
```

```
    <li>
```

```
        Home Delivery
```

```
    </li>
```

```
    <li>
```

```
        Our Hotel
```

```
    </li>
```

```
    <li>
```

```
        Booking seats
```

```
    </li>
```

```
    <li>
```

```
        Family Seats
```

```
    </li>
```

```
    <li>
```

```
        believable. If you
```

```
    </li>
```

```
        </ul>
    </div>
    <div class="col-md-3">
        <h5>
            List
        </h5>
        <ul>
            <li>
                Food list available
            </li>

        </ul>
    </div>
    <div class="col-md-3">
        <div class="social_container">
            <h5>
                Follow Us
            </h5>
            <div class="social-box">
                <a href="">
```

```
        
    </a>

    <a href="">
        
    </a>

    <a href="">
        
    </a>

    <a href="">
        
    </a>
</div>
</div>
<div class="subscribe_container">
    <h5>
        Subscribe Now
    </h5>
    <div class="form_container">
```

```
<form action="">
  <input type="email">
  <button type="submit">
    Subscribe
  </button>
</form>
</div>
</div>
</div>
</div>
</div>
</section>
```

```
<!-- footer section -->
```

```
<section class="container-fluid footer_section">
```

```
<p>
```

Copyright © 2022 All Rights Reserved By

Vishnu Avtar

```
</p>
```

```
</section>
```

```
<!-- footer section -->
```

```
<script type="text/javascript" src="js/jquery-3.4.1.min.js"></script>
```

```
<script type="text/javascript" src="js/bootstrap.js"></script>
```

```
<script>
```

```
    // This example adds a marker to indicate the  
    position of Bondi Beach in Sydney,
```

```
    // Australia.
```

```
    function initMap() {  
        var map = new  
google.maps.Map(document.getElementById('map'), {  
        zoom: 11,  
        center: {  
            lat: 40.645037,  
            lng: -73.880224  
        },  
    });
```



```
var image = 'images/maps-and-flags.png';
var beachMarker = new google.maps.Marker({
  position: {
    lat: 40.645037,
    lng: -73.880224
  },
  map: map,
  icon: image
});
}
</script>
<!-- google map js -->
<script
src="https://maps.googleapis.com/maps/api/js?key=AIza
SyA8eaHt9Dh5H57Zh0xVTqxVdBFCvFMqFjQ&callback=initMap"
>
</script>
<!-- end google map js -->
</body>
```

```
</html>
```

=====

fruit.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <!-- Basic -->
```

```
  <meta charset="utf-8" />
```

```
  <meta http-equiv="X-UA-Compatible"  
content="IE=edge" />
```

```
  <!-- Mobile Metas -->
```

```
  <meta name="viewport" content="width=device-width,  
initial-scale=1, shrink-to-fit=no" />
```

```
<!-- Site Metas -->
```

```
<meta name="keywords" content="" />
```

```
<meta name="description" content="" />
```

```
<meta name="author" content="" />
```

```
<title>KITCHEN STORY </title>
```

```
<!-- slider stylesheet -->
```

```
<link rel="stylesheet" type="text/css"
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/assets/owl.carousel.min.css" />
```

```
<!-- bootstrap core css -->
```

```
<link rel="stylesheet" type="text/css"
```

```
href="css/bootstrap.css" />
```

```
<!-- fonts style -->
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Poppins:400,700&display=swap" rel="stylesheet" />
```

```
<!-- Custom styles for this template -->
```

```
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>
```

```
<body>
  <div class="hero_area sub_pages">
    <!-- header section strats -->
    <header class="header_section">
      <div class="container">
        <nav class="navbar navbar-expand-lg
custom_nav-container pt-3">
          <a class="navbar-brand" href="index.html">
            <span>
```

KITCHEN STORY

```
      </span>
    </a>
    <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"
```

```
        aria-controls="navbarSupportedContent"
        aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
```

```
    <div class="collapse navbar-collapse"
    id="navbarSupportedContent">
```

```
        <div class="d-flex ml-auto flex-column
        flex-lg-row align-items-center">
```

```
            <ul class="navbar-nav">
```

```
                <li class="nav-item active">
```

```
                    <a class="nav-link"
                    href="index.html">Home <span class="sr-
                    only">(current)</span></a>
```

```
                </li>
```

```
                <li class="nav-item">
```

```
                    <a class="nav-link"
                    href="fruit.html"> Food</a>
```

```
                </li>
```

```
                <li class="nav-item">
```

```
                    <a class="nav-link"
                    href="service.html"> Services </a>
```

```
                </li>
```

```
        <li class="nav-item">
            <a class="nav-link"
href="contact.html">Contact us</a>
        </li>
    </ul>

    <form class="form-inline my-2 my-lg-0
ml-0 ml-lg-4 mb-3 mb-lg-0">

        <button class="btn my-2 my-sm-0
nav_search-btn" type="submit"></button>

    </form>

</div>

<div class="quote_btn-container ml-0 ml-
lg-4 d-flex justify-content-center">

    <a href="Adminindex.jsp">

        Admin

    </a>

</div>

</div>

</nav>

</div>

</header>

<!-- end header section -->
```

```
</div>
```

```
<!-- fruits section -->
```

```
<section class="fruit_section layout_padding-top">
```

```
<div class="container">
```

```
<h2 class="custom_heading">Fresh Food</h2>
```

```
<p class="custom_heading-text">
```

There are many variations of foods available,
but

the majority have

```
</p>
```

```
<div class="row layout_padding2">
```

```
<div class="col-md-8">
```

```
<div class="fruit_detail-box">
```

```
<h3>
```

Best Fresh Pizza

```
</h3>
```

```
<p class="mt-4 mb-5">
```

but the majority have suffered alteration in some form, by injected humour, or randomised words which don't look even slightly believable.

```
</p>

<div>

    <a href="FoodListSearch.jsp"
class="custom_dark-btn">

        Buy Now

    </a>

</div>

</div>

<div class="col-md-4 d-flex justify-content-
center align-items-center">

    <div class="fruit_img-box d-flex justify-
content-center align-items-center">

        

    </div>

</div>

</div>

<div class="row layout_padding2">
```



```
<div class="col-md-8">
```

```
  <div class="fruit_detail-box">
```

```
    <h3>
```

```
      Best Fresh Burger
```

```
    </h3>
```

```
    <p class="mt-4 mb-5">
```

but the majority have suffered alteration in some form, by injected humour, or randomised words which don't look even slightly believable.

```
  </p>
```

```
  <div>
```

```
    <a href="FoodListSearch.jsp" class="custom_dark-btn">
```

```
      Buy Now
```

```
    </a>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
  <div class="col-md-4 d-flex justify-content-center align-items-center">
```

```
<div class="fruit_img-box d-flex justify-content-center ">
```

```

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row layout_padding2-top layout_padding-bottom">
```

```
<div class="col-md-8">
```

```
<div class="fruit_detail-box">
```

```
<h3>
```

Best Fresh Samosa

```
</h3>
```

```
<p class="mt-4 mb-5">
```

but the majority have suffered alteration in some form, by injected humour, or randomised words which don't look even slightly believable.

```
</p>
```

```
<div>
```

```
<a href="FoodListSearch.jsp" class="custom_dark-btn">
```

Buy Now

</div>

</div>

</div>

<div class="col-md-4 d-flex justify-content-center align-items-center">

<div class="fruit_img-box d-flex justify-content-center align-items-center">

</div>

</div>

</div>

</div>

</section>

<!-- end fruits section -->

<section class="info_section layout_padding">

```
<div class="container">
  <div class="row">
    <div class="col-md-3">
      <h5>
        Food
      </h5>
      <ul>
        <li>
          Pizza
        </li>
        <li>
          Samosa
        </li>
        <li>
          Burger
        </li>
        <li>
          Role
        </li>
```

```
</ul>
```

```
</div>
```

```
<div class="col-md-3">
```

```
<h5>
```

Services

```
</h5>
```

```
<ul>
```

```
<li>
```

Home Delivery

```
</li>
```

```
<li>
```

Our Hotel

```
</li>
```

```
<li>
```

Booking seats

```
</li>
```

```
<li>
```

Family Seats

```
</li>
```

```
        </ul>
    </div>
    <div class="col-md-3">
        <h5>
            List
        </h5>
        <ul>
            <li>
                Food list available
            </li>

        </ul>
    </div>
    <div class="col-md-3">
        <div class="social_container">
            <h5>
                Follow Us
            </h5>
            <div class="social-box">
                <a href="">
```

```
        
    </a>

    <a href="">
        
    </a>

    <a href="">
        

    </a>

    <a href="">
        

    </a>
</div>
</div>
<div class="subscribe_container">
    <h5>
        Subscribe Now
    </h5>
    <div class="form_container">
```

```
<form action="">
  <input type="email">
  <button type="submit">
    Subscribe
  </button>
</form>
</div>
</div>
</div>
</div>
</div>
</section>
```

```
<!-- footer section -->
```

```
<section class="container-fluid footer_section">
```

```
<p>
```

Copyright © 2022 All Rights Reserved By

Vishnu Avtar


```
</p>
```

```
</section>
```

```
<!-- footer section -->
```

```
<script type="text/javascript" src="js/jquery-3.4.1.min.js"></script>
```

```
<script type="text/javascript" src="js/bootstrap.js"></script>
```

```
<script>
```

```
    // This example adds a marker to indicate the  
    position of Bondi Beach in Sydney,
```

```
    // Australia.
```

```
    function initMap() {  
        var map = new  
        google.maps.Map(document.getElementById('map'), {  
            zoom: 11,  
            center: {  
                lat: 40.645037,  
                lng: -73.880224  
            },  
        });  
    });
```

```
var image = 'images/maps-and-flags.png';
var beachMarker = new google.maps.Marker({
  position: {
    lat: 40.645037,
    lng: -73.880224
  },
  map: map,
  icon: image
});
}
</script>
<!-- google map js -->
<script
src="https://maps.googleapis.com/maps/api/js?key=AIza
SyA8eaHt9Dh5H57Zh0xVTqxVdBFCvFMqFjQ&callback=initMap"
>
</script>
<!-- end google map js -->
</body>
```

</html>

Name:- Vishnu Avtar