GE23131-Programming Using C-2024

Quiz navigation

1 2 3

Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Friday, 25 October 2024, 12:20 PM
Duration	59 days 5 hours

Question **1**

Correct

Marked out of 3.00

Flag question

Write a program to read two integer values and print true if both the numbers end with the same digit, otherwise print false. Example: If 698 and 768 are given, program should print true as they both end with 8. Sample Input 1 25 53 Sample Output 1 false Sample Input 2 27 77 Sample Output 2 true

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

int main(){
    int a,b;
    scanf("%d %d",&a,&b);
    if(a%10 == b%10){
        printf("true");
    }
    else{
        printf("false");
    }
}
```

	Input	Expected	Got	

✓	25 53	false	false	✓
✓	27 77	true	true	✓

Passed all tests! ✓

Question 2
Correct
Marked out of 5.00
Flag question

Objective

In this challenge, we're getting started with conditional statements.

Task

Given an integer, ***n***, perform the following conditional actions:

- If ***n*** is odd, print Weird
- If ***n*** is even and in the inclusive range of ***2*** to ***5***, print ***Not Weird***
- If ***n*** is even and in the inclusive range of ***6*** to ***20***, print ***Weird***
- If ***n*** is even and greater than ***20***, print ***Not Weird***

Complete the stub code provided in your editor to print whether or not ***n*** is weird.

Input Format

A single line containing a positive integer, ***n***.

Constraints

- $1 \leq n \leq 100$

Output Format

Print Weird if the number is weird; otherwise, print Not Weird.

Sample Input 0

3

Sample Output 0

Weird

Sample Input 1

24

Sample Output 1

Not Weird

Explanation

Sample Case 0: $\boldsymbol{n} = \boldsymbol{3}$

$\boldsymbol{n}$ is odd and odd numbers are weird, so we print ***Weird***.

Sample Case 1: $\boldsymbol{n} = \boldsymbol{24}$

$\boldsymbol{n} > \boldsymbol{20}$ and $\boldsymbol{n}$ is even, so it isn't weird. Thus, we print ***Not Weird***.

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

int main(){
    int a;
    scanf("%d",&a);
    if(a % 2 != 0){
```

```
    if(a % 2 != 0){
        printf("Weird");
    }
    else if(a % 2 == 0 && a>=2 && a<=5){
        printf("Not Weird");
    }
    else if(a%2 == 0 && a>=6 && a<=20){
        printf("Weird");
    }
    else{
        printf("Not Weird");
    }
}
```

	Input	Expected	Got	
✓	3	Weird	Weird	✓
✓	24	Not Weird	Not Weird	✓

Passed all tests! ✓

Question **3**

Correct

Marked out of 7.00

Flag question

Three numbers form a Pythagorean triple if the sum of squares of two numbers is equal to the square of the third. For example, 3, 5 and 4 form a Pythagorean triple, since 3*3 + 4*4 = 25 = 5*5 You are given three integers, a, b, and c. They need not be given in increasing order. If they form a Pythagorean triple, then print "yes", otherwise, print "no". Please note that the output message is in small letters. Sample Input 1 3 5 4 Sample Output 1 yes Sample Input 2 5 8 2 Sample Output 2 no

Answer: (penalty regime: 0 %)

```
#include <stdio.h>

int main(){
    int a,b,c;
    scanf("%d %d %d",&a,&b,&c);
    if(a>b && a>c){
        if(a*a == b*b + c*c){
            printf("yes");
        }
        else{
            printf("no");
```

```
        }
    }
    else if(b>c && b>a){
        if(b*b == a*a + c*c){
            printf("yes");
        }
        else{
            printf("no");
        }
    }
    else{
        if(c*c == a*a + b*b){
            printf("yes");
        }
        else{
            printf("no");
        }
    }
}
```

	Input	Expected	Got	
✓	3 5 4	yes	yes	✓
✓	5 8 2	no	no	✓

Passed all tests! ✓

Finish review