

Core React

- 1 What is React?
- 2 What are the major features of React?
- 3 What is JSX?
- 4 What is the difference between Element and Component?
- 5 How to create components in React?
- 6 When to use a Class Component over a Function Component?
- 7 What are Pure Components?
- 8 What is state in React?
- 9 What are props in React?
- 10 What is the difference between state and props?
- 11 Why should we not update the state directly?
- 12 What is the purpose of callback function as an argument of `setState()`?
- 13 What is the difference between HTML and React event handling?
- 14 How to bind methods or event handlers in JSX callbacks?
- 15 How to pass a parameter to an event handler or callback?
- 16 What are synthetic events in React?
- 17 What are inline conditional expressions?
- 18 What is "key" prop and what is the benefit of using it in arrays of elements?
- 19 What is the use of refs?
- 20 How to create refs?
- 21 What are forward refs?
- 22 Which is preferred option with in callback refs and `findDOMNode()`?
- 23 Why are String Refs legacy?
- 24 What is Virtual DOM?
- 25 How Virtual DOM works?

- 26 What is the difference between Shadow DOM and Virtual DOM?
- 27 What is React Fiber?
- 28 What is the main goal of React Fiber?
- 29 What are controlled components?
- 30 What are uncontrolled components?
- 31 What is the difference between createElement and cloneElement?
- 32 What is Lifting State Up in React?
- 33 What are the different phases of component lifecycle?
- 34 What are the lifecycle methods of React?
- 35 What are Higher-Order components?
- 36 How to create props proxy for HOC component?
- 37 What is context?
- 38 What is children prop?
- 39 How to write comments in React?
- 40 What is the purpose of using super constructor with props argument?
- 41 What is reconciliation?
- 42 How to set state with a dynamic key name?
- 43 What would be the common mistake of function being called every time the component renders?
- 44 Is lazy function supports named exports?
- 45 Why React uses className over class attribute?
- 46 What are fragments?
- 47 Why fragments are better than container divs?
- 48 What are portals in React?
- 49 What are stateless components?
- 50 What are stateful components?
- 51 How to apply validation on props in React?

- 52 What are the advantages of React?
- 53 What are the limitations of React?
- 54 What are error boundaries in React v16
- 55 How are error boundaries handled in React v15?
- 56 What are the recommended ways for static type checking?
- 57 What is the use of react-dom package?
- 58 What is the purpose of render method of react-dom?
- 59 What is ReactDOMServer?
- 60 How to use InnerHtml in React?
- 61 How to use styles in React?
- 62 How events are different in React?
- 63 What will happen if you use setState in constructor?
- 64 What is the impact of indexes as keys?
- 65 Is it good to use setState() in componentWillMount() method?
- 66 What will happen if you use props in initial state?
- 67 How do you conditionally render components?
- 68 Why we need to be careful when spreading props on DOM elements??
- 69 How you use decorators in React?
- 70 How do you memoize a component?
- 71 How you implement Server-Side Rendering or SSR?
- 72 How to enable production mode in React?
- 73 What is CRA and its benefits?
- 74 What is the lifecycle methods order in mounting?
- 75 What are the lifecycle methods going to be deprecated in React v16?
- 76 What is the purpose of getDerivedStateFromProps() lifecycle method?
- 77 What is the purpose of getSnapshotBeforeUpdate() lifecycle method?

- 78 Do Hooks replace render props and higher order components?
- 79 What is the recommended way for naming components?
- 80 What is the recommended ordering of methods in component class?
- 81 What is a switching component?
- 82 Why we need to pass a function to setState()?
- 83 What is strict mode in React?
- 84 What are React Mixins?
- 85 Why is isMounted() an anti-pattern and what is the proper solution?
- 86 What are the Pointer Events supported in React?
- 87 Why should component names start with capital letter?
- 88 Are custom DOM attributes supported in React v16?
- 89 What is the difference between constructor and getInitialState?
- 90 Can you force a component to re-render without calling setState?
- 91 What is the difference between super() and super(props) in React using ES6 classes?
- 92 How to loop inside JSX?
- 93 How do you access props in attribute quotes?
- 94 What is React PropTypes array with shape?
- 95 How to conditionally apply class attributes?
- 96 What is the difference between React and ReactDOM?
- 97 Why ReactDOM is separated from React?
- 98 How to use React label element?
- 99 How to combine multiple inline style objects?
- 100 How to re-render the view when the browser is resized?
- 101 What is the difference between setState and replaceState methods?
- 102 How to listen to state changes?
- 103 What is the recommended approach of removing an array element in react state?

- 104 [Is it possible to use React without rendering HTML?](#)
- 105 [How to pretty print JSON with React?](#)
- 106 [Why you can't update props in React?](#)
- 107 [How to focus an input element on page load?](#)
- 108 [What are the possible ways of updating objects in state?](#)
- 110 [How can we find the version of React at runtime in the browser?](#)
- 111 [What are the approaches to include polyfills in your create-react-app?](#)
- 112 [How to use https instead of http in create-react-app?](#)
- 113 [How to avoid using relative path imports in create-react-app?](#)
- 114 [How to add Google Analytics for react-router?](#)
- 115 [How to update a component every second?](#)
- 116 [How do you apply vendor prefixes to inline styles in React?](#)
- 117 [How to import and export components using react and ES6?](#)
- 118 [What are the exceptions on React component naming?](#)
- 119 [Why is a component constructor called only once?](#)
- 120 [How to define constants in React?](#)
- 121 [How to programmatically trigger click event in React?](#)
- 122 [Is it possible to use async/await in plain React?](#)
- 123 [What are the common folder structures for React?](#)
- 124 [What are the popular packages for animation?](#)
- 125 [What is the benefit of styles modules?](#)
- 126 [What are the popular React-specific linters?](#)
- 127 [How to make AJAX call and In which component lifecycle methods should I make an AJAX call?](#)
- 128 [What are render props?](#)
- React Router**
- 129 [What is React Router?](#)

- 130 [How React Router is different from history library?](#)
- 131 [What are the <Router> components of React Router v4?](#)
- 132 [What is the purpose of push and replace methods of history?](#)
- 133 [How do you programmatically navigate using React router v4?](#)
- 134 [How to get query parameters in React Router v4](#)
- 135 [Why you get "Router may have only one child element" warning?](#)
- 136 [How to pass params to history.push method in React Router v4?](#)
- 137 [How to implement default or NotFound page?](#)
- 138 [How to get history on React Router v4?](#)
- 139 [How to perform automatic redirect after login?](#)

React Internationalization

- 140 [What is React-Intl?](#)
- 141 [What are the main features of React Intl?](#)
- 142 [What are the two ways of formatting in React Intl?](#)
- 143 [How to use FormattedMessage as placeholder using React Intl?](#)
- 144 [How to access current locale with React Intl](#)
- 145 [How to format date using React Intl?](#)

React Testing

- 146 [What is Shallow Renderer in React testing?](#)
- 147 [What is TestRenderer package in React?](#)
- 148 [What is the purpose of ReactTestUtils package?](#)
- 149 [What is Jest?](#)
- 150 [What are the advantages of Jest over Jasmine?](#)
- 151 [Give a simple example of Jest test case](#)

React Redux

- 152 [What is Flux?](#)
- 153 [What is Redux?](#)

- 154 What are the core principles of Redux?
- 155 What are the downsides of Redux compared to Flux?
- 156 What is the difference between `mapStateToProps()` and `mapDispatchToProps()`?
- 157 Can I dispatch an action in reducer?
- 158 How to access Redux store outside a component?
- 159 What are the drawbacks of MVW pattern
- 160 Are there any similarities between Redux and RxJS?
- 161 How to dispatch an action on load?
- 162 How to use `connect` from React Redux?
- 163 How to reset state in Redux?
- 164 What's the purpose of `@` symbol in the `redux connect` decorator?
- 165 What is the difference between React context and React Redux?
- 166 Why are Redux state functions called reducers?
- 167 How to make AJAX request in Redux?
- 168 Should I keep all component's state in Redux store?
- 169 What is the proper way to access Redux store?
- 170 What is the difference between component and container in React Redux?
- 171 What is the purpose of the constants in Redux?
- 172 What are the different ways to write `mapDispatchToProps()`?
- 173 What is the use of the `ownProps` parameter in `mapStateToProps()` and `mapDispatchToProps()`?
- 174 How to structure Redux top level directories?
- 175 What is `redux-saga`?
- 176 What is the mental model of `redux-saga`?
- 177 What are the differences between `call` and `put` in `redux-saga`
- 178 What is Redux Thunk?
- 179 What are the differences between `redux-saga` and `redux-thunk`

- 180 [What is Redux DevTools?](#)
- 181 [What are the features of Redux DevTools?](#)
- 182 [What are Redux selectors and Why to use them?](#)
- 183 [What is Redux Form?](#)
- 184 [What are the main features of Redux Form?](#)
- 185 [How to add multiple middlewares to Redux?](#)
- 186 [How to set initial state in Redux?](#)
- 187 [How Relay is different from Redux?](#)
- 188 [What is an action in Redux?](#)

React Native

- 188 [What is the difference between React Native and React?](#)
- 189 [How to test React Native apps?](#)
- 190 [How to do logging in React Native?](#)
- 191 [How to debug your React Native?](#)

React supported libraries and Integration

- 192 [What is reselect and how it works?](#)
- 193 [What is Flow?](#)
- 194 [What is the difference between Flow and PropTypes?](#)
- 195 [How to use font-awesome icons in React?](#)
- 196 [What is React Dev Tools?](#)
- 197 [Why is DevTools not loading in Chrome for local files?](#)
- 198 [How to use Polymer in React?](#)
- 199 [What are the advantages of React over Vue.js?](#)
- 200 [What is the difference between React and Angular?](#)
- 201 [Why React tab is not showing up in DevTools?](#)
- 202 [What are styled components?](#)
- 203 [Give an example of Styled Components?](#)

- 204 What is Relay?
- 205 How to use TypeScript in create-react-app application?
- Miscellaneous**
- 206 What are the main features of reselect library?
- 207 Give an example of reselect usage?
- 209 Does the statics object work with ES6 classes in React?
- 210 Can Redux only be used with React?
- 211 Do you need to have a particular build tool to use Redux?
- 212 How Redux Form initialValues get updated from state?
- 213 How React PropTypes allow different type for one prop?
- 214 Can I import an SVG file as react component?
- 215 Why are inline ref callbacks or functions not recommended?
- 216 What is render hijacking in React?
- 217 What are HOC factory implementations?
- 218 How to pass numbers to React component?
- 219 Do I need to keep all my state into Redux? Should I ever use react internal state?
- 220 What is the purpose of registerServiceWorker in React?
- 221 What is React memo function?
- 222 What is React lazy function?
- 223 How to prevent unnecessary updates using setState?
- 224 How do you render Array, Strings and Numbers in React 16 Version?
- 225 How to use class field declarations syntax in React classes?
- 226 What are hooks?
- 227 What rules need to be followed for hooks?
- 228 How to ensure hooks followed the rules in your project?
- 229 What are the differences between Flux and Redux?
- 230 What are the benefits of React Router V4?

- 231 Can you describe about componentDidCatch lifecycle method signature?
- 232 In which scenarios error boundaries do not catch errors?
- 233 Why do you not need error boundaries for event handlers?
- 234 What is the difference between try catch block and error boundaries?
- 235 What is the behavior of uncaught errors in react 16?
- 236 What is the proper placement for error boundaries?
- 237 What is the benefit of component stack trace from error boundary?
- 238 What is the required method to be defined for a class component?
- 239 What are the possible return types of render method?
- 240 What is the main purpose of constructor?
- 241 Is it mandatory to define constructor for React component?
- 242 What are default props?
- 243 Why should not call setState in componentWillUnmount?
- 244 What is the purpose of getDerivedStateFromError?
- 245 What is the methods order when component re-rendered?
- 246 What are the methods invoked during error handling?
- 247 What is the purpose of displayName class property?
- 248 What is the browser support for react applications?
- 249 What is the purpose of unmountComponentAtNode method?
- 250 What is code-splitting?
- 251 What is the benefit of strict mode?
- 252 What are Keyed Fragments?
- 253 Does React support all HTML attributes?
- 254 What are the limitations with HOCs?
- 255 How to debug forwardRefs in DevTools?
- 256 When component props defaults to true?
- 257 What is NextJS and major features of it?

- 258 How do you pass an event handler to a component?
- 259 Is it good to use arrow functions in render methods?
- 260 How to prevent a function from being called multiple times?
- 261 How JSX prevents Injection Attacks?
- 262 How do you update rendered elements?
- 263 How do you say that props are read only?
- 264 How do you say that state updates are merged?
- 265 How do you pass arguments to an event handler?
- 266 How to prevent component from rendering?
- 267 What are the conditions to safely use the index as a key?
- 268 Is it keys should be globally unique?
- 269 What is the popular choice for form handling?
- 270 What are the advantages of formik over redux form library?
- 271 Why do you not required to use inheritance?
- 272 Can I use web components in react application?
- 273 What is dynamic import?
- 274 What are loadable components?
- 275 What is suspense component?
- 276 What is route based code splitting?
- 277 Give an example on How to use context?
- 278 What is the purpose of default value in context?
- 279 How do you use contextType?
- 280 What is a consumer?
- 281 How do you solve performance corner cases while using context?
- 282 What is the purpose of forward ref in HOCs?
- 283 Is it ref argument available for all functions or class components?
- 284 Why do you need additional care for component libraries while using forward refs?

- 285 How to create react class components without ES6?
- 286 Is it possible to use react without JSX?
- 287 What is diffing algorithm?
- 288 What are the rules covered by diffing algorithm?
- 289 When do you need to use refs?
- 290 Is it prop must be named as render for render props?
- 291 What are the problems of using render props with pure components?
- 292 How do you create HOC using render props?
- 293 What is windowing technique?
- 294 How do you print falsy values in JSX?
- 295 What is the typical use case of portals?
- 296 How do you set default value for uncontrolled component?
- 297 What is your favorite React stack?
- 298 What is the difference between Real DOM and Virtual DOM?
- 299 How to add Bootstrap to a react application?
- 300 Can you list down top websites or applications using react as front end framework?
- 301 Is it recommended to use CSS In JS technique in React?
- 302 Do I need to rewrite all my class components with hooks?
- 303 How to fetch data with React Hooks?
- 304 Is Hooks cover all use cases for classes?
- 305 What is the stable release for hooks support?
- 306 Why do we use array destructuring (square brackets notation) in useState?
- 307 What are the sources used for introducing hooks?
- 308 How do you access imperative API of web components?
- 309 What is formik?
- 310 What are typical middleware choices for handling asynchronous calls in Redux?

- 311 Do browsers understand JSX code?
- 312 Describe about data flow in react?
- 313 What is react scripts?
- 314 What are the features of create react app?
- 315 What is the purpose of renderToNodeStream method?
- 316 What is MobX?
- 317 What are the differences between Redux and MobX?
- 318 Should I learn ES6 before learning ReactJS?
- 319 What is Concurrent Rendering?
- 320 What is the difference between async mode and concurrent mode?
- 321 Can I use javascript urls in react16.9?
- 322 What is the purpose of eslint plugin for hooks?
- 323 What is the difference between Imperative and Declarative in React?
- 324 What are the benefits of using typescript with reactjs?
- 325 How do you make sure that user remains authenticated on page refresh while using Context API State Management?
- 326 What are the benefits of new JSX transform?
- 327 How is the new JSX transform different from old transform?
- 328 How do you get redux scaffolding using create-react-app?
- 329 What are React Server components?
- 330 What is prop drilling?
- 331 What is state mutation and how to prevent it?
- 332 What is the difference between useState and useRef hook?
- 333 What is a wrapper component
- 334 What are the differences between useEffect and useLayoutEffect hooks
- 335 What are the differences between Functional and Class Components
- 336 Why does strict mode render twice in React?