STUDENT FEEDBACK APPLICATION

TUTORIAL 1
IN

24CSC42 FULLSTACK DEVELOPMENT

Submitted by
NAME: VISHNUPREETHI B
ROLL NUMBER: 24CSR350

in partial fulfilment of the

requirements for the award of the

degree of

BACHELOR OF ENGINEERING

IN

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

PERUNDURAI ERODE-638060
APRIL 2026

SCENARIO

In educational institutions, collecting student feedback is important for improving teaching methods and the overall learning experience. Traditional methods such as paper-based feedback are time-consuming and difficult to manage. To overcome these issues, a simple web-based solution can be used to collect and display feedback efficiently.

The **Student Feedback Application** is developed using React.js and provides an easy platform for students to submit their feedback. The application includes a feedback form where students enter their name, email ID, contact number, and feedback message. This form is implemented as a controlled component, where all inputs are managed using React state.

When the user submits the form, the entered data is sent to a main component that stores all feedback entries. The submitted feedback is then displayed instantly in a feedback list section without refreshing the page, providing a smooth and dynamic user experience. After submission, the form fields are cleared automatically, making it ready for the next input. This improves usability and avoids confusion for users.

Overall, the application demonstrates key React concepts such as functional components, state management using hooks, controlled forms, and data sharing between components. It provides a simple and effective way to collect and display student feedback in a structured manner.

PROJECT STRUCTURE:

```
Tutorial1/
  └── student-feedback-app/
      ├── public/
      │   ├── index.html
      ├── src/
      │   ├── components/
      │   │   ├── FeedbackForm.js
      │   │   └── FeedbackList.js
      │   ├── App.js
      │   ├── App.css
      │   ├── index.js
      │   └── index.css
      ├── package.json
      ├── package-lock.json
      └── README.md
```

APP.js

```
import React, { useState, useEffect } from "react";
import FeedbackForm from "./components/FeedbackForm";
import FeedbackList from "./components/FeedbackList";
import "./App.css";
function App() {
  const [feedbacks, setFeedbacks] = useState([]);
  useEffect(() => {
    const storedFeedbacks = localStorage.getItem("studentFeedbacks");
    if (storedFeedbacks) {
      setFeedbacks(JSON.parse(storedFeedbacks));
    }
  }, []);
  useEffect(() => {
    localStorage.setItem("studentFeedbacks", JSON.stringify(feedbacks));
```

```
  }, [feedbacks]);
  const addFeedback = (newFeedback) => {
    setFeedbacks((prevFeedbacks) => [newFeedback, ...prevFeedbacks]);
  };
  return (
    <div className="container">
      <h1>Student Feedback Application</h1>
      <FeedbackForm onAddFeedback={addFeedback} />
      <FeedbackList feedbacks={feedbacks} />
    </div>
  );
}
export default App;
```

index.js

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";

const root = ReactDOM.createRoot(document.getElementById("root"));
root.render(<App />);
```

FeedbackForm.js

```
import React, { useState } from "react";
function FeedbackForm({ onAddFeedback }) {
  const [formData, setFormData] = useState({
    name: "",
    email: "",
    contact: "",
    message: ""
  });
```

```
const handleChange = (e) => {
  const { name, value } = e.target;
  setFormData((prevData) => ({
    ...prevData,
    [name]: value
  }));
};
const handleSubmit = (e) => {
  e.preventDefault();
  const trimmedData = {
    name: formData.name.trim(),
    email: formData.email.trim(),
    contact: formData.contact.trim(),
    message: formData.message.trim()
  };
  if (!trimmedData.name || !trimmedData.email || !trimmedData.contact || !trimmedData.message) {
    alert("Please fill in all fields before submitting.");
    return;
  }
  onAddFeedback({
    ...trimmedData,
    submittedAt: new Date().toLocaleString(),
    id: Date.now()
  });
  setFormData({
    name: "",
    email: "",
    contact: "",
    message: ""
  });
```

```
};
return (
  <form className="form" onSubmit={handleSubmit}>
    <h2>Submit Feedback</h2>
    <p className="note">All fields are required.</p>
    <label>
      Student Name
      <input
        type="text"
        name="name"
        placeholder="Enter your name"
        value={formData.name}
        onChange={handleChange}
      />
    </label>
    <label>
      Email ID
      <input
        type="email"
        name="email"
        placeholder="Enter your email"
        value={formData.email}
        onChange={handleChange}
      />
    </label>
    <label>
      Contact Number
      <input
        type="tel"
        name="contact"
```

```
          placeholder="Enter your contact number"
          value={formData.contact}
          onChange={handleChange}
        />
      </label>
      <label>
        Feedback Message
        <textarea
          name="message"
          placeholder="Write your feedback here"
          value={formData.message}
          onChange={handleChange}
        ></textarea>
      </label>
      <button type="submit">Submit Feedback</button>
    </form>
  );
}
export default FeedbackForm;
```

FeedbackList.js

```
import React from "react";
function FeedbackList({ feedbacks }) {
  return (
    <div className="list">
      <div className="list-header">
        <h2>Submitted Feedback</h2>
        <span className="badge">{feedbacks.length} Responses</span>
      </div>
      {feedbacks.length === 0 ? (
```

```
        <p className="empty">No feedback submitted yet. Fill the form above to add the first
response.</p>
      ) : (
        <div className="cards">
          {feedbacks.map((fb) => (
            <div className="card" key={fb.id || fb.email + fb.message}>
              <div className="card-top">
                <h3>{fb.name}</h3>
                <span>{fb.submittedAt}</span>
              </div>
              <p><strong>Email:</strong> {fb.email}</p>
              <p><strong>Contact:</strong> {fb.contact}</p><p><strong>Message:</strong>
{fb.message}</p>
            </div>
          ))}
        </div>
      )}
    </div>
  );
}
export default FeedbackList;
```

App.css:

```
body {
  font-family: "Segoe UI", Tahoma, Geneva, Verdana, sans-serif;
  background: radial-gradient(circle at top left, #7c3aed 0%, #2563eb 35%, #0f172a 100%);
  color: #f8fafc;
  margin: 0;
  min-height: 100vh;
}
.container {
  width: min(1100px, 94%);
```

```
  margin: 0 auto 40px;
  padding: 20px 0 40px;
}
h1 {
  margin-bottom: 10px;
  font-size: clamp(2rem, 2.7vw, 3rem);
  letter-spacing: 0.03em;
}
h2 {
  margin-bottom: 0.5rem;
}
.note {
  margin: 0 0 20px;
  color: #334155;
  font-size: 0.95rem;
}
.form,
.list {
  background: rgba(255, 255, 255, 0.95);
  color: #0f172a;
  border-radius: 18px;
  padding: 26px;
  box-shadow: 0 20px 45px rgba(15, 23, 42, 0.18);
}
.form {
  margin-bottom: 26px;
}
.form label {
  display: block;
  margin-bottom: 16px;
```

```
  font-weight: 600;
}
.form input,
.form textarea {
  width: 100%;
  padding: 14px 16px;
  margin-top: 8px;
  border: 1px solid #cbd5e1;
  border-radius: 10px;
  font-size: 1rem;
  font-family: inherit;
  outline: none;
}
.form textarea {
  min-height: 120px;
  resize: vertical;
}
.form button {
  margin-top: 12px;
  padding: 14px 24px;
  background: linear-gradient(135deg, #4338ca, #2563eb);
  border: none;
  border-radius: 12px;
  color: white;
  font-weight: 700;
  cursor: pointer;
  transition: transform 0.2s ease, box-shadow 0.2s ease;
}
.form button:hover {
  transform: translateY(-1px);
```

```
  box-shadow: 0 12px 24px rgba(37, 99, 235, 0.2);
}
.list-header {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 1rem;
  flex-wrap: wrap;
}
.badge {
  background: #2563eb;
  color: white;
  padding: 8px 14px;
  border-radius: 999px;
  font-size: 0.95rem;
  font-weight: 700;
}
.empty {
  margin: 0;
  color: #475569;
}
.cards {
  display: grid;
  gap: 18px;
  margin-top: 18px;
}
.card {
  background: #f8fafc;
  color: #0f172a;
  padding: 22px;
```

```
  border-radius: 16px;
  box-shadow: 0 16px 30px rgba(15, 23, 42, 0.08);
}
.card-top {
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 1rem;
  flex-wrap: wrap;
  margin-bottom: 14px;
}
.card-top h3 {
margin: 0;
}
.card-top span {
  font-size: 0.92rem;
  color: #475569;
}
.card p {
  margin: 8px 0;
  line-height: 1.55;
}
@media (min-width: 900px) {
  .cards {
    grid-template-columns: repeat(2, minmax(0, 1fr));
  }
}
@media (max-width: 600px) {
  .container {
    padding: 0 12px 30px;}}
```

OUTPUT:



localhost:3000
Student Feedback Application
Submit Feedback
All fields are required.
Student Name
Enter your name
Email ID
Enter your email
Contact Number
Enter your contact number
Feedback Message
Write your feedback here
Submit Feedback



Student Feedbac
localhost:3000 says
Please fill in all fields before submitting.
OK
Submit Feedback
All fields are required.
Student Name
ROSHINI B
Email ID
roshini567@gmail.com
Contact Number
01234567890
Feedback Message
Write your feedback here
Submit Feedback



CONCLUSION:

The Student Feedback Application was successfully developed using React.js to collect and display feedback in a simple and efficient manner. The application demonstrates the use of functional components, controlled forms, and state management using React hooks. It allows users to submit feedback and view the responses instantly without refreshing the page, improving user experience. Overall, this project provides a clear understanding of component interaction and dynamic data handling in React, making it a useful approach for real-world feedback systems.