INTRODUCTION

1.1. OVERVIEW OF THE PROJECT

The "DREAM THEME" project is a web application designed for The **Event Management** to connect customers with professional event managers and products for brides and grooms for weddings, parties, corporate events, and other special occasions. The system simplifies the process of searching, comparing, and booking event management services by providing a centralized digital platform.

1. ADMIN:

Add Information:

- **Admins (website owners)** can add and update details such as location,event type,category,sub category. This provides customers with accurate and up-to-date information when making a booking.

View Detailed List:

- **Admins** can view detailed information about the user and selle0072 including their name ,address ,contact ,photo ,district ,place , to help them make informed decisions before making a booking.

Event Management Verifications:

- **Admins** ensures proper verification of event managers before approving their services on the system.

Manage Complaints:

- **Admins** can view and address complaints filed by customers. This feature helps to identify any service issues or concerns, and ensure that customers are provided with timely solutions and that problems are resolved quickly.

2. **USER INTERACTION**:

User Registration:

- Customers can register by providing their basic details such as name, contact information and password. This allows them to create a personalized account where they can manage boooking and track their orders.

User Login:

- Registered customers can securely log in to access their profile, view past reservations, and place new orders. They can also update their personal information as needed.
-

File a Complaint:

- Customers who have any issues with their order, event manager, or service can file a complaint through the platform. They can specify the issue (e.g., product quality, service delays, incorrect order) and provide any relevant details. Admins can review the complaint and address it promptly, offering solutions such as refunds,apologies.

3. **EVENT MANAGER AND SELLER MODULE:**

- Event managers can add their events along with detailed packages and image galleries to showcase their services. They also have access to a dashboard where they can view and manage all bookings made by users.The seller can add their products to their space, it can help the user can select the items easily and they can book what they need. This helps event managers maintain their profiles, update information easily, and track their event-related activities in one place.

OBJECTIVE

The **"** DREAM THEME **"** project is to create an online platform that connects users with event managers and simplifies the process of booking event-related services. It aims to provide event managers with tools to upload their events, packages, and galleries, while enabling users to browse, compare, and book services easily. The system also ensures smooth verification by the admin and efficient management of bookings for all users.

SYSTEM SPECIFICATION

2. SYSTEM SPECIFICATION

2.1 Hardware Specification

The selection of hardware is very important for the existence and proper working of any software. When selecting the hardware, the size and capacity requirements are also noted. Below are the hardware details required by the system.

Processor	Intel Core i5-11th Gen (4 GHz)
RAM	16 GB
Storage	512 GB and above
Other	Keyboard and Mouse

2.2 Software specification

Operating System	Windows 11

Front End	PHP5
Back End	MySQL

2.3 About the Software Tools and Platform

Front-End specification: PHP

The PHP Hypertext Pre-processor (PHP) is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is a serverside scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, and even build entire e-commerce sites. It is integrated with several popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server. PHP supports a large number of major protocols such as POP3,
IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.

Backend specification: MYSQL

A database is a separate application that stores a collection of data. Each database has one or more distinct APIs for creating, accessing, managing, searching, and replicating the data it holds.

Other kinds of data stores can also be used, such as files on the file system or large hash tables in memory but data fetching and writing would not be so fast and easy with those types of systems.

Nowadays, we use Relational Database Management Systems (RDBMS) to store and manage huge volumes of data. This is called a relational database because all the data is stored in different tables and relations are established using primary keys or other keys known as Foreign Keys.

SYSTEM ANALYSIS

3.1 Existing System

In the context of event planning, traditional systems for managing event bookings and coordinating services are often inefficient and prone to errors. Manual processes, such as phone-based inquiries, physical record-keeping, and in-person consultations, create significant challenges in meeting the diverse needs of customers and event managers. These outdated methods make it difficult for users to explore different event themes, compare packages, check availability, or find reliable service providers. To address these limitations, **"DREAM THEME"** emerges as a digital solution, transforming how events are planned and managed.

The primary function of **"DREAM THEME"** is to provide a centralized platform where event managers can showcase their events, add their service packages, upload galleries, and maintain updated information. This organized approach helps customers easily browse available event themes, view sample works, and choose packages that fit their requirements. The system also allows event managers to track bookings efficiently, reducing the chances of miscommunication or scheduling conflicts. Administrators play a crucial role by verifying event managers, overseeing platform activities, and ensuring that all event details are accurate and up to date.

Disadvantage of the existing system-

1. Difficult Maintenance of Records
2. Time-Consuming Processes
3. No Security of Data
4. Errors in Order Management
5. inconsistent Report Generation
6. Lack of Efficiency and Dependence on Manpower

3.2 Proposed System

The envisioned system, **"DREAM THEME,"** is meticulously designed to provide an interactive, intuitive, and highly user-friendly experience, exclusively tailored for managing event bookings and theme-based event services. This dynamic web application addresses all the essential functional areas required for efficient event management, including adding event details, uploading theme galleries, creating service packages, managing bookings, and maintaining customer profiles. The platform is supported by a robust database system that securely stores critical information such as event listings, package details, booking records, user information, and verification data.

Key Features of the Proposed Course Exploration Platform:

1. Interactive and User-Friendly Interface.
2. Comprehensive Course Management.
3. Robust Database System.
4. Efficient Information Retrieval.
5. GUI-Oriented Interface.

Advantages of the Proposed Course Exploration Platform:

- High Processing Speed
- Easy Retrieval of Course Records
- Comprehensive Analysis of User Details
- Database Backup Capability
- Minimal Errors

The **"DREAM THEME"** system not only overcomes the limitations of traditional event management methods but also introduces a modern, efficient, and organized approach to handling event services. By offering a centralized platform for customers, event managers, and administrators, it ensures a seamless planning experience and elevates the overall quality of event coordination.

3.3 Feasibility Study

The feasibility study is made to see if the project on completion will serve the purpose of the organization for the amount of work, time, and effort spent on it.

The study lets the developer foresee the future of the project and its usefulness. Finding out whether a new system is required or not.

The study is carried out to the best system that meets the performance requirement. This entails identification, description, and evaluation of the candidate system and selection of the best system for the best system for the job. It simply identifies whether the proposed system is feasible for the organization or not.

There are **three aspects** in the feasibility study portion of the preliminary Investigation

1. Technical feasibility
2. Economic feasibility
3. Operational feasibility

Technical Feasibility

The system must be evaluated from a technical viewpoint first. The assessment of this feasibility must be based on an outline design of the system requirement in terms of input, output, programs, and procedure having identified an outline system, the investigation must go on to suggest the type of equipment, required method of developing the system, method of running the system once it has been designed. The project should be developed such that the necessary functions and performance are achieved within the constraints. The project is developed with the latest technology. There are only minimal constraints involved in this project.

Economic Feasibility

Here an evaluation of development cost weighted against the ultimate income or benefit derived from the developed system. The cost for the development of the project has been evaluated and we want to check that the cost does not exceed the beneficial cost of the

system. The economic and financial analysis is used for evaluating the effectiveness of the candidate system. This project has also undergone economic feasibility study and

found that it is feasible. So, the cost of development does not exceed its beneficial cost.

This brought to the conclusion that the system is economically feasible in the context.

Operational Feasibility

In operational feasibility, the entire application is checked whether the system will be used if it is developed and implemented. Also, it is checked whether there will be resistance from users that may undermine the possible application benefits. There is no barrier to implementing the system. The system also helps to access the information immediately as the need arises. Thus, the system is found to be operationally feasible.

SYSTEM DESIGN

4. SYSTEM ANALYSIS

4.1 INPUT DESIGN

The quality of the system input determines the quality of the system output. Input specification describes how the data enters the system for processing.

Input design features can ensure the reliability of the system and produce results from accurate data, or they can result in the production of erroneous information.

The input design also determines whether the user can interact efficiently with the system.

In our system, almost all inputs are being taken from the databases. To provide adequate inputs we must select necessary values from the databases and arrange them according to the appropriate controls

4.2 OUTPUT DESIGN

One of the important features of an information system for users is the output produced. Output is the information delivered to users through the information system. Without the quality of the output, the entire system appears to be unnecessary and users will avoid using it. Users generally merit the system solely by its output.

To create the most useful output possible. One works closely with the user through an interactive process, until the result is considered to be satisfactory.

4.3 MODULE DESCRIPTION

The administrative functionalities within **"DREAM THEME"** are designed to empower both administrators and managers with distinct roles and tools necessary for efficient booking events and product operations. The following key modules outline their specific responsibilities:

Admin Modules 1.

Add Managers:

- **Objective:** Allows the admin to add and manage manager accounts.
- **Functionality:** Admins can input manager details, such as name, contact information, and login credentials, enabling them to oversee operations effectively.

2. **Add Images:**
   - **Objective:** Enables the admin to upload images for the menu, restaurant interior, and promotional purposes.
   - **Functionality:** Admins can upload, update, and manage images to enhance the visual appeal of the platform.
3. **View and Respond to User Complaints:**
   - **Objective:** Empowers the admin to view and address customer complaints. o **Functionality:** Admins can access a list of user complaints, respond promptly, and ensure issues are resolved to improve customer satisfaction.

Manager Modules 1.

Add Foods:

- **Objective:** Enables managers to add new food items to the menu.
- **Functionality:** Managers can input food details, including name, description, price, and availability, ensuring the menu stays up-to-date.

2. **View Foods:**
   - **Objective:** Allows managers to view and manage the menu.

- **Functionality:** Provides an organized display of menu items, facilitating updates or adjustments as required.

3. **Manage Reservations:**
   - **Objective:** Enables managers to oversee food reservations efficiently.
   - **Functionality:** Displays a consolidated view of all reservations, ensuring smooth order processing and customer satisfaction.
4. **View Customers:**
   - **Objective:** Gives managers access to customer profiles and reservation history.
   - **Functionality:** Helps managers better understand customer preferences and provide personalized service.


The modular design of **"DREAM THEME"** ensures a clear distinction between admin and manager responsibilities, enhancing operational efficiency and customer satisfaction. This system allows the admin to focus on high-level management and issue resolution while enabling managers to handle day-to-day operations effectively.

4.4 DATA FLOW DIAGRAM


A data flow diagram is a graphical tool used to describe and analyze the movement of data through a system. These are central tools and the basis from which the other components are developed. The transformation of data from input to output, through processing, may be described logically and independently of physical components associated with the system. These are known as the *logical data flow movement of dat*a between people, departments, and workstations. A full description of a system consists of a set of data flow diagrams.

A DFD also known as a "**bubble chart**" has the purpose of clarifying system requirements and identifying major transformations that will become programs in system design. So, it is the starting point of the design to the lowest level of detail. A DFD consists of a series of bubbles joined by data flows in the system.

In the DFD, there are four symbols



The process that transforms data flow




Source or Destination of data



Datastore



Information or Dataline



Represents Data Storage

Rules for drawing data flow diagrams

Rule 1: Establish the context of the data flow diagram by identifying all the net input and output data flows.

Rule 2: Select a starting point for drawing the DFD.

Rule 3: Give meaningful labels to all data flow lines.

Rule 4: Label all processes with action verbs that relate input and output data flows.

Rule 5: Omit insignificant functions routinely handled in the programming process.


Rule 6: Do not include control or flow of control information.

Rule 7: Do not try to put too much information in one DFD.

Rule 8: Be prepared to start over.


LEVEL 0

CONTEXT DIAGRAM




LEVEL 1


ADMIN LEVEL DIAGRAM


ADMIN
Username and Password
LOGIN
Username and Password
Username and Password
D
tbl_admin
Add District
Request
Response
D
tbl_district
Add Place
Request
Response
D
tbl_place
Add Category
Request
Response
D
tbl_category
Add Event Type
Request
Response
D
tbl_eventtype
Add Subcategory
Request
Response
D
tbl_sub category
Accept and Reject Seller
Request
Response
D
tbl_seller
Accept and Reject User
Request
Response
D
tbl_user
Event Management Verification
Request
Response
D
tbl_event management


EVENT MANAGEMENT LEVEL DIAGRAM



SELLER LEVEL DAIGRAM



USER LEVEL DAIGARAM



4.5 TABLE DESIGN

The data design transforms the information domain model created during analysis into the data structures that will be required to implement the software. The data objects and relationships defined in the entity relationship diagram and the detailed data content depicted in the data dictionary provide the basis for the data design activity. The overall objective in the development of database technology has been to treat data as an organizational resource and as an integrated whole.

Database Management System allows data to be protected and organized separately from other resources. A database is an integrated collection of data. This is the difference between logical and physical data.

NORMALIZATIONS

Designing a database is a complex task and the normalization theory is a useful aid in this design process. The process of normalization is concerned with the transformation of the conceptual schema into a computer representation form.

A bad database design may lead to certain undesirable situations such as,

- Repetition of information
- Inability to represent certain information
- Loss of information

To minimize these anomalies, normalization may be used. If the database is in a normalized form, the data can be restructured and can be maintained easily. This is important that the databases that we are using are free from data redundancy and inconsistency. For this need, we maintain the tables in a normalized manner.

First Normal Form

A relation is in first Normal Form (**1NF**), if and only if all its attributes are based on a single domain. The objective of normalizing a table is to remove its repeating groups and ensure that all entries of the resulting table have at most a single value.

Second Normal Form

A table is said to be in second Normal Form (**2NF**) when it is in 1 NF and every attribute in the record is functionally dependent upon the whole key, and not just a part of the key.

Third Normal Form

A table is in third Normal Form (**3NF**) when it is in 2NF and is free from transitive dependencies and all non-key attributes are functionally dependent on the primary key

The organization of data in the database aims to achieve three major objectives:

- Data integration
- Data integrity
- Data independence

The databases are implemented using a DBMS package. Each particular DBMS has unique characteristics and general techniques for database design. There are 6 major steps in the design process.

The first **5 steps** are usually done on paper and finally, the design is implemented.

1. Identify the table and relationships
2. Identify the data that is needed for each table and relationship
3. Resolve the relationship
4. Verify the design
5. Implement the design

The proposed system "DREAM THEME" stores the information relevant for processing in the Microsoft SQL Server Management Studio (Microsoft SQLServer2008).

The database uses tables for storage. A table also contains records, which is a set of fields. All records, in a table, have the same set of fields with different information. Uses 17 tables. Each table contains key fields that establish relationships in the database and how the records are stored. There are primary key fields that uniquely identify a record in a table. Some fields contain the primary key from another table called foreign keys. The design of the database measures the efficiency of the system

TABLE STRUCTURE

1.Admin Table

Table Name : tbl_admin

Primary Key : admin_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
admin_id	INT	11	Admin Id	Primary Key
admin_name	VARCHAR	50	Stores Admin Username	Not Null
admin_email	VARCHAR	70	Stores email of Admin	Not Null
admin_password	VARCHAR	70	Password to login	Not Null

2.District Table

Table Name : tbl_district

Primary Key : district_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
district_id	INT	11	District Id	Primary Key
district_name	VARCHAR	70	Stores District name	Not Null

3.Place Table

Table Name : tbl_place

Primary Key : place_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
place_id	INT	11	Place Id	Primary Key
place_name	VARCHAR	70	Stores Place name	Not Null
district_id	INT	11	District Id	Foreign Key

4.Category Table

Table Name : tbl_category

Primary Key : category_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
category_id	INT	11	Category Id	Primary Key
category_name	VARCHAR	50	Stores Category name	Not Null

5.Event Type Table

Table Name : tbl_eventtype

Primary Key :eventtype_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
eventtype_id	INT	11	EventType Id	Primary Key
eventtype_name	VARCHAR	70	Stores EventType name	Not Null

6.Stock Table

Table Name : tbl_stock

Primary Key :stock_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
stock_id	INT	11	Stock Id	Primary Key
stock_count	VARCHAR	100	Stores Stock Count	Not Null
product_id	INT	11	Stores Product Id	Foreign Key
stock_date	DATE		Stores Stock Date	Not Null

7.Cart Table

Table Name : tbl_cart

Primary Key : cart_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
cart_id	INT	11	Cart Id	Primary Key
cart_qty	INT	50	Stores Cart Quantity	Not Null
cart_status	INT	11	Stores Cart Status	Not Null
product_id	INT	11	Product Id	Foreign Key
booking_id	INT	11	Booking Id	Foreign Key

8.Seller Table

Table Name : tbl_seller

Primary Key : seller_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
seller_id	INT	11	Seller Id	Primary Key
seller_name	VARCHAR	50	Stores Seller Username	Not Null
seller_email	VARCHAR	70	Stores Email of the Seller	Not Null
seller_contact	VARCHAR	70	Stores Contact of the Seller	Not Null
seller_address	VARCHAR	70	Stores Address of the Seller	Not Null
seller_photo	VARCHAR	100	Stores Photos of the Seller	Not Null
place_id	INT	11	Place Id	Foreign Key
seller_password	VARCHAR	50	Password to login	Not Null
seller_status	INT	11	Stores Seller Status	Not Null
seller_proof	VARCHAR	100	Stores Proof of the Seller	Not Null

9.User Table

Table Name : tbl_user

Primary Key :user_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
user_id	INT	11	User Id	Primary Key
user_name	VARCHAR	70	Stores User Username	Not Null
user_email	VARCHAR	70	Stores Email of the User	Not Null
user_contact	VARCHAR	70	Stores Contact of the User	Not Null
user_address	VARCHAR	85	Stores Address of the User	Not Null
user_dob	VARCHAR	70	Stores DOB of the User	Not Null
user_photo	VARCHAR	100	Stores photo of the User	Not Null
user_password	VARCHAR	70	Password to login	Not Null
place_id	INT	11	Place Id	Foreign Key
user_gender	VARCHAR	70	Stores Genger of the User	Not Null
user_regdate	DATE		Story Registration Date of the User	Not Null

10.Gallery Table

Table Name : tbl_gallery

Primary Key :gallery_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
gallery_id	INT	11	Gallery Id	Primary Key
gallery_file	VARCHAR	200	Stores Gallery File	Not Null
product_id	INT	11	Product Id	Foreign Key
eventmanagement_id	INT	11	Eventmanagement Id	Foreign Key

11.Package Table

Table Name : tbl_package

Primary Key :package_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
package_id	INT	11	Package Id	Primary Key
package_title	VARCHAR	70	Stores Package Title	Not Null
package_description	VARCHAR	200	Package Discription	Not Null
package_amount	VARCHAR	70	Stores Package Amount	Not Null
eventtype_id	INT	11	Event Type Id	Foreign Key
eventmanagement_id	INT	11	Event Management Id	Foreign Key

12.Event Management Table

Table Name : tbl_eventmanagement

Primary Key :eventmanagement_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
eventmanagement_id	INT	11	Event Management Id	Primary Key
eventmanagement_name	VARCHAR	70	Stores Event Management Username	Not Null
eventmanagement_email	VARCHAR	70	Stores Email of the Event Management	Not Null
eventmanagement_contact	VARCHAR	70	Stores Contact of the Event Management	Not Null
eventmanagement_address	VARCHAR	70	Stores Address of the Event Management	Not Null
eventmanagement_photo	VARCHAR	100	Stores Photos of the Event Management	Not Null
eventmanagement_proof	VARCHAR	100	Stores Proof of the Event Management	Not Null
eventmanagement_password	VARCHAR	70	Password to login	Not Null
eventmanagement_status	INT	11	Stores Event Management Status	Not Null
place_id	INT	11	Place Id	Foreign Key

13.Product Table

Table Name : tbl_product

Primary Key :product_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
product_id	INT	11	Product Id	Primary Key
product_name	VARCHAR	70	Stores Product Name	Not Null
product_details	VARCHAR	200	Stores Product Details	Not Null
product_price	VARCHAR	70	Stores Product Prize	Not Null
product_status	INT	11	Stroes Product Status	Not Null
product_photo	VARCHAR	100	Stores Photo of the Product	Not Null
category_id	INT	11	Category Id	Foreign Key
seller_id	INT	11	Seller Id	Foreign Key

14.Booking Table

Table Name : tbl_booking

Primary Key :booking_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
booking_id	INT	11	Booking Id	Primary Key
booking_date	DATE		Stores Booking Date	Not Null
booking_status	INT	11	Stores Booking Status	Not Null
booking_fromdate	VARCHAR	50	Stores From Date of the Booking	Not Null
booking_todate	VARCHAR	50	Stores To Date of the Booking	Not Null
booking_amount	VARCHAR	50	Stores Booking Amount	Not Null
user_id	INT	11	User Id	Foreign Key

15.Package Booking Table

Table Name : tbl_productbooking

Primary Key :productbooking_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
packagebooking_id	INT	11	Product Booking Id	Primary Key
packagebooking_date	DATE		Stores Product Booking Date	Not Null
packagebooking_status	INT	11	Stores Product Booking Status	Not Null
packagebooking_fordate	DATE		Stores Product Booking For Date	Not Null
packagebooking_amount	VARCHAR	70	Stroes Product Booking Amount	Not Null
packagebooking_personcount	VARCHAR	100	Stores Person Count of the Product Booking	Not Null
user_id	INT	11	User Id	Foreign Key
package_id	INT	11	Package Id	Foreign Key

16.Rating Table

Table Name : tbl_rating

Primary Key :rating_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
rating_id	INT	11	Rating Id	Primary Key
rating_value	INT	11	Stores Rating Values	Not Null
rating_content	VARCHAR	200	Stores Rating Content	Not Null
rating_datetime	VARCHAR	50	Stores Rating Datetime	Not Null
seller_id	INT	11	Seller Id	Foreign Key
user_id	INT	11	User Id	Foreign Key
eventmanagement_id	INT	11	Event Management Id	Foreign Key

17.Complaint Table

Table Name : tbl_complaint

Primary Key :complaint_id

FIELD NAME	DATATYPE	SIZE	DESCRIPTION	CONSTRAINTS
complaint_id	INT	11	Complaint Id	Primary Key
complaint_content	VARCHAR	50	Stores Complaint Content	Not Null
complaint_date	DATE		Stores Complaint Date	Not Null
complaint_reply	VARCHAR	50	Stores Complaint Reply	Not Null
complaint_status	INT	11	Stores Complaint Status	Not Null
user_id	INT	11	User Id	Foreign Key
seller_id	INT	11	Seller Id	Foreign Key
eventmanagement_id	INT	11	Event Management Id	Foreign Key

SYSTEM DEVELOPMENT

5. SYSTEM DEVELOPMENT

Systems development is the process of defining, designing, testing, and implementing a new software application or program. It could include the internal development of customized systems, the creation of database systems, or the acquisition of third-party-developed software.

5.1 SYSTEM MODULE SPECIFICATION

Module specification A precise statement of the effects that the software module is required to achieve the specification is given by indicating the effect of each operation that can change the state on the result of each operation and then can observe the state.

5.2 IMPLEMENTATION PROCEDURES

Systems implementation is the process of:

5.2.1 Defining how the information system should be built (i.e., physical system design)

5.2.2 Ensuring that the information system is operational and used.

5.2.3 Ensuring that the information system meets quality standards (i.e., quality assurance)

5.3 USER MANUAL PROCEDURES

The User Manual contains all essential information for the user to make full use of the information system. This manual includes a description of the system functions and capabilities, contingencies and alternate modes of operation, and step-by-step procedures for system access and use. Use graphics where possible iii this manual. The manual format may be altered if another format is more suitable for the project.

Purpose and Scope

This section describes the purpose and scope of the User Manual.

ORGANIZATION

This section describes the organization of the User Manual.

POINTS OF CONTACT

This section identifies the organization codes and staff (and alternates if appropriate) who may assist the system user. If a help desk facility or telephone assistance organization exists, describe it in this section.

PROJECT REFERENCES

This section provides a bibliography of key project references and deliverables that have been produced before this point in the system development process.

PRIMARY BUSINESS FUNCTIONS

This section discusses the business perspective of the user's primary responsibilities and tasks as they are supported by the system. Introduce the business functions so that the focus may rest on the systematic steps to support the business functions in later sections.

GLOSSARY

This section provides a glossary of all terms and abbreviations used in the manual.If the glossary is several pages or more in length, it may be placed as an appendix

SYSTEM TESTING AND IMPLEMENTATION

6. SYSTEM TESTING AND IMPLEMENTATION

System testing is defined as the process by which one detects defects in the software. Any software development organization or team has to perform several processes. Software testing is one among them. It is the final opportunity of any programmer to detect and rectify any defects that may have appeared during the software development stage. Testing is the process of testing a program with the explicit intention of finding errors that make the program fail. In short system testing and quality assurance is a review of software products and related documentation for completion, correctness, reliability, and maintainability.

System testing is the first stage of implementation, which is aimed at ensuring that the system works accurately and efficiently before live operation commences. Testing is vital to the success of the system. System testing makes a logical assumption that if all the parts of the system are correct the goal will be successfully achieved. A series of tests are performed for the proposed system before the proposed system is ready for user acceptance testing. The testing steps are,

- Unit Testing
- Integration Testing
- Validation Testing
- Output Testing
- Acceptance Testing

System Testing provides the file assurance that software once validated must be combined with all other system elements. System testing verifies whether all elements have been combined properly and that overall system function and performance are achieved. After the integration of modules, the validation test was carried out over the system. It was found that all the modules work well together and meet the overall system function and performance

6.1 SYSTEM TESTING METHODOLOGIES

Unit Testing

Unit testing is carried out screen-wise, with each screen being identified as an object. Attention is diverted to individual modules, independently to one another to locate errors. This has enabled the detection of errors in coding and logic.

Various test cases are prepared. For each module, these test cases are implemented and it is checked whether the module is executed as per the requirements and outputs the desired result. In this test, each service input and output parameters are checked. In unit testing,

- The module interface was tested to ensure that information properly flows into and out of the program under test.
- Boundary condition was tested to ensure that the module operates properly at boundaries established to limit or restrict processing.
- All independent paths through the control structures were executed to ensure that all statements in the modules had been executed at least once.
- Error handling paths were also tested.

Integration Testing

Integration testing is a systematic technique for constructing the program structure at the same time conducting tests to uncover errors associated with interfacing. Unit-tested modules were taken and a single program structure was built that has been dictated by the design. Incremental integration has been adopted here.

The entire software was developed and tested in small segments, where errors were easy to locate and rectify. The program builds (group of modules) were constructed corresponding to the successful testing of user interaction, data manipulation analysis, display processing, and database management.

The entire software was developed and tested in small segments, where errors were easy to locate and rectify. The program builds (group of modules) were constructed corresponding to the successful testing of user interaction, data manipulation analysis, display processing, and database management.

Validation Testing

Validation testing is done to ensure complete assembly of the error-free software. Validation can be termed successful only if it functions in a manner. Reasonably expected by the customer under validation is alpha and beta testing. Alpha testing is where the enduser tests the system rather than the developer but in a controlled environment. The software is used in a natural setting with the developer monitoring the user using the system. The developer records the errors and usage problems encountered by the user. Alpha testing is simulated or actual operational testing by potential users/customers or an independent test team at the developers' site. Alpha testing is often employed for off-theshelf software as a form of internal acceptance testing before the software goes to beta testing

Beta testing comes after alpha testing. Versions of the software, known as beta versions, are released to a limited audience outside of the programming team. The software is released to groups of people so that further testing can done to ensure the product has few faults or bugs, beta versions are sometimes made available to the public to gather feedback from a maximum number of users. Beta testing is conducted by user personnel at one or more sites, with the developer absent during these tests. As a result, beta testing can be considered the live application of software in an environment not controlled by the developer. The salesperson records encountered problems during beta testing and reports them to the developer at regular intervals. The developer then makes suitable modifications to the software. Client-side validation is performed in this testing phase, checking the validity of data passed to each service, including fields for email, passwords, mobile numbers, and names. Incorrect values are discarded, and error messages are displayed for rectification.

Output Testing:

After validation testing, the next step is output testing. No system is useful if it does not produce the required output in a specific format. Users' preferred formats are considered, and output testing is conducted on-screen and in printed format. The on-screen format aligns with the user's design preferences, and the hard copy output meets user specifications. No corrections are needed in the system based on output testing.

"DREAM THEME" is developed according to user choice, being user-friendly with clear output formats. Output testing is successfully conducted on SASH.

Acceptance Testing:

Acceptance testing entails executing a suite of tests on the finalized system to ascertain user acceptance or rejection. "DREAM THEME" is tailored for technicians, featuring screens aligned with user preferences. The software successfully passes the acceptance test. Feel free to edit in MS Word as needed.

Debugging:

Debugging is the process of detecting and removing existing and potential errors (**also called 'bugs'**) in a software code that can cause it to behave unexpectedly or crash. To prevent incorrect operation of a software or system, debugging is used to find and resolve bugs or defects. When various subsystems or modules are tightly coupled, debugging becomes harder as any change in one module may cause more bugs to appear in another. Sometimes it takes more time to debug a program than to code it.

To debug a program, the user has to start with a problem, isolate the source code of the problem, and then fix it. A user of a program must know how to fix the problem as knowledge about problem analysis is expected. When the bug is fixed, then the software is ready to use. Debugging tools (called debuggers) are used to identify coding errors at various development stages. They are used to reproduce the conditions in which error has occurred, then examine the program state at that time and locate the cause. Programmers can trace the program execution step-by-step by evaluating the value of variables and stop the execution wherever required to get the value of variables or reset the program variables. Some programming language packages provide a debugger for checking the code for errors while it is being written at run time.

Here is the debugging process:

1. Reproduce the problem
2. Describe the bug. Try to get as much input from the user to get the exact reason.
3. Capture the program snapshot when the bug appears. Try to get all the variable values and states of the program at that time
4. Analyze the snapshot based on the state and action. Based on that try to find the cause of the bug.
5. Fix the existing bug, but also check that any new bug does not occur.

6.2 IMPLEMENTATION PROCEDURES

The implementation is the final stage and it is an important phase. It involves individual programming; system testing, user training, and the operational running of the developed proposed system that constitutes the application subsystems. A major task of preparing for implementation is the education of users, which should have taken place much earlier in the project when they were involved in the investigation and design work. During the implementation phase system takes physical shape. To develop a system implemented planning is very essential.

The implementation phase of the software development is concerned with translating design specifications into source code. The user tests the developed system and changes are made according to their needs. Our system has been successfully implemented. Before implementation, several tests have been conducted to ensure that no errors are encountered during the operation. The implementation phase ends with an evaluation of the system after being placed into operation for a period. The process of putting the developed system into actual use is called system implementation. This includes all those activities that take place to convert from the old system to the new system.

The system can be implemented only after testing is done and is found to be working to specifications. The implementation stage is a systems project. The implementation stage involves the following tasks:

- Careful planning.
- Investigation of system and constraints.
- Design of method to achieve change over.

Evaluation of the changeover method all the screens are designed first. To make it runnable, codes are written on each screen, and the implementation by creating the database and connecting to the server. After that the system is checked, whether it performs all the transactions correctly. Then databases are cleared and made usable to the technician

6.3 USER MANUAL PROCEDURES

This manual is used to describe how to operate the particular software.

The User Manual consists of the following

System Overview

It describes the overview of the entire software. It is used to define what is the purpose of the software.

Beginners Guide Tutorial

This guide consists of a step-by-step procedure for operating the software. A beginner can know how to use software and the working of it. Overall, it helps in getting to know the software. **Reference guide**

This guide is a help book for the users. Users can look forward to further reference in the Reference guide.

SECURITY TECHNOLOGIES AND POLICIES

7. SECURITY TECHNOLOGIES AND POLICIES

Software is a resource and thus must be afforded appropriate security. The software also contains and controls data and other resources. It must be designed and implemented to protect those resources. Security means protecting information systems from unauthorized access, use, disclosure, disruption, modification, or destruction. In "Course Explore the username is the common form of identification and the password is the common form of authentication

SYSTEM MAINTENANCE

8. SYSTEM MAINTENANCE

Software maintenance is the modification of a software product after delivery to correct faults, and improve performance, or other attributes. Maintenance is the ease with which a program can be corrected if any error is encountered, adapted if its environment changes or enhanced if the customer desires a change in requirement. Maintenance follows conversation to extend that changes are necessary to maintain satisfactory operations relative to changes in the user's environment. Maintenance often includes minor enhancements or corrections to problems that surface in the system's operation. Maintenance is also done based on fixing the problems reported, changing the interface with other software or hardware enhancing the software.

8.1 CATEGORIES OF MAINTENANCE

CORRECTIVE MAINTENANCE

Corrective maintenance is the most used maintenance approach, but it is easy to see its limitations. When equipment fails, it often leads to downtime in production, and sometimes damages other parts. In most cases, this is expensive. Also, if the equipment needs to be replaced, the cost of replacing it alone can be substantial. The reliability of systems maintained by this type of maintenance is unknown and cannot be measured. Corrective maintenance is possible since the consequences of failure or wearing out are not significant and the cost of this maintenance is not great.

PERFECTIVE MAINTENANCE

Modification of a software product after delivery to improve performance or maintainability. This term is used to describe changes undertaken to expand the existing requirements of the system. A successful piece of software tends to be subjected to a succession of changes increasing its requirements. This is based on the premise that as the software becomes useful, the user experiments with new cases beyond the scope for which it was initially developed. Expansion in requirements can take the form of enhancement of existing system functionality and improvement in computational efficiency.

ADAPTIVE MAINTENANCE

Modification of a software product performed after delivery to keep a software product usable in a changed or changing environment. Adaptive maintenance includes any work initiated because of moving the software to a different hardware or software platform. It is a change driven by the need to accommodate modifications in the environment of a software system. The environment in this context refers to the totality of all conditions and influences which act from outside upon the system. A change to the whole or part of this environment will warrant a corresponding modification of the software.

PREVENTIVE MAINTENANCE

Preventive maintenance is a schedule of planned maintenance actions aimed at the prevention of breakdowns and failures. The primary goal of preventive maintenance is to prevent the failure of equipment before it occurs. It is designed to preserve and enhance equipment reliability by replacing worn components before they fail. Preventive maintenance activities include equipment checks, and partial or complete overhauls at specified periods.

Long-term benefits of preventive maintenance include:

- Improved system reliability.
- Decreased cost of replacement.
- Decreased system downtime.

SCOPE FOR FUTURE ENHANCEMENT

9. SCOPE FOR FUTURE ENHANCEMENT

The drawbacks of the existing system as listed before are fully evacuated. All the existing inconsistencies are fully solved as this system is implemented. This reduced the burden of the administration of the system. In the future, we can expect the modified version "DREAM THEME" .The system is very flexible for further gradation with additional requirements of the users. We can enhance the quality, usability, and scope of this system by using Android software, which makes these modifications very easy. This helps everyone to know more and more about restaurant through mobile applications. Thereby help the users to access various information from anywhere in the world. The project titled "DREAM THEME" has various scopes in the future.

CONCLUSION

10. CONCLUSION

The **"DREAM THEME"** project successfully provides a modern, efficient, and user-friendly solution for event management and wedding-related product selling. By integrating event booking, package selection, gallery viewing, and product purchasing into a single digital platform, the system enhances convenience for both customers and event managers. It eliminates the limitations of traditional methods by offering structured information, real-time booking updates, and transparent communication. Event managers can easily showcase their services, manage bookings, and present themed event ideas, while customers can explore options, compare packages, and make informed decisions from one centralized system.

Overall, **"DREAM THEME"** brings together technology and creativity to simplify the planning of weddings and other events. It streamlines operations, reduces manual errors, improves accessibility, and ensures a smooth and well-organized experience for all users. This platform stands as a reliable digital solution that elevates the quality of event planning and supports efficient management of wedding essentials.

BIBLIOGRAPHY

11. BIBLIOGRAPHY

1. Jalote Pankaj, *"Software Engineering"*, third edition, Spring Publishers, Narosa, Publishing House.
2. Peter Rob, Thomson Leaning, *"Database Systems Design and Management"*, fifth edition, McGraw-Hill Professional Publication.
3. Raghu Ramakrishnan and Johannes, *"Database Management System"*, third edition, McGraw-Hill Professional Publication
4. Elias M. Awad, *"System Analysis and Design"*, second edition, McGraw-Hill Professional publication
5. Kathy Sierra, Bert Bates, *"Head First Java"*, second edition, O'Reilly Media.
6. Joe Celko, *"SQL For Smarties"*, fifth edition, Morgan Kaufmann publication.
7. Budi Kurniawan, *"Servlet & JSP: A Beginner's Tutorial"*, first edition, Brainy Software publication.


REFERENCE

- www.php.net
- www.tutorialspoint.com
- www.phptherightway.com
- www.htmlref.com
- www.htmlhelp.com
- www.w3schools.in
- www.codecademy.com


APPENDIX

12.1 SCREENSHORT

HOMEPAGE:




LOGIN PAGE:




I. ADMIN


ADMIN HOMEPAGE:




DISTRICT:




PLACE:




EVENT TYPE MANAGEMENT:




CATEGORY MANAGEMENT:



SUB CATEGORY MANAGEMENT:





COMPLAINT RESPONSE:




II.EVENTMANAGEMENT

EVENTMANAGEMENT REGISTRATION:





Phone Number
Create Password
Location Information
District
-- Select District --
City/Place
-- Select Place --
Full Address
Document Upload
Profile Photo
Choose File No file chosen
ID Proof
Choose File No file chosen
Register
Clear Form


HOMEPAGE:


Dream Theme
HOME
MY PROFILE
ADD PACKAGES
GALLERY
VIEW BOOKING
LOGOUT
Dream Theme
Wedding..


MY PROFILE:




EDIT PROFILE:




CHANGE PASSWORD:




PACKAGE MANAGEMENT:



EVENT GALLERY:





BOOKING MANAGEMENT:




III.SELLER

SELLER REGISTRATION:







HOMEPAGE:




MY PROFILE:




EDIT PROFILE:




CHANGE PASSWORD:



ADD PRODUCT:




BOOKING MANAGEMENT:




IV.USER


USER REGISTRATION PAGE:




HOMEPAGE:




MY PROFILE:




EDIT PROFILE:




CHANGE PASSWORD:




VIEW PACKAGE:




VIEW PRODUCT:




MY BOOKING:




MY PRODUCT BOOKING:



COMPLAINT:



CART:



12.2 CODING

LOGIN:

```
<?php
include("../Assets/Connection/Connection.php");
session_start();
if(isset($_POST['btn_submit']))
{
   $email=$_POST['txt_email'];
   $password=$_POST['txt_password'];
   $selQry="select * from tbl_admin where
admin_email='".$email."' and
admin_password='".$password."'";
   $row=$Con->query($selQry);
   $seleQry="select * from tbl_user where
user_email='".$email."' and
user_password='".$password."'";
   $col=$Con->query($seleQry);
   $selecQry="select * from tbl_seller where
seller_email='".$email."' and
seller_password='".$password."' ";
   $rock=$Con->query($selecQry);
```

```
$selectQry="select * from tbl_eventmanagment
where eventmanagement_email='".$email."' and
eventmanagement_password='".$password."' ";
$cols=$Con->query($selectQry);
if($data=$row->fetch_assoc())
{
$_SESSION['aid']=$data['admin_id'];
$_SESSION['aname']=$data['admin_name'];
header("location:../Admin/HomePage.php");
}
else if($userdata=$col->fetch_assoc())
{
$_SESSION['uid']=$userdata['user_id'];
$_SESSION['uname']=$userdata['user_name'];
header("location:../User/HomePage.php");
}
else if($sellerdata=$rock->fetch_assoc())
{
if($sellerdata['seller_status']==1)
{
```

```
    $_SESSION['sid']=$sellerdata['seller_id'];
$_SESSION['sname']=$sellerdata['seller_name'];
header("location:../Seller/HomePage.php");
}
else if($sellerdata['seller_status']==0)
{
    ?>
    <script>
        alert("Your Verification Is Pending..");
    </script>
    <?php
}
else
{
    ?>
    <script>
        alert("Your Verification Rejected.");
    </script>
    <?php
```

```
        }
    }
    else if($eventdata=$cols->fetch_assoc())
    {
        if($eventdata['eventmanagement_status']==1)
        {
            $_SESSION['eid']=$eventdata['eventmanageme
nt_id'];
        $_SESSION['ename']=$eventdata['eventmanagem
ent_name'];
        header("location:../Event/HomePage.php");
        }
        else if($eventdata['eventmanagement_status']==0)
        {
            ?>
            <script>
                alert("Your Verification Is Pending..");
            </script>
            <?php
        }
```

```
        else
        {
            ?>
            <script>
                alert("Your Verification Rejected.");
            </script>
            <?php
        }
    }
    ?>
    <script>
    alert("invalid login")
    window.location="Login.php";
    </script>
    <?php
}
?>
<!DOCTYPE html>
<html lang="en">
```

```
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-
width, initial-scale=1.0">
   <title>Dream Theme</title>
   <script src="https://unpkg.com/@lottiefiles/lottie-
player@latest/dist/lottie-player.js"></script>
   <style>
      * {
         margin: 0;
         padding: 0;
         box-sizing: border-box;
         font-family: 'Poppins', sans-serif;
      }

      body {
         background: #fef6fb;
         display: flex;
         justify-content: center;
         align-items: center;
```

```
        min-height: 100vh;
    }

    .login-container {
        display: flex;
        width: 900px;
        background: white;
        border-radius: 20px;
        box-shadow: 0 10px 30px rgba(255, 133, 185,
0.2);
        overflow: hidden;
        position: relative;
    }

    /* Lottie Animation Section */
    .lottie-section {
        flex: 1;
        background: linear-gradient(135deg, #ff85b9
0%, #ffc2e2 100%);
        display: flex;
```

```
    flex-direction: column;
    justify-content: center;
    align-items: center;
    padding: 40px;
    position: relative;
    overflow: hidden;
}

.lottie-section::before {
    content: '';
    position: absolute;
    width: 300px;
    height: 300px;
    background: rgba(255, 255, 255, 0.15);
    border-radius: 50%;
    top: -100px;
    left: -100px;
}
```

```
.lottie-section::after {
    content: '';
    position: absolute;
    width: 200px;
    height: 200px;
    background: rgba(255, 255, 255, 0.1);
    border-radius: 50%;
    bottom: -50px;
    right: -50px;
}

.lottie-container {
    width: 100%;
    height: 300px;
    position: relative;
    z-index: 2;
}

.lottie-message {
```

```
    color: white;
    text-align: center;
    margin-top: 30px;
    z-index: 2;
}

.lottie-message h2 {
    font-weight: 600;
    margin-bottom: 10px;
    font-size: 22px;
}

.lottie-message p {
    font-size: 14px;
    opacity: 0.9;
}

/* Form Section */
.form-section {
```

```
    flex: 1;
    padding: 60px;
    display: flex;
    flex-direction: column;
    justify-content: center;
}

.form-header {
    margin-bottom: 40px;
    text-align: center;
}

.form-header h1 {
    color: #333;
    font-size: 28px;
    font-weight: 600;
    margin-bottom: 10px;
}
```

```
.form-header p {
    color: #777;
    font-size: 14px;
}

.form-group {
    margin-bottom: 20px;
}

.form-group label {
    display: block;
    margin-bottom: 8px;
    color: #555;
    font-size: 14px;
    font-weight: 500;
}

.form-group input {
    width: 100%;
```

```
    padding: 12px 15px;
    border: 1px solid #eee;
    border-radius: 8px;
    font-size: 14px;
    transition: all 0.3s;
    background: #fafafa;
}

.form-group input:focus {
    outline: none;
    border-color: #ff85b9;
    background: white;
    box-shadow: 0 0 0 3px rgba(255, 133, 185, 0.1);
}

.options {
    display: flex;
    justify-content: space-between;
    align-items: center;
```

```
    margin: 15px 0 25px;
    font-size: 13px;
}

.remember-me {
    display: flex;
    align-items: center;
}

.remember-me input {
    margin-right: 8px;
}

.forgot-password a {
    color: #888;
    text-decoration: none;
    transition: color 0.3s;
}
```

```
.forgot-password a:hover {
    color: #ff85b9;
}

.submit-btn {
    background: #ff85b9;
    color: white;
    border: none;
    padding: 12px;
    border-radius: 8px;
    width: 100%;
    font-size: 16px;
    font-weight: 500;
    cursor: pointer;
    transition: all 0.3s;
}

.submit-btn:hover {
    background: #ff6ba9;
```

```
        transform: translateY(-2px);
        box-shadow: 0 5px 15px rgba(255, 133, 185,
0.3);
    }

    .divider {
        display: flex;
        align-items: center;
        margin: 25px 0;
        color: #999;
        font-size: 12px;
    }

    .divider::before, .divider::after {
        content: "";
        flex: 1;
        border-bottom: 1px solid #eee;
    }
```

```
.divider::before {
    margin-right: 10px;
}

.divider::after {
    margin-left: 10px;
}

.social-login {
    display: flex;
    justify-content: center;
    gap: 15px;
    margin-bottom: 25px;
}

.social-btn {
    width: 40px;
    height: 40px;
    border-radius: 50%;
```

```
    background: #f5f5f5;
    display: flex;
    justify-content: center;
    align-items: center;
    cursor: pointer;
    transition: all 0.3s;
}

.social-btn:hover {
    background: #ff85b9;
    color: white;
    transform: translateY(-3px);
}

.signup-link {
    text-align: center;
    font-size: 14px;
    color: #666;
}
```

```
.signup-link a {
    color: #ff85b9;
    text-decoration: none;
    font-weight: 500;
}

.home-link {
position: absolute;
top: 20px;
left: 20px;
padding: 10px 20px;
background-color: #ff85b9;
color: white;
text-decoration: none;
border-radius: 8px;
font-weight: 600;
transition: all 0.3s ease;
}
```

```
.home-link:hover {
    background-color: #e76d9e;
    transform: translateY(-2px);
}
    /* Floating animation */
    @keyframes float {
        0%, 100% {
            transform: translateY(0);
        }
        50% {
            transform: translateY(-10px);
        }
    }

    .floating {
        animation: float 4s ease-in-out infinite;
    }
</style>
```

```
</head>
<body>
   <a href="../index.php" class="home-
link">Home</a>
   <div class="login-container">
      <!-- Lottie Animation Section -->
      <div class="lottie-section">
         <div class="lottie-container floating">
            <lottie-player
               src="https://assets5.lottiefiles.com/packages
/lf20_5tkzkblw.json"
               background="transparent"
               speed="1"
               style="width: 100%; height: 100%;"
               loop
               autoplay>
            </lottie-player>
         </div>
         <div class="lottie-message">
            <h2>Welcome Back!</h2>
```

```
    </div>
  </div>

  <!-- Form Section -->
  <div class="form-section">
    <div class="form-header">
      <h1>Sign In</h1>
      <p>Enter your credentials to continue</p>
    </div>

    <form id="loginForm" method="post">
      <div class="form-group">
        <label for="email">Email Address</label>
        <input type="email" id="txt_email"
name="txt_email" placeholder="your@email.com"
required>
      </div>

      <div class="form-group">
```

```
            <label for="password">Password</label>
            <input type="password"
id="txt_password" name="txt_password"
placeholder="••••••••" required>
        </div>

        <div class="options">
            <div class="remember-me">
                <input type="checkbox"
id="remember">
                <label for="remember">Remember
me</label>
            </div>
            <div class="forgot-password">
                <a href="#">Forgot password?</a>
            </div>
        </div>

        <input type="submit" class="submit-btn"
value="Sign-in" name="btn_submit">
```

```
            <div class="divider">or continue with</div>


            <div class="social-login">
               <div class="social-btn">
                  <svg
xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" viewBox="0 0 16
16">
                     <path d="M15.545 6.558a9.42 9.42 0 0
1 .139 1.626c0 2.434-.87 4.492-2.384 5.885h.002C11.978
15.292 10.158 16 8 16A8 8 0 1 1 8 0a7.689 7.689 0 0 1
5.352 2.082l-2.284 2.284A4.347 4.347 0 0 0 8 3.166c-
2.087 0-3.86 1.408-4.492 3.304a4.792 4.792 0 0 0 0
3.063h.003c.635 1.893 2.405 3.301 4.492 3.301 1.078 0
2.004-.276 2.722-.764h-.003a3.702 3.702 0 0 0 1.599-
2.431H8v-3.08h7.545z"/>
                  </svg>
               </div>
               <div class="social-btn">
                  <svg
xmlns="http://www.w3.org/2000/svg" width="16"
```

height="16" fill="currentColor" viewBox="0 0 16 16">

<path d="M8 0C5.829 0 5.556.01 4.703.048 3.85.088 3.269.222 2.76.42a3.917 3.917 0 0 0-1.417.923A3.927 3.927 0 0 0 .42 2.76C.222 3.268.087 3.85.048 4.7.01 5.555 0 5.827 0 8.001c0 2.172.01 2.444.048 3.297.04.852.174 1.433.372 1.942.205.526.478.972.923 1.417.444.445.89.719 1.416.923.51.198 1.09.333 1.942.372C5.555 15.99 5.827 16 8 16s2.444-.01 3.298-.048c.851-.04 1.434-.174 1.943-.372a3.916 3.916 0 0 0 1.416-.923c.445-.445.718-.891.923-1.417.197-.509.332-1.09.372-1.942C15.99 10.445 16 10.173 16 8s-.01-2.445-.048-3.299c-.04-.851-.175-1.433-.372-1.941a3.926 3.926 0 0 0-.923-1.417A3.911 3.911 0 0 0 13.24.42c-.51-.198-1.092-.333-1.943-.372C10.443.01 10.172 0 7.998 0h.003zm-.717 1.442h.718c2.136 0 2.389.007 3.232.046.78.035 1.204.166 1.486.275.373.145.64.319.92.599.28.28.453.546.598.92.11.281.24.705.275 1.485.039.843.047 1.096.047 3.231s-.008 2.389-.047 3.232c-.035.78-.166 1.203-.275 1.485a2.47 2.47 0 0 1-.599.919c-.28.28-.546.453-.92.598-.28.11-.704.24-1.485.276-.843.038-1.096.047-3.232.047s-2.39-.009-3.233-.047c-.78-.036-1.203-.166-1.485-.276a2.478 2.478 0 0 1-.92-.598 2.48 2.48 0 0 1-.6-.92c-.109-.281-.24-

```
.705-.275-1.485-.038-.843-.046-1.096-.046-3.233 0-
2.136.008-2.388.046-3.231.036-.78.166-1.204.276-
1.486.145-.373.319-.64.599-.92.28-.28.546-.453.92-
.598.282-.11.705-.24 1.485-.276.738-.034 1.024-.044
2.515-.045v.002zm4.988 1.328a.96.96 0 1 0 0 1.92.96.96
0 0 0 0-1.92zm-4.27 1.122a4.109 4.109 0 1 0 8.217
4.109 4.109 0 0 0-8.217zm0 1.441a2.667 2.667 0 1 1 0
5.334 2.667 2.667 0 0 1 0-5.334z"/>
                </svg>
            </div>
            <div class="social-btn">
                <svg
xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" viewBox="0 0 16
16">
                    <path d="M0 1.146C0 .513.526 0 1.175
0h13.65C15.474 0 16 .513 16 1.146v13.708c0 .633-.526
1.146-1.175 1.146H1.175C.526 16 0 15.487 0
14.854V1.146zm4.943
12.248V6.169H2.542v7.225h2.401zm-1.2-8.212c.837 0
1.358-.554 1.358-1.248-.015-.709-.52-1.248-1.342-1.248-
.822 0-1.359.54-1.359 1.248 0 .694.521 1.248 1.327
1.248h.016zm4.908 8.212V9.359c0-.216.016-.432.08-
.586.173-.431.568-.878 1.232-.878.869 0 1.216.662 1.216
```

```
1.634v3.865h2.401V9.25c0-2.22-1.184-3.252-2.764-
3.252-1.274 0-1.845.7-2.165 1.193v.025h-.016a5.54 5.54
0 0 1 .016-.025V6.169h-2.4c.03.678 0 7.225 0
7.225h2.4z"/>
                    </svg>
                </div>
            </div>
        </form>

        <div class="signup-link">
            Don't have an account? <a href="#">Sign up
here</a>
        </div>
    </div>
  </div>
</body>
</html>
```