Towns. Gesternt. Preasion X. * Amount Contract = * *Smart Contrect auc. Muitten ein Coder vand 5toood on the blockchain. the attace often being deployed. * It is used to automote Vousions auguernous. * Agreements Such an financial transcention, real estate transaction, supply chain management & more. * typically used in D-apps. * Advantage of Fraut Confacet ! A * It Jerouide Semual benefits like !!

1 Profficiency & 3 Security. * Reduce visk of fraud and lower. * founded tool four automating and onforcing *It have revolutionized many industries by Stocornling person and reducing Cost,

* Coreating Smart Contact + OGorbest to Elbourn Network @ Careate your napped + townsolden & forford from 3 Capente an experientilaccount tofan tooms A Add Stoer 3 Check, your Balonce 4 closed topal himself @ Proidialize ripresject ne nettirell sur selas ? Describer timed tot wildelike til your (8) Create project 1 Add publicat Pordey + 200 tuntoned tuning @ Weite Contrect monoford mility d 1 Connect Alchemy to project and 12 Compile Contract tunted tunter (18) Deploy Conferent. * Diagreom Representing Greation of Smout Coloret = Smart Constract Development whole word to the to the common of the Zmornt Construct Code dill bear Smoot Contract ABP 1 Fromt Construt Deployment Protenced. Suite


* Norking of Smort antoust Crowdon to Observed to Elections Whosek Brownt Confect Development + presson of Goods and all. A vold. Elbon Domant Coole +4 small way . Hours (Inguage life Zalidity to Good and a second Bosmant andreut ABD to public topper cold 1 4 Application Birary Enturace is Secrification of the Application Service how to refuse the white the secretary with the secretary of the secretary with the secretary of the se Admount Constraint Deployment : * It is deplayed on Blockehin Juhan it becomes feart not network to Blockehain Notos & Provinces paying a fee to Blockehain Notos B) Infacet builth Smout Confecut ? * After deplayment liver con Interest bloth Addeum Sonding tonscueton to Compart die berefact topical bostock

MD5 Algorithm Smart Contract:

MD5 is a cryptographic hash function algorithm that takes the message as input of any length and changes it into a fixed-length message of 16 bytes. MD5 algorithm stands for the message-digest algorithm. MD5 was developed as an improvement of MD4, with advanced security purposes. The output of MD5 (Digest size) is always 128 bits. MD5 was developed in 1991 by Ronald Rivest.

Use Of MD5 Algorithm:

- · It is used for file authentication.
- In a web application, it is used for security purposes. e.g. Secure password of users etc.
- Using this algorithm, We can store our password in 128 bits format.



Working of the MD5 Algorithm:

- MD5 algorithm follows the following steps
- 1. Append Padding Bits: In the first step, we add padding bits in the original message in such a way that the total length of the message is 64 bits less than the exact multiple of 512. Suppose we are given a message of 1000 bits. Now we have to add padding bits to the original message. Here we will add 472 padding bits to the original message. After adding the padding bits the size of the original message/output of the first step will be 1472 i.e. 64 bits less than an exact multiple of 512 (i.e. 512*3 = 1536).

Length(original message + padding bits) = 512 * i - 64 where i = 1,2,3 . . .

Append Length Bits: In this step, we add the length bit in the output of the first step in such a way that the total number of the bits is the perfect multiple of 512. Simply, here we add the 64-bit as a length bit in the output of the first step.

i.e. output of first step = 512 * n - 64

length bits = 64.

After adding both we will get 512 * n i.e. the exact multiple of 512.

- 3. Initialize MD buffer: Here, we use the 4 buffers i.e. J, K, L, and M. The size of each buffer is 32 bits.
 - J = 0x67425301
 - K = 0xEDFCBA45
 - L = 0x98CBADFE
 - M = 0x13DCE476
- 4. Process Each 512-bit Block: This is the most important step of the MD5 algorithm. Here, a total of 64 operations are performed in 4 rounds. In the 1st round, 16 operations will be performed, 2nd

round 16 operations will be performed, 3rd round 16 operations will be performed, and in the 4th round, 16 operations will be performed. We apply a different function on each round i.e. for the 1st round we apply the F function, for the 2nd G function, 3rd for the H function, and 4th for the I function.

Application Of MD5 Algorithm:

- · We use message digest to verify the integrity of files/ authenticates files.
- MD5 was used for data security and encryption.
- It is used to Digest the message of any size and also used for Password verification.
- For Game Boards and Graphics.

Advantages of MD5 Algorithm:

Selfore and on the solution of the self-

- MD5 is faster and simple to understand.
- MD5 algorithm generates a strong password in 16 bytes format. All developers like web
 developers etc use the MD5 algorithm to secure the password of users.
- To integrate the MD5 algorithm, relatively low memory is necessary.
- It is very easy and faster to generate a digest message of the original message.

Disadvantages of MD5 Algorithm:

- MD5 generates the same hash function for different inputs.
- MD5 provides poor security over <u>SHA1</u>.
- MD5 has been considered an insecure algorithm. So now we are using SHA256 instead of MD5
- MD5 is neither a symmetric nor asymmetric algorithm.